

University of New Mexico

UNM Digital Repository

Mathematics and Statistics Faculty and Staff
Publications

Academic Department Resources

2018

Neutrosophic Linear Programming Problems

Florentin Smarandache

Abdel-Nasser Hussian

Mai Mohamed

Mohamed Abdel-Baset

Follow this and additional works at: https://digitalrepository.unm.edu/math_fsp



Part of the [Logic and Foundations Commons](#), [Management Sciences and Quantitative Methods Commons](#), [Operations and Supply Chain Management Commons](#), [Other Mathematics Commons](#), and the [Other Physical Sciences and Mathematics Commons](#)

I

Neutrosophic Linear Programming Problems

Abdel-Nasser Hussian¹ ▪ Mai Mohamed² ▪ Mohamed Abdel-Baset³ ▪
Florentin Smarandache⁴

¹Department of Information System, Faculty of Computers and Informatics, Zagazig University, Egypt.
E-mail: nasserhr@gmail.com

^{2,3}Department of Operations Research, Faculty of Computers and Informatics, Zagazig University, Sharqiyah,
Egypt. E-mail: En_mai2011@yahoo.com E-mail: analyst_mohamed@yahoo.com

⁴Math & Science Department, University of New Mexico, Gallup, NM 87301, USA.
E-mail: smarand@unm.edu

Abstract

Smarandache presented neutrosophic theory as a tool for handling undetermined information. Wang et al. introduced a single valued neutrosophic set that is a special neutrosophic sets and can be used expediently to deal with real-world problems, especially in decision support. In this paper, we propose linear programming problems based on neutrosophic environment. Neutrosophic sets are characterized by three independent parameters, namely truth-membership degree (T), indeterminacy-membership degree (I) and falsity-membership degree (F), which are more capable to handle imprecise parameters. We also transform the neutrosophic linear programming problem into a crisp programming model by using neutrosophic set parameters. To measure the efficiency of our proposed model we solved several numerical examples.

Keywords

Linear Programming Problem; Neutrosophic; Neutrosophic Sets.

1 Introduction

Linear programming is a method for achieving the best outcome (such as maximum profit or minimum cost) in a mathematical model represented by linear relationships. Decision making is a process of solving the problem and achieving goals under asset of constraints, and it is very difficult in some cases due to

incomplete and imprecise information. And in Linear programming problems the decision maker may not be able to specify the objective function and/or constraints functions precisely. In 1995, Smarandache [5-7] introduce neutrosophy which is the study of neutralities as an extension of dialectics. Neutrosophic is the derivative of neutrosophy and it includes neutrosophic set, neutrosophic probability, neutrosophic statistics and neutrosophic logic. Neutrosophic theory means neutrosophy applied in many fields of sciences, in order to solve problems related to indeterminacy. Although intuitionistic fuzzy sets can only handle incomplete information not indeterminate, the neutrosophic set can handle both incomplete and indeterminate information. [2,5-7] Neutrosophic sets characterized by three independent degrees namely truth-membership degree (T), indeterminacy-membership degree(I), and falsity-membership degree (F), where T,I,F are standard or non-standard subsets of $]0^-,1^+[$. The decision makers in neutrosophic set want to increase the degree of truth-membership and decrease the degree of indeterminacy and falsity membership.

The structure of the paper is as follows: the next section is a preliminary discussion; the third section describes the formulation of linear programming problem using the proposed model; the fourth section presents some illustrative examples to put on view how the approach can be applied; the last section summarizes the conclusions and gives an outlook for future research.

2 Some Preliminaries

2.1 Neutrosophic Set [2]

Let X be a space of points (objects) and $x \in X$. A neutrosophic set A in X is defined by a truth-membership function $T(x)$, an indeterminacy-membership function $I_A(x)$ and a falsity-membership function $F_A(x)$. $T(x)$, $I_A(x)$ and $F_A(x)$ are real standard or real nonstandard subsets of $]0^-,1^+[$. That is $T_A(x):X \rightarrow]0^-,1^+[$, $I_A(x):X \rightarrow]0^-,1^+[$ and $F_A(x):X \rightarrow]0^-,1^+[$. There is no restriction on the sum of $T(x)$, $I_A(x)$ and $F_A(x)$, so $0 \leq T_A(x) \leq \sup I_A(x) \leq F_A(x) \leq 3^+$.

2.2 Single Valued Neutrosophic Sets (SVNS) [7,8]

Let X be a universe of discourse. A single valued neutrosophic set A over X is an object having the form

$A = \{ \langle x, T_A(x), I_A(x), F_A(x) \rangle : x \in X \}$, where $T_A(x):X \rightarrow [0,1]$, $I_A(x):X \rightarrow [0,1]$ and $F_A(x):X \rightarrow [0,1]$ with $0 \leq T_A(x) + I_A(x) + F_A(x) \leq 3$ for all $x \in X$. The intervals $T(x)$, $I_A(x)$ and $F_A(x)$ denote the truth-membership degree, the indeterminacy-membership degree and the falsity membership degree of x to A , respectively.

For convenience, a SVN number is denoted by $A = (a, b, c)$, where $a, b, c \in [0, 1]$ and $a+b+c \leq 3$.

2.3 Complement [3]

The complement of a single valued neutrosophic set A is denoted by ${}_c(A)$ and is defined by

$$\begin{aligned} T_{{}_c(A)}(x) &= F(A)(x), \\ I_{{}_c(A)}(x) &= 1 - I(A)(x), \\ F_{{}_c(A)}(x) &= T(A)(x), \text{ for all } x \text{ in } X. \end{aligned}$$

2.4 Union [3]

The union of two single valued neutrosophic sets A and B is a single valued neutrosophic set C , written as $C = A \cup B$, whose truth-membership, indeterminacy membership and falsity-membership functions are given by

$$\begin{aligned} T(C)(x) &= \max (T(A)(x), T(B)(x)) , \\ I(C)(x) &= \max (I(A)(x), I(B)(x)), \\ F(C)(x) &= \min(F(A)(x), F(B)(x)) \text{ for all } x \text{ in } X. \end{aligned}$$

2.5 Intersection [3]

The intersection of two single valued neutrosophic sets A and B is a single valued neutrosophic set C , written as $C = A \cap B$, whose truth-membership, indeterminacy membership and falsity-membership functions are given by

$$\begin{aligned} T(C)(x) &= \min (T(A)(x), T(B)(x)) , \\ I(C)(x) &= \min (I(A)(x), I(B)(x)) , \quad F(C)(x) = \max(F(A)(x) , F(B)(x)) \text{ for all } x \text{ in } X \end{aligned}$$

3 Neutrosophic Linear Programming Problem

Linear programming problem with neutrosophic coefficients (NLPP) is defined as the following:

$$\begin{aligned} \text{Maximize } Z &= \sum_{j=1}^n c_j x_j \\ \text{Subject to} \\ \sum_{j=1}^n a_{ij}^n x_j &\leq b_i \quad 1 \leq i \leq m \\ x_j &\geq 0, \quad 1 \leq j \leq n \end{aligned} \tag{1}$$

where a_{ij}^n is a neutrosophic number.

The single valued neutrosophic number (a_{ij}^n) is denoted by $A=(a,b,c)$ where $a,b,c \in [0,1]$ And $a,b,c \leq 3$

The truth- membership function of neutrosophic number a_{ij}^n is defined as:

$$T a_{ij}^n(x) = \begin{cases} \frac{x-a_1}{a_2-a_1} & a_1 \leq x \leq a_2 \\ \frac{a_2-x}{a_3-a_2} & a_2 \leq x \leq a_3 \\ 0 & otherwise \end{cases} \quad (2)$$

The indeterminacy- membership function of neutrosophic number a_{ij}^n is defined as:

$$I a_{ij}^n(x) = \begin{cases} \frac{x-b_1}{b_2-b_1} & b_1 \leq x \leq b_2 \\ \frac{b_2-x}{b_3-b_2} & b_2 \leq x \leq b_3 \\ 0 & otherwise \end{cases} \quad (3)$$

And its falsity- membership function of neutrosophic number a_{ij}^n is defined as:

$$F a_{ij}^n(x) = \begin{cases} \frac{x-c_1}{c_2-c_1} & c_1 \leq x \leq c_2 \\ \frac{c_2-x}{c_3-c_2} & c_2 \leq x \leq c_3 \\ 1 & otherwise \end{cases} \quad (4)$$

Then we find the upper and lower bounds of the objective function for truth-membership, indeterminacy and falsity membership as follows:

$$z_U^T = \max\{z(x_i^*)\} \text{ and } z_L^T = \min\{z(x_i^*)\} \text{ where } 1 \leq i \leq k$$

$$z_L^F = z_L^T \text{ And } z_u^F = z_u^T - R(z_u^T - z_L^T)$$

$$z_U^I = z_U^L \text{ and } z_l^I = z_l^L - S(z_u^T - z_L^T)$$

where R, S are predetermined real number in (0, 1).

The truth membership, indeterminacy membership, falsity membership of objective function are as follows:

$$T_O^{(Z)} = \begin{cases} 1 & \text{if } z \geq z_u^T \\ \frac{z-z_L^T}{z_u^T-z_L^T} & \text{if } z_L^T \leq z \leq z_u^T \\ 0 & \text{if } z < z_L^T \end{cases} \quad (5)$$

$$I_O^{(Z)} = \begin{cases} 1 & \text{if } z \geq z_u^T \\ \frac{z-z_L^I}{z_u^I-z_L^I} & \text{if } z_L^I \leq z \leq z_u^I \\ 0 & \text{if } z < z_L^I \end{cases} \quad (6)$$

$$F_O^{(Z)} = \begin{cases} 1 & \text{if } z \geq z_u^T \\ \frac{z_u^F - z}{z_u^F - z_L^F} & \text{if } z_L^T \leq z \leq z_u^T \\ 0 & \text{if } z < z_L^T \end{cases} \quad (7)$$

The neutrosophic set of the i^{th} constraint c_i is defined as:

$$T_{c_i}^{(x)} = \begin{cases} 1 & \text{if } b_i \geq \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \\ \frac{b_i - \sum_{j=1}^n a_{ij} x_j}{\sum_{j=1}^n d_{ij} x_j} & \text{if } \sum_{j=1}^n a_{ij} x_j \leq b_i < \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \\ 0 & \text{if } b_i < \sum_{j=1}^n a_{ij} x_j \end{cases} \quad (8)$$

$$I_{c_i}^{(x)} = \begin{cases} 0 & \text{if } b_i < \sum_{j=1}^n a_{ij} x_j \\ \frac{b_i - \sum_{j=1}^n d_{ij} x_j}{\sum_{j=1}^n a_{ij} x_j} & \text{if } \sum_{j=1}^n a_{ij} x_j \leq b_i < \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \\ 0 & \text{if } b_i \geq \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \end{cases} \quad (9)$$

$$F_{c_i}^{(x)} = \begin{cases} 1 & \text{if } b_i < \sum_{j=1}^n a_{ij} x_j \\ 1 - T_{c_i}^{(x)} & \text{if } \sum_{j=1}^n a_{ij} x_j \leq b_i < \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \\ 0 & \text{if } b_i \geq \sum_{j=1}^n (a_{ij} + d_{ij}) x_j \end{cases} \quad (10)$$

4 Neutrosophic Optimization Model

In our neutrosophic model we want to maximize the degree of acceptance and minimize the degree of rejection and indeterminacy of the neutrosophic objective function and constraints. Neutrosophic optimization model can be defined as:

$$\begin{aligned} & \max T_{(x)} \\ & \min F_{(x)} \\ & \min I_{(x)} \\ & \text{Subject to} \\ & T_{(x)} \geq F_{(x)} , \\ & T_{(x)} \geq I_{(x)} , \\ & 0 \leq T_{(x)} + I_{(x)} + F_{(x)} \leq 3, \\ & T_{(x)}, I_{(x)}, F_{(x)} \geq 0, \quad x \geq 0, \end{aligned} \quad (11)$$

where $T_{(x)}, F_{(x)}, I_{(x)}$ denote the degree of acceptance, rejection, and indeterminacy of x respectively.

The above problem is equivalent to the following:

$$\max \alpha, \min \beta, \min \theta$$

Subject to

$$\begin{aligned} \alpha &\leq T(x), \\ \beta &\leq F(x), \\ \theta &\leq I(x), \\ \alpha &\geq \beta, \\ \alpha &\geq \theta, \\ 0 &\leq \alpha + \beta + \theta \leq 3, \\ x &\geq 0, \end{aligned} \tag{12}$$

where α denotes the minimal acceptable degree, β denotes the maximal degree of rejection and θ denotes the maximal degree of indeterminacy.

The neutrosophic optimization model can be changed into the following optimization model:

$$\max(\alpha - \beta - \theta)$$

Subject to

$$\begin{aligned} \alpha &\leq T(x), \\ \beta &\geq F(x), \\ \theta &\geq I(x), \\ \alpha &\geq \beta, \\ \alpha &\geq \theta, \\ 0 &\leq \alpha + \beta + \theta \leq 3, \\ \alpha, \beta, \theta &\geq 0, \\ x &\geq 0. \end{aligned} \tag{13}$$

The previous model can be written as:

$$\min (1 - \alpha) \beta \theta$$

Subject to

$$\begin{aligned}
 \alpha &\leq T(x) \\
 \beta &\geq F(x) \\
 \theta &\geq I(x) \\
 \alpha &\geq \beta \\
 \alpha &\geq \theta \\
 0 &\leq \alpha + \beta + \theta \leq 3 \\
 x &\geq 0.
 \end{aligned}
 \tag{14}$$

5 The Algorithm for Solving Neutrosophic Linear Programming Problem (NLPP)

Step 1. solve the objective function subject to the constraints.

Step 2. create the decision set which include the highest degree of truth-membership and the least degree of falsity and indeterminacy memberships.

Step 3. declare goals and tolerance.

Step 4. construct membership functions.

Step 5. set α, β, θ in the interval $]0, 1^+[$ for each neutrosophic number.

Step 6. find the upper and lower bound of objective function as we illustrated previously in section 3.

Step 7. construct neutrosophic optimization model as in equation (13).

6 Numerical Examples

To measure the efficiency of our proposed model, we solved many numerical examples.

6.1. Illustrative Example #1

Beaver Creek Pottery Company is a small crafts operation run by a Native American tribal council. The company employs skilled artisans to produce clay bowls and mugs with authentic Native American designs and colours. The two primary resources used by the company are special pottery clay and skilled labour. Given these limited resources, the company desires to know how many bowls and mugs to produce each day in order to maximize profit. The two products have the following resource requirements for production and profit per item produced presented in Table 1:

Table 1. Resource requirements of two products

| product | Resource Requirements | | |
|---------|-----------------------|-----------------|-----------------|
| | Labour(Hr./Unit) | Clay (Lb./Unit) | Profit(\$/Unit) |
| Bowl | $\tilde{1}$ | $\tilde{4}$ | $\tilde{40}$ |
| Mug | $\tilde{2}$ | $\tilde{3}$ | $\tilde{50}$ |

There are around 40 hours of labour and around 120 pounds of clay available each day for production. We will formulate this problem as a neutrosophic linear programming model as follows:

$$\begin{aligned}
 & \max \quad \tilde{40}x_1 + \tilde{50}x_2 \\
 & \text{S.t.} \\
 & \tilde{1}x_1 + \tilde{2}x_2 \leq \tilde{40} \quad \tilde{4}x_1 + \tilde{3}x_2 \leq \tilde{120} \\
 & x_1, x_2 \geq 0
 \end{aligned} \tag{15}$$

where

$$\begin{aligned}
 C_1 &= \tilde{40} = \{(30, 40, 50), (0.7, 0.4, 0.3)\}; \\
 C &= \tilde{50} = \{(40, 50, 60), (0.6, 0.5, 0.2)\}; \\
 a_{11} &= \tilde{1} = \{(0.5, 1, 3), (0.6, 0.4, 0.1)\}; \\
 a_{12} &= \tilde{2} = \{(0, 2, 6), (0.6, 0.4, 0.1)\}; \\
 a_{21} &= \tilde{4} = \{(1, 4, 12), (0.4, 0.3, 0.2)\}; \\
 a_{22} &= \tilde{3} = \{(1, 3, 10), (0.7, 0.4, 0.3)\}; \\
 b_1 &= \tilde{40} = \{(20, 40, 60), (0.4, 0.3, 0.5)\}; \\
 b_2 &= \tilde{120} = \{(100, 120, 140), (0.7, 0.4, 0.3)\};
 \end{aligned}$$

The equivalent crisp formulation is:

$$\begin{aligned}
 & \max \quad 15x_1 + 18x_2 \\
 & \text{S.t} \\
 & x_1 + x_2 \leq 12 \\
 & 3x_1 + 2x_2 \leq 45 \\
 & x_1, x_2 \geq 0
 \end{aligned}$$

The optimal solution is $x_1 = 0$; $x_2 = 12$; with optimal objective value = 216\$.

6.2. Illustrative Example #2

$$\begin{aligned}
 & \max \tilde{5}x_1 + \tilde{3}x_2 \\
 & \text{s.t.} \\
 & \tilde{4}x_1 + \tilde{3}x_2 \leq \tilde{12} \\
 & \tilde{1}x_1 + \tilde{3}x_2 \leq \tilde{6} \\
 & x_1, x_2 \geq 0
 \end{aligned} \tag{16}$$

where

$$\begin{aligned}
 c_1 = \tilde{5} &= \{(4, 5, 6), (0.5, 0.8, 0.3)\}; \\
 c_2 = \tilde{3} &= \{(2.5, 3, 3.2), (0.6, 0.4, 0)\}; \\
 a_{11} = \tilde{4} &= \{(3.5, 4, 4.1), (0.75, 0.5, 0.25)\}; \\
 a_{12} = \tilde{3} &= \{(2.5, 3, 3.2), (0.2, 0.8, 0.4)\}; \\
 a_{21} = \tilde{1} &= \{(0, 1, 2), (0.15, 0.5, 0)\}; \\
 a_{22} = \tilde{3} &= \{(2.8, 3, 3.2), (0.75, 0.5, 0.25)\}; \\
 b_1 = \tilde{12} &= \{(11, 12, 13), (0.2, 0.6, 0.5)\}; \\
 b_2 = \tilde{6} &= \{(5.5, 6, 7.5), (0.8, 0.6, 0.4)\}.
 \end{aligned}$$

The equivalent crisp formulation is:

$$\begin{aligned}
 & \max 1.3125x_1 + 0.0158x_2 \\
 & \text{S.t} \\
 & 2.5375x_1 + 0.54375x_2 \leq 2.475 \\
 & 0.3093x_1 + 1.125x_2 \leq 2.1375 \\
 & x_1, x_2 \geq 0
 \end{aligned}$$

The optimal solution is $x_1 = 1$; $x_2 = 0$; with optimal objective value 1 \$.

6.3. Illustrative Example #3

$$\begin{aligned}
 & \max 25x_1 + 48x_2 \\
 & \text{s.t.} \\
 & 15x_1 + 30x_2 \leq 45000 \\
 & 24x_1 + 6x_2 \leq 24000 \\
 & 21x_1 + 14x_2 \leq 28000 \\
 & x_1, x_2 \geq 0
 \end{aligned} \tag{17}$$

where

$$c_1 = 25 = \{(19, 25, 33), (0.8, 0.1, 0.4)\};$$

$$c_2 = 48 = \{(44, 48, 54), (0.75, 0.25, 0)\}.$$

The corresponding crisp linear programs given as follows:

$$\begin{aligned}
 & \max 11.069x_1 + 22.8125x_2 \\
 & \text{s.t} \\
 & 15x_1 + 30x_2 \leq 45000 \\
 & 24x_1 + 6x_2 \leq 24000 \\
 & x_1, x_2 \geq 0
 \end{aligned}$$

The optimal solution is $x_1 = 0$; $x_2 = 1500$; with optimal objective value 34219 \$

6.4. Illustrative Example #4

$$\begin{aligned}
 & \max 25x_1 + 48x_2 \\
 & \text{s.t.} \\
 & \tilde{15}x_1 + \tilde{30}x_2 \leq \tilde{45000} \\
 & \tilde{24}x_1 + \tilde{6}x_2 \leq \tilde{24000} \\
 & \tilde{21}x_1 + \tilde{14}x_2 \leq \tilde{28000} \\
 & x_1, x_2 \geq 0
 \end{aligned} \tag{18}$$

where

$$a_{11} = \tilde{15} = \{(14, 15, 17), (0.75, 0.5, 0.25)\};$$

$$a_{12} = \tilde{30} = \{(25, 30, 34), (0.25, 0.7, 0.4)\};$$

$$a_{21} = \tilde{24} = \{(21, 24, 26), (0.4, 0.6, 0)\};$$

$$a_{22} = \tilde{6} = \{(4, 6, 8), (0.75, 0.5, 0.25)\};$$

$$a_{31} = \tilde{21} = \{(17, 21, 22), (1, 0.25, 0)\};$$

$$a_{32} = \tilde{14} = \{(12, 14, 19), (0.6, 0.4, 0)\};$$

$$b_1 = \tilde{45000} = \{(44980, 45000, 45030), (0.3, 0.4, 0.8)\};$$

$$b_2 = \tilde{24000} = \{(23980, 24000, 24050), (0.4, 0.25, 0.5)\};$$

$$b_3 = \tilde{28000} = \{(27990, 28000, 28030), (0.9, 0.2, 0)\}.$$

The associated crisp linear programs model will be:

$$\max 25x_1 + 48x_2$$

s.t

$$5.75x_1 + 6.397x_2 \leq 9282$$

$$10.312x_1 + 6.187x_2 \leq 14178.37$$

$$x_1, x_2 \geq 0$$

The optimal solution is $x_1 = 0$; $x_2 = 1451$; with optimal objective value 69648\$

6.5. Illustrative Example#5

$$\max 7x_1 + 5x_2$$

s.t.

$$\tilde{1}x_1 + \tilde{2}x_2 \leq 6$$

$$\tilde{4}x_1 + \tilde{3}x_2 \leq 12$$

$$x_1, x_2 \geq 0$$

(19)

where

$$a_{11} = \tilde{1} = \{(0.5, 1, 2), (0.2, 0.6, 0.3)\};$$

$$a_{12} = \tilde{2} = \{(2.5, 3, 3.2), (0.6, 0.4, 0.1)\};$$

$$a_{21} = \tilde{4} = \{(3.5, 4, 4.1), (0.5, 0.25, 0.25)\};$$

$$a_{22} = \tilde{3} = \{(2.5, 3, 3.2), (0.75, 0.25, 0)\};$$

The associated crisp linear programs model will be:

$$\max 7x_1 + 5x_2$$

S. t

$$0.284x_1 + 1.142x_2 \leq 6$$

$$1.45x_1 + 1.36x_2 \leq 12$$

$$x_1, x_2 \geq 0$$

The optimal solution is $x_1 = 4$; $x_2 = 4$; with optimal objective value 48\$.

The result of our NLP model in this example is better than the results obtained by intuitionistic fuzzy set [4].

7 Conclusions and Future Work

Neutrosophic sets and fuzzy sets are two hot research topics. In this paper, we propose linear programming model based on neutrosophic environment, simultaneously considering the degrees of acceptance, indeterminacy, and rejection of objectives, by proposed model for solving neutrosophic linear programming problems (NIPP). In the proposed model, we maximize the degrees of acceptance and minimize indeterminacy and rejection of objectives. NIPP was transformed into a crisp programming model using truth membership, indeterminacy membership, and falsity membership functions. We also give numerical examples to show the efficiency of the proposed method. As far as future directions are concerned, these will include studying the duality theory of linear programming problems based on Neutrosophic.

Acknowledgements

The authors would like to thank anonymous referees for the constructive suggestions that improved both the quality and clarity of the paper.

References

- [1] Smarandache, F. A Unifying Field in Logics: Neutrosophic Logic. Neutrosophy, Neutrosophic Set, Neutrosophic Probability: Neutrosophic Logic. Neutrosophy, Neutrosophic Set, Neutrosophic Probability. Infinite Study, 2005.
- [2] Smarandache, F. A Geometric Interpretation of the Neutrosophic Set-A Generalization of the Intuitionistic Fuzzy Set. arXiv preprint math/0404520(2004).
- [3] R. Şahin, and Muhammed Y. A Multi-criteria neutrosophic group decision making metod based TOPSIS for supplier selection. arXiv preprint arXiv: 1412.5077 (2014).
- [4] Parvathi, R., and Malathi, C. Intuitionistic fuzzy linear programming problems. World Applied Sciences Journal 1.1 (2012): 1-5.
- [5] I. M. Hezam, M. Abdel-Baset, F. Smarandache. Taylor Series Approximation to Solve Neutrosophic Multiobjective Programming Problem. In: Neutrosophic Sets and Systems. An International Journal in Information Science and Engineering, Vol. 10 (2015), pp. 39-45.
- [6] El-Hefenawy, N., Metwally, M. A., Ahmed, Z. M., & El-Henawy, I. M. A Review on the Applications of Neutrosophic Sets. Journal of Computational and Theoretical Nanoscience, 13(1), (2016), pp. 936-944.
- [7] Abdel-Baset, M., Hezam, I. M., & Smarandache, F. Neutrosophic Goal Programming. In: Neutrosophic Sets & Systems, vol. 11 (2016).
- [8] Abdel-Basset, M., Mohamed, M. & Sangaiah, A.K. J Ambient Intell Human Comput (2017). DOI: <https://doi.org/10.1007/s12652-017-0548-7>.