

RAD 2018

**SIXTH INTERNATIONAL CONFERENCE
ON RADIATION AND APPLICATIONS IN VARIOUS FIELDS OF RESEARCH**

BOOK OF ABSTRACTS

18. 06. - 22. 06. 2018 | Metropol Lake Resort | Ohrid | Macedonia





COMPARISON OF CONCENTRATION ACTIVITIES OF RUTHENIUM ISOTOPES MEASURED OVER SLOVENIA AND SERBIA

**Benjamin Zorko¹, Jelena Ajtić², Branko Vodenik¹,
Denis Glavič Cindro¹, Milica Rajačić³, Toni Petrovič¹,
Jelena Krneta Nikolić³, Marija Janković³, Nataša Sarap³,
Ivana Vukanac³, Gordana Pantelić³, Dragana Todorović³**

¹ Jozef Stefan Institute, Ljubljana, Slovenia

² University of Belgrade, Faculty of Veterinary Medicine, Belgrade, Serbia

³ University of Belgrade, Vinča Institute of Nuclear Sciences, Laboratory for Environmental and Radiation Protection, Belgrade, Serbia

The isotopes of ruthenium (Ru-106, Ru-103) were detected by several European environmental networks involved in the monitoring of atmospheric radioactive contamination in late September 2017. The radioactive cloud passed over the countries in the east and south-east of Europe, while other countries in Europe were just brushed up with very low activity concentrations of Ru-106. Ruthenium is very rare and hence its presence may suggest that an event of some nature occurred. Ruthenium-106 is a fission product from the nuclear industry and it is also used in medical procedures, such as brachytherapy treatments. Ruthenium-106 is a beta emitter with a half-life of 1.02 year so the isotopic presence may persist for some time, with its duration depending on many factors. Apart from the disintegration of Ru-106 to the ground state of a short-lived Rh-106, some characteristic gamma rays are emitted. The origin of Ru-106 in the atmosphere is still unclear.

Among the countries that were affected by the passage of the radioactive cloud containing isotopes of ruthenium were the Republic of Slovenia and Republic of Serbia. The activity concentrations of Ru-106 in the air detected in several stations of both countries were of a similar magnitude. The activity concentrations were determined by standard gamma spectrometry measurements at the Vinča Institute of Nuclear Sciences and Jožef Stefan Institute for the Serbian and Slovenian sampling sites, respectively. Ruthenium was also detected in trace levels in other environmental media (precipitation).

Several statistical calculations to compare measurement results in Slovenia and Serbia are carried out. Those calculations also take into account other radionuclides, such as cosmogenic beryllium-7 and a long-lived radon progeny lead-210, to investigate possible atmospheric processes accompanying the release of ruthenium.

PUBLISHER: RAD Association

Bulevar Nikole Tesle 17/12, 18000 Niš, Serbia

www.rad-association.org

FOR THE PUBLISHER: Prof. Dr Goran Ristić

YEAR OF PUBLISHING: 2018

EDITOR: Prof. Dr Goran Ristić

COVER DESIGN: Vladan Nikolić, PhD

TECHNICAL EDITING: Vladan Nikolić, PhD and Sasa Trenčić, MA

PROOF-READING: Saša Trenčić, MA

CD BURNING AND COPYING: RAD Association, Niš, Serbia

PRINT RUN: Electronic edition – 350 CDs (CD-R)

ISBN: 978-86-80300-03-0

The Sixth International Conference on Radiation and Applications in Various Fields of Research (RAD 2018) was financially supported by the Central European Initiative (CEI).

CIP - Каталогизација у публикацији

Народна библиотека Србије, Београд

539.16(048)(0.034.2)

INTERNATIONAL Conference on Radiation and Applications in Various Fields of Research (6 ; 2018 ; Ohrid)

Book of Abstracts [Elektronski izvor] / Sixth International Conference on Radiation and Applications in Various Fields of Research, RAD 2018, 18.06 - 22.06. 2018, Ohrid, Macedonia ; [editor Goran Ristić]. - Niš : RAD Association, 2018 (Niš : RAD Association). - 1 elektronski optički disk (CD-ROM) ; 12 cm

Sistemska zahtevi: Nisu navedeni. - Na nasl. str.: CEI Central European Initiative. - Nasl. sa naslovne strane dokumenta. - Tiraž 350.

ISBN 978-86-80300-03-0

a) Јонизујуће зрачење - Дозиметрија - Апстракти

COBISS.SR-ID 266468620



rad-conference.org

Silver sponsor

