

Association for Information Systems

AIS Electronic Library (AISeL)

WHICEB 2020 Proceedings

Wuhan International Conference on e-Business

Summer 7-5-2020

Research on the Influencing Factors of the Continuous Use of Online Health Information —Health Literacy as a Moderator

Weilong Liu

School of Management Science and Engineering, Shandong University of Finance and Economics, Ji'nan, 250014, China, lwl_sdufe@163.com

Daojia Xi

School of Management Science and Engineering, Shandong University of Finance and Economics, Ji'nan, 250014, China, XDJ1281732910@163.com

Follow this and additional works at: https://aisel.aisnet.org/whiceb2020

Recommended Citation

Liu, Weilong and Xi, Daojia, "Research on the Influencing Factors of the Continuous Use of Online Health Information —Health Literacy as a Moderator" (2020). WHICEB 2020 Proceedings. 63. https://aisel.aisnet.org/whiceb2020/63

This material is brought to you by the Wuhan International Conference on e-Business at AIS Electronic Library (AISeL). It has been accepted for inclusion in WHICEB 2020 Proceedings by an authorized administrator of AIS Electronic Library (AISeL). For more information, please contact elibrary@aisnet.org.

Research on the Influencing Factors of the Continuous Use of

Online Health Information

-Health Literacy as a Moderator

Weilong Liu^{1*}, Daojia Xi²

School of Management Science and Engineering, Shandong University of Finance and Economics, Ji'nan, 250014, China

Abstract: Studying the influencing factors of users' willingness to continue using online health information will help the online health platform to provide health information that meets users' needs and improve the users' experience, and can promote the popularization of health information. Based on the theory of expectation confirmation, this study explores the influencing factors of users' willingness to continue to use online health information from the perspectives of information quality and health literacy theory, and uses PLS to verify the conceptual model. The research results show that: (1) Both users' satisfaction and perceived usefulness positively significantly affect the willingness to use online health information continuously and the perceived usefulness has a decisive influence.(2) Perceived usefulness plays a part intermediary role between the quality of information content and the users' continued willingness to use online health information, and it partially plays a intermediary role between the credibility of information sources and the users' willingness to use online health information continuously. (3) Users' health literacy negatively regulates the relationship between information source credibility and perceived usefulness, and positively regulates the relationship between information content quality and perceived usefulness.

Keywords: expectation confirmation model, health literacy, willingness to use continuously, information quality

1. INTRODUCTION

With the development of society and the progress of health, people have turned more perspectives into the health field, and the demand for health information has never been higher. With the advent of the "Internet +" era, users have a new way to obtain health information, which promotes the formation of new service concepts and the development of new technologies, and brings a qualitative improvement to traditional medical services and the development of new technologies, and brings a qualitative improvement to traditional medical services are specialized medical institutions, and can get resources at the same medical level more easily and quickly, which greatly reduces the time cost and economic cost of finding health information. As health awareness continues to increase, people are more willing to search for online health information for their own or others' needs. Not only can you search repeatedly according to your needs, but you can also be satisfactory in terms of cost savings, privacy protection, and high accuracy. On the other hand, although the Internet provides people with convenient conditions for obtaining information, it also contains false medical information and business inducement information. Without strong health literacy, it will seriously affect users' willingness to accept information and continuous use behavior [2].

Research on online health information related fields has been carried out successively in the world. Zhang Xing [3] modeled the credibility factors of online health information based on the fine processing possibility model. Hesse BW [4] explored users' online health information activities through surveys. Zhao Dongxiang [5] studied the quality of online health information based on bounded rationality and evolutionary games. However, these studies

-

Corresponding author. Email: lwl_sdufe@163.com (Weilong Liu), XDJ1281732910@163.com (Daojia Xi)

did not take into account health literacy factors, nor did they conduct in-depth research on users' continued willingness to use online health information. In this paper, the expectation confirmation model is improved. The dual-path model is used as a guide to select the information source credibility and information content quality as research variables from the perspective of information quality. The perceived usefulness in the model is used as an intermediate variable and health literacy is used as a moderator. We strive to reveal the impact of people's willingness to continue to use online health information with an improved new theoretical model. This paper collects data through questionnaires, and uses structural equation models for testing and analysing.

2. RESEARCH HYPOTHESES AND MODEL

2.1 Expectation confirmation model

Expectation confirmation model (ECM) is a brand-new model of continuous use information system obtained by Bhattacherjee based on expectation confirmation theory ^[6]. Related research variables include expected confirmation, satisfaction, perceived usefulness, and willingness to use continuously. The model reveals that the degree of expectation confirmation has a positive impact on perceived usefulness and satisfaction, that perceived usefulness has a positive impact on satisfaction and willingness to use continuously, and that satisfaction has a positive impact on willingness to use continuously.

The proposal of ECM has opened up a new direction for the continuous use of information systems, and has caused many follow-up scholars to study this model in depth. Mou ^[7] researched online medical information services based on this model and verified the relationship between various factors in the model, and Yao C ^[8] successfully analyzed the users' willingness to use social websites continuously based on this model. The above research validates the powerful explanatory power of the model and proves the validity and broad applicability of the model in the study of the willingness to use information continuously. Therefore, the model is also applicable to this study.

Users' satisfaction mainly refers to the users' cognitive attitude to the use process after experiencing a product or service, which will have a positive impact on the users' information acceptance and willingness to continue using the information. In the context of the Internet, users' satisfaction may have an impact on the willingness to continue using online health information. Therefore, this paper makes the following hypothesis:

H1: Users' satisfaction positively affects users' willingness to continue using online health information

Expected confirmation refers to the degree of comparison between the actual experience and the expected experience of users after experiencing a product or service. Perceived usefulness refers to the subjective experience of the users after using the product, and refers to the "feeling of satisfaction" after receiving the service. The better the users' acquisition experience, the higher the users' expected degree of confirmation, and the higher the corresponding satisfaction. Therefore, this paper makes the following hypotheses:

- H2: Users' expectation confirmation positively affects the satisfaction of using online health information
- H3: Expected confirmation positively affects the users' perceived usefulness

The higher the perceived usefulness of a user after the use of online health information, the higher the level of satisfaction that the user has. The users' own health information needs are greatly satisfied, and life and work are significantly improved. This increase in perceived usefulness may have a positive effect on users' satisfaction. Therefore, the following hypothesis is made.

H4: Perceived usefulness positively affects users' satisfaction

The higher the users' perceived usefulness when using online health information, the higher the degree of improvement in life or work, which is more likely to drive the users' continuous use of online health information. Therefore, this *paper makes t*he following hypothesis:

H5: Perceived usefulness positively affects users' willingness to use continuously.

2.2 Information quality

Information quality is the basic criterion for evaluating the information obtained, and it is also the main basis for judging the validity of the information. Information quality is a complex multi-dimensional variable. Although there is no uniform judgment standard, the main dimensions and characteristics of information quality evaluation have similarity. Many scholars have conducted empirical research on user information quality. Zheng Y M ^[9] divided the information quality into 6 aspects: information objectivity, value-added, reliability, richness, timeliness, and formality. Lin J C ^[10] judged the quality of information from 5 aspects, including accuracy, completeness, update time, suitability, and reasonableness of arrangements. However, although the above-mentioned judgment indicators have some basis, the research indicators and perspectives are confused. Petty & Cacioppo proposed that the dual-path indicator divides the problem into two aspects for analysis from two perspectives ^[11], and has been widely used in information quality evaluation and has achieved significant results. Therefore, based on the above research, this paper uses information quality is measured in terms of quality of information content and credibility of information sources.

2.2.1 Information content quality

With the development of "Internet + Medical", while health information becomes more abundant, it also brings the hidden dangers of false information. People are more susceptible to the erosion of bad information, and they are likely to make wrong decisions after obtaining information. Therefore, it is necessary to judge the quality of the information content. The quality of information content includes the authenticity, timeliness, and integrity of the information. The higher the quality of the information content, the more it can help online health information users to analyze, summarize health information, and make rational judgments [12]. Sussman [13] pointed out that the degree of users' perceived usefulness increases with the quality of information content, and then affects the users' behavioral intention. Ahn Tony [14] found that high information content quality will increase the users' perceived usefulness, thereby affecting the continuous use of information websites. It can be seen that high-quality information content can help users clearly determine the positioning of information products, reduce the uncertainty of use, and enhance users' motivation. Therefore, this study makes the following hypothesis:

H6: The quality of information content positively affects the users' perceived usefulness.

2.2.2 Information source credibility

The credibility of information sources can assess and reflect the persuasiveness of the information. The credibility of information sources mainly refers to the authoritativeness and accuracy of information. In daily life, people are more willing to believe and adopt health information issued by authoritative institutions or scholars, even if there is no difference with information from other channels. The credibility of the source of online health information means that it can help users assess the richness of the information provided. At present, the credibility of information sources has been applied to the research of social media, online health and other fields. DG Ko [15] pointed out in the research on the antecedents of knowledge transfer that information with high credibility of the source has greater value, which improves users' recognition of the information and can promote the transfer of information. Zhu [16] found that information with high source reliability would enhance the users' perceived usefulness, and then affect the users' decision motivation. In summary, it is found that when the source of information is reliable, that is, when the source of information is highly credible, it will increase the users' perceived usefulness. Therefore, this study introduces it into the online health information research, and proposes the following hypothesis:

H7:The credibility of information sources positively affects the perceived usefulness of online health information

2.3 Health literacy

Health literacy (HL) refers to an individual's ability to seek, acquire, evaluate, and use health information,

which can affect people's reading, understanding, and adoption of health information ^[17]. Good health literacy should have the ability to demand health information, the ability to recognize health information, the ability to search for health information, and the ability to evaluate and use health information.

Cho ^[18] found that the higher the users' health literacy, the stronger the users' perception of the usefulness of using a smartphone medical app, which will affect the continued use of the app. Diviani N ^[19] found in research that users with low health literacy would reduce the usefulness evaluation of the information when using online health information, thereby affecting users' motivation to continue using it. Tang Xuli ^[20] pointed out that users' health literacy will affect the role of information quality in supporting information, and then affect users' behavioral willingness. Studies by the above scholars have shown that health literacy can directly affect users' ability to judge information, thereby affecting users' willingness to continue using online health information. From the above research, it can be found that health literacy does not directly affect users' willingness to use online health information, but it can have an indirect impact on the willingness to use online health information.

Health literacy will have an important impact on users' information judgment and processing capabilities, and ultimately affect information decisions. The higher the user's health literacy, the deeper they can understand the service form of health information. In the process of information judgment, users tend to choose auxiliary means to enhance the ability to judge the authenticity of information and increase the usefulness of perception. Therefore, this paper makes the following hypothesis:

H8: Health literacy positively regulates the relationship between credibility of information sources and perceived usefulness

The higher the users' health literacy, the greater the emphasis on the credibility of the information source, the more support for the use of information with high credibility of the source, the less attention to the information content itself ^[20], and the reduction of the dependence on the quality of the information content. Therefore, this paper makes the following hypothesis:

H9: Health literacy negatively regulates the relationship between information content quality and perceived usefulness

2.4 Research model

Based on the above theoretical review and research hypotheses. Based on the expectation confirmation model, this paper selects the information content quality and information source credibility as the research variables, health literacy as the moderator, and finally establishes a research model shown in Figure 1. The definition and source of each design variable are shown in Table 1.




Figure 1. Research model

variables definition Source Information content quality Accuracy, validity and completeness of health information. [21] Information source credibility The professional and credible nature of health information sources. [22] Perceived usefulness Subjective evaluation of usefulness using online health information. [6] Expectation confirmation Expected compliance before and after online health information. [7] Psychological satisfaction of users using online health information. [6] Satisfaction Willingness to use continuously Users' continue to use online health information for a period of time. [6] Health literacy Ability to obtain health information and make correct decisions based on it. [17]

Table 1. Research variables and reference sources

3. EMPIRICAL METHODOLOGY

3.1 Measures

There are 7 latent variables in the model of this study, and each latent variable includes 3 measurement variables. In order to ensure the reliability of the content, the design of the measurement items is modified based on the existing literature and the characteristics of online health information. Scale measurement items and sources are shown in Table 2. A 7-point Likert scale was used to measure the measurement items.

Table 2. Scale measurement items and sources

variables	measurement items	Source	
	Online health information can answer my questions in a timely manner		
Information content quality	The content described in the online health information is usually complete.		
(ICQ)	The content of online health information has high authenticity.		
Information source credibility (ISC)	The online health information platform has a high reputation in this field. Many sources of online health information are reliable. The content of online health information is usually accepted and adopted by most people.	[15]	
	Using online health information can reduce the cost of my information.		
Perceived usefulness	Online health information can help me understand my own diseases.	[16]	
(PU)	Online health information can help me make medical decisions.		
	The scope of online health information is wider than I thought.		
Expectation confirmation	Online health information is more informative than I thought.	[16]	
(EC)	The quality of online health information is better than I thought.		
	Online health information can resolve my health concerns.		
Satisfaction	Online health information can meet my information needs.	[15]	
(SAT)	The process of obtaining and using online health information went smoothly		
	In the future, I will also use online health information.		
Willingness to use continuously	I would recommend using online health information to friends in need.	[15]	
(WC)	I will keep using online health information even more frequently.		
	I can easily read the health information instructions.		
Health literacy	I know where to get disease-related information in case of illness.	[23]	
(HL)	Faced with a lot of health information, I can choose a solution that suits me.		

3.2 Data collection

The questionnaire production is designed by the questionnaire professional website "Questionnaire Star".

The questionnaires are sent mainly through the Internet, including "WeChat circle of friends", "Questionnaire mutual filling platform", "Weibo" and "e-mail". A total of 527 questionnaires were retrieved, and 122 questionnaires that were too short to be filled out were excluded, and a total of 405 questionnaires were obtained. The effective recovery rate was 76.85%.

4. DATA ANALYSIS

4.1 Reliability and validity analysis

Reliability is a measure of consistency, stability and reliability of measurement results. Reliability test measures Cronbach's alpha (α) coefficient and combined reliability (CR). The $\alpha > 0.6$ and Cr > 0.7 indicate that the reliability of the measurement results is high. In the data test results of this paper, except that the quality of information content is close to 0.7, the other indicators are all greater than 0.7, and the CR value is all greater than 0.7, which proves that the sample data has good reliability and validity, as shown in Table 3.

Table 3. Reliability and validity							
variables	Measurement items	Standard factor load	α	CR	AVE		
	EC1	0.876					
EC	EC2	0.858	0.817	0.891	0.732		
	EC3	0.832					
	HI1	0.894					
НІ	HI2	0.911	0.850	0.903	0.758		
	НІЗ	0.803					
	ICQ1	0.803					
ICQ	ICQ2	0.843	0.689	0.832	0.623		
	ICQ3 0.717						
	PU1	0.782					
PU	PU2	0.812	0.746	0.855	0.663		
	PU3	0.848					
	ISC1	0.802					
ISC	ISC2	0.827	0.723	0.843	0.642		
	ISC3	0.774					
SAT	SAT1	0.892					
	SAT2	0.896	0.777	0.873	0.699		
	SAT3	0.705	0.777	0.673	0.033		
WC	WC1	0.830					
	WC2	0.873		0.893	0.735		
	WC3	0.868					

Validity evaluation consists of three parts: content validity, convergence validity, and discriminant validity. The measurement items in the scale used in this study have been verified in the relevant literature. In this study, only a moderate adaptation was made, so it has good content validity. As shown in Table 3, the standard load factors in the model measurement results are all greater than 0.7, and the AVE values are all greater than 0.5, indicating that the model has a good convergence validity.

The discriminant validity is measured using the model's latent variable AVE square root. The square root of the variable AVE should be greater than the cross-correlation coefficient between other variables. As shown in Table 4, the square root (diagonal) of the latent variable AVE is larger than the cross-correlation coefficients of other variables, indicating that it has better discriminant validity.

Construct	EC	HI	ISC	PU	ICQ	SAT	WC	
EC	0.855							
HI	-0.298	0.870						
ISC	0.605	-0.224	0.801					
PU	0.587	-0.380	0.611	0.815				
ICQ	0.650	-0.253	0.784	0.646	0.789			
SAT	0.647	-0.265	0.788	0.646	0.726	0.836		
WC	0.645	-0.329	0.548	0.604	0.579	0.565	0.858	

4.2 Structural equation model test

Smart PLS 3.0 was used to test the structural equation model and verify the causal relationship between latent variables. The significance level was tested by P value, and P <0.05 indicated that the relationship between the variables was significant. The model test results in this paper are shown in Figure 2. The analysis results between the model variables are shown in Table 5. All the hypothetical results are at a significant level. H1-H7 and the hypotheses have been verified, but the test results of H8 and H9 are exactly the opposite of the original hypotheses, as shown in Table 5.




Figure 2. SEM analysis of the research model

Table 5. Summary of hypotheses tests

	Hypothesis	Path coefficient	T-value	P-value	Significance level	Support
H1	SAT→WC	0.301	5.159	0.000	significant	Yes
H2	EC→SAT	0.408	7.263	0.000	significant	Yes
НЗ	EC→PU	0.219	3.378	0.008	significant	Yes
H4	PU→SAT	0.406	7.091	0.000	significant	Yes
Н5	PU→WC	0.414	8.096	0.000	significant	Yes
Н6	ISC→PU	0.169	2.310	0.021	significant	Yes
Н7	ICQ→PU	0.348	0.892	0.000	significant	Yes
Н8	ISC*HL → PU	-0.144	2.393	0.017	significant	No
Н9	ICQ*HL → PU	0.212	3.629	0.000	significant	No

4.3 Mediation effect test

This paper uses the causal stepwise analysis method proposed by Baron & Kenny to test the mediation effect. In this paper, the testing process of independent variable IV, intermediate variable M, and dependent variable DV is divided into four steps. ① The effect of IV on DV (IV \rightarrow DV); ② The effect of IV on M (IV \rightarrow M); ③ Tthe effect of M on DV (M \rightarrow DV); ④ The effect of IV + M on DV (IV+M \rightarrow DV). If the indirect effect is significant and the direct effect is also significant, this intermediary effect is a partial intermediary. If the indirect effect is significant and the direct effect is not significant, it is a full intermediary. The test results are shown in Table 6, which shows that perceived usefulness plays a part of the intermediary effect.

Tunte of Treatment to Person of Pers								
IV M		I DV IV	IV→DV	IV→M	M→DV	IV+M → DV		Intermediary
IV	M	DV	10-700	IV 7WI	MADV	IV→DV	M→DV	scope
ISC	PU	WC	0.091*	0.169*	0.536***	0.292***	0.430***	part
ICQ	PU	WC	0.187***	0.348***	0.536***	0.344***	0.386***	part

Table 6. Mediating test of perceived usefulness

5. DISCUSSION

Through empirical research on the influencing factors of the continued willingness to use online health information, it is concluded that the credibility of the information source, the quality of the information content, and the degree of expected confirmation all significantly affect the perceived usefulness of users. Perceived usefulness plays a part intermediary role between the quality of information content and the users' willingness to use online health information continuously, and it partially plays a role between the credibility of information sources and the user's willingness to use online health information continuously(This path coefficient is the largest). Health literacy negatively regulates the relationship between information source credibility and perceived usefulness, and positively regulates the relationship between information content quality and perceived usefulness.

The results of this article show that health literacy negatively regulates the relationship between information source credibility and perceived usefulness, indicating that an increase in health literacy will reduce the positive effect of information source credibility on perceived usefulness. Health literacy positively regulates the relationship between information content quality and perceived usefulness, indicating that the improvement of health information literacy will enhance the positive effect of information content quality on perceived usefulness. These two points are contrary to the research hypotheses of this paper. The reason is that the ability of personal health literacy is mainly reflected in the ability to search, identify and use health information. In addition,a large number of literatures show that [24][25], health literacy and health knowledge have a positive correlation. When obtaining health information, users with higher health literacy have higher ability to screen and judge health information. At this time, people pay more attention to the quality of the information content itself, while the attention paid to the information source is weakened, thereby reducing the role of health literacy between the credibility of the information source and perceived usefulness. At the same time, the higher the health literacy, the stronger the users' ability to acquire and identify information, without the need for external health information service forms, thereby enhancing the role of information content quality in perceptual usefulness.

6. IMPLICATIONS AND LIMITATION

The research value of this paper is to improve the theoretical model of expectation confirmation, based on

^{*} P<0.05,** P<0.01,****P<0.001

the perspective of information quality and health literacy, to construct a model of influencing factors for continued use of online health information. Through the empirical analysis to verify the constructed conceptual model, it can be seen from the results that from the perspective of information quality, the credibility of health information sources and the quality of health information content will use perceived usefulness as an intermediary variable to affect the users' continuous use of information behavior, where the impact of the quality of information content is stronger than the credibility of the information source. In addition, due to the regulating effect of health literacy, the significant effect of the credibility of health information sources weakens with the enhancement of health literacy, and the significant effect of the quality of health information content increases.

Therefore, when users obtain health information, they not only need to pay attention to the credibility source of the information, but more importantly, pay attention to the content quality of the information in order to accurately obtain the required information. When publishers of health information release health information, they should pay attention to health information quality, rather than putting too much emphasis on diversified channel forms to build a better health information service platform.

There are still some limitations in this article. First, the data acquisition method is a questionnaire. The survey objects are mainly college students of the same age or newcomers to the society, and there is a lack of diverse sample space. Second, this article focuses on information as the main influence variables are researched, but the factors that influence users' continuous use behaviors include other variables such as perceived value, trust, and demographic variables. These variables will be introduced in future research to enrich relevant theories.

ACKNOWLEDGEMENT

This research was supported by the National Natural Science Foundation of China under Grant 71373144.

REFERENCES

- [1] Kate Magsamen-Conrad, Jeanette M.(2018). Online Health-Information Seeking Among Older Populations: Family Influences and the Role of the Medical Professional. Health Communication. 34(8):1-13.
- [2] Zhou Tao.(2019).Research on Knowledge Sharing Behavior of Online Health Information Users .Information Science, v37 (4): 72-78(in chinese)
- [3] Zhang Xing, Xia Huosong, Chen Xing. (2015). A Study on the Influential Factors of Information Credibility in Online Healthy Communities. Library and Information Service, v.59; No.539 (22): 90-98 + 106. (in chinese)
- [4] Hesse BW, Nelson DE, Kreps GL.(2005). Trust and Sources of Health Information: The Impact of the Internet and Its Implications for Health Care Providers: Findings From the First Health Information National Trends Survey. Arch Intern Med. 165(22):2618–2624.
- [5] Zhao Dongxiang.(2018).Research on the Optimization of Online Health Community Information Service Quality——An Analysis Based on Evolutionary Game. Information Science,, v.36; No.324 (08): 151-156.(in chinese)
- [6] Bhattacherjee A.(2001). Understanding Information Systems Continuance: An Expectation-Confirmation Model. MIS Quarterly, 25(3):351-370.
- [7] Mou, Jian and Cohen, Jason F.(2014). "A LONGITUDINAL STUDY OF TRUST AND PERCEIVED USEFULNESS IN CONSUMER ACCEPTANCE OF AN ESERVICE: THE CASE OF ONLINE HEALTH SERVICES". PACIS 2014 Proceedings. 258
- [8] Yao C, Peiji S.(2011).An Empirical Research of Social Network Sites Continuance:Based on A Modified Expectation-Confirmation Model..China Journal of Information Systems, 01(01):23-24
- [9] Zheng Y M, Zhao K, Stylianou A.(2013). The impacts of information quality and system quality on users' continuance

- intention in information-exchange virtual communities: An empirical investigation. Decision Support Systems, 56(1):513-524
- [10] Lin J C, Lu H.(2000). Towards an understanding of the behavioural intention to use a web site. International Journal of Information Management,, 20(3):197-208
- [11] Petty R E, Cacioppo J T. (1988). Communication and Persuasion: Central and Peripheral Routes to Persuasion. The Public Opinion Quarterly, 52(2), 262–265.
- [12] Miyoung J, Lambert C U.(2001). Adaptation of an information quality framework to measure customers' behavioral intentions to use lodging Web sites. International Journal of Hospitality Management, 20(2):129-146
- [13] Sussman S W, Siegal W S.(2003).Informational Influence in Organizations: An Integrated Approach to Knowledge Adoption.Information Systems Research, 14(1):47-65
- [14] Ahn T, Ryu S, Han I.(2007). The impact of Web quality and playfulness on user acceptance of online retailing. Information & Management, 44(3):263-275
- [15] Ko D G, Kirsch L J, King W R.(2005). Antecedents of knowledge transfer from consultants to clients in enterprise system implementations. Mis Quarterly, 29(1):59-85
- [16] Dong Hong Zhu, Ya Ping Chang, Jian Jun Luo. (2016). Understanding the influence of C2C communication on purchase decision in online communities from a perspective of information adoption model. Telematics and Informatics, 33(1):8-16
- [17] Buchbinder R, Batterham R, Ciciriello S.(2011). Health literacy: what is it and why is it important to measure? Journal of Rheumatology, 38(8):1791-7
- [18] Cho, Jaehee, Quinlan, Margaret M.(2014).Determinants of Adoption of Smartphone Health Apps among College Students.American Journal of Health Behavior, 38(6):860-870
- [19] Diviani N, Putte B V D, Giani S.(2015). Low Health Literacy and Evaluation of Online Health Information: A Systematic Review of the Literature[J]. Journal of Medical Internet Research, 17(5):e112.
- [20] Tang Xuli, Zhang Bin, Zhang Yan. (2018). Research on Information Adoption Will of Online Healthy Community Users—Based on the Perspective of Health Literacy and Trust Journal of Information Resources Management, 30(3): 102-112(in chinese)
- [21] Schillinger D, Grumbach K, Piette J.(2006). Association of Health Literacy With Diabetes Outcomes. Jama, 288(4):475-482
- [22] N ärhi, Ulla. (2008). Sources of medicine information and their reliability evaluated by medicine users. Pharmacy world & science, 29(6). 688-94.
- [23] Abel Thomas, Hofmann Karen, Ackermann Sabine.(2015)Health literacy among young adults: a short survey tool for public health and health promotion research, 30(3):725-735
- [24] Kalichman S C, Rompa D.(2000).Functional health literacy is associated with health status and health-related knowledge in people living with HIV-AIDS.J Acquir Immune Defic Syndr, 25(4):337-344
- [25] Baron, Reuben M, Kenny, David A.(1986). The moderator—mediator variable distinction in social psychological research: Conceptual, strategic, and statistical considerations.. Journal of Personality and Social Psychology, 51(6):1173-1182