

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/341966599>

Synthesis, Characterization, and Antibacterial Activity of ZnO Nanoparticles from Organic Extract of Cola Nitida and Cola Acuminata Leaf

Article · June 2020

CITATIONS

0

READS

39

8 authors, including:



Ebenezer Aquisman Asare
University Malaysia Sarawak

3 PUBLICATIONS 0 CITATIONS

[SEE PROFILE](#)



Wee Boon Siong
University Malaysia Sarawak

41 PUBLICATIONS 212 CITATIONS

[SEE PROFILE](#)



Suk Fun Chin
University Malaysia Sarawak

77 PUBLICATIONS 1,373 CITATIONS

[SEE PROFILE](#)



Droepenu Eric Kwabena
University Malaysia Sarawak

3 PUBLICATIONS 0 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Validation of the Atomic Absorption Spectroscopy (AAS) for Heavy Metals Analysis and Geochemical Exploration of Sediment Samples from the Sebang River. [View project](#)



Behaviours of ZnO nanoparticles in aquatic environment [View project](#)

Synthesis, Characterization, and Antibacterial Activity of ZnO Nanoparticles from Organic Extract of *Cola Nitida* and *Cola Acuminata* Leaf

Asare Ebenezer Aquisman^{1,2}, Boon Siong Wee¹, Suk Fun Chin¹,
Droepenu Eric Kwabena^{1,2,*}, Kyene Odoi Michael⁴, Tomy Bakeh¹, Shafri Semawi¹
and Dapaah Samuel Sylverster³

¹Resource Chemistry Program, Faculty of Resource Science and Technology, Universiti Malaysia Sarawak 94300, Kota Samarahan, Sarawak, Malaysia.

²Graduate School of Nuclear and Allied Sciences, University of Ghana, AE1, Kwabenya-Accra, Ghana.

³St. Joseph's College of Education, Bechem, Brong Ahafo Region, Ghana.

⁴Department of Pharmaceutics, Centre for Plant Medicine Research, Mampong-Akuapem, Ghana.

(*) Corresponding author: kobladdodzie01@yahoo.com

(Received: 07 November 2019 and Accepted: 31 December 2019)

Abstract

The study aimed at the synthesis and antibacterial activity of ZnO nanoparticles (NPs) from organic extracts of *Cola nitida* and *Cola acuminata* leaf using zinc chloride ($ZnCl_2$) and zinc acetate dihydrate [$Zn(CH_3COO)_2 \cdot 2H_2O$] as precursors on selected Gram positive and Gram negative microbes: *Staphylococcus aureus*, *Exiguobacterium aquaticum*, (Gram +ve) and *Escherichia coli*, *Klebsiella pneumonia*, *Acinetobacter baumannii* (Gram -ve). Spherical and flake-like nanostructures were recorded by Scanning Electron Microscopy (SEM) for *C. acuminata* and *C. nitida* respectively for the two precursors used. The average particle size and crystallite size determined by Transmission Electron Microscopy (TEM) and X-ray Diffraction (XRD) for *C. acuminata* and *C. nitida* were in the range of 32.15-43.26 nm; 69.12-84.26 nm and 14.69-17.12 nm; 23.68-23.96 nm respectively. Energy-dispersive X-ray spectroscopy (EDX), UV- visible spectroscopy (UV-vis), Atomic Absorption Spectroscopy (AAS) and Fourier-transform infrared spectroscopy (FT-IR) techniques were used to observe the purity and surface functional groups of the samples. Spectra peaks at 440-458 cm^{-1} and 364-370 nm confirmed the presence of ZnO in the samples by FT-IR and UV-vis, whereas AAS at 213.9 nm wavelength further confirmed elemental zinc with a percentage atomic weight of 71.37% as against 69.50%, 18.8% and 11.1% for Zinc, Oxygen and Carbon by EDX. Data from the antibacterial activity studies show an increase in inhibition rate as concentration of the ZnO NPs increases in concentration from 25-1000 ppm. ZnO NPs from the two extracts recorded the highest inhibition rate in *Acinetobacter baumannii* of approximately 88% and 49% using $ZnCl_2$ and $Zn(CH_3COO)_2 \cdot 2H_2O$ respectively.

Keywords: Precursor, Functional groups, Microscopy, Nanostructure, Spectroscopy.

1. INTRODUCTION

In recent years, microbial infection has become the cause of morbidity and mortality [1-3] and as a result, their causative agents (virus, bacteria, pathogenic fungi, protozoa) have developed resistant strains that withstand their clinical treatment using concomitant anti-drugs [4]. When the highly potent antibiotics are

used, they generate various side effects, thus they are reserved only for critical infectious diseases. Currently, new methods for combating antibacterial drug resistance are being researched [5] resulting in the biosynthesis of nanoparticle with their diverse properties like chemical stability, catalytic activity,