

This the post-print version of:

Pignatti M, Hallock GG. Introduction to "Propeller Flaps".

Semin Plast Surg. 2020 Aug;34(3):131-132.

Final version available: <https://doi.org/10.1055/s-0040-1715156>

Rights / License:

The terms and conditions for the reuse of this version of the manuscript are specified in the publishing policy. For all terms of use and more information see the publisher's website.

This item was downloaded from IRIS Università di Bologna (<https://cris.unibo.it/>)

When citing, please refer to the published version.

INTRODUCTION TO “*PROPELLER FLAPS*”

Marco Pignatti

Chirurgia Plastica e Ricostruttiva

Azienda Ospedaliero-Universitaria di Bologna

Policlinico Sant’Orsola-Malpighi

Bologna, Italia

e-mail: mrpignatti@gmail.com

Geoffrey G. Hallock, M.D.

Division of Plastic Surgery

Sacred Heart Campus, St. Luke’s Hospital

Allentown, Pennsylvania

Correspondence to:

Geoffrey G. Hallock, M.D.

1230 South Cedar Crest Boulevard, Suite 306

Allentown, Pennsylvania, 18103

(610)435-7555

FAX (610)435-8164

e-mail: gghallock@hotmail.com

ABSTRACT

The editors of this issue of Seminars in Plastic Surgery dedicated to propeller flaps met in 2009 at the “1st Tokyo Meeting on Perforator and Propeller Flaps”. In that occasion, as part of the advisory panel of the meeting, they contributed to the definition and classification of these flaps. Since then, several evolutions and new applications of propeller flaps appeared in the literature.

In 2019, the editors met again in Bologna where they decided to collect the experiences from prominent authors in propeller flap surgery and provide them to the readers in this monographic dedicated publication.

Keywords: history of propeller flaps, monographic issue, propeller definition, propeller classification

MANUSCRIPT

Just a decade ago your editors of this special issue on “*Propeller Flaps*” met for the first time in of all places on the other side of the World at the “1st Tokyo Meeting on Perforator and Propeller Flaps.” **(Figure 1)**

We still believe that Rei Ogawa was the energy behind this extraordinary meeting and even more extraordinary nightlife in that megalopolis, having the strong support of that supermicrosurgeon icon Isao Koshima; and, as they would say in Italy, the “godfather” of propeller flaps himself, Hikko Hyakusoku. Your junior editor virtually took it upon himself to cajole and coerce the core invited faculty to join together to better define this concept with a classification schema that was finally published in 2011, and is known now as the “Tokyo Consensus on Propeller Flaps.”¹

The World moved on, but must have been watching us. It was destiny that the two of us would meet once again at the biennial meeting of the World Society for Reconstructive Microsurgery this past year in Bologna. **(Figure 2)** Again, your junior and

still younger editor proposed updating what had happened during that mere leap second to the realm of the propeller flap. What better way to begin than to hear the inside story of how it all begun by our historian Hyakusoku. Our original pioneers Ogawa, Mateev, Georgescu, Balakrishman, Ono, Cubison, D'Arpa, Koshima, and Hyakusoku have once again come together to give "Our Definition of Propeller Flaps and Their Classification."

Most of us are proud to be plastic AND reconstructive surgeons, and know the anatomical limits of our specialty are restrained according to that old cliché to the "skin and its contents" and no more. And the same has proven to be true if but to witness the incredible versatility of the propeller flap now possible from "head to toe," as here documented by an amazing cornucopia of authors from all regions of this Earth, from Cordova, et al the face, Ogawa the anterior trunk, its mirror image the posterior trunk by Kedar, et al, Malzone and Innocenti the arm and forearm, Tos, et al the hand, and Ellabban, et al the lower extremity.

As we strive to always advance, our objective must be to even better satisfy the challenges of the given recipient site, as well as minimize any donor site morbidity. Ten years ago technology in perforator identification was in its infancy, and Ono shows us now his new "gold standard" for "Perforator Computed Tomographic Angiography." This should allow us to not just be able to more precisely design and harvest a propeller flap as Pignatti, et al do routinely, but also to be able to succinctly share solutions to minimize complications as Cajozzo et al. propose. What we do today, just like a decade ago, will not be what we do tomorrow. But it is what we here do today that hopefully

will make us think, question, discuss, innovate, revise, struggle, improve, and in the end succeed!

References:

1.Pignatti, M, Ogawa, R, Hallock, GG, Mateev, M, Georgescu, AV, Balakrishman, G, Ono, S, Cubison, TCS, D'Arpa, S, Koshima, I, Hyakusoku, H, The "Tokyo" Consensus on Propeller Flaps, *Plast Reconstr Surg*, 127:716-722, 2011.

Legend to Figures

Figure 1.

At the "1st Tokyo Meeting on Perforator and Propeller Flaps.", Japan, in 2009

Figure 2

At the 2019 meeting of the World Society for Reconstructive Microsurgery in Bologna, Italy