

**A CHECKLIST OF MAINE
SPIDERS (ARACHNIDA: ARANEAE)**

By

Daniel T. Jennings

Charlene P. Donahue



**Forest Health and Monitoring
Technical Report No. 47**

September 2020

**Maine Forest Service
MAINE DEPARTMENT OF AGRICULTURE,
CONSERVATION AND FORESTRY
Augusta, Maine**

Online version of this report available from:

https://www.maine.gov/dacf/mfs/publications/fhm_pubs.htm

Requests for copies should be made to:

Maine Forest Service

Division of Forest Health & Monitoring

168 State House Station

Augusta, Maine 04333-0168

Phone: (207) 287-2431

Printed under appropriation number: 013-01A-2FHM-52

Issued 09/2020

Initial printing of 25

This product was made possible in part by funding from the U.S. Department of Agriculture. Forest health programs in the Maine Forest Service, Department of Agriculture Conservation and Forestry are supported and conducted in partnership with the USDA, the University of Maine, cooperating landowners, resource managers, and citizen volunteers. This institution is prohibited from discrimination based on race, color, national origin, sex, age, or disability.

A CHECKLIST OF MAINE SPIDERS (ARACHNIDA: ARANEAE)

DANIEL T. JENNINGS¹ and CHARLENE P. DONAHUE²

¹ *Daniel T. Jennings, retired, USDA, Forest Service, Northern Forest Experiment Station.
Passed away September 14, 2020*

² *Charlene P. Donahue, retired, Department of Agriculture, Conservation and Forestry – Maine
Forest Service. Corresponding Author donahuecp15@gmail.com*

Table of Contents

<i>Abstract</i>	1
<i>Introduction</i>	1
<i>Figure 1. Map of State of Maine Counties</i>	3
<i>The Maine Spider Checklist</i>	4
FAMILY AGELENIDAE	4
FAMILY AMAUROBIIDAE	4
FAMILY ANYPHAENIDAE	5
FAMILY ARANEIDAE	5
FAMILY CLUBIONIDAE	7
FAMILY CORINNIDAE	8
FAMILY CYBAEIDAE	9
FAMILY DICTYNIDAE	9
FAMILY DYSDERIDAE	10
FAMILY EUTICHURIDAE	10
FAMILY GNAPHOSIDAE	10
FAMILY HAHNIIDAE	12
FAMILY LINYPHIIDAE	12
FAMILY LIOCRANIDAE	23
FAMILY LYCOSIDAE	23
FAMILY MIMETIDAE	25
FAMILY MITURGIDAE	25
FAMILY NESTICIDAE	25
FAMILY OXYOPIDAE	26
FAMILY PHILODROMIDAE	26
FAMILY PHOLCIDAE	27
FAMILY PHRUROLITHIDAE	27
FAMILY PISAUROIDAE	28
FAMILY SALTICIDAE	28
FAMILY SEGESTRIIDAE	31
FAMILY SPARASSIDAE	31
FAMILY TETRAGNATHIDAE	31
FAMILY THERIDIIDAE	32

FAMILY THERIDIOSOMATIDAE	35
FAMILY THOMISIDAE	35
FAMILY TITANOECIDAE	37
FAMILY TRACHELIDAE	37
FAMILY ULOBORIDAE	37
<i>Discussion</i>	39
<i>Acknowledgments</i>	39
<i>References</i>	40

Abstract

Based on studies conducted between 1976 and 2012 as well as previously unpublished records, the known spider fauna of Maine, United States of America, is boosted from 154 species (Procter 1946) to 677 species in 33 families and 250 genera. Most records were compiled by the senior author, but we also include the first published records of species collected by earlier workers. Species richness per family ranges widely, with Linyphiidae first (228), Salticidae second (58) and Theridiidae third (57). Twelve families are represented by a single species each. Foraging guild composition is skewed in favor of web spinners, largely due to linyphiid richness. Additional spatial and temporal sampling in diverse habitats will likely add to the number of species known to occur in Maine.

Keywords: Maine, spiders, invertebrate fauna

Introduction

We provide the first reasonably comprehensive checklist of spider families, genera, and species that have been collected in Maine, United States of America. The senior author (DTJ) began collecting and recording the spiders of Maine in 1976. The only other list of spiders in Maine was compiled by William Procter in 1946 and comprised 154 species from Mount Desert Island in Hancock County. Other collectors have spent some time in Maine and published their finds but never published a list specific to the State. Between 1976 and 2012 with some help from a network of spider taxonomists, DTJ identified 71,000 Maine specimens to species.

Most specimens were collected by DTJ himself or through his work with Franklin Graham on the Spiders of Milbridge, Washington County Maine (Jennings and Graham 2007) and Nancy Sferra on the spiders of the Waterboro, York County pine barrens. Many other specimens came from various University of Maine research projects (particularly on spruce budworm and blueberry production, and many graduate student projects), the Maine Forest Service bark beetle and woodborer traps, a spider Bioblitz held in Acadia National Park, Winter Harbor, Hancock County in 2007, as well as material sent in by curious collectors.

Spiders were collected in all sixteen Maine counties from habitats ranging from all types of forested stands to blueberry fields, potato fields, bogs, fens, gravel pits, backyards, mountaintops, coastal beaches and rocky shores. Numbers are skewed toward Washington, Penobscot, and York Counties. DTJ did much of his collecting in Penobscot County and it is home to the University of Maine and two experimental forests. Milbridge in Washington County has been the site of extensive collecting (Jennings and Graham 2007) and the University of Maine has led numerous research projects in the blueberry barrens and spruce/fir forests in this coastal county. York County is home to the Waterboro barrens, extensively surveyed in the 1980's.

Almost half the specimens were collected from pitfall traps. Other methods of collection were sweeping and beating foliage, processing litter using Berlese funnels, Lindgren funnel traps, flight intercept traps, visual survey, drop pans, and branch sampling. A few spiders were caught using emergence traps, tree wraps, and sticky traps as well as at lights.

Spiders were identified using available primary taxonomic literature as well as regional field guides. All relevant spider taxonomic literature is available through the World Spider Catalog Association (World Spider Catalog 2020). Ubick *et al.* (2017) have provided the primary reference for the identification of North American spiders. Close examination of the male pedipalps and/or the female epigynum found only in mature adults are needed for species determination. Spider nomenclature (families, genera, and species) follows the World Spider Catalog.

Identified specimens from this study have been deposited in the permanent arachnid collections of the following institutions: The American Museum of Natural History, New York, NY; the Museum of Comparative Zoology, Harvard University, Cambridge, MA; and the Canadian National Collection of Insects and Arachnids, Biosystematics Research Centre, Ottawa, ON. In addition, a few specimens collected during the 2007 Bioblitz at Schoodic Peninsula, Acadia National Park were deposited at the Park Headquarters, Mount Desert Island, ME. Some specimens not identified to species were sent to specialists for further study and remain in the collections of those specialists or the institutions with which they are or were affiliated. For example, undetermined specimens of *Agyneta* were sent to P.J. van Helsdingen, of *Lophomma* and other erigonine linyphiids to M.J. Draney, of other

linyphiids to C.D. Dondale, and of theridiids to H.W. Levi. A database of collection information on the majority of spiders identified by (or for) DTJ is available from the Forest Health and Monitoring Division of the Maine Department of Agriculture, Conservation and Forestry.

All spider taxa (families, genera, and species) are listed alphabetically with counties (Figure 1) where specimens have been found listed after the species. All taxa known to have been collected in Maine are recorded. Species that were not identified or examined by DTJ but are recorded in the literature are indicated by a reference after italicized *counties* where the spiders were found. Other reports are listed only if DTJ did not find the spider in a particular county. In those instances, only the first known report of a species in a county is cited with the citation following the list of counties. We have made an effort to review all literature records of Maine spiders but recognize that our review is not exhaustive.

Introduced non-native species that appear to be established are marked with an asterisk (*). Establishment is based on specimens being collected outside of buildings. Non-native species that have been identified from specimens collected in Maine but have little chance of establishment in the State are marked with two asterisks (**). These latter species are not included in the count of Maine spiders nor do we list the counties in which they have been collected.

Figure 1. Map of State of Maine Counties



The Maine Spider Checklist

FAMILY AGELENIDAE

Genus *Agelenopsis* Giebel, 1869

Agelenopsis actiosa (Gertsch & Ivie, 1936)

Cumberland, Hancock, Kennebec, Penobscot, Washington, York

Agelenopsis emertoni Chamberlin & Ivie, 1935

Franklin, Hancock, Kennebec, Knox, Penobscot, York

Agelenopsis naevia (Walckenaer, 1841)

Cumberland, Hancock, Knox, Oxford, Piscataquis, York (Hentz 1875; Procter 1933; Bishop 1923; Blake 1927; Chamberlin & Ivie 1941)

Agelenopsis pennsylvanica (C. L. Koch, 1843)

Oxford (Chamberlin & Ivie 1941)

Agelenopsis potteri (Blackwall, 1846)

All Counties

Agelenopsis utahana (Chamberlin & Ivie, 1933)

All Counties

Genus *Coras* Simon, 1898

Coras aerialis Muma, 1946

Aroostook, Franklin, Lincoln, Penobscot, Piscataquis, York

Coras juvenilis (Keyserling, 1881)

Cumberland, Franklin, Hancock, Lincoln, Oxford, Penobscot, Somerset, York

Coras lamellosus (Keyserling, 1887)

Aroostook, Penobscot, Somerset, Washington, York

Coras medicinalis (Hentz, 1821)

Aroostook, *Lincoln, Oxford, Penobscot, Piscataquis, York* (Bryant 1908)

Coras montanus (Emerton, 1890)

Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Washington

Genus *Eratigena* Bolzern, Burckhardt, & Hänggi, 2013

**Eratigena atrica* (C. L. Koch, 1843)

Genus *Tegenaria* Latreille, 1804

**Tegenaria domestica* (Clerck, 1757)

Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Waldo, Washington, York

Genus *Wadotes* Chamberlin, 1925

Wadotes calcaratus (Keyserling, 1887)

Aroostook, Hancock, Kennebec, Penobscot, Piscataquis, Somerset, Washington, York

Wadotes hybridus (Emerton, 1890)

Aroostook, Kennebec, Lincoln, Penobscot, Waldo, York

FAMILY AMAUROBIIDAE

Genus *Amaurobius* C. L. Koch, 1837

Amaurobius borealis Emerton, 1909

Aroostook, *Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York* (Emerton 1909)

**Amaurobius ferox* (Walckenaer, 1830)

Hancock, York

Genus *Callobius* Chamberlin, 1947

Callobius bennetti (Blackwall, 1846)

Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

Genus *Cybaeopsis* Strand, 1907

- Cybaeopsis euopla* (Bishop & Crosby, 1935)
Aroostook, Hancock, Knox, Penobscot, Piscataquis, Washington
Cybaeopsis tibialis (Emerton, 1888)
Aroostook, Penobscot, Piscataquis, Washington (Emerton 1914)

FAMILY ANYPHAENIDAE

- Genus *Anyphaena* Sundevall, 1833
Anyphaena celer (Hentz, 1847)
Cumberland, York
Genus *Hibana* Brescovit, 1991
Hibana gracilis (Hentz, 1847)
York
Genus *Wulfila* O. Pickard–Cambridge 1895
Wulfila saltabundus (Hentz, 1847)
Androscoggin, Cumberland, Kennebec, Penobscot, Washington, York

FAMILY ARANEIDAE

- Genus *Acanthepeira* Marx, 1883
Acanthepeira stellata (Walckenaer, 1805)
Hancock, Penobscot, Sagadahoc, Somerset, Waldo, Washington
Genus *Aculepeira* Chamberlin & Ivie, 1942
Aculepeira carbonarioides (Keyserling, 1892)
Piscataquis (Emerton 1914)
Genus *Araneus* Clerck, 1757
Araneus alboventris (Emerton, 1884)
Cumberland, Franklin (Bryant 1908)
Araneus bicentenarius (McCook, 1888)
Aroostook, Franklin, Hancock, Kennebec, Penobscot, Washington
Araneus bivittatus (Walckenaer, 1841)
Penobscot
Araneus bonsallae (McCook, 1894)
York
Araneus cavaticus (Keyserling, 1881)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,
Somerset, Waldo, Washington, York (Bryant 1908)
Araneus cingulatus (Walckenaer, 1841)
Cumberland, Oxford (Archer 1951)
Araneus corticarius (Emerton, 1884)
Cumberland, Hancock, Piscataquis, Washington (Bryant 1908; Procter 1946)
Araneus diadematus Clerck, 1757
Cumberland, Hancock, Kennebec, Penobscot, York
Araneus groenlandicola (Strand, 1906)
Washington
Araneus guttulatus (Walckenaer 1841)
Oxford, Penobscot, Washington
Araneus iviei (Archer, 1951)
Franklin, Lincoln, Oxford, Penobscot, Washington
Araneus juniperi (Emerton, 1884)
Cumberland, Hancock, Penobscot, Washington (Emerton 1884)
Araneus marmoreus Clerck, 1757
All Counties
Araneus nashoba Levi, 1973
Cumberland (Levi 1973)

- Araneus nordmanni* (Thorell, 1870)
Aroostook, Cumberland, Franklin, Hancock, *Knox*, Lincoln, Penobscot, Piscataquis, Somerset, Waldo,
Washington, York (Bishop 1923)
- Araneus pratensis* (Emerton, 1884)
Hancock, Sagadahoc, Washington, York (Procter 1946)
- Araneus saevus* (L. Koch, 1872)
Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Washington, York
- Araneus thaddeus* (Hentz, 1847)
Hancock (Procter 1933)
- Araneus trifolium* (Hentz, 1847)
Aroostook, Cumberland, Hancock, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington,
York
- Araneus washingtoni* Levi, 1971
Penobscot
Genus *Araniella* Chamberlin & Ivie, 1942
- Araniella displicata* (Hentz, 1847)
All Counties
Genus *Argiope* Audouin, 1826
- Argiope aurantia* Lucas, 1833
Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Argiope trifasciata* (Forsskål, 1775)
Aroostook, Hancock, Oxford, Penobscot, Somerset, Washington, York
Genus *Cercidia* Thorell, 1869
- Cercidia prominens* (Westring, 1851)
Hancock, Penobscot, Washington, York
Genus *Cyclosa* Menge, 1866
- Cyclosa conica* (Pallas, 1772)
Cumberland, Hancock, Knox, *Lincoln*, Oxford, Penobscot, Piscataquis, Waldo, Washington (Bryant
1908)
- Cyclosa turbinata* (Walckenaer, 1841)
Cumberland (Hentz 1875)
Genus *Eustala* Simon, 1895
- Eustala anastera* (Walckenaer, 1841)
Androscoggin, Cumberland, Hancock, Kennebec, Knox, Penobscot, Washington, York
- Eustala cepina* (Walckenaer, 1841)
Cumberland, Washington
Genus *Hypsosinga* Ausserer, 1871
- Hypsosinga funebris* (Keyserling, 1892)
Hancock, Washington, York
- Hypsosinga pygmaea* (Sundevall, 1831)
Aroostook, Franklin, Hancock, *Lincoln*, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington
(Bryant 1908)
- Hypsosinga rubens* (Hentz, 1847)
Cumberland, Hancock, Oxford, Penobscot, Washington, York
Genus *Larinioides* Caporiacco, 1934
- Larinioides cornutus* (Clerck, 1757)
Cumberland, Franklin, Hancock, Kennebec, Penobscot, Somerset, Washington, York (Hentz 1875)
- Larinioides patagiatus* (Clerck, 1757)
Androscoggin, Aroostook, *Cumberland*, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,
Somerset, Waldo, Washington (Emerton 1884)
- Larinioides sclopetarius* (Clerck, 1757)
Androscoggin, Aroostook, Franklin, *Hancock*, Kennebec, Knox, Oxford, Penobscot, Somerset, Waldo,
Washington (Procter 1933)

Genus *Mangora* O. Pickard–Cambridge, 1889

Mangora gibberosa (Hentz, 1847)

Androscoggin, Cumberland, Hancock, Kennebec, Penobscot, Washington, York

Mangora placida (Hentz, 1847)

Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Washington, York

Genus *Mastophora* Holmberg, 1876

Mastophora bisaccata (Emerton, 1884)

Hancock(Gertsch 1955)

Mastophora stowei Levi, 2003

Cumberland

**Genus *Mecynogea* Simon, 1903

***Mecynogea lemniscata* (Walckenaer, 1841)

Genus *Metepeira* F. O. Pickard–Cambridge, 1903

Metepeira labyrinthea (Hentz, 1847)

Hancock(Procter 1933)

Metepeira palustris Chamberlin & Ivie, 1942

Aroostook, Hancock, Penobscot, *Piscataquis*, Washington (Emerton 1915)

Genus *Micrathena* Sundevall, 1833

Micrathena mitrata (Hentz, 1850)

Specific locality not given (Levi 1978)

Micrathena sagittata (Walckenaer, 1841)

York

Genus *Neoscona* Simon, 1864

Neoscona arabesca (Walckenaer, 1841)

All Counties

Neoscona crucifera (Lucas, 1838)

Cumberland, Somerset, York

Neoscona domiciliorum (Hentz, 1847)

Specific locality not given (Bryant 1908)

Genus *Zygiella* F. O. Pickard–Cambridge, 1902

**Zygiella atrica* (C. L. Koch, 1845)

Hancock, Knox, Washington

Zygiella nearctica Gertsch, 1964

Aroostook, Franklin, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington (Emerton 1914; Procter 1946)

**Zygiella x-notata* (Clerck, 1757)

Hancock(Procter 1946)

FAMILY CLUBIONIDAE

Genus *Clubiona* Latreille, 1804

Clubiona abboti L. Koch, 1866

Cumberland (Edwards 1958)

Clubiona bishopi Edwards, 1958

Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York

Clubiona bryantae Gertsch, 1941

Hancock, Penobscot, Washington (Edwards 1958)

Clubiona canadensis Emerton, 1890

Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

Clubiona gertschi Edwards, 1958

Piscataquis (Edwards 1958)

Clubiona johnsoni Gertsch, 1941

Aroostook, Cumberland, Lincoln, Penobscot, Waldo, Washington, York

- Clubiona kastoni* Gertsch, 1941
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot,
Piscataquis, Somerset, Washington, York
- Clubiona littoralis* Banks, 1895
Washington
- Clubiona maritima* L. Koch, 1867
Penobscot, Washington, York
- Clubiona mixta* Emerton, 1890
Androscoggin, *Cumberland*, Washington (Bryant 1908)
- Clubiona moesta* Banks, 1896
Androscoggin, Aroostook, Cumberland, Franklin, *Hancock*, Oxford, Penobscot, Sagadahoc, Somerset,
Washington (Procter 1938)
- Clubiona nicholsi* Gertsch, 1941
York
- Clubiona norvegica* Strand, 1900
Aroostook, Piscataquis, Washington
- Clubiona obesa* Hentz, 1847
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Washington, York
- Clubiona pikei* Gertsch, 1941
Cumberland, Lincoln, *Penobscot*, York (Edwards 1958)
- Clubiona praematura* Emerton, 1909
Piscataquis
- Clubiona pygmaea* Banks, 1892
Cumberland, Kennebec, Penobscot, Washington, York (Edwards 1958)
- Clubiona riparia* L. Koch, 1866
Aroostook, Cumberland, Franklin, Hancock, *Lincoln*, Oxford, Penobscot, Piscataquis, Somerset, Waldo,
Washington (Bryant 1908)
- Clubiona spiralis* Emerton, 1909
Penobscot
- Clubiona trivialis* C. L. Koch, 1843
Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington
Genus *Elaver* O. Pickard–Cambridge, 1898
- Elaver excepta* (L. Koch, 1866)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot,
Sagadahoc, Somerset, Waldo, Washington, York

FAMILY CORINNIDAE

- Genus *Castianeira* Keyserling, 1879
- Castianeira cingulata* (C. L. Koch, 1841)
Androscoggin, *Cumberland*, Hancock, Kennebec, Lincoln, Penobscot, Washington, York (Bryant 1908)
- Castianeira descripta* (Hentz, 1847)
Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Waldo, Washington,
York (Bryant 1908; Bishop 1923)
- Castianeira gertschi* Kaston, 1945
Aroostook, Penobscot, Washington, York
- Castianeira longipalpa* (Hentz, 1847)
Aroostook, Franklin, Lincoln, Penobscot, Piscataquis, Washington, York
- Castianeira variata* Gertsch, 1942
Washington

****FAMILY CTENIDAE**

- **Genus *Cupiennius* Simon, 1891
- ***Cupiennius getazi* Simon, 1891

FAMILY CYBAEIDAEGenus *Cybaeota* Chamberlin & Ivie, 1933*Cybaeota calcarata* (Emerton, 1911)*Piscataquis* (Emerton 1911)**FAMILY DICTYNIDAE**Genus *Argenna* Thorell, 1870*Argenna obesa* Emerton, 1911Aroostook, Hancock, Kennebec, *Knox*, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
(Emerton 1914)Genus *Dictyna* Sundevall, 1833*Dictyna bostoniensis* Emerton, 1888

York

Dictyna brevitarsa Emerton, 1915

Androscoggin, Aroostook, Hancock, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York

Dictyna coloradensis Chamberlin, 1919Aroostook, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset,
Waldo, Washington, York*Dictyna foliacea* (Hentz, 1850)

Androscoggin, Hancock, Kennebec, Penobscot, Sagadahoc, Somerset, Washington, York

Dictyna formidolosa Gertsch & Ivie, 1936

York

Dictyna minuta Emerton, 1888

Aroostook, Hancock, Penobscot, Washington, York

Dictyna quadrispinosa Emerton, 1919

Somerset, Washington

Dictyna volucripes Keyserling, 1881*Hancock*, Oxford, York (Procter 1933)Genus *Emblyna* Chamberlin, 1948*Emblyna annulipes* (Blackwall, 1846)*Cumberland*, *Hancock*, Kennebec, Oxford, Penobscot, Sagadahoc, Washington (Emerton 1888; Procter
1946)*Emblyna cruciata* (Emerton, 1888)*Hancock*(Procter 1938)*Emblyna hentzi* (Kaston, 1945)

Hancock, Penobscot, Sagadahoc, Waldo, Washington, York

Emblyna manitoba (Ivie, 1947)

Washington

Emblyna maxima (Banks, 1892)Aroostook, *Hancock*, Oxford, Penobscot, Somerset, Washington, York (Procter 1946)*Emblyna phylax* (Gertsch & Ivie, 1936)

Aroostook, Franklin, Hancock, Knox, Oxford, Penobscot, Piscataquis, Washington

Emblyna sublata (Hentz, 1850)Androscoggin, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington,
YorkGenus *Lathys* Simon, 1884*Lathys foxi* (Marx, 1891)

York (Emerton 1911)

Lathys pallida (Marx, 1891)*Cumberland*, Hancock, Knox, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington, York
(Chamberlin & Gertsch 1958)Genus *Phantyna* Chamberlin, 1948*Phantyna bicornis* (Emerton, 1915)

Hancock, Washington, York (Emerton 1915)

FAMILY DYSDERIDAEGenus *Dysdera* Latreille, 1804**Dysdera crocata* C. L. Koch, 1838*Hancock* Procter (1946)**FAMILY EUTICHURIDAE**Genus *Cheiracanthium* C. L. Koch, 1839**Cheiracanthium mildei* L. Koch, 1864

Androscoggin, Cumberland, York

Genus *Strotarchus* Simon, 1888*Strotarchus piscatorius* (Hentz, 1847)

Cumberland, Penobscot, York

FAMILY GNAPHOSIDAEGenus *Callilepis* Westring, 1874*Callilepis pluto* Banks, 1896

Hancock, Knox, Sagadahoc, Washington, York

Genus *Drassodes* Westring, 1851*Drassodes neglectus* (Keyserling, 1887)Aroostook, Cumberland, Franklin, Hancock, *Lincoln*, *Knox*, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Platnick & Shadab 1975)*Drassodes saccatus* (Emerton, 1890)*Cumberland* (Emerton 1907)Genus *Drassyllus* Chamberlin, 1922*Drassyllus depressus* (Emerton, 1890)*Hancock*, *Lincoln*, Penobscot, Piscataquis, Waldo, Washington (Procter 1946; Platnick & Shadab 1982)*Drassyllus eremitus* Chamberlin, 1922*Hancock***Drassyllus eremophilus* Chamberlin & Gertsch, 1940*Kennebec**Drassyllus frigidus* (Banks, 1892)*Hancock*, Washington*Drassyllus niger* (Banks, 1896)

Aroostook, Kennebec, Lincoln, Penobscot, Somerset, Washington, York

Drassyllus rufulus (Banks, 1892)*Hancock* Procter (1946)*Drassyllus socius* Chamberlin, 1922

Lincoln, Penobscot, Washington, York

Genus *Gnaphosa* Latreille, 1804*Gnaphosa borea* Kulczyński, 1908

Piscataquis

Gnaphosa brumalis Thorell, 1875*Hancock*, *Piscataquis*, Washington (Emerton 1914)*Gnaphosa microps* Holm, 1939

Piscataquis

Gnaphosa muscorum (L. Koch, 1866)Aroostook, Hancock, Kennebec, *Knox*, *Penobscot*, Piscataquis, Sagadahoc, Somerset, Washington, York (Bishop 1923; Platnick & Shadab 1975)*Gnaphosa orites* Chamberlin, 1922

Piscataquis

Gnaphosa parvula Banks, 1896

Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington

Genus *Haplodrassus* Chamberlin, 1922*Haplodrassus bicornis* (Emerton, 1909)

Washington, York

Haplodrassus hiemalis (Emerton, 1909)

Aroostook, Cumberland, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York

Haplodrassus signifer (C. L. Koch, 1839)

Aroostook, Cumberland, Hancock, Penobscot, Somerset, Waldo, Washington, York (Platnick & Shadab 1975)

Genus *Herpyllus* Hentz, 1832*Herpyllus ecclesiasticus* Hentz, 1832

Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Somerset, Waldo, Washington, York (Platnick & Shadab 1977)

Genus *Micaria* Westring, 1851*Micaria aenea* Thorell, 1871

Piscataquis

Micaria elizabethae Gertsch, 1942

Lincoln, Washington

Micaria emertoni Gertsch, 1935

Sagadahoc, Washington, York

Micaria gertschi Barrows & Ivie, 1942

Hancock, Lincoln, Penobscot, Waldo, Washington

Micaria laticeps Emerton, 1909

York

Micaria longipes Emerton, 1890

York

Micaria longispina Emerton, 1911

Penobscot, Washington

Micaria pulicaria (Sundevall, 1831)

Aroostook, Cumberland, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, Washington

Micaria riggsi Gertsch, 1942

Washington

Genus *Orodrassus* Chamberlin, 1992*Orodrassus canadensis* Platnick & Shadab, 1975

Aroostook, Piscataquis, Somerset, Washington

Genus *Sergiolus* Simon, 1892**Sergiolus capulatus* (Walckenaer, 1837)

York

Sergiolus decoratus Kaston, 1945

Cumberland, Washington

Sergiolus montanus (Emerton, 1890)

Aroostook, Penobscot, Piscataquis, Washington, York

Sergiolus ocellatus (Walckenaer, 1837)

Hancock, Lincoln, Washington, York

Genus *Urozelotes* Mello-Leitão, 1938*Urozelotes rusticus* (L. Koch, 1872)

Penobscot

Genus *Zelotes* Gistel, 1848*Zelotes exiguoides* Platnick & Shadab, 1983

Aroostook, Sagadahoc, Washington, York

Zelotes fratris Chamberlin, 1920

Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York

Zelotes hentzi Barrows, 1945

Kennebec, Lincoln, Penobscot, Washington, York

- Zelotes puritanus* Chamberlin, 1922
Franklin, Penobscot, Piscataquis, Somerset, Washington
Zelotes sula Lowrie & Gertsch, 1955
Piscataquis (Platnick & Shadab 1983)

FAMILY HAHNIIDAE

- Genus *Antistea* Simon 1898
Antistea brunnea (Emerton, 1909)
Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Somerset, Washington
Genus *Cicurina* Menge, 1871
Cicurina arcuata Keyserling, 1887
Aroostook, Hancock, Kennebec, Knox, Penobscot, Sagadahoc, Waldo, Washington, York
Cicurina brevis (Emerton, 1890)
Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Cicurina itasca Chamberlin & Ivie, 1940
Hancock, Kennebec, Penobscot, Washington, York
Cicurina pallida Keyserling, 1887
Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Cicurina placida Banks, 1892
Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Somerset, Washington, York
Cicurina robusta Simon, 1886
York
Genus *Cryphoeca* Thorell, 1870
Cryphoeca montana Emerton, 1909
Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington
Genus *Hahnia* C. L. Koch, 1841
Hahnia cinerea Emerton, 1890
Aroostook, *Cumberland*, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Gertsch 1934)
Genus *Neoantistea* Gertsch, 1934
Neoantistea agilis (Keyserling, 1887)
Aroostook, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Piscataquis, Somerset, Washington, York (Bishop 1923)
Neoantistea magna (Keyserling, 1887)
Aroostook, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

FAMILY LINYPHIIDAE

- Genus *Agyreta* Hull, 1911
Agyreta allosubtilis Loksa, 1965
Aroostook, Somerset
Agyreta amersaxatilis Saaristo & Koponen, 1998
Aroostook, Hancock, Piscataquis
Agyreta angulata (Emerton, 1882)
Hancock, Somerset, Waldo
Agyreta fabra (Keyserling, 1886)
Androscoggin, Aroostook, *Cumberland*, Hancock, Kennebec, *Knox*, Penobscot, Piscataquis, Washington, York (Chamberlin 1925; Bishop 1923)
Agyreta jacksoni (Braendegaard, 1937)
Aroostook, Piscataquis
Agyreta micaria (Emerton, 1882)
Cumberland (Bryant 1908)

- Agyneta nigripes* (Simon, 1884)
Washington
- Agyneta olivacea* (Emerton, 1882)
Aroostook, Cumberland, Penobscot, Piscataquis, Washington (Emerton 1911, 1914)
- Agyneta simplex* (Emerton, 1926)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset,
Washington, York
- Agyneta unimaculata* (Banks, 1892)
Aroostook, Hancock, Penobscot, Washington, York
Genus *Allomengea* Strand, 1912
- Allomengea dentisetis* (Grube, 1861)
Aroostook, Lincoln, Penobscot, Washington
Genus *Aphileta* Hull, 1920
- Aphileta misera* (O. Pickard–Cambridge, 1882)
Aroostook, Kennebec, Penobscot, Piscataquis, Somerset, Washington
Genus *Baryphyma* Simon, 1884
- Baryphyma trifrons* (O. Pickard–Cambridge, 1863)
Oxford, Penobscot, Piscataquis, Washington
Genus *Bathyphantes* Menge, 1886
- Bathyphantes alboventris* (Banks, 1892)
Aroostook, Waldo
- Bathyphantes brevipes* (Emerton, 1917)
Piscataquis
- Bathyphantes brevis* (Emerton, 1911)
Aroostook, Kennebec, Washington
- Bathyphantes canadensis* (Emerton, 1882)
Aroostook, Penobscot
- Bathyphantes eumenis* (L. Koch, 1879)
Penobscot
- Bathyphantes gracilis* (Blackwall, 1841)
Penobscot, Washington
- Bathyphantes pallidus* (Banks, 1892)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset,
Washington, York (Bryant 1908)
- Bathyphantes reprobus* (Kulczyński, 1916)
Piscataquis
- Bathyphantes weyeri* (Emerton, 1875)
York
Genus *Carorita* Duffey & Merrett, 1963
- Carorita limnaea* (Crosby & Bishop, 1927)
Piscataquis, Washington
Genus *Centromerus* Dahl, 1886
- Centromerus cornupalpis* (O. Pickard–Cambridge, 1875)
Cumberland, Hancock, Kennebec, Knox, Lincoln, Penobscot, Waldo, Washington, York (Bryant 1908)
- Centromerus denticulatus* (Emerton, 1909)
Hancock, Piscataquis, York
- Centromerus furcatus* (Emerton, 1882)
Aroostook, Piscataquis
- Centromerus longibulbus* (Emerton, 1882)
Aroostook, Kennebec, Knox, Piscataquis, Somerset, Washington
- Centromerus persolutus* (O. Pickard–Cambridge, 1875)
Aroostook, Hancock, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Centromerus sylvaticus* (Blackwall, 1841)
Aroostook, Cumberland, Lincoln, Penobscot, Somerset, Washington, York

Genus *Ceraticelus* Simon, 1884

- Ceraticelus atriceps* (O. Pickard–Cambridge, 1874)
Aroostook, Cumberland, Hancock, Piscataquis, Somerset, Washington (Bryant 1908)
- Ceraticelus bulbosus* (Emerton, 1882)
Aroostook, Piscataquis, Washington
- Ceraticelus emertoni* (O. Pickard–Cambridge, 1874)
Androscoggin, Cumberland, Hancock, Lincoln, Penobscot, Washington, York (Bryant 1908)
- Ceraticelus fissiceps* (O. Pickard–Cambridge, 1874)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington, York
- Ceraticelus laetabilis* (O. Pickard–Cambridge, 1874)
Aroostook, Hancock, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Ceraticelus laetus* (O. Pickard–Cambridge, 1874)
Aroostook
- Ceraticelus laticeps* (Emerton, 1894)
Cumberland, Hancock, Penobscot, Washington
- Ceraticelus minutus* (Emerton, 1882)
Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Ceraticelus silus* Dondale, 1958
Aroostook, Kennebec, Penobscot, York
- Ceraticelus similis* (Banks, 1892)
Aroostook, Penobscot, Piscataquis, Washington
- Genus *Ceratinella* Emerton, 1882
- Ceratinella brunnea* Emerton, 1882
Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Ceratinella buna* Chamberlin, 1949
Penobscot
- Ceratinella ornatula* (Crosby & Bishop, 1925)
Aroostook
- Ceratinella parvula* (Fox, 1891)
Waldo, Washington
- Genus *Ceratinops* Banks, 1905
- Ceratinops annulipes* (Banks, 1892)
Piscataquis, Somerset, Washington
- Ceratinops latus* (Emerton, 1882)
Androscoggin, Aroostook, Cumberland, Somerset, York
- Ceratinops rugosus* (Emerton, 1909)
Hancock, Kennebec, Sagadahoc, York
- Genus *Ceratinopsis* Emerton, 1882
- Ceratinopsis auriculata* Emerton, 1909
Aroostook, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Ceratinopsis interpretis* (O. Pickard–Cambridge, 1874)
Hancock, York (Procter 1933)
- Ceratinopsis laticeps* Emerton, 1882
Cumberland, Penobscot, Washington
- Ceratinopsis nigriceps* Emerton, 1882
Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Ceratinopsis nigripalpis* Emerton, 1882
Hancock, Penobscot, Washington
- Genus *Cheniseo* Bishop & Crosby, 1935
- Cheniseo sphagnicultor* Bishop & Crosby, 1935
Penobscot
- Genus *Collinsia* O. Pickard–Cambridge, 1913
- Collinsia oxypaederotipus* (Crosby, 1905)
Aroostook, Penobscot

- Collinsia pertinens* (O. Pickard–Cambridge, 1875)
Cumberland (Bryant 1908)
- Collinsia plumosa* (Emerton, 1882)
Aroostook, Cumberland, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington
Genus *Coloncus* Chamberlin, 1949
- Coloncus siou* Chamberlin, 1949
Washington, York
Genus *Dicymbium* Menge, 1868
- Dicymbium elongatum* (Emerton, 1882)
Aroostook, Piscataquis
Genus *Diplocentria* Hull, 1911
- Diplocentria bidentata* (Emerton, 1882)
Aroostook, Piscataquis (Emerton 1914)
- Diplocentria rectangulata* (Emerton, 1915)
Cumberland, Piscataquis (Emerton, 1915)
Genus *Diplocephalus* Bertkau, 1883
- Diplocephalus cristatus* (Blackwall, 1833)
Aroostook, Hancock, Washington
- Diplocephalus subrostratus* (O. Pickard–Cambridge, 1873)
Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Washington
Genus *Diplostyla* Emerton, 1882
- Diplostyla concolor* (Wider, 1834)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Somerset, Washington (Bryant 1908)
Genus *Dismodicus* Simon, 1884
- Dismodicus alticeps* Chamberlin & Ivie, 1947
Aroostook, Franklin, Hancock, Knox, Penobscot, Washington
- Dismodicus decemoculatus* (Emerton, 1882)
Aroostook, Hancock, Penobscot, Piscataquis, Washington
Genus *Drapetisca* Menge, 1866
- Drapetisca alteranda* Chamberlin, 1909
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Somerset, Washington, York (Bryant 1908)
Genus *Eridantes* Crosby & Bishop, 1933
- Eridantes erigonoides* (Emerton, 1882)
Aroostook, Penobscot, Washington, York
- Eridantes utibilis* Crosby & Bishop, 1933
Oxford
Genus *Erigone* Audouin, 1826
- Erigone aletris* Crosby & Bishop, 1928
Cumberland, Hancock, Kennebec, Knox, Oxford, Sagadahoc, Washington, York (Crosby & Bishop 1928)
- Erigone atra* Blackwall, 1933
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Washington, York
- Erigone autumnalis* Emerton, 1882
Hancock, Kennebec, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York (Crosby & Bishop 1928)
- Erigone blaesa* Crosby and Bishop, 1928
Aroostook, Hancock, Penobscot, Waldo, Washington, York
- Erigone cristatopalpus* Simon, 1884
Washington
- Erigone dentigera* O. Pickard–Cambridge, 1874
Kennebec, Oxford, Washington
- Erigone dentipalpis* (Wider, 1834)
Aroostook, Penobscot, Washington, York
- Erigone ephala* Crosby & Bishop, 1928
Aroostook, Cumberland, Knox, Washington (Crosby & Bishop 1928)

- Erigone tirolensis* L. Koch, 1872
Washington
Genus *Estrandia* Blauvelt, 1936
- Estrandia grandaeva* (Keyserling, 1886)
Aroostook, Hancock, Knox, *Piscataquis*, Washington (Emerton 1914)
Genus *Floricomus* Crosby & Bishop, 1925
- Floricomus nasutus* (Emerton, 1911)
Kennebec, Sagadahoc
- Floricomus plumalis* (Crosby, 1905)
Aroostook, Hancock, Oxford, Penobscot, *Piscataquis*, Somerset, Washington, York
- Floricomus rostratus* (Emerton, 1882)
Cumberland, *Piscataquis*, Washington
Genus *Frontinella* F. O. Pickard–Cambridge, 1902
- Frontinella pyramitela* (Walckenaer, 1841)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, *Piscataquis*,
Somerset, Waldo, Washington, York
Genus *Glyphesis* Simon, 1926
- Glyphesis scopulifer* (Emerton, 1882)
Piscataquis
Genus *Gnathonaroides* Bishop & Crosby, 1938
- Gnathonaroides pedalis* (Emerton, 1923)
Penobscot, *Piscataquis*
Genus *Gonatium* Menge, 1868
- Gonatium crassipalpus* Bryant, 1933
Aroostook, *Cumberland*, Hancock, Oxford, Penobscot, *Piscataquis*, Somerset, *Waldo*, Washington, York
(Bishop & Crosby 1935)
Genus *Grammonota* Emerton, 1882
- Grammonota angusta* Dondale, 1959
Aroostook, *Cumberland*, Franklin, Hancock, Oxford, Penobscot, *Piscataquis*, Sagadahoc, Somerset, Waldo,
Washington, York (Dondale 1959)
- Grammonota capitata* Emerton, 1924
Hancock, Knox, Penobscot, Washington, York
- Grammonota gentilis* Banks, 1898
Aroostook, Knox, Lincoln, Penobscot, Washington, York
- Grammonota gigas* (Banks 1896)
Aroostook, Franklin, Hancock, Lincoln, Penobscot, *Piscataquis*, Somerset, Washington
- Grammonota inornata* Emerton, 1882
Cumberland, Somerset, York (Bryant 1908)
- Grammonota inusiata* Bishop & Crosby, 1933
Penobscot
- Grammonota maritima* Emerton, 1925
Washington
- Grammonota ornata* (O. Pickard–Cambridge, 1875)
Hancock, Washington
- Grammonota pallipes* Banks, 1895
Cumberland, Washington
- Grammonota pictilis* (O. Pickard–Cambridge, 1875)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, *Lincoln*, Oxford, Penobscot,
Piscataquis, Sagadahoc, Somerset, *Waldo*, Washington, York (Bryant 1908; Bishop & Crosby 1932)
- Grammonota trivittata* Banks, 1895
Cumberland, *Knox*, *Sagadahoc*, Washington (Emerton 1914)
- Grammonota vittata* Barrows, 1919
Penobscot
Genus *Helophora* Menge, 1866
- Helophora insignis* (Blackwall, 1841)
Androscoggin, Aroostook, Hancock, Lincoln, York

- Genus *Hilaira* Simon, 1884
Hilaira canaliculata (Emerton, 1915)
 Aroostook
Hilaira herniosa (Thorell, 1875)
 Piscataquis
 Genus *Horcotes* Crosby & Bishop, 1933
Horcotes quadricristatus (Emerton, 1882)
 Piscataquis
 Genus *Hybauchenidium* Holm, 1973
Hybauchenidium cymbadentatum (Crosby & Bishop, 1935)
 Penobscot
 Genus *Hypomma* Dahl, 1886
Hypomma marxi (Keyserling, 1886)
 Kennebec, Piscataquis
 Genus *Hypselistes* Simon, 1894
Hypselistes florens (O. Pickard–Cambridge, 1875)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot,
 Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
 Genus *Idionella* Banks, 1893
Idionella formosa (Banks, 1892)
 Cum, Knox, York (Bryant 1908; Emerton 1914)
Idionella rugosa (Crosby, 1905)
 Hancock, Sagadahoc, Waldo, Washington, York
 Genus *Improphantes* Saaristo & Tanasevitch, 1996
Improphantes complicatus (Emerton, 1882)
 Piscataquis
 Genus *Incestophantes* Tanasevitch, 1992
Incestophantes duplicatus (Emerton, 1913)
 Hancock, Piscataquis, Washington (Emerton 1913)
Incestophantes washingtoni (Zorsch, 1937)
 Piscataquis
 Genus *Islandiana* Braendegaard, 1932
Islandiana flaveola (Banks, 1892)
 Cumberland, Hancock, Penobscot, Washington (Procter 1946)
Islandiana flavoides Ivie, 1965
 Washington
Islandiana longisetosa (Emerton, 1882)
 Knox, Penobscot, Piscataquis, Washington
Islandiana princeps Braendegaard, 1932
 Piscataquis
 Genus *Kaestneria* Wiehle, 1956
Kaestneria pullata (O. Pickard–Cambridge, 1863)
 Aroostook, Hancock, Knox, Piscataquis, Washington
Kaestneria rufula (Hackman, 1954)
 Kennebec, Oxford, Penobscot, Piscataquis
 Genus *Lepthyphantes* Menge, 1866
Lepthyphantes alpinus (Emerton, 1882)
 Aroostook, Hancock, Lincoln, Penobscot, Piscataquis, Washington (Bryant 1908)
Lepthyphantes intricatus (Emerton, 1911)
 Aroostook, Penobscot, Piscataquis
Lepthyphantes leprosus (Ohlert, 1865)
 Franklin, Hancock, Kennebec, Penobscot, Sagadahoc, Washington (Procter 1946)
Lepthyphantes turbatrix (O. Pickard–Cambridge, 1877)
 Aroostook, Franklin, Hancock, Oxford, Penobscot, Piscataquis, Washington
 Genus *Linyphia* Latreille, 1804

- **Linyphia triangularis* (Clerck, 1757)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Genus *Lophomma* Menge, 1868
- Lophomma depressum* (Emerton, 1882)
Aroostook, Washington
- Lophomma vaccinii* (Emerton, 1926)
Penobscot
Genus *Macrargus* Dahl, 1886
- Macrargus multesimus* (O. Pickard–Cambridge, 1875)
Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Waldo, Washington, York
Genus *Maro* O. Pickard–Cambridge, 1906
- Maro amplus* Dondale & Buckle, 2001
Piscataquis (Buckle *et al.* 2001)
- Maro nearcticus* Dondale & Buckle, 2001
Piscataquis (Buckle *et al.* 2001)
Genus *Maso* Simon, 1884
- Maso sundevalli* (Westring, 1851)
Hancock, Washington (Procter 1946)
Genus *Megalephyphantes* Wunderlich, 1994
- Megalephyphantes nebulosus* (Sundevall, 1830)
Hancock, Kennebec, Penobscot (Procter 1933)
Genus *Mermessus* O. Pickard–Cambridge, 1899
- Mermessus brevidentatus* (Emerton, 1909)
Androscoggin, Sagadahoc, York
- Mermessus contortus* (Emerton, 1882)
Aroostook, Cumberland, Kennebec, Penobscot
- Mermessus entomologicus* (Emerton, 1911)
Hancock, Piscataquis, Washington
- Mermessus maculatus* (Banks, 1892)
Aroostook, Knox, Penobscot, Piscataquis, York
- Mermessus tenuipalpis* (Emerton, 1911)
Cumberland, York
- Mermessus trilobatus* (Emerton, 1882)
Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York
- Mermessus undulatus* (Emerton, 1914)
Aroostook, Cumberland, Lincoln, Piscataquis, Washington
Genus *Metopobactrus* Simon, 1884
- Metopobactrus prominulus* (O. Pickard–Cambridge, 1873)
Aroostook, Lincoln, Penobscot, Piscataquis, Somerset, *Waldo*, Washington (Bishop & Crosby 1935)
Genus *Micrargus* Dahl, 1886
- Micrargus longitarsus* (Emerton, 1882)
Piscataquis, Somerset, Washington, York
Genus *Microlinyphia* Gerhardt, 1928
- Microlinyphia mandibulata* (Emerton, 1882)
Aroostook, Cumberland, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Microlinyphia pusilla* (Sundevall, 1830)
Kennebec
Genus *Microneta* Menge, 1869
- Microneta viaria* (Blackwall, 1841)
Aroostook, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Washington
Genus *Neodietrichia* Özdikem, 2008
- Neodietrichia hesperia* (Crosby & Bishop 1933)
Aroostook, Penobscot, Washington

- Genus *Neriene* Blackwall, 1833
Neriene clathrata (Sundevall, 1830)
 Aroostook, Hancock, Lincoln, Oxford, Penobscot, Somerset, Washington
Neriene radiata (Walckenaer, 1841)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis,
 Somerset, Waldo, Washington, York
Neriene variabilis (Banks, 1892)
 Cumberland, *Hancock* (Procter 1946)
 Genus *Oedothorax* Bertkau, 1883
Oedothorax montifer (Emerton, 1882)
 Androscoggin, Aroostook, Hancock, Knox, Piscataquis, Sagadahoc, York
Oedothorax trilobatus (Banks, 1896)
 Aroostook, Hancock, Kennebec, Penobscot, Somerset
 Genus *Oreoneta* Kulczyński, 1894
Oreoneta brunnea (Emerton, 1882)
 Piscataquis
 Genus *Oreonetides* Strand, 1901
Oreonetides flavescens (Crosby, 1937)
 Hancock, Piscataquis
Oreonetides rectangulatus (Emerton, 1913)
 Penobscot, Piscataquis, Somerset
Oreonetides rotundus (Emerton, 1913)
 Aroostook, Piscataquis, Washington
Oreonetides vaginatus (Thorell, 1872)
 Aroostook, Piscataquis
 Genus *Oreophantes* Eskov, 1984
Oreophantes recurvatus (Emerton, 1913)
 Aroostook, Piscataquis
 Genus *Oryphantes* Hull, 1932
Oryphantes aliquantulus Dupérré & Paquin, 2007
 Piscataquis
 Genus *Pelecopsis* Simon, 1864
Pelecopsis bishopi Kaston, 1945
 York
 Genus *Phlattothrata* Crosby and Bishop, 1933
Phlattothrata flagellata (Emerton, 1911)
Hancock (Emerton 1911)
 Genus *Pityohyphantes* Simon, 1929
Pityohyphantes costatus (Hentz, 1850)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot,
 Piscataquis, Somerset, Waldo, Washington, York
Pityohyphantes limitaneus (Emerton, 1915)
 Aroostook, *Hancock* (Emerton 1915; Procter 1938)
Pityohyphantes subarcticus Chamberlin & Ivie, 1943
 Androscoggin, Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Waldo, Washington
 Genus *Pocadicnemis* Simon, 1884
Pocadicnemis americana Millidge, 1976
 Aroostook, Hancock, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
Pocadicnemis pumila (Blackwall, 1841)
 Hancock, Penobscot, Somerset, Washington
 Genus *Poeciloneta* Kulczyński, 1894
Poeciloneta bihamata (Emerton, 1882)
 Hancock, Sagadahoc
Poeciloneta calcaratus (Emerton, 1909)
 Aroostook, *Cumberland*, Hancock, Oxford, *Piscataquis*, Sagadahoc, Washington (Emerton 1909)

- Poeciloneta theridiformis* (Emerton, 1911)
Hancock
Genus *Porrhomma* Simon, 1884
- Porrhomma convexum* (Westring, 1851)
Penobscot, Washington, York
- **Porrhomma pallidum* Jackson, 1913
Aroostook, Knox
- Porrhomma terrestre* (Emerton, 1882)
Washington
Genus *Praestigia* Millidge, 1954
- Praestigia kulczynskii* Eskov, 1979
Piscataquis
Genus *Satilatlas* Keyserling, 1886
- Satilatlas arenarius* (Emerton, 1911)
Sagadahoc, Washington (Emerton 1914)
- Satilatlas marxi* Keyserling, 1886
Hancock, Penobscot, Sagadahoc, Waldo, Washington
Genus *Sciastes* Bishop & Crosby, 1938
- Sciastes truncatus* (Emerton, 1882)
Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Washington, York
Genus *Scironis* Bishop & Crosby, 1938
- Scironis tarsalis* (Emerton, 1911)
Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, York
Genus *Scotinotylus* Simon, 1884
- Scotinotylus exsectoides* Millidge, 1981
Penobscot, Washington, York
- Scotinotylus pallidus* (Emerton, 1882)
Penobscot, Piscataquis, Somerset
- Scotinotylus vernalis* (Emerton, 1882)
York
Genus *Scylaceus* Bishop & Crosby, 1938
- Scylaceus pallidus* (Emerton, 1882)
Androscoggin, Penobscot, Waldo, Washington, York
Genus *Scyletria* Bishop & Crosby, 1938
- Scyletria inflata* Bishop & Crosby, 1938
Aroostook
Genus *Semljicola* Strand, 1906
- Semljicola obtusus* (Emerton, 1915)
Penobscot, Piscataquis
Genus *Sisicottus* Bishop & Crosby, 1938
- Sisicottus montanus* (Emerton, 1882)
Aroostook, *Cumberland*, Hancock, Penobscot, Piscataquis, Washington (Bishop & Crosby 1938)
Genus *Sisicus* Bishop & Crosby, 1938
- Sisicus apertus* (Holm, 1939)
Piscataquis
- Sisicus penifusifer* Bishop & Crosby, 1938
Aroostook, Knox, Oxford, Piscataquis, Washington, York (Bishop & Crosby 1938)
Genus *Sisyrbe* Bishop & Crosby, 1938
- Sisyrbe rustica* (Banks, 1892)
Washington
Genus *Souessa* Crosby & Bishop, 1936
- Souessa spinifera* (O. Pickard–Cambridge, 1874)
Franklin, Oxford, Penobscot, Piscataquis, York
Genus *Sougambus* Crosby & Bishop, 1936
- Sougambus bostoniensis* (Emerton, 1882)
Aroostook, Hancock, Knox, Penobscot, Waldo

- Genus *Soulgas* Crosby & Bishop, 1936
Soulgas corticarius (Emerton, 1909)
 Aroostook, Cumberland, Franklin, Hancock, Penobscot, Piscataquis, Sagadahoc, Washington, York
 Genus *Stemonyphantes* Menge, 1866
Stemonyphantes blauveltae Gertsch, 1951
 Piscataquis, Washington, York
 Genus *Styloctetor* Simon, 1884
Styloctetor compar (Westring, 1861)
 Washington
Styloctetor compar (Westring, 1861)
 Washington
 Genus *Tapinocyba* Simon, 1884
Tapinocyba bicarinata (Emerton, 1913)
 Aroostook, Piscataquis, Penobscot (Crosby & Zorsch 1935)
Tapinocyba minuta (Emerton, 1909)
 Aroostook, Franklin, Oxford, Penobscot, Piscataquis, Somerset, Washington
Tapinocyba simplex (Emerton, 1882)
 Aroostook, Piscataquis, Hancock, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo,
 Washington, York
 Genus *Tapinopa* Westring, 1851
Tapinopa bilineata Banks, 1893
 Cumberland, Hancock, Lincoln, Washington, York (Emerton 1909)
 Genus *Tapinatorquis* Dupérré & Paquin, 2007
Tapinatorquis yamaskensis Dupérré & Paquin, 2007
 Knox, Penobscot
 Genus *Tennesseeillum* Petrunkevitch, 1925
Tennesseeillum formica (Emerton, 1882)
 Aroostook, Penobscot, Washington
 Genus *Tenuiphantes* Saaristo & Tanasevitch, 1996
Tenuiphantes sabulosus (Keyserling, 1886)
 Kennebec
Tenuiphantes zebra (Emerton, 1882)
 Aroostook, Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York
 (Bryant 1908)
 Genus *Thyreosthenius* Simon, 1884
Thyreosthenius parasiticus (Westring, 1851)
 Aroostook
 Genus *Tunagyna* Chamberlin & Ivie, 1933
Tunagyna debilis (Banks, 1892)
 Androscoggin, Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, Washington, York
 Genus *Vermontia* Millidge, 1984
Vermontia thoracica (Emerton, 1913)
 Hancock
 Genus *Wabasso* Millidge, 1984
Wabasso cacuminatus Millidge, 1984
 Piscataquis
Wabasso quaestio (Chamberlin, 1949)
 Piscataquis
 Genus *Walckenaeria* Blackwall, 1833
Walckenaeria arctica Millidge, 1983
 Penobscot
Walckenaeria atrotibialis (O. Pickard–Cambridge, 1878)
 Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington
Walckenaeria auranticeps (Emerton, 1882)
 Hancock, Somerset, Washington

- Walckenaeria breviararia* (Crosby & Bishop, 1931)
Hancock, Penobscot, Washington, York
- Walckenaeria brevicornis* (Emerton, 1882)
Aroostook, Hancock, Lincoln, Penobscot, Somerset, Washington, York
- Walckenaeria castanea* (Emerton, 1882)
Aroostook, Hancock, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria clavicornis* (Emerton, 1882)
Piscataquis
- Walckenaeria communis* (Emerton, 1882)
Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria cuspidata brevicula* (Crosby & Bishop, 1931)
Piscataquis
- Walckenaeria digitata* (Emerton, 1913)
Aroostook, Hancock, Penobscot, Washington, York
- Walckenaeria directa* (O. Pickard–Cambridge, 1874)
Aroostook, Cumberland, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria dondalei* Millidge, 1983
Washington
- Walckenaeria exigua* Millidge, 1983
Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- **Walckenaeria fallax* Millidge, 1983
Lincoln, Penobscot
- Walckenaeria fusciceps* Millidge, 1983
Piscataquis
- Walckenaeria lepida* (Kulczyński, 1885)
Hancock, Penobscot, Washington
- Walckenaeria minuta* (Emerton, 1882)
Penobscot, Piscataquis, Somerset
- Walckenaeria pallida* (Emerton, 1882)
Penobscot
- Walckenaeria palustris* Millidge, 1983
Penobscot, York
- Walckenaeria pinocchio* (Kaston, 1945)
Penobscot, Washington
- Walckenaeria placida* (Banks, 1892)
Penobscot, Waldo, Washington
- Walckenaeria redneri* Millidge, 1983
Washington
- Walckenaeria spiralis* (Emerton, 1882)
Aroostook, Hancock, Penobscot, Piscataquis, Somerset, Washington, York
- Walckenaeria subspiralis* Millidge, 1983
Penobscot, Piscataquis, Somerset, Washington
- Walckenaeria tenella* Millidge, 1983
Washington, York
- Walckenaeria teres* Millidge, 1983
Piscataquis, Hancock
- Walckenaeria tibialis* (Emerton, 1882)
Cumberland, Hancock, Knox
Genus *Wubana* Chamberlin, 1919
- Wubana drassoides* (Emerton, 1882)
Piscataquis
- Wubana pacifica* (Banks, 1896)
Hancock
Genus *Zornella* Jackson, 1932
- **Zornella cultrigera* (L. Koch, 1879)
Aroostook, Piscataquis (Crosby & Bishop 1933)

FAMILY LIOCRANIDAEGenus *Agroeca* Westring, 1861*Agroeca ornata* Banks, 1892

Aroostook, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

Agroeca pratensis Emerton, 1890Aroostook, Hancock, Lincoln, Penobscot, *Piscataquis*, Somerset, Washington, York (Bryant 1908)**FAMILY LYCOSIDAE**Genus *Alopecosa* Simon, 1885*Alopecosa aculeata* (Clerck, 1757)Aroostook, Hancock, *Knox*, Lincoln, Penobscot, Piscataquis, Somerset, Washington (Bishop 1923)*Alopecosa kochi* (Keyserling, 1877)*Androscoggin*, Washington (Bryant 1908)Genus *Arctosa* C. L. Koch, 1847*Arctosa alpigena* (Doleschall, 1852)*Cumberland*, Piscataquis (Bryant 1908)*Arctosa emertoni* Gertsch, 1934Hancock, *Knox*, Washington, York*Arctosa lama* Dondale & Redner, 1983

Hancock, Washington

Arctosa littoralis (Hentz, 1844)

Hancock, Waldo

Arctosa raptor (Kulczyński, 1885)

Penobscot, Piscataquis, Washington

Arctosa rubicunda (Keyserling, 1877)

Lincoln, Washington, York

Genus *Geolycosa* Montgomery, 1904*Geolycosa pikei* (Marx, 1881)

York (Emerton 1912)

Geolycosa turricola (Treat, 1880)*Specific locality not given* (Emerton 1912)Genus *Gladicosa* Brady, 1987*Gladicosa gulosa* (Walckenaer, 1837)Franklin, Hancock, Kennebec, *Knox*, Penobscot, YorkGenus *Hogna* Simon, 1885*Hogna carolinensis* (Walckenaer, 1805)*Cumberland*, Franklin, *Hancock*, *Oxford*, Waldo, York (Hentz 1875; Bryant 1908)*Hogna frondicola* (Emerton, 1885)Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Somerset, Washington, York (Bryant 1908; Bishop 1923)Genus *Pardosa* C. L. Koch, 1847*Pardosa albomaculata* Emerton, 1885

Piscataquis

Pardosa concinna (Thorell, 1877)

Piscataquis

Pardosa distincta (Blackwall, 1846)Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, *Knox*, Lincoln, *Oxford*, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)*Pardosa fuscata* (Thorell, 1875)*Androscoggin*, Aroostook, *Cumberland*, *Franklin*, Hancock, Kennebec, *Knox*, Lincoln, Penobscot, Piscataquis, Somerset, Waldo, Washington (Emerton 1914; Bryant 1908)*Pardosa groenlandica* (Thorell, 1872)*Cumberland*, Hancock, Lincoln, *Piscataquis*, Waldo, Washington (Bryant 1908)

- Pardosa hyperborea* (Thorell, 1872)
Aroostook, Hancock, Oxford, Piscataquis, Washington
- Pardosa lapidicina* Emerton, 1885
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
- Pardosa littoralis* Banks, 1896
Cumberland, York
- Pardosa mackenziana* (Keyserling, 1877)
Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Washington
- Pardosa milvina* (Hentz, 1844)
Aroostook, Hancock, Kennebec, *Lincoln*, Penobscot, Piscataquis, Somerset, Waldo, Washington (Bryant 1908)
- Pardosa modica* (Blackwall, 1846)
Aroostook, Hancock, Penobscot, Piscataquis, Waldo, Washington
- Pardosa moesta* Banks, 1892
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Pardosa palustris* (Linnaeus, 1758)
Hancock, Somerset
- Pardosa saxatilis* (Hentz, 1844)
Cumberland, Hancock, Knox, Penobscot, Washington, York (Bryant 1908)
- Pardosa uintana* Gertsch, 1933
Penobscot, Piscataquis
- Pardosa xerampelina* (Keyserling, 1877)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
Genus *Pirata* Sundevall, 1833
- Pirata aspirans* Chamberlin, 1904
Knox, Washington, York (Wallace & Exline 1978)
- Pirata montanus* Emerton, 1885
Aroostook, *Cumberland*, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset (Bryant 1908)
- Pirata piraticus* (Clerck, 1757)
Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York
- Pirata praedo* Kulczyński, 1885
Hancock, Oxford, Penobscot
- Pirata sedentarius* Montgomery, 1904
Aroostook, Oxford, Piscataquis, York
Genus *Piratula* Roewer, 1960
- Piratula canadensis* (Dondale & Redner, 1981)
Hancock, Penobscot, Piscataquis
- Piratula cantralli* (Wallace & Exline, 1978)
Aroostook, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York
- Piratula insularis* (Emerton, 1885)
Aroostook, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Piratula minuta* (Emerton, 1885)
Aroostook, *Cumberland*, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Wallace & Exline 1978)
Genus *Schizocosa* Chamberlin, 1904
- Schizocosa avida* (Walckenaer, 1837)
Cumberland, Hancock, *Lincoln*, Sagadahoc, Washington (Bryant 1908)
- Schizocosa bilineata* (Emerton, 1885)
Penobscot, York

- Schizocosa communis* (Emerton, 1885)
Hancock, Washington
- Schizocosa crassipalpata* Roewer, 1951
Aroostook, *Cumberland*, Hancock, Kennebec, Penobscot, Waldo, Washington (Emerton 1909)
- Schizocosa humilis* (Banks, 1892)
Kennebec, Oxford, Penobscot
- Schizocosa ocreata* (Hentz, 1844)
Hancock (Bryant 1908)
- Schizocosa retrorsa* (Banks, 1911)
York
- Schizocosa saltatrix* (Hentz, 1844)
Sagadahoc, Washington, York
Genus *Tigrosa* Brady, 012
- Tigrosa helluo* (Walckenaer, 1837)
Cumberland, Hancock, Kennebec, Sagadahoc, York (Bryant 1908; Procter 1933)
Genus *Trabeops* Roewer, 1959
- Trabeops aurantiacus* (Emerton, 1885)
Lincoln, Sagadahoc, Washington, York
Genus *Trebacosa* Dondale & Redner, 1981
- Trebacosa marxi* (Stone, 1890)
Hancock, Penobscot, York
Genus *Trochosa* C. L. Koch, 1847
- Trochosa ruricola* (De Geer, 1778)
Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Trochosa terricola* Thorell, 1856
Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Bryant 1908)
Genus *Varacosa* Chamberlin & Ivie, 1942
- Varacosa avara* (Keyserling, 1877)
Cumberland, York (Bryant 1908)

FAMILY MIMETIDAE

- Genus *Ero* C. L. Koch, 1836
- Ero canionis* Chamberlin & Ivie, 1935
Aroostook, Franklin, Hancock, Penobscot, Piscataquis, Washington
- Ero leonina* (Hentz, 1850)
Hancock, York (Procter 1946)
Genus *Mimetus* Hentz, 1832
- Mimetus epeiroides* Emerton, 1882
Hancock, Penobscot (Procter 1938)
- Mimetus puritanus* Chamberlin, 1923
Cumberland, York (Chamberlin 1923)

FAMILY MITURGIDAE

- Genus *Zora* C. L. Koch, 1847
- Zora pumila* (Hentz, 1850)
York

FAMILY NESTICIDAE

- Genus *Nesticus* Thorell, 1869
- Nesticus cellulanus* (Clerck 1757)
Waldo

****FAMILY OECOBIIDAE****Genus *Oecobius* Lucas, 1846***Oecobius navus* Blackwall, 1859**FAMILY OXYOPIDAE**Genus *Oxyopes* Latreille, 1804*Oxyopes scalaris* Hentz, 1845

Oxford, Penobscot, Washington, York

FAMILY PHILODROMIDAEGenus *Ebo* Keyserling, 1884*Ebo iviei* Sauer & Platnick, 1972

Washington

Ebo latithorax Keyserling, 1884

Lincoln

Genus *Philodromus* Walckenaer, 1826*Philodromus cespitum* (Walckenaer, 1802)

Aroostook, Cumberland, Franklin, Hancock, Penobscot, Piscataquis, Somerset, Waldo, Washington

Philodromus exilis Banks, 1892

Aroostook, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York

Philodromus imbecillus Keyserling, 1880

Androscoggin, Cumberland, Kennebec, Washington, York

Philodromus infuscatus Keyserling, 1880

York

Philodromus laticeps Keyserling, 1880

Cumberland, York

Philodromus marxi Keyserling, 1884*Specific locality not given* (Bryant 1908)*Philodromus mineri* Gertsch, 1933

York

Philodromus minutus Banks, 1892

Androscoggin, York

Philodromus peninsulanus Gertsch, 1934

Cumberland, Washington

Philodromus pernix Blackwall, 1846

Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Somerset, Waldo, Washington

Philodromus placidus Banks, 1892Aroostook, *Cumberland*, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Bryant 1908)*Philodromus praelustris* Keyserling, 1880Aroostook, Franklin, *Hancock*, Knox, Oxford, Penobscot, Washington, York (Procter 1946)*Philodromus rufus* Walckenaer, 1826

Androscoggin, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Washington, York

Philodromus rufus quartus Dondale & Redner, 1968

Hancock, Oxford, Penobscot, Washington

Philodromus rufus vibrans Dondale, 1964Aroostook, Hancock, Kennebec, *Lincoln*, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York (Dondale & Redner 1968)*Philodromus validus* (Gertsch, 1933)

Washington

- Philodromus vulgaris* (Hentz, 1847)
Aroostook, Cumberland, Penobscot, Washington, York
Genus *Rhysodromus* Schick, 1965
- Rhysodromus histrio* (Latreille, 1819)
Aroostook, Hancock, Washington
Genus *Thanatus* C. L. Koch, 1837
- Thanatus coloradensis* Keyserling, 1880
Hancock(Procter 1933)
- Thanatus formicinus* (Clerck, 1757)
Aroostook, *Cumberland*, Hancock, Lincoln, Penobscot, Piscataquis, Washington, York (Dondale *et al.* 1964)
- Thanatus rubicellus* Mello-Leitão, 1929
Cumberland, Penobscot, Piscataquis, Washington, York (Bryant 1908)
- Thanatus striatus* C. L. Koch, 1845
Aroostook, Lincoln, Penobscot, Waldo, Washington
Genus *Tibellus* Simon, 1875
- Tibellus maritimus* (Menge, 1875)
Cumberland, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington, York
- Tibellus oblongus* (Walckenaer, 1802)
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York

FAMILY PHOLCIDAE

- Genus *Pholcus* Walckenaer, 1805
- Pholcus manueli* Gertsch, 1937
Hancock, Kennebec, Lincoln, Penobscot, Washington, York
- **Pholcus phalangioides* (Fuesslin, 1775)
Hancock, Kennebec, Knox, Penobscot, Waldo, Washington
Genus *Spermophora* Hentz, 1841
- Spermophora senoculata* (Dugès, 1836)
Penobscot

FAMILY PHRUROLITHIDAE

- Genus *Phrurotimpus* Chamberlin & Ivie, 1935
- Phrurotimpus alarius* (Hentz 1847)
Aroostook, *Cumberland*, Hancock, Kennebec, Lincoln, Penobscot, Sagadahoc, Washington, York (Bryant 1908)
- Phrurotimpus borealis* (Emerton, 1911)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Phrurotimpus certus* Gertsch, 1941
Hancock, Washington, York (Procter 1946)
- Phrurotimpus minutus* (Banks, 1892)
Washington, York
Genus *Scotinella* Banks, 1911
- Scotinella brittoni* (Gertsch, 1941)
Hancock, York (Gertsch 1941)
- Scotinella divesta* (Gertsch, 1941)
Cumberland, Hancock, Lincoln, Penobscot, Somerset, Waldo, Washington, York (Gertsch 1941)
- Scotinella madisonia* Levi, 1951
Penobscot
- Scotinella pugnata* (Emerton, 1890)
Aroostook, *Cumberland*, *Hancock*, Penobscot, Somerset, Waldo, Washington (Bryant 1908; Procter 1946)

FAMILY PISAURIDAEGenus *Dolomedes* Latreille, 1804*Dolomedes scriptus* Hentz, 1845Androscoggin, Cumberland, Hancock, Kennebec, Oxford, Penobscot, Somerset, Washington, York
(Bryant 1908; Bishop 1924)*Dolomedes striatus* Giebel, 1869

Aroostook, Hancock, Lincoln, Penobscot, Washington

Dolomedes tenebrosus Hentz, 1844Androscoggin, Aroostook, Cumberland, Franklin, Kennebec, Penobscot, Somerset, Waldo
(Emerton 1909)*Dolomedes triton* (Walckenaer, 1837)

Aroostook, Franklin, Hancock, Kennebec, Piscataquis (Blake 927)

Genus *Pisaurina* Simon, 1898*Pisaurina mira* (Walckenaer, 1837)Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc,
Washington, York**FAMILY SALTICIDAE**Genus *Admestina* Peckham & Peckham, 1888*Admestina wheeleri* Peckham & Peckham, 1888

Kennebec, Penobscot, Washington, York

Genus *Attulus* Simon, 1889Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset,
Washington, York*Attulus floricola* (C. L. Koch, 1837)Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Somerset, Waldo,
Washington, York*Attulus striatus* (Emerton, 1911)

Hancock, Oxford, Penobscot, Washington (Emerton 1911)

Attulus sylvestris (Emerton, 1891)

Androscoggin, York

Genus *Dendryphantes* C. L. Koch, 1837*Dendryphantes nigromaculatus* (Keyserling, 1885)

Piscataquis (Kaston 1973)

Genus *Eris* C. L. Koch, 1846*Eris militaris* (Hentz, 1845)

All Counties

Eris rufa (C. L. Koch, 1846)

Cumberland

Genus *Euophrys* C. L. Koch, 1834*Euophrys monadnock* Emerton, 1891

Hancock, Lincoln, Somerset, Washington, York (Bryant 1908)

Genus *Evarcha* Simon, 1902*Evarcha hoyi* (Peckham & Peckham, 1883)Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis,
Sagadahoc, Somerset, Waldo, Washington, YorkGenus *Ghelna* Maddison, 1996*Ghelna canadensis* (Banks, 1897)

Cumberland, Hancock, Kennebec, Oxford, Penobscot, Waldo, Washington

Genus *Habronattus* F. O. Pickard-Cambridge, 1901*Habronattus agilis* (Banks, 1893)

Sagadahoc

- Habronattus borealis* (Banks, 1895)
Cumberland, Hancock, *Knox*, Penobscot, Sagadahoc, Waldo, Washington, York (Griswold 1987)
- Habronattus calcaratus* (Banks, 1904)
Hancock, Washington, York (Griswold 1987)
- Habronattus decorus* (Blackwall, 1846)
Aroostook, *Hancock*, Kennebec, Lincoln, Penobscot, Sagadahoc, Waldo, Washington, York (Procter 1933)
- Habronattus viridipes* (Hentz, 1846)
Hancock, Somerset, Washington, York
- Habronattus waughii* (Emerton, 1926)
Washington
Genus *Hentzia* Marx, 1883
- Hentzia mitrata* (Hentz, 1846)
Androscoggin, Penobscot, York
- Hentzia palmarum* (Hentz, 1832)
Penobscot, Washington
Genus *Hypositticus* Lohmander, 1944
- Hypositticus pubescens* (Fabricius, 1775)
Cumberland, Kennebec, Penobscot, Washington, York
Genus *Maevia* C. L. Koch, 1846
- Maevia inclemens* (Walckenaer, 1837)
Androscoggin, Cumberland, Kennebec, Oxford, Sagadahoc, York
Genus *Marpissa* C. L. Koch, 1846
- Marpissa formosa* (Banks, 1892)
Specific locality not given (Peckham & Peckham 1909)
- Marpissa grata* (Gertsch, 1936)
Piscataquis, Washington
- Marpissa lineata* (C. L. Koch, 1846)
York
Genus *Naphrys* Edwards, 2003
- Naphrys pulex* (Hentz, 1846)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York
Genus *Neon* Simon, 1876
- Neon nelli* Peckham & Peckham, 1888
Androscoggin, Aroostook, Cumberland, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, Washington, York (Gertsch & Ivie 1955; Bryant 1908)
Genus *Peckhamia* Simon, 1900
- Peckhamia picata* (Hentz, 1846)
Washington, York
Genus *Pelegrina* Franganillo, 1930
- Pelegrina exigua* (Banks, 1892)
Specific locality not given (Richman & Cutler 1978)
- Pelegrina flaviceps* (Kaston, 1973)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Pelegrina flavipes* (Peckham & Peckham, 1888)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Knox, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Pelegrina galathea* (Walckenaer, 1837)
Hancock, Lincoln, Sagadahoc, Washington, York (Procter 1908)
- Pelegrina insignis* (Banks, 1892)
Androscoggin, Cumberland, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York (Maddison 1996)

- Pelegrina montana* (Emerton, 1891)
Hancock, *Knox* (Bishop 1923)
- Pelegrina peckhamorum* (Kaston, 1973)
Androscoggin, Cumberland, Hancock, Knox, Oxford, Penobscot, Somerset, York
- Pelegrina proterva* (Walckenaer, 1837)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
Genus *Pellenes* Simon, 1876
- Pellenes lapponicus* (Sundevall, 1833)
Penobscot, Piscataquis
Genus *Phidippus* C. L. Koch, 1846
- Phidippus audax* (Hentz, 1845)
Androscoggin, Cumberland, Penobscot, York
- Phidippus borealis* Banks, 1895
Penobscot, Piscataquis, Somerset
- Phidippus clarus* Keyserling, 1885
Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Penobscot, Sagadahoc, Somerset, Washington, York
- Phidippus princeps* (Peckham & Peckham, 1883)
Androscoggin, Cumberland, Hancock, Kennebec, Lincoln, Penobscot, Waldo, Washington, York
- Phidippus purpuratus* Keyserling, 1885
Androscoggin, Hancock, Kennebec, *Knox*, Penobscot, Somerset, Washington, York (Bishop 1923)
- Phidippus whitmani* Peckham & Peckham, 1909
Aroostook, Cumberland, *Hancock*, Lincoln, Penobscot, Somerset, Washington, York (Procter 1946)
Genus *Phlegra* Simon, 1876
- Phlegra hentzi* (Marx, 1890)
Hancock
Genus *Platycryptus* Hill, 1979
- Platycryptus undatus* (De Geer, 1778)
York
Genus *Salticus* Latreille, 1804
- **Salticus scenicus* (Clerck, 1757)
Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, *Lincoln*, Penobscot, Waldo, Washington, York (Bryant 1908)
Genus *Sarinda* Peckham & Peckham, 1892
- Sarinda hentzi* (Banks, 1913)
Washington
Genus *Sibianor* Logunov, 2001
- Sibianor aemulus* (Gertsch, 1934)
Washington
Genus *Sitticus* Simon, 1901
- **Sitticus fasciger* (Simon, 1880)
Cumberland, Kennebec, Penobscot, Waldo
- Sitticus finschi* (L. Koch, 1879)
Hancock, Penobscot, Piscataquis
Genus *Synageles* Simon, 1876
- Synageles canadensis* Cutler, 1988
Washington
- Synageles noxiosus* (Hentz, 1850)
Cumberland, Washington
Genus *Talavera* Peckham & Peckham, 1909
- Talavera minuta* (Banks, 1895)
Androscoggin, Hancock, Lincoln, Sagadahoc, Waldo, Washington, York
Genus *Terralonus* Maddison, 1996
- Terralonus versicolor* (Peckham & Peckham, 1909)
Specific locality not given (Peckham & Peckham 1909)

Genus *Tutelina* Simon, 1901

Tutelina elegans (Hentz, 1846)

Hancock(Procter 1946)

Tutelina formicaria (Emerton, 1891)

Hancock(Procter 1946)

Tutelina harti (Emerton, 1891)

Androscoggin, Cumberland, Penobscot, Washington

Tutelina similis (Banks, 1895)

Androscoggin, Aroostook, Franklin, Hancock, Penobscot, Washington, York

Genus *Zygoballus* Peckham & Peckham, 1885

Zygoballus nervosus (Peckham & Peckham, 1888)

Specific locality not given (Peckham & Peckham 1909)

Zygoballus rufipes Peckham & Peckham, 1885

York

**FAMILY SCYTODIDAE

**Genus *Scytodes* Latreille, 1804

***Scytodes thoracica* (Latreille, 1802)

FAMILY SEGESTRIIDAE

Genus *Ariadna* Audouin, 1826

Ariadna bicolor (Hentz, 1842)

Knox, Lincoln (Beatty 1970; Bryant 1908)

**FAMILY SICARIIDAE

**Genus *Loxosceles* Heineken & Lowe, 1835

***Loxosceles reclusa* Gertsch & Mulaik, 1940

FAMILY SPARASSIDAE

Genus *Heteropoda* Latreille, 1804

**Heteropoda venatoria* (Linnaeus, 1767)

Cumberland

FAMILY TETRAGNATHIDAE

Genus *Leucauge* White, 1841

Leucauge venusta (Walckenaer, 1841)

Washington

Genus *Meta* C. L. Koch, 1836

Meta ovalis (Gertsch, 1933)

Hancock, Oxford, *Knox, Lincoln*, Piscataquis, Somerset, Waldo, Washington, York (Bishop 1923; Bryant 1908)

Genus *Pachygnatha* Sundevall, 1823

Pachygnatha autumnalis Marx, 1884

Hancock, Lincoln, Penobscot, Washington (Procter 1938)

Pachygnatha brevis Keyserling, 1884

Aroostook, Cumberland, Hancock, *Knox, Oxford, Penobscot, Piscataquis, Waldo, Washington, York* (Bishop 1923)

Pachygnatha dorothea McCook, 1894

Cumberland, Hancock, Washington, York

Pachygnatha tristriata C. L. Koch, 1845

Penobscot, Washington, York

Pachygnatha xanthostoma C. L. Koch, 1845

Hancock, Washington (Procter 1946)

Genus *Tetragnatha* Latreille, 1804

- Tetragnatha caudata* Emerton, 1884
Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Tetragnatha dearmata* Thorell, 1873
Aroostook, Penobscot, Piscataquis
- Tetragnatha elongata* Walckenaer, 1841
Aroostook, *Cumberland*, Hancock, Knox, Penobscot, Piscataquis, Washington, York (Bryant 1908)
- Tetragnatha extensa* (Linnaeus, 1758)
Aroostook, Franklin, Hancock, *Knox*, Penobscot, Piscataquis, Somerset, Washington, York (Bishop 1923)
- Tetragnatha guatemalensis* O. Pickard–Cambridge, 1889
Washington
- Tetragnatha laboriosa* Hentz, 1850
Aroostook, *Cumberland*, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington, York
- Tetragnatha pallescens* F. O. Pickard–Cambridge, 1903
Cumberland, Penobscot
- Tetragnatha straminea* Emerton, 1884
Cumberland, Hancock, Kennebec, Penobscot, Piscataquis, Somerset, Washington, York (Bryant 1908)
- Tetragnatha vermiformis* Emerton, 1884
Aroostook
- Tetragnatha versicolor* Walckenaer, 1841
Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Waldo, Washington, York
- Tetragnatha viridis* Walckenaer, 1841
Hancock, Penobscot, Washing

**FAMILY THERAPHOSIDAE

**Genus *Grammostola* Simon, 1892

- ***Grammostola pulchra* Mello–Leitüo, 1921
- ***Grammostola pulchripes* (Simon, 1891)
- ***Grammostola rosea* (Walckenaer, 1837)

FAMILY THERIDIIDAE

Genus *Asagena* Sundevall, 1833

- Asagena americana* Emerton, 1882
Cumberland, Hancock, Knox, Lincoln, Penobscot, Washington (Bryant 1908)
- Genus *Canalidion* Wunderlich, 2008
- Canalidion montanum* (Emerton, 1882)
Aroostook, *Cumberland*, Franklin, Hancock, *Knox*, Penobscot, Piscataquis, Somerset, *Waldo*, Washington (Emerton 1914)
- Genus *Coleosoma* O. Pickard–Cambridge, 1882
- Coleosoma floridanum* Banks, 1900
Lincoln (Levi & Randolph 1975)
- Genus *Crustulina* Menge, 1868
- Crustulina altera* Gertsch & Archer, 1942
Hancock(Procter 1933)
- Crustulina sticta* (O. Pickard–Cambridge, 1861)
Aroostook, *Cumberland*, *Hancock*, Waldo, Washington, York (Levi 1957; Procter 1946)
- Genus *Cryptachaea* Archer, 1946
- Cryptachaea rupicola* (Emerton, 1882)
Androscoggin, *Cumberland*, Hancock (Bryant 1908)
- Genus *Dipoena* Thorell, 1869
- Dipoena buccalis* Keyserling, 1886
Androscoggin

- Dipoena dorsata* Muma, 1944
Knox, York
- Dipoena nigra* (Emerton, 1882)
Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis,
Washington, York
Genus *Enoplognatha* Pavesi, 1880
- Enoplognatha caricis* (Fickert, 1876)
Aroostook, Hancock Washington (Procter 1933)
- Enoplognatha intrepida* (Sørensen, 1898)
Aroostook, Penobscot, Washington
- Enoplognatha latimana* Hippa & Oksala, 1982
Penobscot, Somerset, Washington
- Enoplognatha marmorata* (Hentz, 1850)
Aroostook, Cumberland, Franklin, Hancock, Penobscot, Waldo, Washington (Bryant 1908)
- **Enoplognatha ovata* (Clerck, 1757)
All Counties
Genus *Euryopsis* Menge, 1868
- Euryopsis argentea* Emerton, 1882
Aroostook, Hancock, Lincoln, Penobscot, Washington, York
- Euryopsis funebris* (Hentz, 1850)
Aroostook, Cumberland, Hancock, Oxford, Penobscot, Somerset, Washington, York
- Euryopsis gertschi* Levi, 1951
York
- Euryopsis saukea* Levi, 1951
Washington, York
Genus *Hentziectypus* Archer, 1946
- Hentziectypus conjunctus* (Gertsch & Mulaik, 1936)
Penobscot
- Hentziectypus globosus* (Hentz, 1850)
Cumberland, Hancock, Penobscot, Washington, York(Bryant 1908)
Genus *Lasaeola* Simon, 1881
- Lasaeola prona* (Menge, 1868)
York
Genus *Latrodectus* Walckenaer, 1805
- ***Latrodectus geometricus* C. L. Koch, 1841
- ***Latrodectus hesperus* Chamberlin & Ivie, 1935
- ***Latrodectus mactans* (Fabricius, 1775)
Genus *Neospintharus* Exline, 1950
- Neospintharus trigonum* (Hentz, 1850)
Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Sagadahoc, Waldo,
Washington, York
Genus *Neottiura* Menge, 1868
- Neottiura bimaculata* (Linnaeus, 1767)
Androscoggin, Aroostook, Hancock, Kennebec, Knox, Penobscot, Piscataquis, Somerset, Washington
Genus *Parasteatoda* Archer, 1946
- **Parasteatoda tabulata* (Levi, 1980)
Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot,
Piscataquis, Somerset, Waldo, Washington, York
- **Parasteatoda tepidariorum* (C. L. Koch, 1841)
Androscoggin, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Penobscot, Piscataquis,
Sagadahoc, Waldo, Washington, York
Genus *Pholcomma* Emerton, 1882
- Pholcomma hirsutum* (Emerton, 1882)
Androscoggin

- Genus *Phoroncidia* Westwood, 1835
Phoroncidia americana (Emerton, 1882)
 Penobscot, Washington, York
 Genus *Platnickina* Koçak & Kemal, 2008
Platnickina alabamensis (Gertsch & Archer, 1942)
 Washington
Platnickina punctosparsa (Emerton 1882)
 Cumberland (Bryant 1908)
Platnickina tinctoria (Walckenaer, 1802)
 Androscoggin, Hancock, Knox
 Genus *Rhomphaea* L. Koch, 1872
Rhomphaea fictitium (Hentz, 1850)
 Cumberland, Hancock, Penobscot, Waldo (Exline & Levi 1962; Procter 1933)
 Genus *Robertus* O. Pickard–Cambridge, 1879
Robertus banksi (Kaston, 1946)
 Hancock, Knox, Washington
Robertus borealis (Kaston, 1946)
 Aroostook, Hancock, Penobscot, Piscataquis, Washington (Kaston 1946)
Robertus fuscus (Emerton, 1894)
 Aroostook, Hancock, Piscataquis, Washington (Kaston 1946)
Robertus pumilus (Emerton, 1909)
 Cumberland, Hancock, Oxford, York
Robertus riparius (Keyserling, 1886)
 Aroostook, Hancock, Knox, Penobscot, Piscataquis, Somerset, Washington, York
Robertus spinifer (Emerton, 1909)
 Androscoggin, Penobscot, Washington, York
 Genus *Rugathodes* Archer, 1950
Rugathodes aurantius (Emerton, 1915)
 Aroostook, Cumberland, Hancock, Penobscot, Piscataquis, Washington (Emerton 1915; Procter 1933)
Rugathodes sexpunctatus (Emerton, 188)
 Aroostook, Franklin, Hancock, Lincoln, Penobscot, Piscataquis, Sagadahoc, Washington (Bryant 1908)
 Genus *Steatoda* Sundevall, 1833
 **Steatoda bipunctata* (Linnaeus, 1758)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis,
 Sagadahoc, Somerset, Waldo, Washington, York
Steatoda borealis (Hentz, 1850)
 Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox Lincoln, Oxford, Penobscot, Piscataquis,
 Somerset, Washington, York (Bishop 1923)
 ***Steatoda triangulosa* (Walckenaer, 1802)
 Genus *Theonoe* Simon, 1881
Theonoe stridula Crosby, 1906
 Hancock, Piscataquis
 Genus *Theridion* Walckenaer, 1805
Theridion albidum Banks, 1895
 Androscoggin, Penobscot, Washington, York (Levi 1957)
Theridion differens Emerton, 1882
 All Counties
Theridion frondeum Hentz, 1850
 Androscoggin, Aroostook, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis,
 Sagadahoc, Somerset, Waldo, Washington, York
Theridion glaucescens Becker, 1879
 Androscoggin, Aroostook, Cumberland, Kennebec, Lincoln, Penobscot, Washington (Bryant 1908)
Theridion hemerobium Simon, 1914
 Oxford, Waldo

- Theridion murarium* Emerton, 1882
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
- Theridion petraeum* L. Koch, 1872
 Hancock (Emerton 1913)
- Theridion pictum* (Walckenaer, 1802)
 Aroostook, Cumberland, Franklin, Hancock, Knox, Lincoln, Penobscot, Piscataquis, Somerset, Waldo, Washington (Emerton 1914; Bryant 1908; Levi 1957)
- **Theridion varians* Hahn, 1833
 Hancock, Penobscot
 Genus *Theridula* Emerton, 1882
- Theridula emertoni* Levi, 1954
 Aroostook, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Washington, York
- Theridula opulenta* (Walckenaer, 1841)
 Hancock (Procter 1933)
 Genus *Thymoites* Keyserling, 1884
- Thymoites minnesota* Levi, 1964
 Specific locality not given (Dondale 1997)
- Thymoites unimaculatus* (Emerton, 1882)
 Androscoggin, Cumberland, Hancock, Kennebec, Knox, Lincoln, Oxford, Penobscot, Sagadahoc, Waldo, Washington, York (Levi 1957)
 Genus *Wamba* O. Pickard–Cambridge, 1896
- Wamba crispulus* (Simon, 1895)
 Androscoggin, Hancock, Knox, Lincoln, Penobscot, Washington, York (Levi 1957)
 Genus *Yunohamella* Yoshida, 2007
- Yunohamella lyrica* (Walckenaer, 1841)
 Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Sagadahoc, Washington, York

FAMILY THERIDIOSOMATIDAE

- Genus *Theridiosoma* O. Pickard–Cambridge, 1879
- Theridiosoma gemmosum* (L. Koch, 1877)
 Hancock, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Washington, York (Coddington 1986)

FAMILY THOMISIDAE

- Genus *Bassaniana* Strand, 1928
- Bassaniana utahensis* (Gertsch, 1932)
 Androscoggin, Aroostook, Cumberland, Franklin, Hancock, Kennebec, Knox, Oxford, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
- Bassaniana versicolor* (Keyserling, 1880)
 Cumberland, Hancock, Lincoln, Penobscot, Sagadahoc, Waldo, York (Bryant 1908; Procter 1938; Gertsch 1953)
 Genus *Mecaphesa* Simon, 1900
- Mecaphesa asperata* (Hentz, 1847)
 Hancock, Kennebec, Penobscot, Piscataquis, Waldo, Washington, York (Procter 1933; Blake 1927)
- Mecaphesa carletonica* (Dondale & Redner, 1976)
 Washington, York
- Mecaphesa celer* (Hentz, 1847)
 Kennebec
 Genus *Misumena* Latreille, 1804
- Misumena vatia* (Clerck, 1757)
 All Counties

- Genus *Misumenoides* F. O. Pickard–Cambridge, 1900
Misumenoides formosipes (Walckenaer, 1837)
 Androscoggin, Cumberland, *Hancock*, York (Procter 1933)
- Genus *Ozyptila* Simon, 1864
Ozyptila americana Banks, 1895
Hancock, Penobscot (Procter 1946)
Ozyptila distans Dondale & Redner, 1975
 Aroostook, Franklin, *Hancock*, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
Ozyptila georgiana Keyserling, 1880
 Penobscot
Ozyptila gertschi Kurata, 1944
 Aroostook, Penobscot, Piscataquis
Ozyptila praticola (C. L. Koch, 1837)
 Cumberland, *Hancock*
 Genus *Tmarus* Simon, 1875
Tmarus angulatus (Walckenaer, 1837)
 Cumberland, *Hancock*, Kennebec, Knox, Oxford, Penobscot, Waldo, Washington, York
 Genus *Xysticus* C. L. Koch, 1835
Xysticus alboniger Turnbull, Dondale & Redner, 1965
Hancock, Penobscot, Piscataquis, Sagadahoc, Waldo, Washington, York
Xysticus ampullatus Turnbull, Dondale & Redner, 1965
Hancock, Lincoln, Penobscot, Washington, York
Xysticus bicuspis Keyserling, 1887
 Cumberland Bryant (1908)
Xysticus britcheri Gertsch, 1934
 Penobscot, Piscataquis
Xysticus canadensis Gertsch, 1934
Hancock, Piscataquis
Xysticus chippewa Gertsch, 1953
 Kennebec, Penobscot, Piscataquis, Washington
Xysticus discursans Keyserling, 1880
 Aroostook, Cumberland, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, Washington (Bryant 1930)
Xysticus elegans Keyserling, 1880
 Androscoggin, Aroostook, Cumberland, Franklin, *Hancock*, Kennebec, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York
Xysticus ellipticus Turnbull, Dondale & Redner, 1965
 Penobscot, Somerset, Washington
Xysticus emertoni Keyserling, 1880
 Aroostook, Cumberland, Franklin, *Hancock*, Kennebec, Lincoln, Penobscot, Piscataquis, Sagadahoc, Somerset, Washington, York (Bryant 1908)
Xysticus ferox (Hentz, 1847)
 Androscoggin, Aroostook, Cumberland, *Hancock*, Kennebec, Lincoln, Penobscot, Sagadahoc, Somerset, Waldo, Washington, York
Xysticus fervidus Gertsch, 1953
 Washington
Xysticus fraternus Banks, 1895
 Androscoggin, Cumberland, York
Xysticus gulosus Keyserling, 1880
 Cumberland, *Hancock*, York (Bryant 1908; Procter 1933)
Xysticus luctans (C. L. Koch, 1845)
 Cumberland, *Hancock*, Kennebec, Lincoln, Penobscot, Waldo, Washington, York (Bryant 1908; Procter 1933)
Xysticus luctuosus (Blackwall, 1836)
 Aroostook, Piscataquis, Washington

Xysticus obscurus Collett, 1877

Piscataquis

Xysticus pellax O. Pickard–Cambridge, 1894

Cumberland, Hancock, Lincoln, Penobscot, Washington, York (Gertsch 1939; Procter 1946)

Xysticus punctatus Keyserling, 1880

Androscoggin, Aroostook, Cumberland, Hancock, Kennebec, Knox, Oxford, Penobscot, Piscataquis, Somerset, Washington, York

Xysticus triguttatus Keyserling, 1880

Androscoggin, Aroostook, Hancock, Knox, Lincoln, Penobscot, Sagadahoc, Washington, York

Xysticus winnipegensis Turnbull, Dondale & Redner, 1965

Penobscot, Somerset, Washington, York

FAMILY TITANOECIDAE

Genus *Titanoeca* Thorell, 1870

Titanoeca americana Emerton, 1888

Hancock, Washington, York (Procter 1933)

FAMILY TRACHELIDAE

Genus *Trachelas* L. Koch, 1872

Trachelas tranquillus (Hentz, 1847)

Specific locality not given (Dondale & Redner 1982)

FAMILY ULOBORIDAE

Genus *Hyptiotes* Walckenaer, 1837

Hyptiotes cavatus (Hentz, 1847)

Cumberland, Hancock, Kennebec (Hentz 1875; Procter 1933)

Hyptiotes gertschi Chamberlin & Ivie, 1935

Washington

Genus *Uloborus* Latreille, 1806

Uloborus glomosus (Walckenaer, 1841)

Androscoggin, Knox, Oxford, Washington

The following are a few of the species are thought to occur in Maine but no specimens or published reference were found for them.

FAMILY LINYPHIIDAE

Acanthoneta furcata (Emerton, 1913)

Quite likely to occur in Maine, probably at high elevation; found in NH, QC, VT, and Newfoundland.

Tapinocyba prima Dupérré & Paquin, 2005

Quite likely to occur in Maine, probably at high elevation or in boreal forest.

FAMILY MYSMENIDAE

Mysmena quebecana Lopardo & Dupérré, 2008

Possibly in Maine as it is found in QC close to the VT border.

FAMILY SALTICIDAE

Synemosyna formica Hentz, 1846

Possibly in Maine as it is fairly common in CT.

FAMILY THERIDIIDAE

Latrodectus variolus Walckenaer, 1837

Possibly in Maine as it is fairly common in New England including NH and VT as well as ON. *Thymoites marxi* (Crosby, 1906)

Possible northern range extension.

FAMILY THOMISIDAE

Misumessus oblongus (Keyserling, 1880)

Possibly in Maine as it is fairly common in MA.

Discussion

This checklist includes the names of 677 species of spiders found in Maine. These species are in 250 genera and 33 families. Species richness per family ranges widely, with the Linyphiidae first (228), the Salticidae second (58) and the Theridiidae third (57). Twelve families are represented by a single species. Assessment of the actual fauna will require additional sampling, both spatially and temporally, in diverse habitats and strata.

By comparison, Kaston (1981) estimated that the spider fauna of Connecticut comprised 478 species of 30 families. He also estimated that the spider fauna “In all New England” comprised 683 species of 31 families. Our estimate for Maine alone comes close to Kaston’s estimate for all of New England suggesting that Maine’s varied habitats hold a wide variety of spider fauna rivaling that of the nearby states. Maine also lies further north so that more of the northerly species may be found in Maine than in other states. Although a large proportion of specimens used in this project were collected from softwoods and blueberry barrens, a wide variety of habitats were sampled at some level. We suggest that future spider inventories of Maine focus on the state’s unique, natural features as summarized by Bennett (1989).

Not surprisingly, the foraging guild composition of the Maine fauna is skewed in favor of web spinners, largely due to linyphiid richness. This is in line with spider faunal lists from Quebec (Paquin et al 2001), Newfoundland (Pickavance and Dondale 2005) and Prince Edward Island (Bowden et al 2019). The salticids are the most species rich family of spiders in the world. Therefore, it is not surprising that it is the family with the second most species in Maine.

Specimen Deposits

The spiders collected in Maine by the authors and their associates are deposited in the permanent arachnid collections of the following institutions: The American Museum of Natural History, New York, NY (AMNH); the Museum of Comparative Zoology (MCZ), Harvard University, Cambridge, MA; and, the Canadian National Collection (CNC) of Insects and Arachnids, Biosystematics Research Centre, Ottawa, ON. In addition, a few specimens collected during the 2007 Bioblitz at Schoodic Peninsula, Acadia National Park are deposited at the Park Headquarters, Mount Desert Island, ME.

The specimen deposits include three categories of determination: a) identified to species; b) identified to genus; and c) identified to family—genus and species unknown. Specimens of the latter two categories have been sent to specialists for further study. For example, undetermined species of *Agyneta* have been sent to P. J. van Helsdingen, The Netherlands; undetermined species of *Lophomma* and other erigonids to M. J. Draney, University of Wisconsin, Green Bay, WI; undetermined linyphiids to C. D. Dondale and J. H. Redner, (CNC); and undetermined theridiids to H. W. Levi, formerly at the Museum of Comparative Zoology, Harvard University, Cambridge, MA. The Maine Department of Agriculture, Conservation and Forestry: Maine Forest Service: Forest Health and Monitoring Division, holds a database of information on the majority of spiders identified by (or for) the first author.

Acknowledgments

In 2006, the authors of this document along with Jonathan Mays, then of Maine Department of Inland Fisheries and Wildlife, met to discuss creating a Checklist of Maine Spiders based on a portion of the life’s work of Dr. Daniel Jennings. The Maine Forest Service and Maine Department of Inland Fisheries and Wildlife worked together to provide technical support to finish cataloging the more than 60,000 specimens collected for this project, freeing up Dr. Jennings to do the highly technical taxonomic work of identifying the thousands of spider samples. Maine Forest Service personnel provided years of assistance in collecting, labelling, and databasing specimens. Former students, both undergraduate and graduate, and experiment station colleagues also provided specimens and support. We are grateful to James E. Bird and Melvin W. Johnson of Fogler Library, University of Maine, Orono, for providing literature search and retrieval services. Thank you to Robb Bennett, Royal British Columbia Museum, for help in editing. We owe a special debt of appreciation to our families for their interest, patience, and support.

References

- Archer, A. F. (1951) Studies in the orbweaving spiders (Argiopidae). 2. American Museum Novitates 1502: 1-34.
- Beatty J.A. 1970. The spider genus *Ariadna* in the Americas (Araneae, Dysderidae). Bulletin of the Museum of Comparative Zoology 139(8): 433-518.
- Bennett, D. B. 1989. Maine's Natural Heritage: Rare and Unique Natural Features. Down East Books, Rockport Maine.
- Bishop, S. C. 1923. A list of spiders taken on Isle-au-Haut, July to October, 1922, together with a description of a new species. *In*: A scientific survey of Turners Lake, Isle-au-Haut, Maine. New York: New York State Museum Bulletin 251: 21-22, 26-27.
- Bishop, S. C. (1924). A revision of the Pisauridae of the United States. New York State Museum Bulletin 252: 1-140.
- Bishop, S. C. and C. R. Crosby. 1932. Studies in American Spiders: The Genus *Grammonota* Journal of the New York Entomological Society 40 (4): 393-421.
- Bishop, S. C. and Crosby, C. R. 1935. Studies in American spiders: miscellaneous genera of Erigoneae, part I. Journal of the New York Entomological Society 43 (2): 217-241, 43 (3): 255-281.
- Bishop, S. C.; Crosby, C. R. 1938. Studies in American spiders: miscellaneous genera of Erigoneae, part II. Journal of the New York Entomological Society 46 (1): 55-107 + plates 2-7.
- Blake, I. H. 1927 [1926]. A comparison of the animal communities of coniferous and deciduous forests. Illinois Biological Monographs 10 (4): 365-512 [reprint: 1-148], plates I-XVI.
- Bowden, J., Knysh, K., Blagoev, G., Bennett, R., Arsenault, M., Harding, C., Harding, R., Curley, R., 2019. The spiders of Prince Edward Island: experts and citizen scientists collaborate for faunistics. The Canadian Field-Naturalist. 132: 330-350.
- Bryant, E. B. 1908. List of the Araneida. *In*: Fauna of New England, 9. Occasional Papers of the Boston Society of Natural History. 7: 1-105.
- Buckle, D. J., Carroll, D.; Crawford, R. L. and Roth, V. D. 2001. Linyphiidae and Pimoidae of America north of Mexico: Checklist, synonymy, and literature. *In* Contributions à la Connaissance des Araignées (Araneae) d'Amérique du Nord. Paquin, P.; Buckle, D. (eds.). Fabriques Supplement 10: 89-191.
- Chamberlin, R. V. 1923. The North American species of *Mimetus*. Journal of Entomology and Zoology 15: 3-9.
- Chamberlin, R. V. 1925. Notes on North American spiders heretofore referred to *Coelotes*. Proceedings of the Biological Society of Washington 38: 119-124.
- Chamberlin, R. V. and Gertsch, W. J. 1958. The spider family Dictynidae in America north of Mexico. Bulletin of the American Museum of Natural History. 116 (1): 1-152 + plates 1-47.
- Chamberlin, R. V. and Ivie, W. 1941. North American Agelenidae of the genera *Agelenopsis*, *Calilena*, *Ritalena*, and *Tortolena*. Annals of the Entomological Society of America. 34 (3): 585-628.
- Coddington, J. A. 1986. The genera of the spider family Theridiosomatidae. Smithsonian Contributions to Zoology 422: 1-96.
- Crosby, C. R. and Bishop, S. C. 1928. Class Arachnida, Order Araneae. *In* Leonard, M. D., ed. A list of the insects of New York, with a list of the spiders and certain other allied groups. Cornell University Agricultural Experiment Station, Memoirs. 101: 1034-1074.
- Crosby, C. R. and Bishop, S. C. 1933. American spiders: Erigoneae, males with cephalic pits. Annals of the Entomological Society of America 26 (1): 105-182.
- Crosby, C. R. and Zorsch, H. M. 1935. Spiders from the Lac St. Jean region of Quebec. The Canadian Entomologist 67: 38-42.
- Dondale, C. D. 1959. Definition of the genus *Grammonota* (Araneae: Erigonidae), with description of seven new species. Canadian Entomologist 91 (4): 232-242.

- Dondale, C. D. and Redner, J. H. 1968. The *imbecillus* and *rufus* groups of the spider genus *Philodromus* in North America. *Memoirs of the Entomological Society of Canada* 55: 1-78.
- Dondale, C. D. & Redner, J. H. 1982. The Sac Spiders of Canada and Alaska (Araneae: Clubionidae and Anyphaenidae). *The Insects and Arachnids of Canada*, part 9. Agriculture Canada, Ottawa, Publication 1724.
- Dondale, C.D., Redner, J.H. and Marusik, Y.M. 1997. Spiders (Araneae) of the Yukon. pp. 73-113 in H.V. Danks and J.A. Downes (Eds.), *Insects of the Yukon*. Biological Survey of Canada (Terrestrial Arthropods), Ottawa. 1034 pp.
- Dondale, C. D., Turnbull, A. L. and Redner, J. H. 1964. Revision of the Nearctic species of *Thanatus* C. L. Koch (Araneae: Thomisidae). *The Canadian Entomologist* 96: (4) 636-656.
- Edwards, R. J. 1958. The spider subfamily Clubioninae of the United States, Canada and Alaska. *Bulletin of the Museum of Comparative Zoology*. 118(6): 363-436.
- Emerton, J. H. 1884. New England spiders of the family Epeiridae. *Transactions of the Connecticut Academy of Arts and Sciences* 6: 295-342 + plates 33-40.
- Emerton, J. H. 1888. New England spiders of the family Ciniflonidae. *Transactions of the Connecticut Academy of Arts and Sciences* 7: 443-458.
- Emerton, J. H. 1909. Supplement to the New England spiders. *Transactions of the Connecticut Academy of Arts and Sciences* 14: 171-236 + plates I-XII.
- Emerton, J. H. 1911. New spiders from New England. *Transactions of the Connecticut Academy of Arts and Sciences*. 16(4): 383-407 + plates I-VI.
- Emerton, J. H. 1912. Four burrowing *Lycosa* (*Geolycosa* Montg. *Scaptocosa* Banks) including one new species. *Psyche*. 19: 25-36 + plate IV.
- Emerton, J. H. 1913. New England spiders identified since 1910. *Transactions of the Connecticut Academy of Arts and Sciences*. 18(3): 209-224 + plates I-II.
- Emerton, J. H. 1914. Geographical distribution of spiders in New England. *Appalachia*. 13 (2): 143-159.
- Emerton, J. H. 1915. New spiders from New England, XI. *Transactions of the Connecticut Academy of Arts and Sciences* 20: 133-144 + plate I.
- Exline, H. and Levi, H. W. 1962. American spiders of the genus *Argyrodes* (Araneae: Theridiidae). *Bulletin of the Museum of Comparative Zoology* 127 (2): 75-204 + figs. 1-412.
- Gertsch, W. J. 1934. Some American spiders of the family Hahniidae. *American Museum Novitates* 712: 1-32.
- Gertsch, W. J. 1939. A revision of the typical crab spiders (Misumeninae) of America north of Mexico. *Bulletin of the American Museum of Natural History* 76: 277-442.
- Gertsch, W. J. 1941b. New American spiders of the family Clubionidae. II. *American Museum Novitates* 1148: 1-18.
- Gertsch, W. J. 1953. The spider genera *Xysticus*, *Coriarachne* and *Oxyptila* (Thomisidae, Misumeninae) in North America. *Bulletin of the American Museum of Natural History* 102: 415-482.
- Gertsch, W. J. 1955. The North American bolas spiders of the genera *Mastophora* and *Agatosttichus*. *Bulletin of the American Museum of Natural History*. 106: 221-254.
- Gertsch, W. J.; Ivie, W. 1955. "The spider genus *Neon* in North America". *American Museum Novitates*. 1743: 1-17
- Griswold, C. E. 1987. A revision of the jumping spider genus *Habronattus* F. O. P.-Cambridge (Araneae; Salticidae), with phenetic and cladistic analyses. *The University of California Publications in Entomology* 107: 1-344.
- Hentz, N. M. 1875. The spiders of the United States. A collection of the Arachnological writings of N. M. Hentz, edited by Edward Burgess with notes and descriptions by James H. Emerton. Occasional M. Hentz, edited by Edward Burgess with notes and descriptions by James H. Emerton. Occasional Papers of the Boston Society of Natural History. vol. II. pp. 1-171.

- Jennings, D. T. and Graham, F. Jr. 2007. Spiders (Arachnida: Araneae) of Milbridge, Washington County, Maine. General Technical Report NRS-16. USDA Forest Service. pp. 204.
- Kaston, B. J. 1946. North American spiders of the genus *Ctenium*. American Museum Novitates 1306: 1-19.
- Kaston, B. J. 1973. Four new species of *Metaphidippus* with notes on related jumping spiders from the Eastern and Central United States. Transactions of the American Microscopical Society 92 (1): 106-122.
- Kaston, B. J. 1981. Spiders of Connecticut. Revised edition. Connecticut Geological and Natural History Survey Bulletin 70. 1020 p.
- Levi, H. W. 1957. The spider genera *Crustulina* and *Steatoda* in North America, Central America, and the West Indies (Araneae, Theridiidae). Bulletin of the Museum of Comparative Zoology 117: 367-424.
- Levi, H. W. 1973. Small orb-weavers of the genus *Araneus* north of Mexico (Araneae: Araneidae). Bulletin of the Museum of Comparative Zoology. 145 (9): 472-553.
- Levi, H. W. 1978. The American orb weaver genera *Colpopeira*, *Micrathena*, *Gasteracantha* north of Mexico (Araneae: Araneidae). Bulletin of the Museum of Comparative Zoology. 148 (9): 417-442.
- Levi, H. W. and Randolph, D. E. 1975. A key and checklist of American spiders of the family Theridiidae north of Mexico (Araneae). Journal of Arachnology. 3: 31-51.
- Maddison, W. P. 1996. *Pelegrina* Franganillo and other jumping spiders formerly placed in the genus *Metaphidippus* (Araneae: Salticidae). Bulletin of the Museum of Comparative Zoology 154: 215-368.
- Paquin, P., N. Dupérré, and R. Hutchinson. 2001. Liste révisée des Araignées (Araneae) du Québec. Pages 5-87 in Contributions à la connaissance des Araignées (Arachnida) d'Amérique du Nord. Edited by P. Paquin and D. J. Buckle. Fabriques, Supplement 10. Part 1.
- Peckham, G. W. and Peckham E. G. 1909. Revision of the Attidae of North America. Transactions of the Wisconsin Academy Sciences, Arts and Letters. 16 (1): 355-655.
- Pickavance, J. R. and Dondale, C. D. 2005. An annotated checklist of the spiders of Newfoundland. The Canadian Field Naturalist 119: 254-275.
- Platnick, N. I. and Shadab, M. U. 1975. A revision of the spider genus *Gnaphosa* (Araneae, Gnaphosidae) in America. Bulletin of the American Museum of Natural History 155: 1-66.
- Platnick, N. I. & Shadab, M. U. (1977a). A new genus of the spider subfamily Gnaphosinae from the Virgin Islands (Araneae, Gnaphosidae). Journal of Arachnology 3: 191-194.
- Platnick, N. I. and Shadab, M. U. 1983. A revision of the spider genus *Zelotes* (Araneae, Gnaphosidae) Bulletin of the American Museum of Natural History. 174: 97-192.
- Procter, W. 1933. Biological Survey of the Mount Desert Region, Incorporated. Part V. Marine Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 402.
- Procter, W. 1938. Biological Survey of the Mount Desert Region, Incorporated. Part VI. Insect Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 496.
- Procter, W. 1946. Biological Survey of the Mount Desert Region, Incorporated. Part VII. Insect Fauna. Philadelphia, PA: The Wistar Institute of Anatomy and Biology. pp. 506.
- Richman, D. B. and Cutler B. 1978. A list of the jumping spiders (Araneae: Salticidae) of the United States and Canada. Peckhamia 1: 82-110.
- Ubick, D., Paquin, P., Cushing, P. and Dupérré, N. 2017. Spiders of North America: An Identification Manual, Second Edition 2nd Edition. American Arachnological Society. pp.431.
- Wallace, H. K. and Exline, H. 1978. Spiders of the genus *Pirata* in North America, Central America and the West Indies (Araneae: Lycosidae). Journal of Arachnology 5: 1-112.
- World Spider Catalog (2020). World Spider Catalog. Version 21.0. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, doi: 10.24436/2.

INDEX

A

abboti.....7
Acanthepeira.....5
actuosa.....4
aculeata.....23
Aculepeira.....5
Admestina.....28
aemulus.....30
aenea.....11
aerialis.....4
 AGELENIDAE.....4
Agelenopsis.....4
agilis.....12, 28
Agroeca.....23
Agyneta.....12
alabamensis.....34
alarius.....27
albidum.....34
albomaculata.....23
alboniger.....36
alboventris.....5, 13
aletris.....15
aliquantulus.....19
Allomengea.....13
allosubtilis.....12
Alopecosa.....23
alpigena.....23
alpinus.....17
altera.....32
alteranda.....15
alticeps.....15
 AMAUROBIIDAE.....4
Amaurobius.....4
americana.....19, 32, 34, 36, 37
amersaxatilis.....12
amplus.....18
ampullatus.....36
anastera.....6
angulata.....12
angulatus.....36
angusta.....16
annulipes.....9, 14
Antistea.....12
Anyphaena.....5
 ANYPHAENIDAE.....5
apertus.....20
Aphileta.....13
arabesca.....7
 ARANEIDAE.....5
Araneus.....5
Araniella.....6
arctica.....21
Arctosa.....23
arcuata.....12

arenarius.....20
Argenna.....9
argentea.....33
Argiope.....6
Ariadna.....31
Asagena.....32
asperata.....35
aspirans.....24
atra.....15
atrica.....4, 7
atriceps.....14
atrotibialis.....21
audax.....30
aurantia.....6
aurantiacus.....25
auranticeps.....21
aurantius.....34
auriculata.....14
autumnalis.....15, 31
avara.....25
avida.....24

B

banksi.....34
Baryphyma.....13
Bassaniana.....35
Bathypantes.....13
bennetti.....4
bicarinata.....21
bicentenarius.....5
bicolor.....31
bicornis.....9, 11
bicuspis.....36
bidentata.....15
bihamata.....19
bilineata.....21, 24
bimaculata.....33
bipunctata.....34
bisaccata.....7
bishopi.....7, 19
bivittatus.....5
blaesa.....15
blauveltae.....21
bonsallae.....5
borea.....10
borealis.....4, 27, 29, 30, 34
bostoniensis.....9, 20
breviaria.....22
brevicornis.....22
brevidentatus.....18
brevipes.....13
brevis.....12, 13, 31
brevitarsa.....9
britcheri.....36
brittoni.....27

<i>brumalis</i>	10
<i>brunnea</i>	12, 14, 19
<i>bryantae</i>	7
<i>buccalis</i>	32
<i>bulbosus</i>	14
<i>buna</i>	14

C

<i>cacuminatus</i>	21
<i>calcarata</i>	9
<i>calcaratus</i>	4, 19, 29
<i>Callobius</i>	4
<i>canadensis</i>	7, 11, 13, 24, 28, 30, 36
<i>canaliculata</i>	17
<i>Canalidion</i>	32
<i>canionis</i>	25
<i>cantralli</i>	24
<i>capitata</i>	16
<i>capulatus</i>	11
<i>carbonarioides</i>	5
<i>caricis</i>	33
<i>carletonica</i>	35
<i>carolinensis</i>	23
<i>Carorita</i>	13
<i>castanea</i>	22
<i>Castianeira</i>	8
<i>caudata</i>	32
<i>cavaticus</i>	5
<i>cavatus</i>	37
<i>celer</i>	5, 35
<i>cellulanus</i>	25
<i>Centromerus</i>	13
<i>cepina</i>	6
<i>Ceraticelus</i>	14
<i>Ceratinella</i>	14
<i>Ceratinops</i>	14
<i>Ceratinopsis</i>	14
<i>Cercidia</i>	6
<i>certus</i>	27
<i>cespitem</i>	26
<i>Cheiracanthium</i>	10
<i>Cheniseo</i>	14
<i>chippewa</i>	36
<i>Cicurina</i>	12
<i>cinerea</i>	12
<i>cingulata</i>	8
<i>cingulatus</i>	5
<i>clarus</i>	30
<i>clathrata</i>	19
<i>clavicornis</i>	22
<i>Clubiona</i>	7
CLUBIONIDAE	7
<i>Coleosoma</i>	32
<i>Collinsia</i>	14
<i>coloradensis</i>	9, 27
<i>communis</i>	22, 25
<i>compar</i>	21

<i>complicatus</i>	17
<i>concinna</i>	23
<i>concolor</i>	15
<i>conica</i>	6
<i>conjunctus</i>	33
<i>contortus</i>	18
<i>convexum</i>	20
<i>Coras</i>	4
CORINNIDAE	8
<i>cornupalpis</i>	13
<i>cornutus</i>	6
<i>corticarius</i>	5, 21
<i>costatus</i>	19
<i>crassipalpata</i>	25
<i>crassipalpum</i>	16
<i>crispulus</i>	35
<i>cristatopalpus</i>	15
<i>cristatus</i>	15
<i>crocata</i>	10
<i>cruciata</i>	9
<i>crucifera</i>	7
<i>Crustulina</i>	32
<i>Cryphoea</i>	12
<i>Cryptachaea</i>	32
CTENIDAE	8
<i>Cupiennius</i>	8
<i>cuspidata brevicula</i>	22
CYBAEIDAE	9
<i>Cybaeopsis</i>	4
<i>Cybaeota</i>	9
<i>Cyclosa</i>	6
<i>cymbadentatum</i>	17

D

<i>dearmata</i>	32
<i>debilis</i>	21
<i>decemocolatus</i>	15
<i>decoratus</i>	11
<i>decorus</i>	29
<i>Dendryphantes</i>	28
<i>denticulatus</i>	13
<i>dentigera</i>	15
<i>dentisetis</i>	13
<i>depressum</i>	18
<i>depressus</i>	10
<i>descripta</i>	8
<i>diadematus</i>	5
<i>Dictyna</i>	9
DICTYNIDAE	9
<i>Dicymbium</i>	15
<i>differens</i>	34
<i>digitata</i>	22
<i>Diplocentria</i>	15
<i>Diplocephalus</i>	15
<i>Diplostyla</i>	15
<i>Dipoena</i>	32
<i>directa</i>	22

<i>discursans</i>	36
<i>Dismodicus</i>	15
<i>displicata</i>	6
<i>distans</i>	36
<i>distincta</i>	23
<i>divesta</i>	27
<i>Dolomedes</i>	28
<i>domestica</i>	4
<i>domiciliorum</i>	7
<i>dondalei</i>	22
<i>dorothea</i>	31
<i>dorsata</i>	33
<i>Drapetisca</i>	15
<i>Drassodes</i>	10
<i>drassoides</i>	22
<i>Drassyllus</i>	10
<i>Dysdera</i>	10
DYSDERIDAE	10

E

<i>Ebo</i>	26
<i>ecclesiasticus</i>	11
<i>Elaver</i>	8
<i>elegans</i>	31, 36
<i>elizabethae</i>	11
<i>ellipticus</i>	36
<i>elongata</i>	32
<i>elongatum</i>	15
<i>Emblyna</i>	9
<i>emertoni</i>	4, 11, 14, 23, 35, 36
<i>Enoplognatha</i>	33
<i>entomologicus</i>	18
<i>epeiroides</i>	25
<i>ephala</i>	15
<i>Eratigena</i>	4
<i>eremitus</i>	10
<i>eremophilus</i>	10
<i>Eridantes</i>	15
<i>Erigone</i>	15
<i>erigonoides</i>	15
<i>Eris</i>	28
<i>Ero</i>	25
<i>Estrandia</i>	16
<i>eumenis</i>	13
<i>Euophrys</i>	28
<i>euopla</i>	5
<i>Euryopsis</i>	33
<i>Eustala</i>	6
EUTICHURIDAE	10
<i>Evarcha</i>	28
<i>excepta</i>	8
<i>exigua</i>	22, 29
<i>exiguoides</i>	11
<i>exilis</i>	26
<i>exsectoides</i>	20
<i>extensa</i>	32

F

<i>fabra</i>	12
<i>fallax</i>	22
<i>fasciger</i>	30
<i>ferox</i>	4, 36
<i>fervidus</i>	36
<i>fictilium</i>	34
<i>finschi</i>	30
<i>fissiceps</i>	14
<i>flagellata</i>	19
<i>flaveola</i>	17
<i>flavescens</i>	19
<i>flaviceps</i>	29
<i>flavipes</i>	29
<i>flavoides</i>	17
<i>florens</i>	17
<i>Floricomus</i>	16
<i>floridanum</i>	32
<i>foliacea</i>	9
<i>formica</i>	21
<i>formicaria</i>	31
<i>formicinus</i>	27
<i>formidolosa</i>	9
<i>formosa</i>	17, 29
<i>formosipes</i>	36
<i>foxi</i>	9
<i>fraternus</i>	36
<i>fratris</i>	11
<i>frigidus</i>	10
<i>frondeum</i>	34
<i>frondicola</i>	23
<i>Frontinella</i>	16
<i>funebri</i>	6, 33
<i>furcatus</i>	13
<i>fusciceps</i>	22
<i>fuscula</i>	23

G

<i>galathea</i>	29
<i>gemmosum</i>	35
<i>gentilis</i>	16
<i>Geolycosa</i>	23
<i>geometricus</i>	33
<i>georgiana</i>	36
<i>gertschi</i>	7, 8, 11, 33, 36, 37
<i>getazi</i>	8
<i>Ghelna</i>	28
<i>gibberosa</i>	7
<i>gigas</i>	16
<i>Gladicosa</i>	23
<i>glaucescens</i>	34
<i>globosus</i>	33
<i>glomosus</i>	37
<i>Glyphesis</i>	16
<i>Gnaphosa</i>	10
GNAPHOSIDAE	10

<i>Gnathonaroides</i>	16
<i>Gonatium</i>	16
<i>gracilis</i>	5, 13
<i>Grammonota</i>	16
<i>Grammostola</i>	32
<i>grandaeva</i>	16
<i>grata</i>	29
<i>groenlandica</i>	23
<i>groenlandicola</i>	5
<i>guatemalensis</i>	32
<i>gulosa</i>	23
<i>gulosus</i>	36
<i>guttulatus</i>	5

H

<i>Habronattus</i>	28
<i>Hahnia</i>	12
HAHNIIDAE	12
<i>Haplodrassus</i>	11
<i>harti</i>	31
<i>helluo</i>	25
<i>Helophora</i>	16
<i>hemerobium</i>	34
<i>hentzi</i>	9, 11, 30
<i>Hentzia</i>	29
<i>Hentziectypus</i>	33
<i>herniosa</i>	17
<i>Herpyllus</i>	11
<i>hesperia</i>	18
<i>hesperus</i>	33
<i>Heteropoda</i>	31
<i>Hibana</i>	5
<i>hiemalis</i>	11
<i>Hilaira</i>	17
<i>hirsutum</i>	33
<i>histrion</i>	27
<i>Hogna</i>	23
<i>Horcotes</i>	17
<i>hoyi</i>	28
<i>humilis</i>	25
<i>Hybauchenidium</i>	17
<i>hybridus</i>	4
<i>hyperborea</i>	24
<i>Hypomma</i>	17
<i>Hypositticus</i>	29
<i>Hypselistes</i>	17
<i>Hypsosinga</i>	6
<i>Hyptiotes</i>	37

I

<i>Idionella</i>	17
<i>imbecillus</i>	26
<i>Improphantes</i>	17
<i>Incestophantes</i>	17
<i>inclemens</i>	29
<i>inflata</i>	20

<i>infuscatus</i>	26
<i>inornata</i>	16
<i>insignis</i>	16, 29
<i>insularis</i>	24
<i>interpres</i>	14
<i>intrepida</i>	33
<i>intricatus</i>	17
<i>inusiata</i>	16
<i>Islandiana</i>	17
<i>itasca</i>	12
<i>iviei</i>	5, 26

J

<i>jacksoni</i>	12
<i>johnsoni</i>	7
<i>juniperi</i>	5
<i>juvenilis</i>	4

K

<i>Kaestneria</i>	17
<i>kastoni</i>	8
<i>kochi</i>	23
<i>kulczynskii</i>	20

L

<i>laboriosa</i>	32
<i>labyrinthea</i>	7
<i>laetabilis</i>	14
<i>laetus</i>	14
<i>lama</i>	23
<i>lamellosus</i>	4
<i>lapidicina</i>	24
<i>lapponicus</i>	30
<i>Larinioides</i>	6
<i>Lasaeola</i>	33
<i>laticeps</i>	11, 14, 26
<i>latimana</i>	33
<i>latithorax</i>	26
<i>Latrodectus</i>	33
<i>latus</i>	14
<i>lemniscata</i>	7
<i>leonina</i>	25
<i>lepida</i>	22
<i>leprosus</i>	17
<i>Lepthyphantes</i>	17
<i>Leucauge</i>	31
<i>limitaneus</i>	19
<i>limnaea</i>	13
<i>lineata</i>	29
<i>Linyphia</i>	17
LINYPHIIDAE	12
LIOCRANIDAE	23
<i>littoralis</i>	8, 23, 24
<i>longibulbus</i>	13
<i>longipes</i>	11

<i>longisetosa</i>	17
<i>longispina</i>	11
<i>longitarsus</i>	18
<i>Lophomma</i>	18
<i>Loxosceles</i>	31
<i>luctans</i>	36
<i>luctuosus</i>	36
LYCOSIDAE.....	23
<i>lyrica</i>	35

M

<i>mackenziana</i>	24
<i>Macrargus</i>	18
<i>mactans</i>	33
<i>maculatus</i>	18
<i>madisonia</i>	27
<i>Maevia</i>	29
<i>magna</i>	12
<i>mandibulata</i>	18
<i>Mangora</i>	7
<i>manitoba</i>	9
<i>manueli</i>	27
<i>maritima</i>	8, 16
<i>maritimus</i>	27
<i>marmorata</i>	33
<i>marmoreus</i>	5
<i>Maro</i>	18
<i>Marpissa</i>	29
<i>marxi</i>	17, 20, 25, 26
<i>Mastophora</i>	7
<i>maxima</i>	9
<i>Mecaphesa</i>	35
<i>Mecynogea</i>	7
<i>medicinalis</i>	4
<i>Megalephyphantes</i>	18
<i>Mermessus</i>	18
<i>Meta</i>	31
<i>Metopobactrus</i>	18
<i>micaria</i>	12
<i>Micaria</i>	11
<i>Micrargus</i>	18
<i>Micrathena</i>	7
<i>Microlinyphia</i>	18
<i>Microneta</i>	18
<i>microps</i>	10
<i>mildei</i>	10
<i>militaris</i>	28
<i>milvina</i>	24
MIMETIDAE.....	25
<i>Mimetus</i>	25
<i>mineri</i>	26
<i>minnesota</i>	35
<i>minuta</i>	9, 21, 22, 24, 30
<i>minutus</i>	14, 26, 27
<i>mira</i>	28
<i>misera</i>	13
<i>Misumena</i>	35

<i>Misumenoides</i>	36
<i>mitrata</i>	7, 29
MITURGIDAE.....	25
<i>mixta</i>	8
<i>modica</i>	24
<i>moesta</i>	8, 24
<i>monadnock</i>	28
<i>montana</i>	12, 30
<i>montanum</i>	32
<i>montanus</i>	4, 11, 20, 24
<i>montifer</i>	19
<i>multesimus</i>	18
<i>murarium</i>	35
<i>muscorum</i>	10

N

<i>naevia</i>	4
<i>Naphrys</i>	29
<i>nashoba</i>	5
<i>nasutus</i>	16
<i>navus</i>	26
<i>nearctica</i>	7
<i>nearcticus</i>	18
<i>nebulosus</i>	18
<i>neglectus</i>	10
<i>nelli</i>	29
<i>Neoantistea</i>	12
<i>Neodietrichia</i>	18
<i>Neon</i>	29
<i>Neoscona</i>	7
<i>Neottiura</i>	33
<i>Neriene</i>	19
<i>nervosus</i>	31
NESTICIDAE.....	25
<i>Nesticus</i>	25
<i>nicholsi</i>	8
<i>niger</i>	10
<i>nigra</i>	33
<i>nigriceps</i>	14
<i>nigripalpis</i>	14
<i>nigripes</i>	13
<i>nigromaculatus</i>	28
<i>nordmanni</i>	6
<i>norvegica</i>	8
<i>noxiosus</i>	30

O

<i>obesa</i>	8, 9
<i>oblongus</i>	27
<i>obscurus</i>	37
<i>obtusus</i>	20
<i>ocellatus</i>	11
<i>ocreata</i>	25
OECOBIIDAE.....	26
<i>Oecobius</i>	26
<i>Oedothorax</i>	19

<i>olivacea</i>	13
<i>opulenta</i>	35
<i>Oreoneta</i>	19
<i>Oreonetides</i>	19
<i>Oreophantes</i>	19
<i>orites</i>	10
<i>ornata</i>	16, 23
<i>ornatula</i>	14
<i>Orodassus</i>	11
<i>Oryphantes</i>	19
<i>ovalis</i>	31
<i>ovata</i>	33
<i>Oxyopes</i>	26
OXYOPIDAE.....	26
<i>oxypaederotipus</i>	14
<i>Ozyptila</i>	36

P

<i>Pachygnatha</i>	31
<i>pacifica</i>	22
<i>pallescens</i>	32
<i>pallida</i>	9, 12, 22
<i>pallidum</i>	20
<i>pallidus</i>	13, 20
<i>pallipes</i>	16
<i>palmarum</i>	29
<i>palustris</i>	7, 22, 24
<i>parasiticus</i>	21
<i>Parasteatoda</i>	33
<i>Pardosa</i>	23
<i>parvula</i>	10, 14
<i>patagiatus</i>	6
<i>Peckhamia</i>	29
<i>peckhamorum</i>	30
<i>pedalis</i>	16
<i>Pelegrina</i>	29
<i>pellax</i>	37
<i>Pellenes</i>	30
<i>penifusifer</i>	20
<i>peninsulanus</i>	26
<i>pennsylvanica</i>	4
<i>pernix</i>	26
<i>persolutus</i>	13
<i>pertinens</i>	15
<i>petraeum</i>	35
<i>phalangioides</i>	27
<i>Phantyna</i>	9
<i>Phidippus</i>	30
PHILODROMIDAE.....	26
<i>Philodromus</i>	26
<i>Phlattothrata</i>	19
PHOLCIDAE.....	27
<i>Pholcomma</i>	33
<i>Pholcus</i>	27
<i>Phoroncidia</i>	34
PHRUROLITHIDAE.....	27
<i>Phrurotimpus</i>	27

<i>phylax</i>	9
<i>picata</i>	29
<i>pictilis</i>	16
<i>pictum</i>	35
<i>pikei</i>	8, 23
<i>pinocchio</i>	22
<i>Pirata</i>	24
<i>piraticus</i>	24
<i>Piratula</i>	24
PISAURIDAE.....	28
<i>Pisaurina</i>	28
<i>Pityohyphantes</i>	19
<i>placida</i>	7, 12, 22
<i>placidus</i>	26
<i>Platnickina</i>	34
<i>Platycryptus</i>	30
<i>plumalis</i>	16
<i>plumosa</i>	15
<i>pluto</i>	10
<i>Pocadicnemis</i>	19
<i>Poeciloneta</i>	19
<i>Porrhomma</i>	20
<i>potteri</i>	4
<i>praedo</i>	24
<i>praelustris</i>	26
<i>praematura</i>	8
<i>Praestigia</i>	20
<i>pratensis</i>	6, 23
<i>praticola</i>	36
<i>princeps</i>	17, 30
<i>prominens</i>	6
<i>prominulus</i>	18
<i>prona</i>	33
<i>proterva</i>	30
<i>pubescens</i>	29
<i>pugnata</i>	27
<i>pulchra</i>	32
<i>pulchripes</i>	32
<i>pulex</i>	29
<i>pulicaria</i>	11
<i>pullata</i>	17
<i>pumila</i>	19, 25
<i>pumilus</i>	34
<i>punctatus</i>	37
<i>punctosparsa</i>	34
<i>puritanus</i>	12, 25
<i>purpuratus</i>	30
<i>pusilla</i>	18
<i>pygmaea</i>	6, 8
<i>pyramitela</i>	16

Q

<i>quadricristatus</i>	17
<i>quadrispinosa</i>	9
<i>quaestio</i>	21

R

<i>radiata</i>	19
<i>raptor</i>	23
<i>reclusa</i>	31
<i>rectangulata</i>	15
<i>rectangulatus</i>	19
<i>recurvatus</i>	19
<i>redneri</i>	22
<i>reprobus</i>	13
<i>retrorsa</i>	25
<i>Rhomphaea</i>	34
<i>Rhysodromus</i>	27
<i>riparia</i>	8
<i>riparius</i>	34
<i>Robertus</i>	34
<i>robusta</i>	12
<i>rosea</i>	32
<i>rostratus</i>	16
<i>rotundus</i>	19
<i>rubens</i>	6
<i>rubicellus</i>	27
<i>rubicunda</i>	23
<i>rufa</i>	28
<i>rufipes</i>	31
<i>rufula</i>	17
<i>rufulus</i>	10
<i>rufus</i>	26
<i>rufus quartus</i>	26
<i>rufus vibrans</i>	26
<i>Rugathodes</i>	34
<i>rugosa</i>	17
<i>rugosus</i>	14
<i>rupicola</i>	32
<i>ruricola</i>	25
<i>rustica</i>	20
<i>rusticus</i>	11

S

<i>sabulosus</i>	21
<i>saccatus</i>	10
<i>saevus</i>	6
<i>sagittata</i>	7
<i>saltabundus</i>	5
<i>saltatrix</i>	25
SALTICIDAE	28
<i>Salticus</i>	30
<i>Sarinda</i>	30
<i>Satilatlas</i>	20
<i>saukea</i>	33
<i>saxatilis</i>	24
<i>scalaris</i>	26
<i>scenicus</i>	30
<i>Schizocosa</i>	24
<i>Sciastes</i>	20
<i>Scironis</i>	20
<i>sclopetarius</i>	6

<i>scopulifer</i>	16
<i>Scotinella</i>	27
<i>Scotinotylus</i>	20
<i>scriptus</i>	28
<i>Scylaceus</i>	20
<i>Scyletria</i>	20
<i>Scytodes</i>	31
SCYTODIDAE	31
<i>sedentarius</i>	24
SEGESTRIIDAE	31
<i>Semljicola</i>	20
<i>senoculata</i>	27
<i>Sergiolus</i>	11
<i>sexpunctatus</i>	34
<i>Sibianor</i>	30
SICARIIDAE	31
<i>signifer</i>	11
<i>silus</i>	14
<i>similis</i>	14, 31
<i>simplex</i>	13, 21
<i>siou</i>	15
<i>Sisicottus</i>	20
<i>Sisicus</i>	20
<i>Sisybe</i>	20
<i>Sitticus</i>	30
<i>socius</i>	10
<i>Souessa</i>	20
<i>Sougambus</i>	20
<i>Soulgas</i>	21
SPARASSIDAE	31
<i>Spermophora</i>	27
<i>sphagnicultor</i>	14
<i>spinifer</i>	34
<i>spinifera</i>	20
<i>spiralis</i>	8, 22
<i>Steatoda</i>	34
<i>stellata</i>	5
<i>Stemonyphantes</i>	21
<i>sticta</i>	32
<i>stowei</i>	7
<i>straminea</i>	32
<i>striatus</i>	27, 28
<i>stridula</i>	34
<i>Strotarchus</i>	10
<i>Styloctetor</i>	21
<i>subarcticus</i>	19
<i>sublata</i>	9
<i>subrostratus</i>	15
<i>subspiralis</i>	22
<i>sula</i>	12
<i>sundevalli</i>	18
<i>sylvaticus</i>	13
<i>sylvestris</i>	28
<i>Synageles</i>	30

T

<i>tabulata</i>	33
-----------------------	----

<i>Talavera</i>	30
<i>Tapinocyba</i>	21
<i>Tapinopa</i>	21
<i>Tapinatorquis</i>	21
<i>tarsalis</i>	20
<i>tenebrosus</i>	28
<i>tenella</i>	22
<i>Tennesseeillum</i>	21
<i>tenuipalpis</i>	18
<i>Tenuiphantes</i>	21
<i>tepidariorum</i>	33
<i>teres</i>	22
<i>Terralonus</i>	30
<i>terrestre</i>	20
<i>terricola</i>	25
<i>Tetragnatha</i>	32
TETRAGNATHIDAE	31
<i>thaddeus</i>	6
<i>Theonoe</i>	34
THERAPHOSIDAE	32
<i>theridiformis</i>	20
THERIDIIDAE	32
<i>Theridion</i>	34
<i>Theridiosoma</i>	35
THERIDIOSOMATIDAE	35
<i>Theridula</i>	35
THOMISIDAE	35
<i>thoracica</i>	21, 31
<i>Thymoites</i>	35
<i>Thyreosthenius</i>	21
<i>Tibellus</i>	27
<i>tibialis</i>	5, 22
<i>Tigrosa</i>	25
<i>tincta</i>	34
<i>tirolensis</i>	16
<i>Titanoeca</i>	37
TITANOECIDAE	37
<i>Tmarus</i>	36
<i>Trabeops</i>	25
<i>Trachelas</i>	37
TRACHELIDAE	37
<i>tranquillus</i>	37
<i>Trebacosa</i>	25
<i>triangularis</i>	18
<i>triangulosa</i>	34
<i>trifasciata</i>	6
<i>trifolium</i>	6
<i>trifrons</i>	13
<i>trigonum</i>	33
<i>triguttatus</i>	37
<i>trilobatus</i>	18, 19
<i>tristriata</i>	31
<i>triton</i>	28
<i>trivialis</i>	8
<i>trivittata</i>	16
<i>Trochosa</i>	25
<i>truncatus</i>	20
<i>Tunagyna</i>	21

<i>turbatrix</i>	17
<i>turbinata</i>	6
<i>turricola</i>	23
<i>Tutelina</i>	31

U

<i>uintana</i>	24
ULOBORIDAE	37
<i>Uloborus</i>	37
<i>undatus</i>	30
<i>undulatus</i>	18
<i>unimaculata</i>	13
<i>unimaculatus</i>	35
<i>Urozelotes</i>	11
<i>utahana</i>	4
<i>utahensis</i>	35
<i>utibilis</i>	15

V

<i>vaccinii</i>	18
<i>vaginatus</i>	19
<i>validus</i>	26
<i>Varacosa</i>	25
<i>variabilis</i>	19
<i>varians</i>	35
<i>variata</i>	8
<i>vatia</i>	35
<i>venatoria</i>	31
<i>venusta</i>	31
<i>vermiformis</i>	32
<i>Vermontia</i>	21
<i>vernalis</i>	20
<i>versicolor</i>	30, 32, 35
<i>viaria</i>	18
<i>viridipes</i>	29
<i>viridis</i>	32
<i>vittata</i>	16
<i>volucripes</i>	9
<i>vulgaris</i>	27

W

<i>Wabasso</i>	21
<i>Wadotes</i>	4
<i>Walckenaeria</i>	21
<i>Wamba</i>	35
<i>Washingtoningtoni</i>	6, 17
<i>waughi</i>	29
<i>weyeri</i>	13
<i>wheeleri</i>	28
<i>whitmani</i>	30
<i>winnipegensis</i>	37
<i>Wubana</i>	22
<i>Wulfila</i>	5

X

xanthostoma31
xerampelina24
x-notata.....7
Xysticus36

Y

yamaskensis.....21
Yunohamella35

Z

zebra..... 21
Zelotes 11
Zora 25
Zornella 22
Zygiella 7
Zygoballus 31

Spiders of Maine Checklist

AGELENIDAE	14
Agelenopsis actuosa	
Agelenopsis emertoni	
Agelenopsis naevia	
Agelenopsis pennsylvanica	
Agelenopsis potteri	
Agelenopsis utahana	
Coras aerialis	
Coras juvenilis	
Coras lamellosus	
Coras medicinalis	
Coras montanus	
Tegenaria domestica	
Wadotes calcaratus	
Wadotes hybridus	
AMAUROBIIDAE	5
Amaurobius borealis	
Amaurobius ferox	
Callobius bennetti	
Cybaeopsis euopla	
Cybaeopsis tibialis	
ANYPHAENIDAE	3
Anyphaena celer	
Hibana gracilis	
Wulfila saltabundus	
ARANEIDAE	50
Acanthepeira stellata	
Aculepeira carbonarioides	
Araneus alboventris	
Araneus bicentenarius	
Araneus bivittatus	
Araneus bonsallae	
Araneus cavaticus	
Araneus cingulatus	
Araneus corticarius	
Araneus diadematus	
Araneus groenlandicola	
Araneus guttulatus	
Araneus iviei	
Araneus juniperi	
Araneus marmoreus	
Araneus nashoba	
Araneus nordmanni	
Araneus pratensis	
Araneus saevus	
Araneus thaddeus	
Araneus trifolium	
Araneus washingtoni	
Araniella displicata	
Argiope aurantia	
Argiope trifasciata	
Cercidia prominens	
Cyclosa conica	
Cyclosa turbinata	
Eustala anastera	
Eustala cepina	
Hypsosinga funebris	

Hypsosinga pygmaea	
Hypsosinga rubens	
Larinioides cornutus	
Larinioides patagiatus	
Larinioides sclopetarius	
Mangora gibberosa	
Mangora placida	
Mastophora bisaccata	
Mastophora stowei	
Metepeira labyrinthea	
Metepeira palustris	
Micrathena mitrata	
Micrathena sagittata	
Neoscona arabesca	
Neoscona crucifera	
Neoscona domiciliorum	
Zygiella atrica	
Zygiella nearctica	
Zygiella x-notata	
CLUBIONIDAE	21
Clubiona abboti	
Clubiona bishopi	
Clubiona bryantae	
Clubiona canadensis	
Clubiona gertschi	
Clubiona johnsoni	
Clubiona kastoni	
Clubiona littoralis	
Clubiona maritima	
Clubiona mixta	
Clubiona moesta	
Clubiona nicholsi	
Clubiona norvegica	
Clubiona obesa	
Clubiona pikei	
Clubiona praematura	
Clubiona pygmaea	
Clubiona riparia	
Clubiona spiralis	
Clubiona trivialis	
Elaver excepta	
CORINNIDAE	5
Castianeira cingulata	
Castianeira descripta	
Castianeira gertschi	
Castianeira longipalpa	
Castianeira variata	
CYBAEIDAE	1
Cybaeota calcarata	
DICTYNIDAE	19
Argenna obesa	
Dictyna bostoniensis	
Dictyna brevatarsa	
Dictyna coloradensis	
Dictyna foliacea	
Dictyna formidolosa	
Dictyna minuta	
Dictyna quadrispinosa	
Dictyna volucripes	

Emblyna annulipes	
Emblyna cruciata	
Emblyna hentzi	
Emblyna manitoba	
Emblyna maxima	
Emblyna phylax	
Emblyna sublata	
Lathys foxi	
Lathys pallida	
Phantyna bicornis	
DYSDERIDAE	1
Dysdera crocata	
EUTICHURIDAE	2
Cheiracanthium mildei	
Strotarchus piscatorius	
GNAPHOSIDAE	40
Callilepis pluto	
Drassodes neglectus	
Drassodes saccatus	
Drassyllus depressus	
Drassyllus eremitus	
Drassyllus eremophilus	
Drassyllus frigidus	
Drassyllus niger	
Drassyllus rufulus	
Drassyllus socius	
Gnaphosa borea	
Gnaphosa brumalis	
Gnaphosa microps	
Gnaphosa muscorum	
Gnaphosa orites	
Gnaphosa parvula	
Haplodrassus bicornis	
Haplodrassus hiemalis	
Haplodrassus signifer	
Herpyllus ecclesiasticus	
Micaria aenea	
Micaria elizabethae	
Micaria emertoni	
Micaria gertschi	
Micaria laticeps	
Micaria longipes	
Micaria longispina	
Micaria pulicaria	
Micaria riggsi	
Orodassus canadensis	
Sergiolus capulatus	
Sergiolus decoratus	
Sergiolus montanus	
Sergiolus ocellatus	
Urozelotes rusticus	
Zelotes exiguoides	
Zelotes fratris	
Zelotes hentzi	
Zelotes puritanus	
Zelotes sula	
HAHNIIDAE	11
Antistea brunnea	
Cicurina arcuata	

Cicurina brevis	
Cicurina itasca	
Cicurina pallida	
Cicurina placida	
Cicurina robusta	
Cryphoea montana	
Hahnia cinerea	
Neoantistea agilis	
Neoantistea magna	
LINYPHIDAE	228
Agyneta allosubtilis	
Agyneta amersaxatilis	
Agyneta angulata	
Agyneta fabra	
Agyneta jacksoni	
Agyneta micaria	
Agyneta nigripes	
Agyneta olivacea	
Agyneta simplex	
Agyneta unimaculata	
Allomengea dentisetis	
Aphileta misera	
Baryphyma trifrons	
Bathyphantes alboventris	
Bathyphantes brevipipes	
Bathyphantes brevis	
Bathyphantes canadensis	
Bathyphantes eumenis	
Bathyphantes gracilis	
Bathyphantes pallidus	
Bathyphantes reprobus	
Bathyphantes weyeri	
Carorita limnaea	
Centromerus cornupalpis	
Centromerus denticulatus	
Centromerus furcatus	
Centromerus longibulbus	
Centromerus persolutus	
Centromerus sylvaticus	
Ceraticelus atriceps	
Ceraticelus bulbosus	
Ceraticelus emertoni	
Ceraticelus fissiceps	
Ceraticelus laetabilis	
Ceraticelus laetus	
Ceraticelus laticeps	
Ceraticelus minutus	
Ceraticelus silus	
Ceraticelus similis	
Ceratinella brunnea	
Ceratinella buna	
Ceratinella ornatula	
Ceratinella parvula	
Ceratinops annulipes	
Ceratinops latus	
Ceratinops rugosus	
Ceratinopsis auriculata	
Ceratinopsis interpres	
Ceratinopsis laticeps	

Ceratinopsis nigriceps	
Ceratinopsis nigripalpis	
Cheniseo sphagnicultor	
Collinsia	
oxyypaederotipus	
Collinsia pertinens	
Collinsia plumosa	
Colonus siou	
Dicymbium elongatum	
Diplocentria bidentata	
Diplocentria rectangulata	
Diplocephalus cristatus	
Diplocephalus	
subrostratus	
Diplostyla concolor	
Dismodicus alticeps	
Dismodicus	
decemocularis	
Drapetisca alteranda	
Eridantes erigonoides	
Eridantes utilis	
Erigone aletris	
Erigone atra	
Erigone autumnalis	
Erigone blaesa	
Erigone cristatopalpus	
Erigone dentigera	
Erigone dentipalpis	
Erigone ephala	
Erigone tirolensis	
Estrandia grandaeva	
Floricomus nasutus	
Floricomus plumalis	
Floricomus rostratus	
Frontinella pyramitela	
Glyphesis scopulifer	
Gnathonaroides pedalis	
Gonatum crassipalpus	
Grammonota angusta	
Grammonota capitata	
Grammonota gentilis	
Grammonota gigas	
Grammonota inornata	
Grammonota inusiata	
Grammonota maritima	
Grammonota ornata	
Grammonota pallipes	
Grammonota pictilis	
Grammonota trivittata	
Grammonota vittata	
Helophora insignis	
Hilaira canaliculata	
Hilaira herniosa	
Horcotes quadricristatus	
Hybauchenidium	
cymbadentatum	
Hypomma marxi	
Hypselistes florens	
Idionella formosa	

Idionella rugosa	
Improphantes	
complicatus	
Incestophantes	
duplicatus	
Incestophantes	
washingtoni	
Islandiana flaveola	
Islandiana flavoides	
Islandiana longisetosa	
Islandiana princeps	
Kaestneria pullata	
Kaestneria rufula	
Lepthyphantes alpinus	
Lepthyphantes intricatus	
Lepthyphantes leprosus	
Lepthyphantes turbatrix	
Linyphia triangularis	
Lophomma depressum	
Lophomma vaccinii	
Macrargus multesimus	
Maro amplus	
Maro nearcticus	
Maso sundevalli	
Megalepthyphantes	
nebulosus	
Mermessus brevidentatus	
Mermessus contortus	
Mermessus	
entomologicus	
Mermessus maculatus	
Mermessus tenuipalpis	
Mermessus trilobatus	
Mermessus undulatus	
Metopobactrus	
prominulus	
Micrargus longitarsus	
Microlinyphia	
mandibulata	
Microlinyphia pusilla	
Microneta viaria	
Neodietrichia hesperia	
Neriene clathrata	
Neriene radiata	
Neriene variabilis	
Oedothorax montifer	
Oedothorax trilobatus	
Oreoneta brunnea	
Oreonetides flavescens	
Oreonetides	
rectangulatus	
Oreonetides rotundus	
Oreonetides vaginatus	
Oreophantes recurvatus	
Oryphantes aliquantulus	
Pelecopsis bishopi	
Phlathothranta flagellata	
Pityohyphantes costatus	
Pityohyphantes	
limitaneus	

Pityohyphantes subarcticus	
Pocadicnemis americana	
Pocadicnemis pumila	
Poeciloneta bihamata	
Poeciloneta calcaratus	
Poeciloneta theridiformis	
Porrhomma convexum	
Porrhomma pallidum	
Porrhomma terrestre	
Praestigia kulczynskii	
Satilatlas arenarius	
Satilatlas marxi	
Sciastes truncatus	
Scironis tarsalis	
Scotinotylus exsectoides	
Scotinotylus pallidus	
Scotinotylus vernalis	
Scylaceus pallidus	
Scyletria inflata	
Semljicola obtusus	
Sisicottus montanus	
Sisicus apertus	
Sisicus penifusifer	
Sisyrbe rustica	
Souessa spinifera	
Sougambus bostoniensis	
Soulgas corticarius	
Stemonyphantes blauveltae	
Styloctetor compar	
Styloctetor stativus	
Tapinocyba bicarinata	
Tapinocyba minuta	
Tapinocyba simplex	
Tapinopa bilineata	
Tapinotorquis yamaskensis	
Tenessellum formica	
Tenuiphantes sabulosus	
Tenuiphantes zebra	
Thyreosthenius parasiticus	
Tunagyna debilis	
Vermontia thoracica	
Wabasso cacuminatus	
Wabasso quaestio	
Walckenaeria arctica	
Walckenaeria atrotibialis	
Walckenaeria auranticeps	
Walckenaeria breviararia	
Walckenaeria brevicornis	
Walckenaeria castanea	
Walckenaeria clavicornis	
Walckenaeria communis	
Walckenaeria cuspidata brevicula	
Walckenaeria digitata	

Walckenaeria directa	
Walckenaeria dondalei	
Walckenaeria exigua	
Walckenaeria fallax	
Walckenaeria fusciceps	
Walckenaeria lepida	
Walckenaeria minuta	
Walckenaeria pallida	
Walckenaeria palustris	
Walckenaeria pinocchio	
Walckenaeria placida	
Walckenaeria redneri	
Walckenaeria spiralis	
Walckenaeria subspiralis	
Walckenaeria tenella	
Walckenaeria teres	
Walckenaeria tibialis	
Wubana drassoides	
Wubana pacifica	
Zornella cultrigera	
LIOCRANIDAE	2
Agroeca ornata	
Agroeca pratensis	
LYCOSIDAE	52
Alopecosa aculeata	
Alopecosa kochi	
Arctosa alpigena	
Arctosa emertoni	
Arctosa lama	
Arctosa littoralis	
Arctosa raptor	
Arctosa rubicunda	
Geolycosa pikei	
Geolycosa turricola	
Gladicosa gulosa	
Hogna carolinensis	
Hogna frondicola	
Pardosa albomaculata	
Pardosa concinna	
Pardosa distincta	
Pardosa fuscula	
Pardosa groenlandica	
Pardosa hyperborea	
Pardosa lapidicina	
Pardosa littoralis	
Pardosa mackenziana	
Pardosa milvina	
Pardosa modica	
Pardosa moesta	
Pardosa palustris	
Pardosa saxatilis	
Pardosa uintana	
Pardosa xerampelina	
Pirata aspirans	
Pirata montanus	
Pirata piraticus	
Pirata praedo	
Pirata sedentarius	
Piratula canadensis	

Piratula cantralli	
Piratula insularis	
Piratula minuta	
Schizocosa avida	
Schizocosa bilineata	
Schizocosa communis	
Schizocosa crassipalata	
Schizocosa humilis	
Schizocosa ocreata	
Schizocosa retrorsa	
Schizocosa saltatrix	
Tigrosa helluo	
Trabeops aurantiacus	
Trebacosa marxi	
Trochosa ruricola	
Trochosa terricola	
Varacosa avara	
MIMETIDAE	4
Ero canionis	
Ero leonina	
Mimetus epeiroides	
Mimetus puritanus	
MITURGIDAE	1
Zora pumila	
NESTICIDAE	1
Nesticus cellulanus	
OXYOPIDAE	1
Oxyopes scalaris	
PHILODROMIDAE	26
Ebo iviei	
Ebo latithorax	
Philodromus cespitum	
Philodromus exilis	
Philodromus imbecillus	
Philodromus infuscatus	
Philodromus laticeps	
Philodromus marxi	
Philodromus mineri	
Philodromus minutus	
Philodromus peninsulanus	
Philodromus pernix	
Philodromus placidus	
Philodromus praelustris	
Philodromus rufus	
Philodromus rufus quartus	
Philodromus rufus vibrans	
Philodromus validus	
Philodromus vulgaris	
Rhysodromus histrio	
Thanatus coloradensis	
Thanatus formicinus	
Thanatus rubicellus	
Thanatus striatus	
Tibellus maritimus	
Tibellus oblongus	
PHOLCIDAE	3

Pholcus manuelei	
Pholcus phalangioides	
Spermophora senoculata	
PHRUROLITHIDAE	8
Phrurotimpus alarius	
Phrurotimpus borealis	
Phrurotimpus certus	
Phrurotimpus minutus	
Scotinella brittoni	
Scotinella divesta	
Scotinella madisonia	
Scotinella pugnata	
PISAUROIDAE	5
Dolomedes scriptus	
Dolomedes striatus	
Dolomedes tenebrosus	
Dolomedes triton	
Pisaurina mira	
SALTICIDAE	58
Admetina wheeleri	
Attulus floricola	
Calositticus striatus	
Calositticus sylvestris	
Dendryphantès nigromaculatus	
Eris militaris	
Eris rufa	
Euophrys monadnock	
Evarcha hoyi	
Ghelna canadensis	
Habronattus agilis	
Habronattus borealis	
Habronattus calcaratus	
Habronattus decorus	
Habronattus viridipes	
Habronattus waughii	
Hentzia mitrata	
Hentzia palmarum	
Hypositticus pubescens	
Maevia inclemens	
Marpissa formosa	
Marpissa grata	
Marpissa lineata	
Naphrys pulex	
Neon nelli	
Peckhamia picata	
Pelegrina exigua	
Pelegrina flaviceps	
Pelegrina flavipes	
Pelegrina galathea	
Pelegrina insignis	
Pelegrina montana	
Pelegrina peckhamorum	
Pelegrina proterva	
Pellenes lapponicus	
Phidippus audax	
Phidippus borealis	
Phidippus clarus	
Phidippus princeps	

Phidippus purpuratus	
Phidippus whitmani	
Phlegra hentzi	
Platycryptus undatus	
Salticus scenicus	
Sarinda hentzi	
Sibianor aemulus	
Sitticus fasciger	
Sitticus finschi	
Synageles canadensis	
Synageles noxiosus	
Talavera minuta	
Terralonus versicolor	
Tutelina elegans	
Tutelina formicaria	
Tutelina harti	
Tutelina similis	
Zygoballus nervosus	
Zygoballus rufipes	
SEGESTRIDAE	1
Ariadna bicolor	
SPARASSIDAE	1
Heteropoda venatoria	
TETRAGNATHIDAE	18
Leucauge venusta	
Meta ovalis	
Pachygnatha autumnalis	
Pachygnatha brevis	
Pachygnatha dorothea	
Pachygnatha tristriata	
Pachygnatha xanthostoma	
Tetragnatha caudata	
Tetragnatha dearmata	
Tetragnatha elongata	
Tetragnatha extensa	
Tetragnatha guatemalensis	
Tetragnatha laboriosa	
Tetragnatha pallescens	
Tetragnatha straminea	
Tetragnatha vermiformis	
Tetragnatha versicolor	
Tetragnatha viridis	
THERIDIIDAE	57
Asagena americana	
Canalidion montanum	
Coleosoma floridanum	
Crustulina altera	
Crustulina stricta	
Cryptachaea rupicola	
Dipoena buccalis	
Dipoena dorsata	
Dipoena nigra	
Enoplognatha caricis	
Enoplognatha intrepida	
Enoplognatha latimana	
Enoplognatha marmorata	
Enoplognatha ovata	

Euryopsis argentea	
Euryopsis funebris	
Euryopsis gertschi	
Euryopsis saukea	
Hentziectypus conjunctus	
Hentziectypus globosus	
Lasaeola prona	
Neospintharus trigonum	
Neottiura bimaculata	
Parasteatoda tabulata	
Parasteatoda tepidariorum	
Pholcomma hirsutum	
Phoroncidia americana	
Platnickina alabamense	
Platnickina punctosparsa	
Platnickina tincta	
Rhomphaea fictilium	
Robertus banksi	
Robertus borealis	
Robertus fuscus	
Robertus pumilus	
Robertus riparius	
Robertus spinifer	
Rugathodes aurantius	
Rugathodes sexpunctatus	
Steatoda bipunctata	
Steatoda borealis	
Theonoe stridula	
Theridion albidum	
Theridion differens	
Theridion frondeum	
Theridion glaucescens	
Theridion hemerobium	
Theridion murarium	
Theridion petraeum	
Theridion pictum	
Theridion varians	
Theridula emertoni	
Theridula opulenta	
Thymoites minnesota	
Thymoites unimaculatus	
Wamba crispulus	
Yunohamella lyrica	
THERIDIOSOMATIDAE	1
Theridiosoma gemmosum	
THOMISIDAE	34
Bassaniana utahensis	
Bassaniana versicolor	
Mecaphesa asperata	
Mecaphesa carletonica	
Mecaphesa celer	
Misumena vatia	
Misumenoides formosipes	
Ozyptila americana	
Ozyptila distans	

Ozyptila georgiana	
Ozyptila gertschi	
Ozyptila praticola	
Tmarus angulatus	
Xysticus alboniger	
Xysticus ampullatus	
Xysticus bicuspis	
Xysticus britcheri	
Xysticus canadensis	
Xysticus chippewa	
Xysticus discursans	
Xysticus elegans	
Xysticus ellipticus	
Xysticus emertoni	
Xysticus ferox	
Xysticus fervidus	
Xysticus fraternus	
Xysticus gulosus	
Xysticus luctans	
Xysticus luctuosus	
Xysticus obscurus	
Xysticus pellax	
Xysticus punctatus	
Xysticus triguttatus	
Xysticus winnipegensis	
TITANOECIDAE	1
Titanoecca americana	
TRACHELIDAE	1
Trachelas tranquillus	
ULOBORIDAE	3
Hyptiotes cavatus	
Hyptiotes gertschi	
Uloborus glomosus	
Total	677