

# Homeowners forget about past floods when assessing flood risk and are then repeatedly caught unprepared by the next flood.


*How do homeowners learn about environmental risks such as flooding? Social scientists have long observed the phenomenon that individuals appear to be surprised and unprepared for uncertain, but predictable natural disasters. New research by [Justin Gallagher](#) finds that homeowners use the incidence of a new flood to update their belief about the risks of a future flood, but do so in a way that doesn't include all of the available past flood information. As a result, homeowners tend to forget (or "unlearn") lessons from the past and are repeatedly caught off guard by the next flood.*



Flooding is an example of a natural disaster where detailed information regarding the likelihood of the event is available and easily accessible, but personal experience is infrequent. In most communities in the US, decades of historical flood records exist. Government engineers have used the long record of past flooding, along with the location, slope, and elevation of the land surface to create flood maps (as shown in Figure 1) for each community. The areas of highest flood risk are designated as part of the flood plain. These parcel-level flood maps indicate the precise location of a house relative to the flood plain, and are given to homeowners when they purchase a new home.

One way to protect your home against flooding is through the purchase of a flood insurance policy. Standard homeowner insurance policies do not cover damages from flooding. A separate, annual flood insurance policy must be purchased each year. We would expect homeowners to purchase flood insurance if the anticipated benefit of the coverage is greater than the cost of the insurance. The anticipated benefit depends on each homeowner's belief about their flood risk. Thus, we might expect new homeowners to examine the flood plain map and to make a one-time decision when they buy a house of whether to also purchase (and renew each year) flood insurance to protect their investment.


**Figure 1 – Southeast portion of Federal Emergency Management Agency flood map for Hampton, New Hampshire.**



**Note: Zone AE (highlighted blue) is the portion of the map in the (100 year) flood plain. Zone X (with dots) is on the edge of the flood plain and has an elevated risk for less severe flooding. Zone X (without dots) is the portion of the map completely outside the 100 year flood plain. Map source: <https://msc.fema.gov/portal/>**

Figure 2 shows that many homeowners do not make a one-time decision of whether to purchase flood insurance based on the flood plain maps. Figure 2 plots the percent change in the purchase of flood insurance policies per capita in a community relative to the timing of a large Presidential Disaster Declaration (PDD) flood in the same community. The sample covers 1990-2007, includes data on *all* flood insurance policies in the US during this 18-year period (approximately 27 million annual policies), and considers 643 distinct PDD floods. The x-axis plots the year of a flood. The y-axis measures the change in flood insurance relative to the year before a food (event year -1). The points in the figure are estimates from a statistical model that controls for calendar time trends and the fixed geography of each community.

**Figure 2 – Flood Insurance Take-Up for Communities Hit by a Presidential Disaster Declaration Flood 1990-2007**



**Notes:** The figure plots per capita rates of flood insurance take-up in 10,841 communities. Time is normalized relative to the year of a flood. The vertical line represents the year before a flood. The dots plot the estimated percent change in insurance take-up relative to the year before a flood from a model that removes calendar year effects and community fixed effects. The bars around each point represent the 95% confidence interval and show whether each point is statistically different from zero. Data source: National Flood Insurance Program.

Immediately after a flood there is a spike in the number of new insurance policies. Homeowners react to the flood by purchasing new insurance policies. However, this reaction is temporary. Nine years after a flood there is no longer any evidence that the past flood still influences the decision to purchase insurance. Moreover, this pattern repeats itself regardless of whether it is the first or second flood in the community during this time period.

A risk learning model where homeowners use each new flood to reevaluate their beliefs about their flood risk can only explain the pattern of flood insurance purchases if homeowners “forget” about older floods. A new flood provides very little new statistical information given the long history of past floods. The immediate jump in insurance purchase combined with the quick decline to baseline levels suggests that homeowners are not incorporating all available information. This could occur if current homeowners forget about past floods, or by migration if homeowners only use flood information from years spent living in the community. (Unfortunately the data don’t allow a distinction between the two possibilities). In both cases, the amount of flood information is limited and the relative importance of a new flood in forming flood beliefs is large. In the years after a new flood, the effect of the recent flood on the expectations of a future flood will quickly lessen (implying a quick return to baseline) as residents begin to forget or because of the entry of new residents.

How homeowners learn about flood risks differs from how homeowners learn about some other environmental risks such as environmental cancer risk. Lucas Davis [examines](#) how beliefs over environmental cancer risk change when the media reports an unusually large number of new cancer cases in the same communities. A standard risk learning model (without “forgetting”) in which homeowners use the new cancer cases to update their previously held beliefs, can explain the observed change in property values in “cancer cluster” communities. Property values fall as homeowners are less willing to assume the risk of living in a community where there is a potentially higher risk of getting cancer.

One possible explanation for the different environmental risk learning behavior by homeowners in the two settings is the information time horizon. Past floods occur over several decades (at least) whereas all of the cancer cases occur in a 3-year window. Homeowners appear less able to incorporate information from many years ago when evaluating a current environmental risk. This is true despite the fact that flood risk information is presented as summary information in detailed risk maps.

*This article is based on the paper, 'Learning about an Infrequent Event: Evidence from Flood Insurance Take-Up in the United States', in the American Economic Journal.*

*Featured image credit: DVIDSHUB (Flickr, CC-BY-2.0)*

*Please read our comments policy before commenting.*

*Note: This article gives the views of the author, and not the position of USApp– American Politics and Policy, nor of the London School of Economics.*

*Shortened URL for this post: <http://bit.ly/1zseQyb>*

---

## **About the author**

**Justin Gallagher** – *Case Western Reserve University*

Justin Gallagher is an Assistant Professor of Economics at Case Western Reserve University. His primary research field is environmental economics, with a broad interest in applied microeconomics and the fields of labor economics, public economics, and behavioral economics. Gallagher's research has looked at the value of hazardous waste cleanup, the financial impact on households that experience a natural disaster, and how individuals update their beliefs about environmental risks.



- CC BY-NC-ND 3.0 2014 LSE USAPP