

# Is the 2015 eye care service delivery profile in Southeast Asia closer to universal eye health need!

*by* Gilbert W S Simanjuntak

---

**Submission date:** 23-Jul-2018 04:05PM (UTC+0700)

**Submission ID:** 984587057


**File name:** 11.Das\_TP\_Int\_Oph\_2017.pdf (279.17K)

**Word count:** 5548

**Character count:** 29316

### 3

## Is the 2015 eye care service delivery profile in Southeast Asia closer to universal eye health need!

Taraprasad Das  · Peter Ackland · Marcelino Correia · Prut Hanutsaha · Palitha Mahipala · Phanindra B. Nukella · Gopal P. Pokharel · Abu Raihan · Gullapalli N. Rao · Thulasiraj D. Ravilla · Yudha D. Sapkota · Gilbert Simanjuntak · Ngwang Tenzin · Ubeydulla Thoufeeq · Tin Win · the IAPB South East Asia Region Eye Health Study Group

4  
Received: 30 September 2016 / Accepted: 20 February 2017  
© Springer Science+Business Media Dordrecht 2017

### Abstract

**Purpose** The year 2015 status of eye care service profile in Southeast Asia countries was compared with year 2010 data to determine the state of preparedness to achieve the World Health Organization global action plan 2019.

**Methods** Information was collected from the International Agency for Prevention of Blindness country chairs and from the recent PubMed referenced articles. The data included the following: blindness and low

vision prevalence, national eye health policy, eye health expenses, presence of international non-governmental organizations, density of eye health personnel, and the cataract surgical rate and coverage. The last two key parameters were compared with year 2010 data.

**Results** Ten of 11 country chairs shared the information, a <sup>26</sup> 28 PubMed referenced publications were assessed. The prevalence of blindness was lowest in Bhutan and highest in Timor-Leste. Cataract surgical

6 Das (✉) · G. N. Rao  
L V Prasad Eye Institute, Road #2, Banjara Hills,  
Hyderabad 500 034, India  
e-mail: tpd@lvpei.org

30  
P. Ackland  
International Agency for Prevention of Blindness,  
London, UK

M. Correia  
IAPB Country Chair, Dili, Timor-Leste

P. Hanutsaha  
IAPB Country Chair, Bangkok, Thailand

P. Mahipala  
IAPB Country Chair, Colombo, Sri Lanka

P. B. Nukella  
VISION 2020 India, New Delhi, India

G. P. Pokharel  
IAPB Country Chair, Kathmandu, Nepal

A. Raihan  
IAPB Country Chair, Dhaka, Bangladesh

36 D. Ravilla  
Aravind Eye Care System, Madurai, India

T. Das · Y. D. Sapkota  
IAPB Southeast Asia Region, Hyderabad, India

G. Simanjuntak  
IAPB Country Chair, Jakarta, Indonesia

N. Tenzin  
IAPB Country Chair, Thimpu, Bhutan

U. Thoufeeq  
IAPB Country Chair, Male, Maldives

T. Win  
IAPB Country Chair, Yangon, Myanmar

rate was high in India and Sri Lanka. Cataract surgical coverage was high in Thailand and Sri Lanka. Despite increase in number of ophthalmologists in all countries (except Timor-Leste), the ratio of the population was adequate (1:100,000) only in 4 of 10 countries (Bhutan, India, Maldives and Thailand), but this did not benefit much due to unequal urban–rural divide.

**Conclusion** The midterm assessment suggests that all countries must design the current programs to effectively address both current and emerging causes of blindness. Capacity building and proportionate distribution of human resources for adequate rural reach along with poverty alleviation could be the keys to achieve the universal eye health by 2019.

**Keywords** Southeast Asia · Eye care delivery · Universal eye health

## Introduction

The World Health Organization (WHO) division of the Southeast Asia region consists of 11 countries, namely Bangladesh, Bhutan, DPR Korea, India, Indonesia, Maldives, Myanmar, Nepal, Sri Lanka, Thailand and Timor-Leste. The population of these 11 countries at 1761 million is approximately 26% of world population. Using the published information, the WHO reported the global data on visual impairment 2010 of all six WHO regions [1]. As per this estimate, 4.24% people of world were visually impaired—0.58% blind (visual acuity <3/60) and 3.65% impaired vision (visual acuity <6/18 ≥ 3/60). This amounted to 39.365 million people blind and 246.024 million people with impaired vision (a total of 285.389 people with any kind of visual impairment). The report also stated that 12.049 million blind people and 78.482 million people with vision impairment live in the Southeast Asian region. This amounts to 30.60 and 35.89% of world's blind and impaired vision people, respectively. The World Health Organization (WHO) 2010 data [2] documented many key parameters that form the base line data for implementation of the global action plan (GAP) to universal eye health as stipulated by WHO resolution 66.4 [3].

In this midway analysis between 2010 and 2019, we collected data from 10 of 11 member states of the region and added additional information from the

recently published papers. The key data were compared with the 2010 WHO data.

## Methods

The data collected from the International Agency for Prevention of Blindness (IAPB) country chairs (10 of 11 countries, with exception of DPR Korea) included information regarding the national health policy, national health expenditure, insurance and out-of-pocket expense for eye health care, the strength of eye health personnel, training and future manpower planning and presence of the international non-governmental organization (INGO). In addition, we also accessed the PubMed referenced recent articles using the key words “blindness,” “low vision,” “vision impairment,” “south east Asia” from January 2000 to December 2015. This was confined to reports on adult and pediatric population blindness survey and two principal causes of visual impairment—the cataract and the uncorrected refractive error. Other disease specific data such as trachoma, congenital blindness, glaucoma and diabetic retinopathy were not included in the analysis.

## Results

A number of population-based survey publications are available on blindness and visual impairment in the Southeast Asia region [4–31]. While all these studies have estimated the prevalence and causes of blindness visual impairment, few studies have looked at the eye care service profile in the South Asia region [2]. The current situation analysis of eye care service in the Southeast Asia region is as follows.

### Health indices

Life expectancy has increased in all member states. In general, females live longer than males. The life expectancy for males at 73.13 years was highest in Maldives and at 64 was lowest in Myanmar; for the females it was highest in Thailand (79 years) and Maldives (74 years) and lowest in India and Myanmar (68 years). The mortality rate under 5 years age was highest in Timor-Leste (54.6/1000 live births)

followed by India (52.7/1000 live births) and lowest in Sri Lanka (9.6/1000 live births) and Maldives (10/1000 live births).

#### Blindness and low vision

The blindness prevalence data were not available from Maldives. It was low in Bhutan (0.33%), Nepal (0.35%), Myanmar (0.58%) and Thailand (0.59%). It was around 1% in Indonesia (0.9%), India (1%) and Bangladesh (1.6%) and apparently high in Timor-Leste (4.2% for 40+ age group).

#### National eye health policy

<sup>12</sup> The Ministry of Health (MoH) in each country is responsible for all health-related policies and planning. The VISION 2020 is operational in all countries. But only five countries in the region have an established national eye health plan. They include Bangladesh—the Bangladesh National Control of the Blind (BNCB); India—the National Program for Control of Blindness (NPCB); Indonesia—Ministry of Health, National Eye Committee; Nepal—Apex Body of eye health; and Thailand—the National Committee of Eye Care services.

#### Eye health expenses

The expenditure as percentage of national gross domestic product (GDP) for health in general was highest in Maldives (7.3%) and lowest in Myanmar (0.99%); all other member state expenditure was between 4 and 6% of GDP. There was no knowledge of eye care expenses specifically.

#### Insurance and out-of-pocket expense

Insurance of eye health care is not uniformly distributed. Eye care is solely provided at the government cost in Bhutan and Myanmar; the government of Maldives has insured all people in the country; primary eye care is delivered at no cost to the patients in Nepal at village level; and the government of India offers incentive to non-government health providers for free eye care. However, a major challenge lies in accessing free eye care in nearly all member states. All the same, there is out-of-pocket expense in most

instances; at 20%, it is lowest in Thailand and probably higher in other countries.

#### Integration with general health delivery system

<sup>5</sup> The eye health is not integrated into general health system in all countries of the region. It is mostly integrated into Bhutan and Sri Lanka at the primary level; the government of India and Nepal is experimenting in few areas of the country.

#### Strength of eye health personnel

Complete data of all cadres of eye health workers were not available in all countries. This was particularly true for eye care nurses since in many instances there was no clear separation between a general and eye care nurse. Compared to year 2010, the number of ophthalmologists has increased in all countries except Timor-Leste. But the distribution in the general population was appreciable (1:100,000) only in few countries—Bhutan, India, Maldives and Thailand. Most ophthalmologists in all countries are located in urban areas only. Additionally, Bhutan and Maldives have their specific terrain difficulties. In general, the availability of auxiliary ophthalmic personnel (AOP) was insufficient.

#### Cataract surgery rate as surrogate for eye care services

Cataract surgical rate (CSR) at 5050/million people was highest in India and was followed by Sri Lanka (5030/million). But it was below the target in many countries. The cataract surgical coverage (CSC) at 95% was highest in Thailand followed by Sri Lanka (86%) and Nepal (80%).

#### <sup>18</sup> International non-governmental organizations

Many international non-governmental organizations (INGOs) work in Bangladesh, India, and Nepal followed by Indonesia and Timor-Leste. None of the INGO currently have presence in Maldives, and one INGO, the Himalayan Cataract Project (HCP), works in Bhutan.

The details are listed in Table 1.



**Table 1** Comparative statement of eye care service delivery in year 2010 and 2014 in Southeast Asian countries

Country	Services	2010 data*	2014 data**
Bangladesh	Country	Population: 151,616,777	Population: 162,494,971
	Health service		All health services are provided by the government, non-government and private sector <sup>12</sup>
	National health expenditure	Eye health: US\$ 557,142	The non-government sector (NGO sector) is the largest provider in the country
	Insurance versus out-of-pocket expense		Still there are several challenges for the rural people to access to quality eye care services due to cost and distance <sup>34</sup>
	Health indices		3.73% of GDP (2013 data) general health
	Eye health governance		There is no universal health insurance scheme in the country. Out-of-pocket expense is over 90%. About 10% have some form of support from charity and government sector
	Eye health epidemiology		Life expectancy at birth: male : 70 years, female 71 years <sup>2</sup>
	Cataract surgery as surrogate of eye health	1164/million (2009)	Mortality rate of children <5 years/1000 live births: 38
	Eye health workforce (public)	Ophthalmologists (n = 900):1:168,474	Percentage of persons over 50+ years
	Major eye health international NGO		National Eye Care (NEC)—is a separate Line Director under Director General of Health Services (DGHS) of MoH
Bhutan	Country	Population: 720,246	The Bangladesh National Council for the Blind (BNCB) headed by the Health Minister is the supreme authority to approve the national eye care plan <sup>24</sup>
	Health services		There is also a national vision 2020 advisory committee headed by the DGHS
	National health expenditure	Eye health: US\$ 200,000	Blind: 1.6%
	Insurance versus out-of-pocket expenses		Major visual impairment causes: cataract, URE, cornea, retina
	Health indices		Cataract surgical rate: 1475/million (2014 data)
	Eye health governance		Cataract surgical coverage: 32%
	Eye health epidemiology		Ophthalmologists: (n = 1000) 1:162,494
	Cataract surgery as surrogate of eye health		Optometrists and technicians: (n = 1200) 1:125,000
	Eye health workforce (public)		Andheri-Hilfe Bonn, CBM, Fred Hollows, Hart to heart, Helen Keller, Orbis, Sight Savers
	Major eye health international NGO		Population: 782,089
Country	Population: 720,246	Government provides free health services at all levels	
Health services		3.55% of GDP (2012 data) general health	
National health expenditure	Eye health: US\$ 200,000	No general health insurance schemes.	
Insurance versus out-of-pocket expenses		Life expectancy in birth: 68 years	
Health indices		Mortality rate of children <5 years/1000 live births: 37.3 (2012 data)	
		Percentage of persons over 50+ years	

**Table 1** continued

Country	Services	2010 data*	2014 data**
	Eye health governance		Primary eye care program is the nodal agency for eye care services under the department of Medical Sciences, MoH
	Eye health epidemiology		Blindness: 0.33% Major causes are: un-operated cataract—67.6%; posterior segment disorders—42.1%; corneal blindness—1.5%; phthisis bulbi—5.9% Major causes of visual impairment: cataract—57.1%; 10 posterior segment disorders—14.4% uncorrected refractive error—34.1%; posterior segment disorders—14.4%
	Cataract surgery as surrogate of eye health	1450/million (2009)	Cataract surgical rate: 1550/million (2009 survey)
	Eye health workforce (public)	Ophthalmologists ( <i>n</i> = 6) 1:120,042	Cataract surgical coverage: 72.5% Ophthalmologists: ( <i>n</i> = 8)1:97,761 Optometrists and technicians: ( <i>n</i> = 62) 1:12,210 Ophthalmic nurses: 4
	Major eye health international NGO		Himalayan Cataract Project (HCP)
India	Country	Population: 1,214,182,182	Population: 1,311,052,527
	Health services		All health services are provided by both the government and private sector 5
	National health expenditure	Eye health: US\$ 58 million	Several challenges in rural health service.
	Insurance versus out-of-pocket expense		4% of GDP (2013 data)
	Health indices		Out-of-pocket expense is 86%. About 10 percent of Indians 11 have some form of health insurance mostly formal sector and government employees.
	Eye health governance		Life expectancy at birth: male 67.3 years; female 69.6 years (2013 data) 2
	Eye health epidemiology		Mortality rate of children <5 years/1000 live births 28 Percentage of persons over 50+ years: 16%
	Cataract surgery as surrogate of eye health	4550/million (2007)	National Program for Control of Blindness (NPCB)
	Eye health workforce (public)	Ophthalmologists ( <i>n</i> = 15,000) 1:80,945	State Health Society
	Major eye health international NGO		Blindness: 1% Major cause of blindness: cataract, URE, glaucoma, diabetic retinopathy Cataract surgical rate: 5050/million (2014) Cataract surgical coverage: 66% Ophthalmologists: ( <i>n</i> = 18,100) 1:74,433 Optometrists and technicians: ( <i>n</i> = 49,000) 1:24,693 Opticians: ( <i>n</i> = 27,000) 1:44,81 CBM, Help Me See, OEU, Orbis, LCIF, Sight Life, Sight Savers

Table 1 continued

Country	Services	2010 data*	2014 data**
Indonesia	Country	Population: 241,613,126	Population: 257,563,825
	Health services		All health services are provided both by the government and private sector. <b>5</b>
	National health expenditure	Eye health: US\$ 5 million	3.5% of GDP
	Insurance versus out-of-pocket expense		32.9 versus 67.1%
	Health indices		Life expectancy at birth: 70.2 years, female 70.2 years Mortality rate of children <5 years/1000 live births: 41 Percentage of persons over 50+ years: 8.03%
	Eye health governance		Ministry of Health, National Eye Committee
	Eye health epidemiology		Blindness: 0.6%, RAAB 3.2%
	Cataract surgery as surrogate of eye health	500/million (Target 2800/million)	Major causes of visual impairment: URE, cataract, glaucoma, diabetic retinopathy Cataract surgical rate: 1079/million (2014)
	Eye health workforce (public)	Ophthalmologists ( <i>n</i> = 1641) 1:147,145	Cataract surgical coverage: 25.7% Ophthalmologists: ( <i>n</i> = 1752); 1:147,011 Optometrists; opticians: ( <i>n</i> = 689) 1:370,101 Ophthalmic nurses: ( <i>n</i> = 11,000) 1:23,181
	Major eye health international NGO		Helen Keller International, Christopher Blinden Mission, Fred Hollows; Lions International
Maldives	Country	Population: 319,738	Population: 341,848
	Health service		Twenty atoll-based hospitals, 2 capital-based hospitals, 165 health centers, 2 tertiary-level hospitals, Centers
	National health expenditure	Eye health: not available	7.3% of GDP (2013 data)
	Insurance versus out-of-pocket expense		All services including eye health are covered under "Aasandha," government social insurance scheme. In addition to medical and surgical care, it also offers US\$ 65 for spectacles with a 2-year limit
	Health indices		Life expectancy at birth: male : 73.13 years, female 74.77 years <b>2</b> Mortality rate of children <5 years/1000 live births: 10
	Eye health governance		Percentage of persons over 50+ years: 14.3% Integrated into government health care no separate eye health governance system exists
	Eye health epidemiology		Eye health services are limited up to regional health facilities No population-based data available on blindness and major causes of visual impairment <b>20</b>
	Cataract surgery as surrogate of eye health	700/million (2009)	Cataract surgical rate: 1287/million (2014) Cataract Surgical coverage: Not known.

Table 1 continued

Country	Services	2010 data*	2014 data**
Myanmar	Eye health workforce (public)	Ophthalmologists ( <i>n</i> = 19) 1:17,195	Ophthalmologists: ( <i>n</i> = 19) 1:28,487 Optometrists and technicians: ( <i>n</i> = 10) 1:34,184 Ophthalmic nurses: ( <i>n</i> = 4) 1:85,462 Opticians: ( <i>n</i> = 6) 1:56,974 Administrators: ( <i>n</i> = 4) 1:101,915 No major eye health NGO
	Major eye health international NGO		No major eye health NGO
	Country	Population: 51,735,013	Population: 53,897,154
	Health service		Government provides free health services at all levels
	National health expenditure	Eye health: US\$ 8.4 million	0.99% of GDP (2013 data)
	Insurance versus out-of-pocket expense		No general health insurance schemes.
	Health indices		Life expectancy at birth: male : 64 years, female 71 years Mortality rate of children <5 years/1000 live births: 48 <sup>2</sup>
	Eye health governance		Percentage of persons over 50+ years: 14.3%
	Eye health epidemiology		Ministry of Health; National Health Committee Blindness: 0.58%
			Major causes of visual impairment: cataract, URE, glaucoma Cataract surgical rate: 2038/million Cataract surgical coverage: not known
Nepal	Cataract surgery as a surrogate of eye health	1000/million (Target)	Ophthalmologists: ( <i>n</i> = 328) 1:164,320 Optometrists and technicians: ( <i>n</i> = 44) 1:1,168,636 Ophthalmic nurses: ( <i>n</i> = 212) 1:242,547
	Eye health workforce	Ophthalmologists ( <i>n</i> = 250) 1:206,940	Helen Keller, CBM, Sight for All, Fred Hollows, Himalayan Cataract Project Population: 28,513,700
	Major eye health INGOs		Free primary health care in at village level
	Country	Population: 26,875,910	There are 102 public hospitals, 208 primary health care centers (PHCCs), 1559 <sup>15</sup> health posts (HPPs) and 2247 sub-health posts (SHPs)
	Health services		Eye health not integrated into health delivery system Separate structure for eye health under local NGOs such as Nepal Netra Jyoti Sangh (16 eye hospitals 61 eye care centers)



Table 1 continued

Country	Services	2010 data*	2014 data**
	National health expenditure		6% of GDP (2013 data)
	Insurance out-of-pocket expense		No public insurance system to cover eye health
	Health indices		Government is piloting for social insurance in general health in some districts
			Life expectancy at birth: male : 67 years, female 70 years <sup>2</sup>
			Mortality rate of children <5 years/1000 live births: 33
	Eye health governance		Percentage of persons over 50+ years: 14.3%
	Eye health epidemiology		Apex Body for Eye Health at MoH (Only involved in policy matter) and not very active.
			Blindness: 0.35%
			Major causes of visual impairment: cataract, URE, glaucoma
	Cataract surgery as surrogate of eye health	3500/million (Target)	Cataract surgical rate: 4513/million (2014)
	Eye health workforce	Ophthalmologists ( <i>n</i> = 130) 1:206,737	Cataract surgical coverage: 60–80% in different zones of the country Ophthalmologists: ( <i>n</i> = 201) 1:141,156 Optometrists and technicians: ( <i>n</i> = 656) 1:40,548 Ophthalmic nurses: ( <i>n</i> = 120) 1:218,333 Orthoptist: 6
	Major eye health INGOs		CBM, Help Me See, Seva Foundation, Norwegian Association for Blind and Partially Sighted, Fred Hollows, Himalayan Cataract Foundation, Eye Care Foundation, Lions Club International Foundation, US Aid, Orbis International, Help Age International
Sri Lanka	Country population	20,201,312	20,715,090
	Health services		Ministry of Health and Indigenous Medicine
	National health expenditure	Eye health: US\$ 9.1 million	3.24% of GDP (2013)
	Insurance out-of-pocket expense		Free health services including eye care
	Health indices		Life expectancy—76.35 years; males—72.85 years and females—79.99 years (2014 estimate) <sup>17</sup>
	Eye health governance		Mortality rate of children under 5 years/1000 live birth: 9.8 in 2015
	Eye health epidemiology		Percentage of persons over 50 years; 23.59% (2014) Ministry of Health 1.7% blindness age 40 and above Major course of blindness is cataract

Table 1 continued

Country	Services	2010 data*	2014 data**
Thailand	Cataract surgery as surrogate of eye health	3500/million (Target)	CSR—5030/million population CSC—86%
	Eye health workforce	Ophthalmologists ( <i>n</i> = 65) 1:310,789	Ophthalmologists—( <i>n</i> = 91) 1:227,638 Optometrists—( <i>n</i> = 275) 1:74,490 Opticians—( <i>n</i> = 475) 1:46,021
	Major eye health INGOs		CBM, Germany, Sight savers, Saw others May See
	Country	Population: 66,692,024	Population: 67,959,359
	Health services		
	National Health Expenditure	Not available	4.5% of GDP (2012 data)
	Insurance versus out-of-pocket expense		79.5 versus 20.5%
	Health indices		Life expectancy at birth: male 71 years; female 79 years (2012 data) <b>2</b> Mortality rate of children <5 years/1000 live births: 11.3
	Eye health governance		Percentage of persons over 50+ years: 28%
	Eye health epidemiology		National Committee of Eye Care service Blindness: 0.59%
Timor-Leste	Cataract surgery as surrogate of eye health	2090/million (2009)	Major cause of blindness: cataract, glaucoma, AMD and DR Cataract surgical rate: 2400/million Cataract surgical coverage: 95%
	Eye health workforce	Ophthalmologists ( <i>N</i> = 808) 1:82,539	Ophthalmologists: ( <i>n</i> = 1320) 1:51,484 (central: 1:28,000; peripheral 1:70,000) Optometrists and technicians: ( <i>n</i> = 50) 1:1,342,000 Ophthalmic nurses: ( <i>n</i> = 8000) 1:8387
	Major eye health international NGO		LCIF
	Country population	1,057,122	1,184,705
	Health services		Eye health integrated into government health care
	National health expenditure		1.3% of GDP, USD 96.6 per capita (2013)
	Insurance out-of-pocket expense		Free health services including eye health
	Health indices		Life expectancy 65 years for Male and 69 for female, U5 mortality 64/1000 live birth
	Eye health governance		Integrated into government healthcare system
	Eye health epidemiology		Blindness: 4.2% in age 40+ population

Table 1 continued

Country	Services	2010 data*	2014 data**
	Cataract surgery as surrogate of eye health	379/million (2009)	CSR 720 per million in 2014
	Eye health workforce	Ophthalmologists ( $n = 3$ ) 1:352,374	Ophthalmologist ( $n = 3$ ) 1:394,902
	Major eye health INGOs		Fred Hollows and Royal Australasian College of Surgeon

Source: WHO Situational analysis\* and Response of IAPB Country Chairs\*\*; population data was obtained from Worldometer ([www.worldometers.info](http://www.worldometers.info))

## Discussion

In May 2013, the 66th World Health Assembly (WHA) endorsed resolution WHA 66.4—the “universal eye health: a global action plan (GAP) 2014–2019” [3]. The WHO set a global target of reduction in prevalence of avoidable visual impairment by 25% by 2019 from the baseline of 2010. The GAP 2014–2019 is intended to serve as a road map to consolidate joint efforts aimed at working toward universal eye health in the world. The WHO collected the year 2010 base line data. The Southeast Asian member states exchanged each country data annually, and the information collected here (Table 1) is the current data in key areas. This helps in the region’s preparedness for implementation of universal eye health by year 2019.

Available blindness data are at best patchy in a few countries. While it is possible that blindness will reduce in all countries in the region, it is difficult to forecast the actual number. The high burden of blindness in the Southeast Asia region continues with below target cataract surgery in many countries. Two main causes are the un-operated cataract and uncorrected refractive error, though there is a need to shift exclusive focus from cataract to other emerging causes of blindness, such as glaucoma and diabetic retinopathy in countries where a good cataract surgical rate and good cataract surgical coverage are already achieved [32]. An effective control of the chronic diseases such as diabetic retinopathy and glaucoma requires a different planning and implementation because both detection and treatment of these diseases are a lot more different than cataract and refractive error-related blindness and visual impairment. This calls for greater emphasis on training and developing the required skills in mid-level ophthalmic personnel and the ophthalmologists in the entire region [33, 34].

The utilization of services in rural population is inadequate in all countries [35, 36]. The healthcare personnel are also mostly urban centric. What is the remedy? One of the ways is the mass community service that is practiced in certain countries in the region, particularly, in India and a few neighboring countries. But this is only a temporary solution. A tier model of eye care service, adequate for the area, affordable and accessible to people is increasingly tried with a greater degree of success [37, 38].

In general, health and disease are linked to poverty; eye disease is no exception [39]. While the various

governments will continue to improve the economics of the country, the current eye care delivery model in this region has to be unique that could deliver quality eye care in most equitable manner [40]. The current preparedness in most regions is inadequate and needs a greater thrust to achieve the WHO stated goal by the year 2019.

## Conclusion

Provision of comprehensive eye care through different models of fixed facility at the district/provincial level coupled with adequate training, both in quantity and in quality, of people possibly help bridge the gap and achieve universal health coverage. Further, increasing financial allocation and periodic monitoring of disease burden are critical for the success of eye care programs across the region.

**Funding** The study was funded by the Lions Club International Foundation (LCIF) 2014.

**Compliance with ethical standards**

**Conflict of interest** All authors declare that they have no conflict of interest.

## References

- Pascolini D, Mariotti SP (2011) Global estimates of visual impairment: 2010. *Br J Ophthalmol*. doi:10.1136/bjophthalmol2011-300539
- WHO South East Regional Office (2012) Situational analysis of VISION 2020 in the WHO South East Asia region 2012
- Universal eye health (2013) A global action plan 2014–2019. WHO publication. ISSN: 978 92 4 150656
- Dandona L, Dandona R, Srinivas M, Giridhar P, Vilas K, Prasad MN, John RK, McCarty CA, Rao GN (2001) Blindness in the Indian state of Andhra Pradesh. *Invest Ophthalmol Vis Sci* 42:908–916
- Murthy GV, Gupta SK, Bachani D, Jose R, John N (2005) Current estimates of blindness in India. *Br J Ophthalmol* 89:257–260
- Neena J, Rachel J, Praveen V, Murthy GV, Rapid Assessment of Avoidable Blindness India Study Group (2008) Rapid assessment of avoidable blindness in India. *PLoS ONE*. doi:10.1371/journal.pone.0002867
- Sapkota YD, Sunuwar M, Naito T, Akura J, Adhikari HK (2010) The Prevalence of blindness and cataract surgery in Rautahat district, Nepal. *Ophthalmic Epidemiol* 17:82–89
- Wadud Z, Kuper H, Polack S, Linfield R, Akm HR, Choudhury KA, Linfield T, Limburg H, Foster A (2006) Rapid assessment of avoidable blindness and needs assessment of cataract surgical services in Satkhira district, Bangladesh. *Br J Ophthalmol* 90:1225–1229
- Dineen BP, Bourne RR, Ali SM, Huq DM, Johnson GJ (2003) Prevalence and causes of blindness and visual impairment in Bangladeshi adults: results of the National Blindness and Low vision survey of Bangladesh. *Br J Ophthalmol* 87:820–828
- Edussuriya K, Sennanayke S, Senaratne T, Marshall D, Sullivan T, Selva D, Casson RJ (2009) The prevalence and causes of visual impairment in central Sri Lanka, the Kandy Eye Study. *Ophthalmology* 116:52–56
- Casson RJ, Newland HS, Mueke J, McGovern S, Durkin S, Sullivan T, Oo TZ, Aung TH, Shein WK, Selva D, Aung T (2007) Prevalence and causes of visual impairment in rural Myanmar, the Meiktila Eye Study. *Ophthalmology* 114:2302–2308
- Ramke J, Palagyi A, Naduvilath T, du Toit R, Brian G (2007) Prevalence and causes of blindness and low vision in Timor-Leste. *Br J Ophthalmol* 91:1117–1121
- Saw SM, Husain R, Gazzard GM, Koh D, Widaja D, Tan DT (2003) Causes of low vision and blindness in rural Indonesia. *Br J Ophthalmol* 87:1075–1078
- Isipradit S, Sirimaharaj M, Charukanmnoetkanok P, Thonginnetra O, Wongsawad W, Sathornsumette B, Somboonthanakij S, Soomsawasdi P, Jitawatanarat U, Taweebanjongsin W, Arayangkoon E, Arame P, Kobkoonthon C, Pangputhipong P (2014) The first rapid of assessment of avoidable blindness (RAAB) in Thailand. *PLoS ONE*. doi:10.1371/journal.pone.0114245
- Jonas JB, George R, Ashokan R, Flaxman SR, Keeffe J, Leasher J, Naidoo K, Pesudovs K, Price H, Vijaya L, White RA, Wong TY, Resnikoff S, Taylor HR, Bourne RR, on behalf of the Vision Loss expert Group of the Global Burden of Disease Study (2014) Prevalence and causes of vision loss in Central and South Asia 1999–2010. *Br J Ophthalmol* 98:592–598
- Keeffe J, Taylor HR, Fotis K, Pesudovs K, Flaxman SR, Jonas JB, Leasher J, Naidoo K, Price H, White RA, Wong TY, Resnikoff S, Bourne RRA, on behalf of the Vision Loss expert Group of the Global Burden of Disease Study (2014) Prevalence and causes of vision loss in South East Asia and Oceania 1999–2010. *Br J Ophthalmol* 98:586–591
- Thappa SS, Berg RVD, Khanal S, Paudyal I, Pandey P, Mahajan N, Twyana SN, Paudyal G, Gurung R, Ruit S, Rens GHMBV (2011) Prevalence of visual impairment, cataract surgery and awareness of cataract and glaucoma in Bhaktapur district of Nepal, the Bhaktapur glaucoma study. *BMC Ophthalmol* 11:2. doi:10.1186/1471-2415-11-2
- Ramke J, Brian G, Naduvilath T (2012) Refractive error and presbyopia in Timor-Leste: the impact of five years of a national spectacle program. *Invest Ophthalmol Vis Sci* 53:434–449
- Maramulla S, Keeffe JE, Rao GN (2009) Uncorrected refractive errors, presbyopia, and spectacle coverage: results from a rapid assessment of refractive error survey. *Ophthalmic Epidemiol* 16:269–274
- Bourne RR, Dineen BP, Huq DM, Ali SM, Johnson GJ (2004) Correction of refractive error in the adult population of Bangladesh: meeting the unmet need. *Invest Ophthalmol Vis Sci* 45:410–417



21. Joseph S, Ravilla T, Bassett K (2013) Gender issues in a cataract surgical population in South India. *Ophthalmic Epidemiol* 20:96–101
22. Dorairaj SK, Bandakalli P, Shetty C, Vathsala R, Misquith D, Ritch R (2008) Childhood blindness in a rural population of southern India: prevalence and etiology. *Ophthalmic Epidemiol* 15:176–182
23. Nirmalan PK, Vijayalakshmi P, Sheeladevi S, Kothari MB, Sundaresan K, Rahmathullah L (2003) The Kariapatti pediatric eye evaluation project: baseline ophthalmic data of children aged 15 years or younger in southern India. *Am J Ophthalmol* 136:703–709
24. Bhattacharjee H, Das K, Borah RR, Guha K, Gogate P, Purukayastha S, Gilbert C (2008) Causes of childhood blindness in the north eastern states of India. *Indian J Ophthalmol* 56:495–499
25. Gogate P, Deshpande M, Sudrik S, Taras S, Kishore H, Gilbert C (2007) Changing pattern of childhood blindness in Maharashtra. *Br J Ophthalmol* 91:8–12
26. Gao Z, Muecke J, Edussuriya K, Dayawansa R, Hammerton M, Kong A, Sennanayake S, Senaratne T, Marasinghe N, Selva D (2011) A survey of severe visual impairment and blindness in children attending thirteen schools for blind in Sri Lanka. *Ophthalmic Epidemiol* 18:36–43
27. Sitorus RS, Abidin MS, Prihartono J (2007) Causes and temporal trends of childhood blindness in Indonesia: study at schools for the blind in Java. *Br J Ophthalmol* 91:1109–1113
28. Titiyal JS, Pal N, Murthy GVS, Gupta SK, Tandon R, Vajpayee RB, Gilbert CE (2003) Causes and temporal trends of blindness and severe visual impairment in children in schools for the blind in North India. *Br J Ophthalmol* 87:941–945
29. Muecke J, Hammerton M, Aung YY, Warriars S, Kong A, Morse A, Holmes M, Yapp M, Hamilton C, Selva D (2009) A survey of visual impairment and blindness in children attending seven schools for blind in Myanmar. *Ophthalmic Epidemiol* 16:370–377
30. Murthy GVS, Guta SK, Ellwein LB, Munoz SR, Pokharel GP, Sanga L, Bachani D (2002) Refractive error in children in an urban population in New Delhi. *Invest Ophthalmol Vis Sci* 43:623–631
31. Dandona R, Dandona L, Srinivas M, Sahare P, Narasaiah S, Munoz SR, Pokharel GP, Ellwein LB (2002) Refractive error in children in a rural population in India. *Invest Ophthalmol Vis Sci* 43:615–622
32. Dandona L, Dandona R, Naduvilath TJ, McCarty CA, Nanda A, Srinivas M, Mandal P, Rao GN (1998) Is current eye-care-policy focus almost exclusively on cataract adequate to deal with blindness in India? *Lancet* 351:1312–1316
33. Murthy GV, Gupta SK, Bachani D, Tewari HK, John N (2004) Human resources and infrastructure for eye care in India. *Natl Med J India* 17:128–134
34. World Health Organization (2002) Mid level ophthalmic personnel in South East Asia. SEA-Ophthal-124. WHO New Delhi 2002, pp 1–35
35. Nirmalan PK, Katz J, Robin AL, Krishnadas R, Ramakrishnan R, Thulasiraj RD, Tielsch J (2004) Utilization of eye care services in rural south India: the Aravind Comprehensive Eye Survey. *Br J Ophthalmol* 88:1237–1241
36. Ramasamy D, Josepha S, Valagurua V, Mittab VP, Ravillaa TD, Cotch MF (2013) Cluster randomized trial to compare spectacle delivery systems at outreach eye camps in South India. *Ophthalmic Epidemiol* 20:308–314
37. Kovai V, Rao GN, Holden B, Krishnaiah S, Bhattacharya SK, Maramulla S, Khanna R (2010) An estimate of patient costs and benefits of the new primary eye care model utilization through vision centres in Andhra Pradesh. *Asia Pac J Public Health* 22:426–435
38. Rao GN, Khanna RC, Athota SM, Rajshekar V, Rani PK (2012) Integrated model of primary and secondary eye care for underserved rural areas: L V Prasad Eye Institute experience. *Indian J Ophthalmol* 60:351–357
39. Khanna R, Raman U, Rao GN (2007) Blindness and poverty in India: the way forward. *ClinExptOptom* 90:406–414
40. Rao GN (2015) The Barrie Jones Lecture—Eye care for the neglected population: challenges and solutions. *Eye* 29:30–45

# Is the 2015 eye care service delivery profile in Southeast Asia closer to universal eye health need!

## ORIGINALITY REPORT

<b>14%</b>	<b>9%</b>	<b>7%</b>	<b>6%</b>
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

## PRIMARY SOURCES

<b>1</b>	<b>Submitted to Management Development Institute</b> Student Paper	<b>2%</b>
<b>2</b>	<b>www.icnl.org</b> Internet Source	<b>1%</b>
<b>3</b>	<b>pesquisa.bvsalud.org</b> Internet Source	<b>1%</b>
<b>4</b>	<b>link.springer.com</b> Internet Source	<b>1%</b>
<b>5</b>	<b>apps.searo.who.int</b> Internet Source	<b>1%</b>
<b>6</b>	<b>218.248.31.202</b> Internet Source	<b>1%</b>
<b>7</b>	<b>health.gov.au</b> Internet Source	<b>1%</b>
<b>8</b>	<b>Isipradit, Saichin, Maytinee Sirimaharaj, Puwat Charukamnoetkanok, Oraorn Thonginnetra, Warapat Wongsawad, Busaba Sathornsumetee, Sudawadee Somboonthanakij, Piriya Soomsawasdi,</b>	<b>&lt;1%</b>

Umapond Jitawatanarat, Wongsiri Taweebanjongsin, Eakkachai Arayangkoon, Punyawee Arame, Chinsuchee Kobkoonthon, and Pannet Pangputhipong. "The First Rapid Assessment of Avoidable Blindness (RAAB) in Thailand", PLoS ONE, 2014.

Publication

9

Thapa, Arun Khanal, Sudhir Sharapov, Umi. "Progress towards measles elimination-- South-East Asia Region, 2003-2013/Progres realises en vue d'el", Weekly Epidemiological Record, June 12 2015 Issue

<1 %

Publication

10

Robert J. Casson, H.S. Newland, J. Muecke, S. McGovern et al. "Prevalence and Causes of Visual Impairment in Rural Myanmar", Ophthalmology, 2007

<1 %

Publication

11

[www.pitt.edu](http://www.pitt.edu)

Internet Source

<1 %

12

[dohs.gov.np](http://dohs.gov.np)

Internet Source

<1 %

13

[v2020caribbean.org](http://v2020caribbean.org)

Internet Source

<1 %

14

[www.aanda.org](http://www.aanda.org)

Internet Source

<1 %

15

Submitted to Laureate Higher Education Group

<1 %

16 Gilbert WS Simanjuntak, Golda AM Simanjuntak, Reinne Natali Christine. "Macular hole surgery under retrobulbar local anesthesia increases visual acuity", *Universa Medicina*, 2017  
Publication

---

17 Submitted to Southern New Hampshire University - Distance Education  
Student Paper

---

18 [anthropology-bd.blogspot.in](http://anthropology-bd.blogspot.in)  
Internet Source

---

19 [www.who.int](http://www.who.int)  
Internet Source

---

20 János Németh, Dorottya Szabó, Gábor Tóth, Gábor Sándor et al. "Feasibility of the rapid assessment of avoidable blindness with diabetic retinopathy module (RAAB+DR) in industrialised countries: challenges and lessons learned in Hungary", *Ophthalmic Epidemiology*, 2018  
Publication

---

21 Submitted to University of Newcastle  
Student Paper

---

22 Jost B Jonas, Ronnie George, Rashima Asokan, Seth R Flaxman et al. "Prevalence and causes of vision loss in Central and South Asia: 1990–2010", *British Journal of*



# Ophthalmology, 2014

Publication

23

[www.iapb.org](http://www.iapb.org)

Internet Source

<1%

24

[www.curableblindness.org](http://www.curableblindness.org)

Internet Source

<1%

25

[minerva-access.unimelb.edu.au](http://minerva-access.unimelb.edu.au)

Internet Source

<1%

26

[iceh.lshtm.ac.uk](http://iceh.lshtm.ac.uk)

Internet Source

<1%

27

Theodoros P. Marakis, Chrysanthi Koutsandrea, Klio I. Chatzistefanou, Yannis Tountas. "Treatment satisfaction of patients with neovascular age-related macular degeneration treated with anti-vascular endothelial growth factor agents", International Ophthalmology, 2017

Publication

<1%

28

Thomas, R.. "Present status of eye care in India", Survey of Ophthalmology, 200501/02

Publication

<1%

29

Payne, P. I., L. M. Holt, and C. N. Law. "Structural and genetical studies on the high-molecular-weight subunits of wheat glutenin : Part 1: Allelic variation in subunits amongst varieties of wheat (*Triticum aestivum*)", Theoretical and Applied Genetics, 1981.

Publication

<1%

30

[www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)

Internet Source

&lt;1 %

31

Marcelino Correia, Taraprasad Das, Julia Magno, Bernardete Maria Pereira et al. "Prevalence and causes of blindness, visual impairment, and cataract surgery in Timor-Leste", *Clinical Ophthalmology*, 2017

Publication

&lt;1 %

32

Lalit Dandona. *BMC Medicine*, 2006

Publication

&lt;1 %

33

D. Pascolini. "2002 Global update of available data on visual impairment: a compilation of population-based prevalence studies", *Ophthalmic Epidemiology*, 4/1/2004

Publication

&lt;1 %

34

W. Holmes, R. Shajehan, S. Kitnasamy, C. Abeywickrama, Y. Arsath, F. Gnanaraj, S. Inbaraj, G. Jayakody, K. Durrant, S. Luchters. "Impact of vision impairment and self-reported barriers to vision care: The views of elders in Nuwara Eliya district, Sri Lanka", *Global Public Health*, 2016

Publication

&lt;1 %

35

"Nutrition and Health in Developing Countries", Springer Nature, 2008

Publication

&lt;1 %

36

Alfred Sommer, Hugh R. Taylor, Thulasiraj D. Ravilla, Sheila West et al. "Challenges of

&lt;1 %

# Ophthalmic Care in the Developing World", JAMA Ophthalmology, 2014

Publication

---

---

Exclude quotes      On

Exclude matches      Off

Exclude bibliography      On