



SHILAP Revista de Lepidopterología

ISSN: 0300-5267

avives@eresmas.net

Sociedad Hispano-Luso-Americana de
Lepidopterología
España

Lu, H. F.; Chen, F. Q.; Wu, C. S.
Catalogue of Ctenuchina Heppner, 1992 from China (Lepidoptera: Erebidae, Arctiinae)
SHILAP Revista de Lepidopterología, vol. 40, núm. 160, diciembre, 2012, pp. 447-463
Sociedad Hispano-Luso-Americana de Lepidopterología
Madrid, España

Available in: <http://www.redalyc.org/articulo.oa?id=45526984008>

- How to cite
- Complete issue
- More information about this article
- Journal's homepage in redalyc.org



Scientific Information System
Network of Scientific Journals from Latin America, the Caribbean, Spain and Portugal
Non-profit academic project, developed under the open access initiative

Catalogue of *Ctenuchinina* Heppner, 1992 from China (Lepidoptera: Erebidae, Arctiinae)

H. F. Lu, F. Q. Chen & C. S. Wu

Abstract

A total of 86 valid species in 7 genera of *Ctenuchinina* Heppner, 1992 (6 genera of Syntomini and 1 genus of Euchromiini) are included in this catalogue, of which 6 species are newly recorded for China. The references for each species and known synonyms are given. The distribution of each species is also reported.

KEY WORDS: Lepidoptera, Erebidae, Arctiinae, *Ctenuchinina*, catalogue, China.

Catálogo de los *Ctenuchinina* Heppner, 1992 de China (Lepidoptera: Erebidae, Arctiinae)

Resumen

Se incluyen en este catálogo un total de 86 especies válidas en 7 géneros de *Ctenuchinina* Heppner, 1992 (6 géneros de Syntomini y 1 género de Euchromiini), de las cuales 6 especies son nuevos registros para China. Se dan las referencias de cada especie y las sinonimias conocidas. Se proporciona la distribución de cada especie.

PALABRAS CLAVE: Lepidoptera, Erebidae, Arctiinae, *Ctenuchinina*, catálogo, China.

Introduction

In China, the *Ctenuchinina* Heppner, 1992 (= Syntomidae, Euchromidae, Amatidae, Ctenuchidae) moths have been poorly studied. ZERNY (1912) published the catalogues of Syntomidae that recorded 1977 species in 183 genera worldwide. WU (1938), mainly based on the works of SEITZ (1909-1913) and DRAUDT (1931), reported 38 species under 2 genera of Syntomidae from China in his catalogue. OBRAZTSOV (1957) described 14 species of *Caeneressa* from China, which included 7 new species. He (1966) described 75 Palearctic species of *Amata*, of which 42 species distributed in China. FANG (1982-2002) and WU & FANG (2010) reported 51 species under 6 genera from mainland China. INOUE (1992) and WANG (1994) reported 17 species in 4 genera from Taiwan.

The present paper lists 86 species in 7 genera from China. Among them, *Amata aureola* (Swinhoe), *A. luteifascia* (Hampson), *A. masoni* (Moore), *A. pectoralis* (Walker), *A. pryeri* (Hampson) and *Caeneressa newara* (Moore) are newly recorded for China. The valid taxa are all listed in alphabetical order under their subfamilies. The references for each species and known synonyms are given. The distribution of each species is also reported.

Arctiinae Leach, [1815] 1830

In Brewster, *Edinb. Encycl.*, 9(1): 133

Syntomini Herrich-Schäffer, 1846

Syntomides Herrich-Schäffer, 1846, *Syst. Bearb. Schmiett. Eur.*, 2: 49.

Syntominae Snellen, 1867, *Vlinders Nederland, Macrolepid.*: 16, 128.

Amatidae Janse, 1917, *Check-list South African Lep. het.*: 3, replacement name for Syntomidae.

Amata Fabricius, 1807

Magazin Insektenk. (Illiger), **6**: 289.

Glaucopsis Hübner, [1806], *Tent. Determ. Dig. Denom. Singul. Stirpium Lepidopteror.*: [1].

Syntomis Ochsenheimer, 1808, *Schmett. Eur.*, **2**: 104.

Coenochromia Hübner, [1819] 1816, *Verz. bekannt. Schmett.*:121.

Hydrusa Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 255.

Asinusca Wallengren, 1862, *Öfvers. K. VetenskAkad. Förh. Stockh.*, **19**: 197.

Buthysia Wallengren, 1863, *Wien. ent. Monatschr.*, **7**: 139.

Subgenus Amata Fabricius, 1807

Magazin Insektenk. (Illiger), **6**: 289.

Amata (Amata) atkinsoni (Moore, 1871)

Syntomis atkinsoni Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 245, pl. 18, fig. 2.

Syntomis atkinsonii (Moore): Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 347.

Zygaena atkinsoni (Moore): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 91.

Syntomis sperbius (Fabricius, partim): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 106.

Amata atkinsoni (Moore): Bytynski-Salz, 1939, *Entomologist's Rec. J. Var.*, **51**: 151.

Distribution: China (Yunnan, Guangxi, Jiangxi, Guangdong).

Amata (Amata) cingulata (Weber, 1801)

Zygaena cingulata Weber, 1801, *Obs. Ent.*: 109.

Syntomis atereus (non Cramer) Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 128.

Syntomis annetta Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 347.

Syntomis fortunei (de l'Orza, partim) Leech, 1888, *Proc. zool. Soc. Lond.*, **1888**: 593.

Syntomis cingulata (Weber): Leech, 1898, *Trans. ent. Soc. Lond.*, **1898**: 319; Zerny, 1912, *Lepidopteror. Cat.*, **7**: 19.

Amata cingulata (Weber): Joannis, 1928, *Annls Soc. ent. Fr.*, **98**: 246.

Distribution: China (Fujian, Guangdong, Hong-Kong, Yunnan, Hainan), India, Thailand.

Amata (Amata) edwardsii (Butler, 1876)

Amata (Amata) edwardsii edwardsii (Butler, 1876)

Syntomis edwardsii Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 346.

Syntomis formosae Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 346.

Zygaena edwardsii (Butler): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 92.

Syntomis edwardsii Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**:104, pl. 4, fig. 11.

Syntomis tetrazonata Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**:101, pl. 4, fig. 4.

Syntomis edwardsii ab. *taihokuensis* Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 93.

Syntomis taiwana Miyake, 1907, *Annotnes zool. jap.*, **6**(2): 81.

Distribution: China (Fujian, Shanghai, Zhejiang, Yunnan).

Amata (Amata) edwardsii formosensis Wileman, 1928

Syntomis formosensis Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 443.

Distribution: China (Taiwan).

Amata (Amata) emma (Butler, 1876)

Syntomis emma Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 350.

Syntomis torquatus Leech, 1889, *Trans. ent. Soc. Lond.*, **1889**: 124, pl. 9, fig. 2.

- Zygaena torquatus* (Leech): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 92.
Zygaena emma (Butler): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 92.
Syntomis formosae (Butler, partim) Leech, 1893, *Trans. ent. Soc. Lond.*, **1893**: 320
Syntomis torquata (Leech): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 95.
Amata jankowskyi Rothschild, 1910, *Novit. zool.*, **17**: 434.
Syntomis jankowskyi (Rothschild): Seitz, 1912, *Gross-Schmett. Erde*, **2**: 444.
Amata jancouscyi Hampson 1915, *Cat. Lep. Phal.*, Suppl. **1**: 36.
Amata formosae (Butler, partim) Fletcher, 1925, *Cat. Ind. Ins.*, **8**:14.
Syntomis edwardsi (non Butler.) Zerny, 1931, *Dt. ent. Z. Iris*, **45**: 2.
Syntomis tergomelas M. Hering, 1936, *Ark. Zool.*, **27**(A 32): 7.
Amata emma (Butler): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 67.

Amata (Amata) emma ab. torquatella Strand, 1920

- Amata jancouscyi* ab.1 Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**: 37.
Syntomis jankowskyi ab. *torquatella* Strand, 1920, *Dt. ent. Z. Iris*, **34**: 224.

Distribution: China (Hebei, Shaanxi, Shandong, Jiangsu, Zhejiang, Fujian, Jiangxi, Hubei, Hunan, Guangdong, Guangxi, Sichuan, Guizhou, Yunnan, Taiwan), India, Myanmar, Japan.

Amata (Amata) fortunei (de l'Orza, 1859)

- Syntomis fortunei* de l'Orza, 1859, *Lep. Jap.*: 38.
Zygaena fortunei (de l'Orza): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 92.
Syntomis taiwana (non Miyake) Matsumura, 1911, *Thousand Ins. Suppl.*, **3**: 62, pl. 35, fig. 8.
Amata fortunei (de l'Orza): Esaki, 1932, *Nippon Konchu Zukan*: 1033, fig., pl. 9, p. 2162, fig. (larva).

Syntomis fortunei matsumurai Sonan, 1941

- Syntomis fortunei matsumurai* Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 108.

Amata fortunei ab. yezonis Strand, 1898

- Syntomis fortunri* ab.1 Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 104.
Syntomis fortunei (de l'Orza, partim) Seitz, 1909, *Gross-Schmett. Erde*, **2**: 39.
Syntomis fortunei ab. *yezonis* Strand, 1917, *Arch. Naturgesch.*, (A)**82**(2): 81.

Amata fortunei ab. erebina Butler, 1881

- Syntomis erebina* Butler, 1881, *Trans. ent. Soc. Lond.*, **1881**: 5.
Syntomis fortunei ab. *erebina* (Butler): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 104.
 Distribution: China (Northeast, Taiwan), Japan, Korea.

Amata (Amata) septentrionalis Bytinski-Salz, 1939

- Amata sperbius septentrionalis* Bytinski-Salz, 1939, *Entomologist's Rec. J. Var.*, **51**: 151, pl. 10, figs. 7-8.
Amata septentrionalis (Bytinski-Salz): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 83.
 Distribution: China (Sichuan, Xizang).

Amata (Amata) sinica Obratzsov, 1966

- Amata sinica* Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 93.
 Distribution: China (Zhejiang, Jiangsu).

Amata (Amata) sperbius (Fabricius, 1787)

Amata (Amata) sperbius sperbius (Fabricius, 1787)

- Zygaena sperbius* Fabricius, 1787, *Mantis. Insector.*, **2**:103.
Syntomis sperbius (Fabricius): Boisduval, 1829, *Monogr. Zygén.*: 126.
Amata atkinsoni (non Moore) Swinhoe & Cotes, 1887, *Cat. Moths Ind.*: 45.
Amata sperbius (Fabricius): Flechter, 1925, *Cat. Ind. Ins.*, **8**: 21.
Amata sperbius sperbius (Fabricius): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 82.

Distribution: China (Guangdong, Guangxi, Yunnan, Hainan), Myanmar, India, Bhutan, Thailand, Japan.

Subgenus *Syntomis* Ochseneheimer, 1808

Schmett. Eur., **2**: 104.

Amata (Syntomis) acrospila (Felder, 1869)

Syntomis acrospila Felder, 1869, *Reise Österr. Fregatte Novara (Zool.)*, **Lep.**, **2**: 9, pl. 102, fig. 11.

Zygaena acrospila (Felder): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 94.

Amata acrospila (Felder): Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**: 33.

Distribution: China (Jiangsu, Fujian, Jiangxi, Zhejiang, Guangxi, Hubei, Sichuan, Guizhou, Yunnan).

Amata (Syntomis) aucta (Leech, 1898)

Syntomis aucta Leech, 1898, *Entomologist*, **31**: 153.

Amata aucta (Leech): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 149.

Distribution: China (Guizhou, Sichuan).

Amata (Syntomis) aureola (Swinhoe, 1902) new record to China

Amata aureola Swinhoe, 1902, *Ann. Mag. nat. Hist.*, (7)**9**: 78.

Distribution: China (Sichuan), India.

Amata (Syntomis) bicincta (Kollar, 1844)

Syntomis bicincta Kollar, 1844, *Hügels Kaschmir*, **4**: 460, pl. 19, fig. 8.

Syntomis schoenerrhi (non Boisduval; partim) Horsfield & Moore, 1859, *Cat. Lep. Ins. East-India House*, **2**: 323.

Zygaena bicincta (Kollar): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 90.

Amata bicincta (Kollar): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 368.

Distribution: China (Fujian, Beijing), India.

Amata (Syntomis) caspia Staudinger, 1877

Syntomis maracandina (partim) Erschoff, 1874, *Fedtschr. Reise Turkest. Lep.*: 30.

Amata caspia Staudinger, 1877, *Stettin. ent. Ztg.*, **38**: 176

Syntomis caspia (err. det. & lapsus calami) Romanoff, 1884, *Mém. Lép.*, **1**: 82, pl. 4, fig. 7.

Syntomis maracandina var. *caspia* (non Staudinger) Alphéraky, 1892, *In Romanoff, Mém. Lép.*, **6**: 4.

Syntomis caspia (Staudinger, partim) Hampson, 1898, *Cat. Lep. Phal.*, *B. M.*, **1**: 108.

Syntomis minuta A. Bang-Haas, 1910, *Dt. ent. Z. Iris*, **24**: 49.

Amata minuta Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**: 40, pl. 2, fig. 32.

Syntomis caspia martinierici Bryk, 1941, *Ent. Tidskr.*, **62**: 142.

Amata banghaasi Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 358.

Amata (Syntomis) minutissima Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 362.

Syntomis banghaasi schachtli de Freina, 1994, *Atalanta*, **25**: 333, pl. 14, figs. 16, 17.

Distribution: China (Qinghai, Gansu, Xinjiang), Mongolia, Russia, Transcaspiya, Kazakhstan, Turkey.

Amata (Syntomis) chekianga Obratzsov, 1966

Amata chekianga Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 138.

Distribution: China (Zhejiang).

Amata (Syntomis) compta (Walker, 1869)

Syntomis compta Walker, 1869, *Charact. Undescr. Het.*: 89.

Distribution: China (Yunnan), India.

***Amata (Syntomis) concurrens* (Leech, 1898)**

Syntomis dichotoma var. *concurrrens* Leech, 1898, *Entomologist*, **31**: 153.
Amata concurrens (Leech): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 137.
 Distribution: China (Sichuan, Guizhou).

***Amata (Syntomis) confluens* (Leech, 1898)**

Syntomis acrospila var. *confluens* Leech, 1898, *Trans. ent. Soc. Lond.*, **1898**: 322.
Syntomis acrospila Felder, 1869, *Reise Österr. Fregatte Novara (Zool.)*, *Lep.*, **2**: 9, pl. 102, fig. 11.
Syntomis acrospila ab.1 Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 92.
Syntomis acrospila Felder, 1869, *Reise Österr. Fregatte Novara (Zool.)*, *Lep.*, **2**: 9, pl. 102, fig. 11.
Syntomis acrospila ab. *changiana* Strand, 1917, *Arch. Naturgesch.*, (A)**82**(2): 81.
Syntomis acrospila (part) Wu, 1938, *Cat. Ins. Sin.*, **4**: 629.
Syntomis changiana Wu, 1938, *Cat. Ins. Sin.*, **4**: 630.
Amata confluens (Leech): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 121.
***Amata confluens* ab. *leechi* Rothschild, 1910**
Syntomis acrospila (non Felder.) Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 91.
Amata leechi Rothschild, 1910, *Novit. zool.*, **17**: 433.
Syntomis leechi (Rothschild): Seitz, 1912, *Gross-Schmett. Erde*, **2**: 445.
Amata confluens (non Leech) Hampson, 1915, *Cat. Lep. Phal., Suppl.* **1**: 33.
 Distribution: China (Sichuan).

***Amata (Syntomis) davidi* (Poujade, 1885)**

Syntomis davidi Poujade, 1884, *Bull. Soc. ent. Fr.*, **1884**: 136.
Zygaena davidi (Poujade): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 96.
Syntomis masoni (Moore, partim) Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 95
Amata masoni (Moore, partim) Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 16.
Amata davidi (Poujade): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 151.
 Distribution: China (Sichuan, Gansu, Shaanxi, Hunan, Hubei).

***Amata (Syntomis) dichotoma* (Leech, 1898)**

Syntomis dichotoma Leech, 1898, *Entomologist*, **31**: 153.
Amata dichotoma (Leech): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 12.
 Distribution: China (Guangxi, Hainan, Hubei, Jiangxi, Sichuan, Yunnan, Xizang).

***Amata (Syntomis) dichotomoides* Obratzsov, 1966**

Amata dichotomoides Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 135.
 Distribution: China (Hunan, Zhejiang, Guangxi).

Amata (Syntomis) divisa* (Walker, 1854)**Amata (Syntomis) divisa divisa* (Walker, 1854)**

Syntomis divisa Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 131.
Zygaena divisa (Walker): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 94.
Syntomis divisa ab. *sylhetica* Strand, 1917, *Arch. Naturgesch.*, (A)**82**(2): 81.
Amata divisa (Walker): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 12.
Amata divisa divisa (Walker): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 141.
 Distribution: China (Henan, Guangdong, Jiangxi, Hunan, Guizhou, Fujian, Yunnan), India, Myanmar, Thailand.

***Amata (Syntomis) divisa disrupta* (Moore, 1878)**

Syntomis divisa disrupta Moore, 1878, *Proc. zool. Soc. Lond.*, **1878**: 845, pl. 53, fig. 5.
Amata divisa disrupta (Moore): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 142.

Distribution: China (Fujian).

Amata (Syntomis) euryzona (Leech, 1898)

Syntomis euryzona Leech, 1898, *Entomologist*, **31**: 153.

Amata euryzona (Leech): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 13.

Distribution: China (Sichuan, Xizang).

Amata (Syntomis) fenestrata (Drury, 1773)

Sphinx fenestrata Drury, 1773, *Illustr. nat. Hist. exot. Insects*, 2, Index: 1.

Spinx polymita Sparrman, 1769, *Ameon. Acad.*, **7**: 504.

Zygaena fenestrata (Drury): Fabricius, 1775, *Syst. Entomol.*: 552.

Zygaena thelebus Fabricius, 1787, *Mantis. Insector.*, 2: 103.

Syntomis thelebus (Fabricius): Boisduval, 1829, *Monogr. Zygén.*: 122.

Syntomis fenestrata (Drury): Boisduval, 1829, *Monogr. Zygén.*: 124, pl. 8, fig. 1.

Zygaena polymita Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.

Syntomis polymita (Kirby): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 92.

Syntomis polymita fenestrata (Drury): Seitz, 1912, *Gross-Schmett. Erde*, **10**: 70.

Syntomis polymita (Sparrman): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 25.

Amata polymita (Kirby): Candèze, 1927, *Encycl. ent., B. Lépidoptère*, **2**: 74.

Amata fenestrata (Drury): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 96.

Amata (Syntomis) fenestrata ab. sepulcrorum Seitz, 1912

Syntomis polymita ab. sepulcrorum Seitz, 1912, *Gross-Schmett. Erde*, **10**: 70.

Syntomis polymita ab. 1 Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 92.

Distribution: China (Guangdong, Guangxi, Yunnan, Hainan), Japan, Philippines.

Amata (Syntomis) fervida (Walker, 1854)

Syntomis fervid Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 131.

Distribution: China (Guangxi, Yunnan), Myanmar, Kampuchea.

Amata (Syntomis) flava (Wileman, 1910)

Syntomis lucerna flava Wileman, 1910, *Entomologist*, **43**: 221.

Amata aurantiifrons Rothschild, 1911, *Novit. zool.*, **18**: 154.

Syntomis aurantiifrons (Rothschild): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 19.

Amata flava (Wileman): Hampson, 1915, *Cat. Lep. Phal., Suppl.* **1**: 30, pl. 2, fig. 19.

Syntomis flava ab. aurantiifrons (Rothschild): Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 443

Syntomis lucerna (non Wileman) Matsumura, 1931, *6000 Illustr. Ins. Jap.*: 994.

Distribution: China (Taiwan, Yunnan, Zhejiang, Jiangxi, Shanghai, Fujian).

Amata (Syntomis) formosensis Wileman, 1928

Syntomis fortunei formosensis Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 443, pl. 20, fig. 15.

Distribution: China (Taiwan).

Amata (Syntomis) ganssuensis ganssuensis (Grum-Grshimaïlo, 1890)

Syntomis ganssuensis Grum-Grshimaïlo, 1890, *Horae Soc. ent. Ross.*, **25**: 461.

Zygaena ganssuensis (Grum-Grshimaïlo): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 901.

? *Syntomis phegea* (non Linnaeus) Wu, 1938, *Cat. Ins. Sin.*, **4**: 632.

Amata ganssuensis (Grum-Grshimaïlo): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 320.

Distribution: China (Gansu, Qinghai, Guangxi, Shaanxi, Hebei, Henan).

Amata (Syntomis) ganssuensis herzi (Turati, 1917)

Syntomis herzi Turati, 1917, *Atti Soc. ital. Sci. nat.*, **56**: 216, 224, pl. 3, figs. 2-3.

Syntomis phegea (non Linnaeus) Nomura, 1937, *Festschr. 60. Geburtstag E. Strand*, **3**: 471, 484.
Amata ganssuensis herzi (Turati): Obratsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 321.
 Distribution: China (Inner Mongolia, Shanxi, Hebei, Heilongjiang, Liaoning).

***Amata (Syntomis) ganssuensis melanocera* (Hampson, 1903)**

Syntomis melanocera Hampson, 1903, *Ann. Mag. nat. Hist.*, (7), **11**: 338.
Amata melanocera (Hampson): Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**: 40, pl. 3, fig. 2.
 Distribution: China (Shandong).

***Amata (Syntomis) germana* (Felder, 1862)**

***Amata (Syntomis) germana germana* (Felder, 1862)**

Syntomis germana Felder, 1862, *Wien. ent. Monatschr.*, **6**: 37.
Syntomis fenestrata (non Drury) Herrich-Schäffer, 1855, *Samml. aussereur. Schmett.*, **1**: 72, fig. 270.
Syntomis thelebus Ménétériès, 1859, *In Schrenk, Reisen Amurl.*, 2, *Zool.*, **1**: 48.
Syntomis thelebris Pryer, 1885, *Trans. Asiat. Soc. Japan*, **12**: 43.
Syntomis thelebus (Ménétériès, partim): Leech, 1888, *Proc. zool. Soc. Lond.*, **1888**: 593.
Zygaena mandarinia (Butler): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 97.
Zygaena germana (Felder): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.
Syntomis germana ab. *nigricauda* Miyake, 1907, *Annotnes zool. jap.*, **6**: 161.
Amata germana (Felder): Candèze, 1927, *Encycl. ent.*, B, *Lépidoptère*, 2: 75.
Syntomis germana mandarinia (Butler): Wu, 1938, *Cat. Ins. Sin.*, **4**: 631.
Amata germana germana (Felder): Obratsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 103.
***Amata germana germana* ab. *kolthoffi* Bryk, 1941**
Syntomis kolthoffi Bryk, 1941, *Ent. Tidskr.*, **62**: 143.
Amata germana germana ab. *kolthoffi* (Bryk): Obratsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 105.

Distribution: China (Henan, Zhejiang, Yunnan, Gansu, Hubei, Guizhou, Hunan, Fujian, Guangxi, Hainan, Yunnan, Anhui, Jiangxi, Guangdong, Sichuan, Shaanxi), Japan, Korea, Indonesia.

***Amata (Syntomis) germana hirayamae* Matsumura, 1927**

Amata hirayamae Matsumura, 1927, *J. Coll. Agric. Hokkaido Imp. Univ.*, **19**: 74, pl. 4, fig. 14.
Syntomis germana (non Felder) Strand, 1915, *Dt. ent. Z.*, **1915**: 32.
Amata germana (non Felder) Sonan, 1924, *Rep. Dept. Agric. Govt. res. Inst. Formosa*, **12**: 5.
Syntomis germana hirayamae (Matsumura): Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 423, pl. 20, figs. 17-18.
***Amata germana hirayamae* ab. *nitobei* Sonan**
Syntomis germana hirayamae ab. *nitobei* Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 102.
Syntomis hirayamae (Matsumura): Matsumura, 1931, *6000 Illustr. Ins. Jap.*: 995, fig.
 Distribution: China (Taiwan).

***Amata (Syntomis) germana genzana* Matsumura, 1927**

Amata genzana Matsumura, 1927, *J. Coll. Agric. Hokkaido Imp. Univ.*, **19**: 75, pl. 4, fig. 10.
Syntomis thelebus (non Felder) Ménétériès, 1859, *In Schrenk, Reisen Amurl.*, 2, *Zool.*, **1**: 48.
Syntomis germana amurensis Bryk, 1914, *Ent. Tidskr.*, **62**: 143.
Syntomis germana (non Felder) Kurenzoff, 1922, *Mem. South Ussuri Branch Russ. Geogr. Soc.*, **1**: 3.
Syntomis germana genzana (Matsumura): Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 426.
Syntomis genzana (Matsumura): Matsumura, 1931, *6000 Illustr. Ins. Jap.*: 995.
 Distribution: China (Heilongjiang), Korea.

***Amata (Syntomis) grahami* Obratzsov, 1966**

Amata grahami Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 138.

Distribution: China (Sichuan).

***Amata (Syntomis) grotei* (Moore, 1871)**

Syntomis grotei Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 245, pl. 18, fig. 4.

Zygaena grotei (Moore, lapsus calami): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 96.

Amata grotei (Moore, lapsus calami): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 14.

***Amata (Syntomis) grotei f. arenae* Seitz, 1912**

Syntomis grotei ab. *arenae* Seitz, 1912, *Gross-Schmett. Erde*, **10**: 71.

Syntomis actea ab. *arenae* Wu, 1938, *Cat. Ins. Sin.*, **4**: 639.

***Amata (Syntomis) grotei f. chimaera* Seitz, 1912**

Syntomis grotei ab. *chimaera* Seitz, 1912, *Gross-Schmett. Erde*, **10**: 71.

Syntomis actea chimaera Wu, 1938, *Cat. Ins. Sin.*, **4**: 629.

Distribution: China (Guangdong, Guangxi, Hong-Kong, Yunnan), Myanmar.

***Amata (Syntomis) handel-mazzettii* (Zerny, 1913)**

Syntomis handel-mazzettii Zerny, 1913, *Dt. ent. Z. Iris*, **45**: 2, pl.1, fig. 27.

Amata handel-mazzettii (Zerny): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 143.

Distribution: China (Yunnan, Sichuan).

***Amata (Syntomis) hoenei* Obratzsov, 1966**

Amata (Syntomis) hoenei Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 132, pl. 6, figs. 12, 13.

Distribution: China (Zhejiang, Guangxi).

***Amata (Syntomis) hunana* (Zerny, 1931)**

Syntomis hunana Zerny, 1931, *Dt. ent. Z. Iris*, **45**: 2, pl. 1, fig. 25.

Amata hunana (Zerny): Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 162.

Distribution: China (Hunan, Hubei).

***Amata (Syntomis) issikii* (Sonan, 1941)**

Syntomis issikii Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 98, fig. 1.

Distribution: China (Taiwan).

***Amata (Syntomis) kuatuna* Obratzsov, 1966**

Amata kuatuna Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 133.

Distribution: China (Fujian, Henan).

***Amata (Syntomis) lucerna* (Wileman, 1910)**

Syntomis lucerna Wileman, 1910, *Entomologist*, **43**: 221.

Syntomis lucerna (Wileman): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 23.

Amata lucerna (Wileman): Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**: 34, pl. 2, fig. 24.

Syntomis flava (non Wileman) Matsumura, 1931, *6000 Illustr. Ins. Jap.*: 996.

Amata sinana Bytynski-Salz, 1939, *Entomologist's Rec. J. Var.*, **51**: 151, pl. 10, fig. 9.

Distribution: China (Taiwan, Guizhou, Xizang, Yunnan, Sichuan, Henan, Hubei).

***Amata (Syntomis) luteifascia* (Hampson, 1892) new record to China**

Amata luteifascia Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: 218.

Distribution: China (Guangxi, Hainan, Yunnan), India.

***Amata (Syntomis) masoni* (Moore, 1878) new record to China**

Amata (Syntomis) masoni Moore, 1878, *Proc. zool. Soc. Lond.* **1878**: 845, 857.

Distribution: China (Sichuan, Yunnan), Myanmar.

***Amata (Syntomis) menia* Bytinski-Salz, 1939**

Amata menia Bytinski-Salz, 1939, *Entomologist's Rec. J. Var.*, **51**: 152, pl. 10, figs. 11-12.

Distribution: China (Sichuan, Xizang).

***Amata (Syntomis) nigrifrons* Wileman, 1914**

Amata nigrifrons Wileman, 1914, *Entomologist.*, **47**: 318.

Amata deflavata Gaede, 1926, *Dt. ent. Z.*, **1926**: 115.

Distribution: China (Taiwan).

***Amata (Syntomis) pascus* (Leech, 1889)**

Syntomis pascus Leech, 1889, *Trans. ent. Soc. Lond.*, **1889**: 124, pl. 9, fig. 1.

Zygaena pascus (Leech): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 94.

Syntomis pasca (Leech): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 94.

Amata pasca (Leech): Fletcher, 1925, *Cat. Ind., Ins.*, **8**: 18.

Distribution: China (Henan, Shaanxi, Fujian, Guangxi, Zhejiang, Jiangsu, Jiangxi, Sichuan, Xizang, Gansu, Guizhou, Hubei, Hunan, Yunnan).

***Amata (Syntomis) pectoralis* (Walker, 1854) new record to China**

Amata pectoralis Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 133.

Hydrusa basirufa Swinhoe, 1892, *Cat. Lepid. Heterocera Colln. Univ. Mus.*, **1**: 51.

Distribution: China (Fujian), Kampuchea, Myanmar.

***Amata (Syntomis) perixanthia* (Hampson, 1898)**

Syntomis perixanthia Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 97, pl. 3, fig. 17.

Distribution: China (Fujian, Taiwan, Hunan, Sichuan).

***Amata (Syntomis) persimilis* (Leech, 1898)**

Syntomis persimilis Leech, 1898, *Entomologist*, **31**: 152.

Syntomis perixanthia (Hampson, partim) Leech, 1898, *Trans. ent. Soc. Lond.*, **1898**: 321.

Syntomis perixanthia ab. *persimilis* Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 97, pl. 3, fig. 17.

Syntomis perixanthia ab. *interrupta* Wileman, 1910, *Entomologist*, **43**: 220.

Amata perixanthia (Hampson, partim) Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 20.

Syntomis perixanthia (Leech): Wu, 1938, *Cat. Ind. Ins.*, **4**: 63.

Syntomis persimilis (Leech): Obraztsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 126.

Distribution: China (Sichuan, Yunnan, Taiwan, Fujian, Hunan).

***Amata (Syntomis) pryeri* (Hampson, 1898) new record to China**

Amata pryeri Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 102, pl. 4, fig. 8.

Distribution: China (Yunnan), Indonesia.

***Amata (Syntomis) quadrifascia* (Hampson, 1892)**

Syntomis quadrifascia Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: 215.

Distribution: China (Yunnan), Myanmar.

***Amata (Syntomis) rantaisana* (Sonan, 1941)**

Syntomis rantaisana Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 98, fig. 2.

Distribution: China (Taiwan).

***Amata (Syntomis) shirakii* (Sonan, 1941)**

Callitomis shirakii Sonan, 1941, *Trans. nat. Hist. Soc. Formosa*, **31**: 93-113.

Distribution: China (Taiwan).

***Amata (Syntomis) sinensis* Rothschild, 1910**

***Amata (Syntomis) sinensis sinensis* Rothschild, 1910**

Amata perixanthia sinensis Rothschild, 1910, *Novit. zool.*, **17**: 435.

Syntomis perixanthia (non Hampson) Seitz, 1909, *Gross-Schmett. Erde*, **2**: 39, pl. 9f (fig.2).

Syntomis perixanthia sinensis (Rothschild): Seitz, 1913, *Gross-Schmett. Erde*, **10**: 70.

?*Amata interrupta* (non Wileman) Hampson, 1915, *Cat. Lep. Phal.*, Suppl. **1**, pl. 2, fig. 23.

Amata perixanthia (Hampson, partim) Flechter, 1925, *Cat. Ind. Ins.*, **8**: 20.

Syntomis persimilis sinensis (Rothschild): Wileman, 1928, *Trans. ent. Soc. Lond.*, **76**: 433.

Syntomis persimilis var. *sinensis* Wu, 1938, *Cat. Ins. Sin.*, **4**: 632.

Amata sinensis sinensis (Rothschild): Obratsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 131.

Distribution: China (Guizhou, Sichuan, Hunan, Henan, Hubei).

***Amata (Syntomis) sinensis fukiensis* Obratsov, 1966**

Amata sinensis fukiensis Obratsov, 1966, *Veröff. Zool. Staatssamml. München*, **10**: 132.

Distribution: China (Fujian).

***Amata (Syntomis) sladeni* (Moore, 1871)**

Syntomis sladeni Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 245, pl. 18, fig. 5.

Zygaena sladeni (Moore): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 26.

Amata sladeni (Moore): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 21.

Distribution: China (Yunnan), Myanmar, Vietnam, Thailand.

***Amata (Syntomis) szechuana* Bytinski-Salz, 1939**

Amata compta f. *szechuana* Bytinski-Salz, 1939, *Entomologist's Rec. J. Var.*, **51**: 152, pl. 10, fig. 10.

Distribution: China (Sichuan, Hubei).

***Amata (Syntomis) t-nigra* (Matsumura, 1931)**

Syntomis t-nigra Matsumura, 1931, *6000 Illustr. Ins. Jap.*: 996.

Distribution: China (Taiwan).

***Amata (Syntomis) vitrea* (Walker, 1856)**

Syntomis vitrea Walker, 1856, *List Specimens lepid. Insects Colln. Br. Mus.*, **7**: 1594.

Syntomis austeni Moore, 1879, *Proc. zool. Soc. Lond.*, **1879**: 389.

Syntomis polyzonata Hampson, 1895, *Trans. ent. Soc. Lond.*, **1895**: 283.

Distribution: China (Yunnan), India, Myanmar.

***Amata (Syntomis) wilemani* (Rothschild, 1911)**

Amata wilemani Rothschild, 1911, *Novit. zool.*, **18**: 154.

Syntomis ponkikonis Strand, 1915, *Dt. ent. Z.*, **19**: 29.

Syntomis karapinensis Strand, 1915, *Dt. ent. Z.*, **19**: 29.

Distribution: China (Taiwan).

***Amata (Syntomis) xanthoma* (Leech, 1898)**

***Amata (Syntomis) xanthoma xanthoma* (Leech, 1898)**

Syntomis xanthoma Leech, 1898, *Entomologist*, **31**: 152.

Amata xanthoma (Leech): Obratsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 146.

Distribution: China (Guizhou).

***Amata (Syntomis) xanthoma atuntseensis* Obratzsov, 1966**

Amata xanthoma atuntseensis Obratzsov, 1966, *Veröff. zool. StSamml. Münch.*, **10**: 146.

Distribution: China (Yunnan).

***Amata (Syntomis) yunnanensis* Rothschild, 1911**

Amata yunnanensis Rothschild, 1911, *Novit. zool.*, **18**: 155.

Syntomis yunnanensis (Rothschild): Seitz, 1912, *Gross-Schmett. Erde*, **10**: 70.

Distribution: China (Yunnan), Myanmar.

***Caeneressa* Obratzsov, 1957**

Bull. Mus. comp. Zool. Harv., **116**: 392.

***Caeneressa albifrons* (Moore, 1878)**

Syntomis albifrons Moore, 1878, *Proc. zool. Soc. Lond.*, **1878**: 845, pl. 53, fig. 6.

Distribution: China (Yunnan), Myanmar.

***Caeneressa alikangiensis* (Strand, 1915)**

Syntomis muirheadi var. *alikangiensis* Strand, 1915, *Dt. ent. Z.*, **1915**: 31.

Amata takamukuana Matsumura, 1927, *J. Coll. Agric. Hokkaido Imp. Univ.*, **19**: 74.

Distribution: China (Taiwan).

***Caeneressa diaper* Obratzsov, 1957**

Caeneressa diaper Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 413, pl. 4, figs. 1, 2.

Distribution: China (Fujian).

***Caeneressa diaphana* (Kollar, [1844] 1848)**

***Caeneressa diaphana diaphana* (Kollar, [1844] 1848)**

Syntomis diaphana Kollar, [1844] 1848, *In Hügel, Kaschmir und das Reich der Siek*, **4**(2): 460, pl. 9, fig. 392.

Syntomis vitreata Herrich-Schäffer, 1855, *Samml. Neuer oder wening bekannt. Aussereurop. Schmett.*: pl. 50, fig. 267.

Hydrusa baiaea Swinhoe, 1891, *Trans. ent. Soc. Lond.*, **1891**: 473, pl. 19, fig. 10.

Zygaena vitreata (Herrich-Schäffer): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.

Syntomis baiaea (Swinhoe): Hampson, 1897, *J. Bombay N. H. Soc.*, **11**: 184.

Syntomis muirheadi (non Felder) Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**, pl. 3, fig. 13.

Syntomis horishana Matsumura, 1911, *Thousand Ins. Suppl.*, **3**: 69, pl. 35, fig. 19.

Syntomis hoppo Matsumura, 1911, *Thousand Ins. Suppl.*, **3**: 70, pl. 35, fig. 20.

Syntomis bajaea (Swinhoe, lapsus calami): Zerny, 1912 *Lepidopteror. Cat.*, **7**: 19.

Amata biaea (Swinhoe, lapsus calami): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 8.

Syntomis muirheadi ab. *horishana* Kawada, 1934, *Cat. Ins. Jap.*, **5**: 2.

Hydrusa diaphana (Kollar): Swinhoe, 1892, *Cat. Lepid. Heterocera Colln. Univ. Mus.*, **1**: 51.

Zygaena diaphana (Kollar): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.

Caeneressa diaphana diaphana (Kollar): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **11**(7): 420.

***Caeneressa diaphana diaphana* ab. *melas* (Walker, 1854)**

Syntomis melas Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 133.

Syntomis andersoni Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 244, pl. 18, fig. 1.

Syntomins melaena (nomen emendatum): Hampson, [1893] 1892, *Fauna Br. India (Moths)*, **1**: 216.

Amata melaena (Hampson): Candèze, 1927, *Encycl. ent., B. Lépidoptère*, **2**: 75.

Syntomis owstoni meals (Walker, lapsus calami): Wu, 1938, *Cat. Ins. Sinens.*, **4**: 631.

Zygaena melas (Walker): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 94.

Amata melas (Walker): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 17.

Caeneressa diaphana diaphana ab. *melas* (Walker): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 420.

***Caeneressa diaphana diaphana* ab. *andersoni* (Moore, 1871)**

Syntomis andersoni Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 244, pl. 18, fig. 1.

Amata flavolavata Rothschild, 1910, *Novit. zool.*, **17**: 434.

Syntomis flavolavata (Rothschild): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 21.

Zygaena andersoni (Moore): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 50.

Caeneressa diaphana diaphana ab. *andersoni* (Moore): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 424.

Distribution: China (Taiwan, Sichuan, Anhui, Yunnan), India, Myanmar, Nepal, Indonesia.

***Caeneressa diaphana muirheadii* (Felder, 1862)**

Syntomis muirheadii Felder, 1862, *Wien. ent. Monatschr.*, **6**: 37.

Zygaena muirheadii (Felder): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.

Syntomis muirheadii (Felder, lapsus calami): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 95.

Syntomis muirheadii (ssp. or ab.) *aucta* (non Leech) (Felder): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 95.

Amata muirheadii (Felder): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 17.

Caeneressa diaphana muirheadii (Felder, lapsus calami): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 426.

Distribution: China (Jiangsu, Zhejiang, Jiangxi, Fujian, Guangxi, Guangdong, Sichuan, Guizhou).

***Caeneressa diaphana hunanensis* Obratzsov, 1957**

Caeneressa diaphana hunanensis Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 428, pl. 3, figs. 10, 11.

Distribution: China (Hunan).

***Caeneressa fouqueti* (de Joannis, 1912)**

Ceryx fouqueti de Joannis, 1912, *Bull. Soc. ent. Fr.*, **1912**: 286.

Distribution: China (Yunnan), Vietnam.

***Caeneressa graduata* (Hampson, 1898)**

Syntomis graduata Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 67, pl. 2, fig. 28.

Caeneressa graduata (Hampson): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 428.

Distribution: China (Henan, Jiangsu).

***Caeneressa hoenei* Obratzsov, 1957**

Caeneressa hoenei Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 411, pl. 1, figs. 9, 10.

Distribution: China (Shanxi, Zhejiang, Guizhou).

***Caeneressa klapperichi* Obratzsov, 1957**

Caeneressa klapperichi Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 403, pl. 1, figs. 7, 8

Distribution: China (Fujian, Hunan).

***Caeneressa newara* (Moore, 1879) new record to China**

Syntomis newara Moore, 1879, *Lep. Atkins.*: 12.

Distribution: China (Yunnan), India.

***Caeneressa ningyuena* Obratzsov, 1957**

Caeneressa ningyuena Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 416, pl.4, fig. 4.

Distribution: China (Sichuan).

***Caeneressa obsoleta* (Leech, 1898)**

Syntomis swinhoei ab. *obsoleta* Leech, 1898, *Entomologist*, **31**: 152.
Syntomis actea ab. *obsoleta* (Leech): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 19.
Caeneressa obsoleta (Leech): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 406.
 Distribution: China (Fujian, Zhejiang, Jiangxi, Hunan).

***Caeneressa oenone* (Butler, 1854)**

Syntomis oenone Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 344.
Syntomis diaphana var. ? Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 126.
Zygaena vitreata (Herrich-Schäffer, partim) Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.
Syntomis diaphana (Herrich-Schäffer, partim) Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: 216.
Caeneressa oenone (Butler): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 417.
 Distribution: China (Xizang), India.

***Caeneressa pratti* (Leech, 1889)**

Syntomis pratti Leech, 1889, *Trans. ent. Soc. Lond.*, **1889**: 123, pl. 9, fig. 3.
Zygaena pratti (Leech): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 95.
Caeneressa pratti (Leech): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 405.
 Distribution: China (Jiangxi).

***Caeneressa proxima* Obratzsov, 1957**

Caeneressa proxima Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 400, pl. 1, figs. 1-3.
 Distribution: China (Guangdong, Fujian, Jiangsu, Guizhou, Jiangxi, Hunan).

***Caeneressa rubrozonata* (Poujade, 1886)**

***Caeneressa rubrozonata rubrozonata* (Poujade, 1886)**

Syntomis rubrozonata Poujade, 1886, *Bull. Soc. ent. Fr.*, **1886**: 117.
Zygaena rubrozonata (Poujade): Kirby, 1892, *Syn. Cat. Lep. het.*, **1**: 93.
Caeneressa rubrozonata rubrozonata (Poujade): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 434.

***Caeneressa rubrozonata rubrozonata* ab. *leuoma* (Leech, 1898)**

Syntomis consequa Leech, 1898, *Entomologist*, **31**: 153.
Syntomis leuoma Leech, 1898, *Entomologist*, **31**: 154.
Syntomis rubrozonata (Poujade, partim): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 85, pl. 3, fig. 7.
Syntomis rubrozonata ab. *lencoma* (Leech, lapsus calami): Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 85.
Caeneressa rubrozonata rubrozonata ab. *leuoma* (Leech, lapsus calami): Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 435.
 Distribution: China (Sichuan, Guizhou, Yunnan, Xizang), Vietnam.

***Caeneressa rubrozonata curymelaena* Obratzsov, 1957**

Caeneressa rubrozonata eurymelaena Obratzsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 436, pl. 4, figs. 10-15.
 Distribution: China (Henan, Zhejiang, Fujian).

***Caeneressa serrata* (Hampson, 1892)**

Syntomis serrata Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: 221.
 Distribution: China (Yunnan), India.

***Caeneressa swinhoei* (Leech, 1898)**

Syntomis swinhoei Leech, 1898, *Entomologist*, **31**: 152.

Syntomis actea ssp 1 Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 64.

Amata actea swinhoei (Leech): Fletcher, 1925, *Cat. Ind. Ins.*, **8**: 7.

Caeneressa swinhoei (Leech): Obraztsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 409.

Distribution: China (Sichuan, Jiangxi, Henan).

***Caeneressa tienmushana* Obraztsov, 1957**

Caeneressa tienmushana Obraztsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 430, pl. 4, fig. 5.

Distribution: China (Zhejiang, Fujian).

***Caeneressa zernyi* Obraztsov, 1957**

Caeneressa zernyi Obraztsov, 1957, *Bull. Mus. comp. Zool. Harv.*, **116**(7): 415, pl. 4, fig. 3.

Distribution: China (Guangdong).

***Ceryx* Wallengren, 1863**

Wien. ent. Monatschr., **7**: 140.

Agaphthora Meyrick, 1886, *Proc. Linn. Soc. N. S. W.*, **1**(2): 774.

Syntomoides Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: xiv, 209.

***Ceryx godartii* (Boisduval, 1829)**

Syntomis godartii Boisduval, 1829, *Monogr. Zygén.*: 115.

Syntomis fytchei Moore, 1871, *Proc. zool. Soc. Lond.*: 246, pl. 18, fig. 3.

Syntomis cupreipennis Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 347.

Syntomis libera Walker, 1894, *List Specimens lepid. Insects Colln. Br. Mus.*, **31**: 78.

Ceryx godartii (Boisduval): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 7.

Distribution: China (Yunnan, Hainan), India, Southeastern Asia.

***Ceryx hyalina* (Moore, 1879)**

Syntomis hyaline Moore, 1879, *Lep. Atkins.*: 13.

Syntomis volans Swinhoe, 1890, *Trans. ent. Soc. Lond.*, **1890**: 173, pl. 6, fig. 6.

Ceryx hyaline (Moore): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 7.

Distribution: China (Yunnan), India, Myanmar.

***Dysauxes* Hübner, [1819] 1816**

Verz. bekannt. Schmett.:171.

Naclia Boisduval, 1840, *Genera Index eur. Lepid.*: 60.

***Dysauxes punctata hyalina* Freyer, 1845**

Dysauxes punctata hyalina Freyer, 1845, *Neuere Beitr. Schmetterlingskd.*, **5**: 152, pl. 473, fig. 2.

Distribution: China (Xizang), Europe.

***Eressa* Walker, 1854**

List Specimens lepid. Insects Colln. Br. Mus., **1**: 149.

?*Ctenandra* Felder, 1861, *Sber. Akad. Wiss. Wien*, **43** (Abt. 1): 38.

Trianeura Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 353.

Chloromeles Meyrick, *Proc. Linn. Soc. N. S. W.*, (2)**1**: 773, 785.

***Eressa confinis* (Walker, 1854)**

- Glaucopsis confinis* Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 149.
Eressa confinis ab. *musa* Swinhoe, 1885, *Proc. zool. Soc. Lond.*, **1885**: 290, pl. 20, fig. 1.
Eressa catoria Swinhoe, 1900, *Ann. Mag. nat. Hist.*, (7)**6**: 305.
Eressa confinis ab. 2 Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 116.
Syntomoides finitima Wileman, 1910, *Entomologist*, **43**: 220.
Eressa var. *malaccensis* Rothschild, 1910, *Novit. zool.*, **17**: 347.
Eressa var. *intense* Rothschild, 1910, *Novit. zool.*, **17**: 347.
Eressa confinis (Walker): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 32.
Syntomoides catena Wileman, 1910, *Entomologist*, **43**: 220.
Eressa guttulata Strand, 1915, *Dt. ent. Z.*, **29**: 35.

Distribution: China (Guangdong, Guangxi, Yunnan, Taiwan, Hainan, Xizang), Bhutan, India, Sri Lanka, Myanmar.

***Eressa microchilus* (Hampson, 1892)**

- Syntomoides microchilus* Hampson, [1893] 1892, *Fauna Br. India* (Moths), **1**: 212.
Eressa microchilus (Hampson): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 33.
 Distribution: China (Yunnan, Hubei), Myanmar.

***Eressa multigutta* (Walker, 1854)**

- Syntomis multigutta* Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 134.
Syntomis blanchardi Poujade, 1884, *Bull. Soc. ent. Fr.*, **1884**: 136.
Eressa multigutta (Walker): Zerny, 1912, *Lepidopteror. Cat.*, **7**: 33.

Distribution: China (Sichuan, Yunnan, Xizang, Gansu, Hunan, Hubei, Xizang, Guizhou), India, Nepal, Myanmar.

***Eressa rubribasis* Joannis, 1912**

- Eressa rubribasis* Joannis, 1912, *Mém. Soc. ent. Fr.*, **1912**: 287.
 Distribution: China, Vietnam.

***Eressa vespa* Hampson, 1898**

- Eressa vespa* Hampson, 1898, *Cat. Lep. Phal., B. M.*, **1**: 118, pl. 4, fig. 27.
 Distribution: China (Yunnan, Guangdong, Guangxi, Taiwan), Bhutan, India, Sri Lanka, Myanmar.

***Syntomoides* Hampson, [1893] 1892**
Fauna Br. India (Moths), **1**: 209

***Syntomoides imaon* (Cramer, 1779)**

- Sphinx imaon* Cramer, 1779, *Uitland. Kapellen*, **3**: 94, 175, pl. 248, fig. E.
Syntomis godarti Boisduval, 1829, *Monogr. Zygén.*: 115.
Syntomis fusiformis Walker, 1856, *List Specimens lepid. Insects Colln. Br. Mus.*, **7**: 1595.
Syntomis approximata Walker, 1864, *List Specimens lepid. Insects Colln. Br. Mus.*, **31**: 79.
Syntomis libera Walker, 1864, *List Specimens lepid. Insects Colln. Br. Mus.*, **31**: 78.
Syntomis fytchei Moore, 1871, *Proc. zool. Soc. Lond.*, **1871**: 246.
Syntomis cupreipennis Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 246.
Syntomis artina Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 347.
Syntomis sargania Butler, 1879, *Trans. ent. Soc. Lond.*, **1879**: 4.
Syntomis mota Swinhoe, 1891, *Trans. ent. Soc. Lond.*, **1891**: 134.
Ceryx imaon (Cramer): Seitz, 1913 *Gross-Schmett. Erde*, **10**: 65.

Distribution: China (Hainan, Fujian, Guangdong, Guangxi, Yunnan, Xizang), India, Sri Lanka, Myanmar.

Arctiinae Leach, [1815] 1830
In Brewster, Edinb. Encycl., **9**(1): 133

Euchromiini Butler, 1876
Euchromiinae Butler, 1876, *J. Linn. Soc. Lond.*, **12**: 342, 361.

Euchromiidae Neumoegen & Dyar, 1893, *Jl N. Y. ent. Soc.*, **1**: 99 (key), 100.

***Euchromia* Hübner, [1819] 1816**
Verz. bekannt. Schmett.: 121.

Phalanna Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 218.
Hira Walker, 1854, *List Specimens lepid. Insects Colln. Br. Mus.*, **1**: 220.

***Euchromia elegantissima* (Wallengren, 1861)**

***Euchromia elegantissima elegantissima* (Wallengren, 1861)**

Charidea elegantissima Wallengren, 1861, *Lep. Eug. Resa.* : 360

Distribution: China (Guangdong, Yunnan, Hainan), Myanmar, Philippines, India, Singapore, Thailand, Malaysia, Indonesia.

***Euchromia elegantissima formosana* Butler, 1888**

Euchromia elegantissima formosana Butler, 1888, *J. Linn. Soc. Lond.*, **22**: 114, pl. 4, fig. 7.

Distribution: China (Taiwan).

Acknowledgements

We would like to thank Dr. Mamoru Owada (National Science Museum; Tokyo, Japan) and Dr. Y. Kishida (Tokyo, Japan) for their kind support. We are also very thankful to the reviewers and editor, for their patience and kindly help to the paper. This paper was supported by the National Natural Science Foundation of China (31172129, 31101655, NSFC program J0930004).

BIBLIOGRAPHY

- DRAUDT, M., 1931.– Syntomidae.– *In* A. SEITZ. *Die Gross-Schmetterlinge der Erde*, **2** Supplement: 53-60. Stuttgart.
- FANG, C. L., 1982a.– Amatidae.– *Iconographia Heterocerorum Sinicorum*, **2**: 229-235.
- FANG, C. L., 1982b.– Lepidoptera: Amatidae.– *Insects of Xizang* **2**: 59-60.
- FANG, C. L., 1987.– Amatidae.– *In* F. S. HUANG.– *Forest insects of Yunnan*: 1024-1027, Yunnan Science and Technology Press, Kunming.
- FANG, C. L., 1992a.– Lepidoptera: Ctenuchidae.– *In* S. CHEN. *Insects of the Hengduan Mountains Region, The comprehensive Scientific Expedition to the Qinghai-Xizang Plateau*, **2**: 981-983, Chinese Academy Science, Beijing.
- FANG, C. L., 1992b.– Lepidoptera: Ctenuchidae.– *In* F. S. HUANG. *Insects of Wuling Mountains Area, Southwestern China*, 514-515, Science Press, Beijing.
- FANG, C. L., 1993.– Lepidoptera: Ctenuchidae.– *In* C. M. HUANG. *Animals of Longqi Mountain*, 5-4-505, China Forestry Publishing House, Beijing.
- FANG, C. L., 1997.– Lepidoptera: Ctenuchidae.– *In* X. K. YANG. *Insects of the Three Gorge Reservoir Area of Yangtze River*, Part **2**: 1305-1307, Chongqing Publishing House, Chongqing.
- FANG, C. L., 2001.– Lepidoptera: Ctenuchidae.– *In* H. WU & C. W. PAN. *Insects of Tianmushan National Nature Reserve*: 650-651, Science Press, Beijing.
- FANG, C. L., 2002.– Lepidoptera: Ctenuchidae.– *In* F. S. HUANG. *Forest Insects of Hainan*: 602-603, Science Press, Beijing.

- HOLLOWAY, J. D., 1988.– Family Arctiidae, Subfamilies Syntominiinae, Euchromiinae, Arctiinae; Noctuidae misplaced in Arctiidae (Camptoloma, Aganainae).–*The Moths of Borneo*, **6**: 102 pp. Kuala Lumpur.
- GNATYEV, N. N. & ZOLOTUHIN, V. V., 2005.– A review of syntomids (Lepidoptera: Syntomidae) of Russia and adjacent territories. Part I. Genus *Syntomis* Ochseneheimer, 1808.– *Eversmannia*, **3-4**: 28-55.
- INOUE, H., 1992.– Group Ctenuchinia.– In J. B. HEPPNER & H. INOUE. *Lepidoptera of Taiwan*, **1(2)**: 171.
- OBRAZTSOV, N. S., 1957.– The Chinese *Caeneressa* species (Lepidoptera, Ctenuchidae).– *Bulletin of the Museum of Comparative Zoology, Harvard College*, **116**: 389-436.
- OBRAZTSOV, N. S., 1966.– Die palaearktischen *Amata*-arten (Lepidoptera, Ctenuchidae).– *Veröffentlichungen der Zoologischen Staatssammlung München*, **10**: 1-383.
- SEITZ, A., 1913.– Familie Syntomidae.– In A. SEITZ. *Die Gross-Schmetterlinge der Erde*, **2**: 37-42. Stuttgart.
- SEITZ, A., 1913.– Familie Syntomidae.– In A. SEITZ. *Die Gross-Schmetterlinge der Erde*, **10**: 61-92. Stuttgart.
- WANG, H. Y., 1994.– Arctiidae.– *Guide Book to Taiwan Insects*, **7**: 165-192.
- WU, C. S. & FANG, C. L., 2010.– *Insect Fauna of Henan, Lepidoptera: Limacodidae, Lasiocampidae, Notodontidae, Arctiidae, Lymantriidae and Amatidae*: 592 pp. Science Press, Beijing.
- WU, C. F., 1938.– *Catalogus Insectorum Sinensium*, **4**: 628-633. The Fan Memorial Institute of Biology, Beijing
- ZERNY, H., 1912.– Syntomidae.– In H. WAGNER. *Lepidopterorum Catalogus*, **7**: 1-179.

H. F. L.; F. Q. C. & C. S. W.*

Key Laboratory of Zoological Systematics and Evolution
Institute of Zoology

Chinese Academy of Sciences
Beijing 100101

R. P. CHINA / P. R. CHINA

E-mail: chenfq@ioz.ac.cn

*E-mail: wucs@ioz.ac.cn

*Autor para la correspondencia / *Corresponding author*

(Recibido para publicación / *Received for publication* 22-XII-2011)

(Revisado y aceptado / *Revised and accepted* 4-I-2012)

(Publicado / *Published* 30-XII-2012)