

Dynamics of Continuous, Discrete and Impulsive Systems
Series B: Applications & Algorithms **19** (2012) 377-403
Copyright ©2012 Watam Press

<http://www.watsci.org>

RISK-INDUCED BACKWARD BIFURCATION IN HSV-2 TRANSMISSION DYNAMICS

C.N. Podder¹ and A.B. Gumel²

¹Department of Mathematics
University of Dhaka, Dhaka-1000, Bangladesh

²Department of Mathematics
University of Manitoba, Winnipeg, Manitoba, R3T 2N2, Canada
Corresponding author email:gumelab@cc.umanitoba.ca

Abstract. A risk-structured, two-sex, model for the transmission dynamics of herpes simplex virus type 2 (HSV-2) in a population is designed and qualitatively analysed. It is shown that adding risk structure (i.e., the risk of transmitting or acquiring HSV-2 infection) to an HSV-2 transmission model causes the phenomenon of backward bifurcation when the associated reproduction threshold is less than unity. This dynamical feature, which has non-trivial consequence on the persistence or elimination of the disease (when the reproduction threshold is less than unity), can be removed if the susceptible male and female sub populations are not stratified according to the risk of acquiring HSV-2 infection.

Keywords. HSV-2; low- and high-risk groups; equilibria; stability; backward bifurcation.

References

- [1] R.M. Anderson and R.M. May, Infectious Diseases of Humans: Dynamics and Control, *Oxford University Press, Oxford*, 1990.
- [2] L. Aurelian, Herpes simplex virus type 2: new ground for optimism? Clinical and Diagnostic Laboratory Immunology, **11** (3), (2004) 437-445.
- [3] B. Auvert, R. Ballard, C. Campbell, M. Caraël, M. Carton, G. Fehler, et al, HIV infection among youth in a South African mining town is associated with herpes simplex virus-2 seropositivity and sexual behaviour, AIDS **15**, (2001) 885-?98.
- [4] S. Blower, K. Koelle and J. Mills, Health policy modeling: Epidemic control, HIV vaccines, and risky behavior In Kaplan and Brookmeyer (Eds.) Qualitative Evaluation of HIV Prevention Programs, Yale University Press, (2002) 260-289.
- [5] S.M. Blower, T.C. Porco and G. Darby, Predicting and preventing the emergence of antiviral drug resistance in HSV-2, Nature Medicine, **4**, (1998) 673-678.
- [6] R. Brugha, K. Keersmaekers, A. Renton and A. Meheus, Genital herpes infection: A review, International Journal of Epidemiology, **24** 4, (1997) 698-709.
- [7] J. Carr, Applications of Centre Manifold Theory, Springer-Verlag, New York, 1981.
- [8] C. Casper and A. Wald, Condom use and the prevention of genital herpes acquisition, Herpes **9** (1), (2002) 10-14.
- [9] C. Castillo-Chavez and B. Song, Dynamical models of tuberculosis and their applications, Math. Biosci. Engrg. **1**(2), (2004) 361-404.
- [10] C. Castillo-Chavez, W. Huang and J. Li, Competitive exclusion in gonorrhea models and other sexually-transmitted diseases, SIAM Journal of Applied Mathematics, **56**(2), (1996) 494-508.
- [11] C. Castillo-Chavez, W. Huang and J. Li, The effects of females' susceptibility on the coexistence of multiple pathogen strains of sexually transmitted diseases, J. Math. Biol., **35**, (1997) 503-522.
- [12] C. Castillo-Chavez, K. Cooke, W. Huang and S.A. Levin, Results on the dynamics for models for the sexual transmission of the human immunodeficiency virus, Appl. Math. Letters, **2**, (1989) 327-331.
- [13] L. Corey, A. Wald, R. Patel, S.L. Sacks, S.K. Tyring, T. Warren, J.M. Douglas Jr., J. Paavonen, R.A. Morrow, K.R. Beutner, L.S. Stratchounsky, G. Mertz, O.N. Keene, H.A. Watson, D. Tait, M. Vargas-Cortes, Valacyclovir HSV Transmission Study Group. Once-daily valacyclovir to reduce the risk of transmission of genital herpes. N. Engl. J. Med., **350**(1), (2004) 11?0.
- [14] M. del Mar Pujades Rodriguez, A. Obasi, F. Mosha, J. Todd, D. Brown, J. Changalucha, et al, Herpes simplex virus type 2 infection increases HIV incidence: a prospective study in rural Tanzania. AIDS, **16**, (2002) 451-462.
- [15] M. Fatahzadeh and R.A. Schwartz, Human herpes simplex virus infections: Epidemiology, pathogenesis, symptomatology, diagnosis, and management, Journal of the American Academy of Dermatology, **57**(5), (2007) 737-763.
- [16] H.B. Gershengorn and S.M. Blower, Impact of antivirals and emergence of drug resistance: HSV-2 epidemic control, AIDS Patient Care and STDs, **14**(3), (2000) 133-142.
- [17] Harvard Women's Health Watch, Sexually Transmitted Disease, **31** (5), (2005)311-316. available at <http://www.encodediagnosis.com/files/GenitalAccessed April, 2010>.
- [18] H.W. Hethcote, The mathematics of infectious diseases, SIAM Review, **42**, (2000) 599–653.

- [19] H.W. Hethcote, J.A. Yorke and A. Nold, Gonorrhea modeling: a comparison of control methods, *Math. Biosci.*, **58**(1), (1982) 93-109.
- [20] C.A. Jones and A.L. Cunningham, Vaccination strategies to prevent genital herpes and neonatal herpes simplex virus (HSV) disease. *Herpes*, **11**, (2004) 12-17.
- [21] A. Kamali, A.J. Nunn, D.W. Mulder, E. Van Dyck, J.G. Dobbins and J.A. Whitworth, Seroprevalence and incidence of genital ulcer infections in a rural Ugandan population, *Sex. Transm. Infect.*, **75**, (2004) 98-102.
- [22] L. Kaminester, R. Pariser, D. Pariser, J. Weiss, J. Shavin, L. Landsman, H. Haines and D. Osborne, A double-blind, placebo-controlled study of topical tetracaine in the treatment of herpes labialis, *Journal of the American Academy of Dermatology*, **41**(6), (1999) 996-1001.
- [23] J.L. Katharine, P.G. Geoffery and P.S. George, An Estimate of the Global Prevalence and Incidence of Herpes Simplex Virus Type 2 Infection. *Bulletin of the World Health Organization*, (2008), Article DOI:10.2471/07.046128
- [24] V. Lakshmikantham, S. Leela and A.A. Martynyuk, *Stability Analysis of Nonlinear Systems*, Marcel Dekker, Inc., New York and Basel, 1989.
- [25] A.G. Langenberg, R.L. Burke, S.F. Adair, et al, A recombinant glycoprotein vaccine for herpes simplex virus type 2: safety and immunogenicity, *Ann. Intern. Med.*, **122**, (1999) 889-898.
- [26] P. Leone, Reducing the risk of transmitting genital herpes: advances in understanding and therapy, *Current Medical Research and Opinion*, **21**(10), (2005) 1577-1582.
- [27] M. Lipsitch and M.B. Murray, Multiple equilibria: tuberculosis transmission require unrealistic assumptions, *Theor. Popul. Biol.*, **63**(2), (2003) 169-170.
- [28] W. McFarland, L. Gwanzura, M.T. Bassett, R. Machekano, A.S. Latif, C. Ley, C. et al, Prevalence and incidence of herpes simplex virus type 2 infection among male Zimbabwean factory workers, *J. Infect. Dis.*, **180**, (1999) 1459-1465.
- [29] A. Obasi, F. Mosha, M. Quigley, Z. Sekirassa, T. Gibbs, K. Munguti, et al, Antibody to herpes simplex virus type 2 as a marker of sexual risk behavior in rural Tanzania, *J. Infect. Dis.*, **179**, (1999) 16-24.
- [30] C.N. Podder and A.B. Gumel, Qualitative dynamics of a vaccination model for HSV-2, *IMA Journal of Applied Mathematics*, **75** (1), (2009) 75-107.
- [31] C.N. Podder and A.B. Gumel, Transmission dynamics of a two-sex model for herpes simplex virus type 2, *Canadian Applied Mathematics Quarterly*, (2010), To appear.
- [32] E.J. Schwartz and S. Blower, Predicting the potential individual and population-level effects of imperfect herpes simplex virus type 2 vaccines, *Journal of Infectious Diseases*, **191**, (2005) 1734-1746.
- [33] F.E. Simons, C.A. Gillespie and K.J. Simons, Local anaesthetic creams and intra-dermal skin tests *Lancet*, **340** (8812), (1992) 188.
- [34] L.R. Stanberry, A.L. Cunningham, A. Mindel, et al., Prospects for control of herpes simplex virus disease through immunization *Clin. Infect. Dis.*, **30**, (2000) 549-566.
- [35] B. Suligoi, M. Cusan and P. Santopadre, et al., HSV-2 specific seroprevalence among various populations in Rome, Italy, *Sex. Transm. Infect.*, **76**, (2000) 213?16.
- [36] H.R. Thieme, *Mathematics in Population Biology*, Princeton University Press, Princeton, NJ, 2003.
- [37] D. Us, Herpes simplex virus vaccine studies: from past to present, *Mikrobiyol Bul.*, **40**(4), (2006) 413-433.
- [38] P. van den Driessche and J. Watmough, Reproduction numbers and sub-threshold endemic equilibria for compartmental models of disease transmission *Math. Biosci.*, **180**, (2002) 29-48.

- [39] H.U. Wagner, E. Van Dyck, E. Roggen, A.J. Nunn, A. Kamali, D.S. Schmid, et al., Seroprevalence and incidence of sexually transmitted diseases in a rural Ugandan population, *Int. J. STD AIDS*, **5**, (1994) 332-337.
- [40] A. Wald, A.G.M. Langenberg, K. Link, A.E. Izu, R. Ashley, T. Warren, S. Tyring, J.M. Douglas, L. Corey, Effect of condoms on reducing the transmission of herpes simplex virus type 2 from men to women, *JAMA*, **285**, (2001) 3100-3106.
- [41] G. Walraven, C. Scherf, B. West, G. Ekpo, K. Paine, R. Coleman, et al., The burden of reproductive-organ disease in rural women in The Gambia, West Africa, *Lancet*, **357**, (2001) 1161-1167.
- [42] H. Weiss, Epidemiology of herpes simplex virus type 2 infection in the developing world. *Herpes*, **11**, Supplement 1, 2004.
- [43] J.A. Yorke, H. W. Hethcote and A. Nold, Dynamics and control of the transmission of gonorrhea, *Sexually Transmitted Diseases*. **5**, (1978) 51-56.
- [44] L. Xiaodong, H.W. Hethcote and P. van den Driessche, An epidemiological model for HIV/AIDS with proportional recruitment, *Math. Biosci.*, **118**, (1993) 181-195.

Received April 2010; revised October 2011.

<http://monotone.uwaterloo.ca/~journal/>