

On the synergy of network science and artificial intelligence

Citation for published version (APA):

Mocanu, D. C. (2016). On the synergy of network science and artificial intelligence. In Proceedings of the Twenty-Fifth International Joint Conference on Artificial Intelligence (IJCAI 2016) Palo Alto: AAAI Press.

Document status and date:

Published: 01/01/2016

Document Version:

Accepted manuscript including changes made at the peer-review stage

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

On the synergy of network science and artificial intelligence

Decebal Constantin Mocanu

Eindhoven University of Technology, The Netherlands
Ph.D. advisors: Antonio Liotta and Georgios Exarchakos
E-mail: d.c.mocanu@tue.nl

Abstract

Traditionally science is done using the reductionism paradigm. Artificial intelligence does not make an exception and it follows the same strategy. At the same time, network science tries to study complex systems as a whole. This Ph.D. research takes an alternative approach to the reductionism strategy, and tries to advance both fields, i.e. artificial intelligence and network science, by searching for the synergy between them, while not ignoring any other source of inspiration, e.g. neuroscience.

1 Motivation

Most of the science done throughout the human evolution uses the traditional reductionism paradigm, which attempts to explain the behavior of any type of system by summing the behavior of its constituent elements and the interactions between them. Consequently, nowadays we have extremely specialized persons on particular small subfields of science, but we have less and less people which study the whole near us. Personally, I think that such a paradigm is not wrong as it is proven by millenniums of humanity advances in science, but I do believe that it is incomplete. The limitations of reductionism were hinted millenniums ago by the ancient Greeks, i.e. Aristotle wrote in *Metaphysics* that “*The whole is more than the sum of its parts*”. Mathematically, the above statement can not be true, as the whole should be the sum of its parts. Still, it may be that we do now know all the parts, and in many cases it may be very difficult to even intuiting those parts. A classical example here may be the gravitational waves. Gravity was first postulated by Isaac Newton in the 17th century, but in his theory the gravitational waves could not exist as it assumes that physical interactions propagate at infinite speed. Still, after more than two centuries later, Albert Einstein has intuited and predicted the existence of gravitational waves [Einstein, 1916], and one century later after a huge number of great technological advancements the humans were able to prove the existence of gravitational waves [Abbott *et al.*, 2016].

A solution to overcome the limitations of reductionism may come from the complex systems paradigm which tries to study the systems and the interactions between them as a whole, focusing on multidisciplinary research, approach first

pioneered by the Santa Fe institute [Ledford, 2015]. A complete theory of complexity is also very hard to devise, but Network Science (NS) may offer the required mathematical tools (e.g. complex networks) in a data driven era to overpass the reductionism paradigm [Barabasi, 2012]. Complex networks are graphs with non-trivial topological features and it has been found that such features are present in many real world systems [Newman, 2010] belonging to various research fields (e.g. neuroscience, astrophysics, biology, epidemiology, social and communication networks).

At the same time, while the NS community has been trying to use Artificial Intelligence (AI) techniques to solve various NS open questions, such as in [Psorakis *et al.*, 2011], the AI community has largely ignored the latest findings in network science. Even more, almost any AI subfield tends to focus just on the latest developments from itself, in line with the reductionism paradigm. Contrary, my Ph.D. research tries to give a warning signal and to bind these fields. Thus, it focuses theoretically towards finding the synergy between NS and AI (herein with a focus on deep learning [LeCun *et al.*, 2015] and swarm intelligence [Bonabeau *et al.*, 2000]) with two long term research goals: (1) to better understand the fundamental principles behind the world near us, which may be modeled in amazing structures of networks of networks at micro and macro-scale, from the vigintillions of interacting atoms in the observable universe to the billions of persons in a social network; and (2) to advance the artificial general intelligence concept. All of these, with the ultimate aim of improving the general well-being of the human society.

2 Achievements

More concretely, up to now, by following the above vision, together with my collaborators, I was able to make fundamental theoretical contributions in both fields (i.e. network science and artificial intelligence), while trying to show that there is a bidirectional relation between them, as follows.

Firstly, we have devised a novel class of deep learning models, such as Factored Four-Way Conditional Restricted Boltzmann Machines (FFW-CRBMs) [Mocanu *et al.*, 2015a] and Disjunctive FFW-CRBMs [Mocanu *et al.*, 2016a], by using four-way multiplicative interactions between the neurons from different layers. Such a construction enabled simultaneously classification and prediction of high dimensional and non linear time series.

Secondly, we have conceived a novel class of similarity measures, e.g. [Mocanu *et al.*, 2014b; Bou Ammar *et al.*, 2014; Mocanu *et al.*, 2015b], by using Restricted Boltzmann Machines (RBMs) or variants of them as density estimators.

Thirdly, we have devised a novel class of sparse RBM models [Mocanu *et al.*, 2016b], inspired by complex network concepts, capable to have faster computational time (e.g. 2 orders of magnitude faster than an RBM with 1000 visible and 1000 hidden neurons) at almost no cost in performance. Moreover, we speculate that variants of this model may be used to analyze directly high-dimensional input data (e.g. over one million dimensions or, in other words, a normal image with a resolution of 1000x1000 pixels) without performing dimensionality reduction;

Fourthly, we have conceived a new class of fully decentralized stochastic methods, e.g. [Mocanu *et al.*, 2014a], inspired by swarm intelligence, to compute the centralities of all nodes and links simultaneously in a complex network. The parallel time complexity of this approach is on the polylogarithmic scale with respect to the number of nodes in the network. To give an impression on the magnitude of the computational problem at hand, if we would consider 1 billion devices that run a Facebook application and would have incorporated a protocol for the aforementioned method, an unloaded network, and a transmission rate of 1 message per millisecond, then the centrality of all network elements (users and their connections) may be computed in less than 9 seconds.

At the same time, the practical applicability of these concepts was not let behind, and we have demonstrated their validity in the context of real-world settings, e.g. image/video quality assessment in communication networks [Mocanu *et al.*, 2014b; 2015b; 2015c], computer vision [Mocanu *et al.*, 2014c; 2015a; 2016a].

3 Conclusion and near future research

However, the ones above represent just a drop in the ocean, and they have a major limitation as they consider just static settings. Thus, as near future research directions, I intend to combine these concepts and extend them to dynamic networks (i.e. which change their topologies over time) and online learning settings, while continue to study the synergy between network science, artificial intelligence, and neuroscience.

Acknowledgments

This research has been partially supported by the European Union's Horizon 2020 project INTER-IoT, grant 687283.

References

[Abbott *et al.*, 2016] BP Abbott, R Abbott, et al. Observation of gravitational waves from a binary black hole merger. *Physical Review Letters*, 116(6):061102, 2016.

[Barabasi, 2012] Albert-Laszlo Barabasi. The network takeover. *Nature Physics*, 8:14–16, 2012.

[Bonabeau *et al.*, 2000] E. Bonabeau, M. Dorigo, and G. Theraulaz. Inspiration for optimization from social insect behaviour. *Nature*, 406(6791):39–42, 2000.

[Bou Ammar *et al.*, 2014] H. Bou Ammar, E. Eaton, M. Taylor, D.C. Mocanu, K. Driessens, G. Weiss, and K. Tuyls. An automated measure of mdp similarity for transfer in reinforcement learning. In *Workshops at the Twenty-Eighth AAAI Conference on Artificial Intelligence*, 2014.

[Einstein, 1916] Albert Einstein. Näherungsweise integration der feldgleichungen der gravitation. *Sitzungsberichte der Königlich Preußischen Akademie der Wissenschaften (Berlin)*, Seite 688-696., 1916.

[LeCun *et al.*, 2015] Y. LeCun, Y. Bengio, and G. Hinton. Deep learning. *Nature*, 521(7553):436–444, May 2015.

[Ledford, 2015] Heidi Ledford. How to solve the world's biggest problems. *Nature*, 525(7569):308–311, 2015.

[Mocanu *et al.*, 2014a] D. C. Mocanu, G. Exarchakos, and A. Liotta. Node centrality awareness via swarming effects. In *2014 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, pages 19–24, Oct 2014.

[Mocanu *et al.*, 2014b] D.C. Mocanu, G. Exarchakos, and A. Liotta. Deep learning for objective quality assessment of 3d images. In *Image Processing (ICIP), 2014 IEEE International Conference on*, pages 758–762, Oct 2014.

[Mocanu *et al.*, 2014c] E. Mocanu, D.C. Mocanu, H.B. Ammar, Z. Zivkovic, A. Liotta, and E. Smirnov. Inexpensive user tracking using boltzmann machines. In *Systems, Man and Cybernetics (SMC), 2014 IEEE International Conference on*, pages 1–6, Oct 2014.

[Mocanu *et al.*, 2015a] D.C. Mocanu, H. Bou Ammar, D. Lowet, K. Driessens, A. Liotta, G. Weiss, and K. Tuyls. Factored four way conditional restricted boltzmann machines for activity recognition. *Pattern Recognition Letters*, 66:100 – 108, 2015.

[Mocanu *et al.*, 2015b] D.C. Mocanu, G. Exarchakos, H.B. Ammar, and A. Liotta. Reduced reference image quality assessment via boltzmann machines. In *Integrated Network Management (IM), 2015 IFIP/IEEE International Symposium on*, pages 1278–1281, May 2015.

[Mocanu *et al.*, 2015c] D.C. Mocanu, J. Pokhrel, J.P. Garella, J. Seppnen, E. Liotou, and M. Narwaria. No-reference video quality measurement: added value of machine learning. *Journal of Electronic Imaging*, 24(6):061208, 2015.

[Mocanu *et al.*, 2016a] D.C. Mocanu, H. Bou Ammar, L. Puig, E. Eaton, and A. Liotta. Estimating 3d trajectories from 2d projections via disjunctive factored four-way conditional restricted boltzmann machines. *CoRR*, 2016.

[Mocanu *et al.*, 2016b] D.C. Mocanu, E. Mocanu, P.H. Nguyen, M. Gibescu, and A. Liotta. A topological insight into restricted boltzmann machines. *CoRR*, 2016.

[Newman, 2010] Mark Newman. *Networks: An Introduction*. Oxford University Press, Inc., NY, USA, 2010.

[Psorakis *et al.*, 2011] I. Psorakis, S. Roberts, M. Ebdon, and B. Sheldon. Overlapping community detection using bayesian non-negative matrix factorization. *Phys. Rev. E*, 83:066114, Jun 2011.