

CORRECTION

published: 17 November 2020 doi: 10.3389/fped.2020.600496



Corrigendum: Echocardiographic Evaluation of Transitional Circulation for the Neonatologists

Yogen Singh 1,2* and Cécile Tissot3

OPEN ACCESS

Edited and reviewed by:

Ruth Heving, University Hospital Leuven, Belgium

*Correspondence:

Yogen Singh yogen.singh@nhs.net

Specialty section:

This article was submitted to Pediatric Cardiology, a section of the journal Frontiers in Pediatrics

Received: 30 August 2020 Accepted: 14 October 2020 Published: 17 November 2020

Citation:

Singh Y and Tissot C (2020) Corrigendum: Echocardiographic Evaluation of Transitional Circulation for the Neonatologists. Front. Pediatr. 8:600496. doi: 10.3389/fped.2020.600496

¹ Consultant in Neonatology and Pediatric Cardiology, Cambridge University Hospitals NHS Foundation Trust, Cambridge, United Kingdom, ² School of Clinical Medicine, University of Cambridge, Cambridge, United Kingdom, ³ Pediatric Cardiologist, Centre de Pediatrie, Clinique des Grangettes, Chêne-Bougeries, Geneva, Switzerland

Keywords: transitional circulation, adverse adaptation of transitional circulation, persistent pulmonary hypertension, hemodynamic assessment, fetal to neonatal transition, patent ductus arteriosus, PDA, PPHN

A Corrigendum on

Echocardiographic Evaluation of Transitional Circulation for the Neonatologists by Singh, Y., and Tissot, C. (2018) Front. Pediatr. 6:140. doi: 10.3389/fped.2018.00140

1

In the original article, there was a mistake in **Table 1** as published. **Duct-dependent systemic circulation and Duct-dependent pulmonary circulation terms were interchanged**. The corrected **Table 1** appears below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2020 Singh and Tissot. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

TABLE 1 | Classification of the congenital heart defects according to the post-natal adaptation.

Types of CHD		Examples of CHD
Duct-dependent CHD	Duct-dependent pulmonary circulation	Critical TOF
		PA/VSD
		PA/IVS
		Critical PS
		TA with PS/PA
		SV with PS/PA
		Severe Ebstein anomaly
	Duct-dependent systemic circulation	HLHS Critical AS
		Severe COA
		IAA
		Shone complex
		SV with AS/COA
	Poor mixing	TGA with IVS
Non duct-dependent CHD	Mild cyanotic CHD	TAPVR
		TOF
		TAC with mild PS
		TGA with VSD
		SV
	L-to-R shunt CHD	VSD
		PDA
		AVSD
		APW
		DORV
		TAC with no PS
		SV

AS, aortic stenosis; ASD, atrial septal defect; APW, aorto-pulmonary window; AVSD, atrioventricular septal defect; CHD, congenital heart disease; COA, coarctation of aorta; DORV, double outlet right ventricle; HLHS, hypoplastic left heart disease; IAA, interrupted aortic arch; IVS, intact ventricular septum; PA, pulmonary atresia; PDA, patent ductus arteriosus; PS, pulmonary stenosis; SV, single ventricle; TA, tricuspid atresia; TAC, truncus arteriosus communis; TAPVR, total anomalous pulmonary venous return; TGA, transposition of the great arteries; TOF, Tetralogy of Fallot; VSD, ventricular septal defect.