

WINDY RURAL COLLABORATIVE POSTMEN PROBLEM USING ROS AS MULTI-AGENT SYSTEM ARCHITECTURE

Francisco LECUMBERRI DE ALBA

*BISITE Research Group, University of Salamanca, Edificio Multiusos I+D+i,
Calle Espejo 2, 37007, Salamanca, Spain*
fcolecumberri@usal.es

ABSTRACT: In the last decades the urban areas have grown and as a result the transportation has become an important problem. We are exploring a potential solution for the last mile delivery problem in urban areas in a similar way that internet solves the delivery of information problem.

KEYWORDS: Last Mile Problem; Multi-Agent System; ROS; Graph Theory; Routing Tables; Postman Problem.

1 Introduction

In the last decades, the number of people living in urban areas has grown dramatically throughout the world and this trend continues to grow. According to data from The World Bank, in 1960, 61% of people in the European Union lived in urban areas and in 2015 this number increased to 75%. In Spain, where industrialization has taken place later than in other countries, this increase is even more pronounced, from 57% to 80%.

The increase in urban population has led to a drastic rise in transportation necessities [1-15]. As a result, traffic and environmental problems (CO₂ emissions, air pollution, noise, etc.) have increased, and such problems have a direct impact on the quality of life in cities. Among the main challenges that big cities face nowadays is that of managing the mobility of both people and goods.

The «classic» way of dealing with these problems has been the encouragement of public transport and placement of restrictions on the use of private vehicles. Although these measures have helped to ease these problems, traffic and pollution due to transport, continue to persist. There are several reasons for which these measures have not provided real solutions to traffic and pollution. On the one hand, modern life requires us to get to places «anytime» and «anywhere» [16-24]. The ability to travel to any place at any time has become a basic necessity and traditional public transport systems have some limitations in this regard. Perhaps, this is the reason for which private vehicles have become the main means of urban transport in many countries in Europe and North America, while public transport finds it increasingly difficult to attract and retain passengers [25-31]. On the other hand, the emergence of e-businesses has triggered a change in the habits of consumers: globalized purchasing services provided by technological platforms allow consumers to acquire goods and services from both, the local and international markets and the public and private spheres. This change entails increased freight transport and the need for new freight transport methods, since this aspect affects urban mobility and in which traditional public transport systems are not very helpful.

The way citizens demand services, as well as the way services are established, offered and executed has changed with the evolving environment. Technological advances have contributed to this change, especially the increase in connectivity, between both «things» and people. Along with an increase in connectivity, areas such as the Internet of Things, Cloud Computing or Artificial Intelligence facilitate new ways of offering, distributing and regulating existing services or generating new services, also in the field of urban mobility [32-40].

This article aims to define and develop the ICT services that will facilitate the transition to a more sustainable and individual-centered mobility model. Such a model will reduce the global costs related to mobility but will satisfy the transportation needs of today's society. The term cost here is rather general. It refers to the energy costs, the costs of the infrastructure (streets, parking spaces, etc.), the «environmental costs», the cost derived from occupying or using public space, etc. In our opinion, in order to achieve more sustainable mobility, the system should be based on I) an efficient coordination of shared infrastructure resources II) prioritization of the use of transportation

infrastructure resources to favor and thereby encourage the use of more sustainable means of transport III) collaborative transport solutions [41-49], based on transport sharing or perform several transportation tasks on a single trip. A proposal for an integrated solution will be developed, as well as techniques, methods and tools to proceed in this direction.

This article main approach is to solve the last mile delivery problem in a cooperative environment. The last mile delivery problem is a problem known in math and graph theory as the rural postman problem (which is a variation of the classic postman problem where the postman just needs to travel certain places, not everywhere). The rural postman problem is about finding the optimal route inside a graph to pass by every connection inside the graph [50-59]. However if we consider the fact that the delivery will be affected by traffic and that traffic asymmetrically affects routes (A route may have lots of traffic in a direction but few in the opposite direction) and the fact that streets may or may not be bidirectional, we are dealing with the «windy» version of the problem. In summary the last mile delivery problem may also be referred in the academia as the «windy rural postman problem». In this particular case, it is intended to solve the problem where collaboration may exist among several postmen. It is also important to note that the postmen problem and every other variant here described are NP-problems, so the approach is going to be mainly in reduce the complexity of the problem as much as possible to get efficient results (not necessarily optimum) in affordable time [60-67].

Since this thesis work started two months ago, everything mentioned here are non-proven ideas, conjectures and results can not be provided.

2 Proposal

The proposal presented is propound the graph as a multi-agent system where each node of the graph is an individual agent that communicates with the adjacent nodes and uses Routing tables in a similar manner as internet routers (which are designed to manage graphs with 4,294,967,296 nodes which are graphs bigger than any city graph).

The routing tables algorithm is about each node has a list of the nodes that it can reach, the edge that must be taken to reach that node, the associated cost. when a node gets connected with another node (or the connection

information change), this nodes exchange information of their routing tables and update the information (if necessary) and the new information. The routing tables algorithm has advantages and disadvantages that will be exposed below [68-71].

The first advantage is that since each node only depends on the node it is communicating with the algorithm may run in parallel (even if two nodes are connected, if this are not communicating, the execution is independent). This allow to consider cluster systems to accelerate the computing process in certain cases.

In contrast, a disadvantage of this algorithm may not be run in GPU technology since each node needs to execute different parts of the algorithm at the same time.

Another disadvantage of this algorithm is that the system initialization may be computationally expensive. This disadvantage only suppose a problem in the first initialization since once the initialization is done the configuration may be saved in disc.

The main advantage of this algorithm in this particular problem is that once each node have knowledge of the best route to the other nodes, you may just ask any node about how to reach another node and get the optimal direction in an instant time (technically is in a logarithm time since the search inside a table is logarithmic at best).

Once the graph is initialized with this system the next proposed step is to make an agent to represent each postman (In the multi-agent system) and assume the postmen are not collaborating so each postman should form the best route [72-80].

To generate the best route each postman will list all the nodes that it should attend and will ask every node in that list about how much does it cost to go to the other nodes in the list and from there the postman will generate a reduced graph in which the postman should travel every node transforming this problem into the Hamiltonian Traveling Salesman Problem (TSP). The TSP is also a NP-Problem

This problem conversion can be seen in the figure [\ref{graph}](#) where we have a 10 city with 10 nodes where we need to deliver packages to the nodes 1, 7, 9 and 10 so the graph get transformed into a graph with just 4 nodes. In this example the reduction may seems small, but in real examples a city may

have ~ 5,000 nodes and a very busy postman may have ~100 packages so the reduction is quite significant [81].




Figure 2. Transformation from Postman problem to Traveller problem.

The way to solve this problem is still to be analyzed since we may find a way to merge the graphs of each traveller in order to make a collaborative solution or to solve each graph in an independent way and then try to merge each path to generate a collaborative solution.

The way to implement this will be using the ROS framework. Robot Operating System (ROS) is a development framework (not an operating system despite the name) made to communicate multiple process developed to make reusable software independent of programming language. ROS currently fully supports C++ and python and have as a main advantage that makes the communication transparent to the network so once a development is working in a computer, migrate the multi-agent system to a cluster where the process run in different computers should be trivial. Furthermore, given the fact that the delivery task is gradually becoming a robot driven task, ROS also represents an advantage since ROS Have become the standard of development in the robotic development field.

References

1. Akamai Technologies. Technical report, 2007. URL: <https://www.akamai.com/es/es/>. Last Access: february 2019.
2. Gil, A. B., De la Prieta, F., & Rodríguez, S. (2011). Automatic Learning Object Extraction and Classification in Heterogeneous Environments. In Highlights in Practical Applications of Agents and Multiagent Systems (pp. 109-116). Springer, Berlin, Heidelberg.

3. Rodríguez, S., Tapia, D. I., Sanz, E., Zato, C., de la Prieta, F., & Gil, O. (2010, July). Cloud computing integrated into service-oriented multi-agent architecture. In *International Conference on Information Technology for Balanced Automation Systems* (pp. 251-259). Springer, Berlin, Heidelberg.
4. Di Mascio, T., Vittorini, P., Gennari, R., Melonio, A., De La Prieta, F., & Alrifai, M. (2012, July). The Learners' User Classes in the TERENCE Adaptive Learning System. In *2012 IEEE 12th International Conference on Advanced Learning Technologies* (pp. 572-576). IEEE.
5. Mazuelas, S., Lorenzo, R. M., Bahillo, A., Fernández, P., Prieto, J., & Abril, E. J. (2010). Topology Assessment Provided by Weighted Barycentric Parameters in Harsh Environment Wireless Location Systems. *IEEE Transactions on Signal Processing*, 58(7), 3842–3857. doi:10.1109/TSP.2010.2047394
6. Prieto, J., Alonso, A. A., la Rosa, de, R., & Carrera, A. (2014). Adaptive Framework for Uncertainty Analysis in Electromagnetic Field Measurements. *Radiation Protection Dosimetry*. doi:10.1093/rpd/ncu260
7. Prieto, J., Bahillo, A., Mazuelas, S., Blas, J., Fernández, P., & Lorenzo, R. M. (2008). RTS/CTS mechanism with IEEE 802.11 for indoor location. Presented at the NAV08/ILA37, The Navigation Conference & Exhibition.
8. Prieto, J., Bahillo, A., Mazuelas, S., Fernández, P., Lorenzo, R. M., & Abril, E. J. (2012a). Self-Calibration of TOA/Distance Relationship for Wireless Localization in Harsh Environments. Presented at the 2012 IEEE International Conference on Communications (ICC 2012).
9. Prieto, J., Bahillo, A., Mazuelas, S., Lorenzo, R. M., Blas, J., & Fernández, P. (2009a). Adding indoor location capabilities to an IEEE 802.11 WLAN using real-time RTT measurements (pp. 113–119). IEEE Press. Retrieved from <http://dl.acm.org/citation.cfm?id=1689059.1689083&coll=DL&dl=GUIDE&CFID=647274630&CFTOKEN=45917612>
10. Bullon, Juan, et al. «Manufacturing processes in the textile industry. Expert Systems for fabrics production.» *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* 6.4 (2017): 15-23.
11. Souza de Castro, Lucas Fernando, Gleifer Vaz Alves, & André Pinz Borges. «Using trust degree for agents in order to assign spots in a Smart Parking.» (2017).
12. Moug, Ervin. «A Comparison of the YCBCR Color Space with Gray Scale for Face Recognition for Surveillance Applications.» *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal [Online]*, 6.4 (2017): 25-33.
13. Kethareswaran, V., & C. Sankar Ram. «An Indian Perspective on the adverse impact of Internet of Things (IoT).» *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* 6.4 (2017): 35-40.

14. Cunha, Rafael, Cleo Billa, and Diana Adamatti. «Development of a Graphical Tool to integrate the Prometheus AEOLUS methodology and Jason Platform.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 6.2 (2017): 57-70.
15. Farias, Giovanni Parente, et al. «Predicting Plan Failure by Monitoring Action Sequences and Duration.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 6.4 (2017): 55-69.
16. Vera, Jefferson Stewart Espinosa. «Human rights in the ethical protection of youth in social networks-the case of Colombia and Peru.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 6.4 (2017): 71-79.
17. Casado-Vara, R., Martín-del Rey, A., Affes, S., Prieto, J., & Corchado, J. M. (2020). IoT network slicing on virtual layers of homogeneous data for improved algorithm operation in smart buildings. *Future Generation Computer Systems*, 102, 965-977.
18. Mateen, Abdul, et al. «Secure data access control with perception reasoning.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.1 (2018): 13-28.
19. Teixeira, Eduardo Porto, Eder Goncalves, & Diana F. Adamatti. «Ulises: A Agent-Based System For Timbre Classification.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.1 (2018): 29-40.
20. Van Haare Heijmeijer, Alexis, & Gleifer Vaz Alves. «Development of a Middleware between SUMO simulation tool and JaCaMo framework.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.2: 5-15.
21. Glaeser, Stefania da Silveira, et al. «Modeling of Circadian Rhythm under influence of Pain: an approach based on Multi-agent Simulation.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.2 (2018): 17-25.
22. Garcia, R. F., Rolle, J. L. C., Castelo, J. P., & Gomez, M. R. (2014). On the monitoring task of solar thermal fluid transfer systems using NN based models and rule based techniques. *Engineering Applications of Artificial Intelligence*, 27, 129-136.
23. Ribeiro, Catarina, et al. «Customized normalization clustering methodology for consumers with heterogeneous characteristics.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.2 (2018): 53-69.
24. Machón-González, I., López-García, H., & Calvo-Rolle, J. L. (2010, July). A hybrid batch SOM-NG algorithm. In *The 2010 international joint conference on neural networks (IJCNN)* (pp. 1-5). IEEE.
25. Garcia, Ana Cristina Bicharra, & Adriana Santarosa Vivacqua. «ACoPla: a Multiagent Simulator to Study Individual Strategies in Dynamic Situations.» ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal 7.2: 81-91.

26. Casado-Vara, R., Novais, P., Gil, A. B., Prieto, J., & Corchado, J. M. (2019). Distributed continuous-time fault estimation control for multiple devices in IoT networks. *IEEE Access*, 7, 11972-11984.
27. Jörg Bremer, Sebastian Lehnhoff. (2017) Decentralized Coalition Formation with Agent-based Combinatorial Heuristics. *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* (ISSN: 2255-2863), Salamanca, v. 6, n. 3
28. Rafael Cauê Cardoso, Rafael Heitor Bordini. (2017) A Multi-Agent Extension of a Hierarchical Task Network Planning Formalism. *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* (ISSN: 2255-2863), Salamanca, v. 6, n. 2
29. Enyo Gonçalves, Mariela Cortés, Marcos De Oliveira, Nécio Veras, Mário Falcão, Jaelson Castro (2017). An Analysis of Software Agents, Environments and Applications School: Retrospective, Relevance, and Trends. *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* (ISSN: 2255-2863), Salamanca, v. 6, n. 2
30. Eduardo Porto Teixeira, Eder M. N. Goncalves, Diana F. Adamatti (2017). Ulises: A Agent-Based System For Timbre Classification. *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* (ISSN: 2255-2863), Salamanca, v. 6, n. 2
31. Lucas Fernando Souza de Castro, Gleifer Vaz Alves, André Pinz Borges (2017). Using trust degree for agents in order to assign spots in a Smart Parking. *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal* (ISSN: 2255-2863), Salamanca, v. 6, n. 2
32. Aversa, R., Petrescu, R. V., Akash, B., Bucinell, R., Corchado, J., Berto, F., ... & Petrescu, F. I. (2017). Kinematics and forces to a new model forging manipulator. *American Journal of Applied Sciences*, 14(1), 60-80.
33. Li, T., Sun, S., Bolić, M., & Corchado, J. M. (2016). Algorithm design for parallel implementation of the SMC-PHD filter. *Signal Processing*, 119, 115-127.
34. Corchado, J. M., Aiken, J., Corchado, E. S., & Fdez-Riverola, F. (2005). Evaluating the air-sea interactions and fluxes using an instance-based reasoning system. *AI Communications*, 18(4), 247-256.
35. Costa, Â., Novais, P., Corchado, J. M., & Neves, J. (2011). Increased performance and better patient attendance in an hospital with the use of smart agendas. *Logic Journal of IGPL*, 20(4), 689-698.
36. Rodríguez, S., De la Prieta, F., Tapia, D. I., & Corchado, J. M. (2010, June). Agents and computer vision for processing stereoscopic images. In *International*

- Conference on Hybrid Artificial Intelligence Systems (pp. 93-100). Springer, Berlin, Heidelberg.
37. Corchado, J. M., Corchado, E. S., & Pellicer, M. A. (2004, September). Design of cooperative agents for mobile devices. In International Conference on Cooperative Design, Visualization and Engineering (pp. 205-212). Springer, Berlin, Heidelberg.
 38. Corchado, J. M., Laza, R., Borrajo, L., Yáñez, J. C., De Luis, A., & Gonzalez-Bedia, M. (2003, July). Agent-based web engineering. In International Conference on Web Engineering (pp. 17-25). Springer, Berlin, Heidelberg.
 39. Fdez-Riverola, F., & Corchado, J. M. (2003). Forecasting red tides using an hybrid neuro-symbolic system. *AI Communications*, 16(4), 221-233.
 40. González-Briones, A., Prieto, J., De La Prieta, F., Herrera-Viedma, E., & Corchado, J. (2018). Energy optimization using a case-based reasoning strategy. *Sensors*, 18(3), 865.
 41. Díaz, F., Fdez-Riverola, F., Glez-Peña, D., & Corchado, J. M. (2006, September). Using fuzzy patterns for gene selection and data reduction on microarray data. In International Conference on Intelligent Data Engineering and Automated Learning (pp. 1087-1094). Springer, Berlin, Heidelberg.
 42. Koetsier, J., Corchado, E., MacDonald, D., Corchado, J., & Fyfe, C. (2004, June). Kernel maximum likelihood hebbian learning. In International Conference on Computational Science (pp. 650-653). Springer, Berlin, Heidelberg.
 43. Pavón, J., & Corchado, J. (2004). Agents for the web. *International journal of Web engineering and technology*, 1(4), 393-396.
 44. Fdez-Riverola, F., Díaz, F., Borrajo, M. L., Yáñez, J. C., & Corchado, J. M. (2005, August). Improving gene selection in microarray data analysis using fuzzy patterns inside a cbr system. In International Conference on Case-Based Reasoning (pp. 191-205). Springer, Berlin, Heidelberg.
 45. Fernández-Riverola, F., & Corchado, J. M. (2003, November). Employing task fuzzy models to automate the revision stage of a cbr system. In Conference on Technology Transfer (pp. 302-311). Springer, Berlin, Heidelberg.
 46. Corchado, J. M., & Aiken, J. (1998). Expert system for modelling water masses. In WORKSHOP ON DATA MINING. GLASGOW, SCOTLAND.
 47. Corchado, J. M., & Aiken, J. (1998). Neuro-symbolic reasoning for real time oceanographic problems. In CONFERENCE ON DATA MINING. IEE, SAVOY PLACE, LONDON.
 48. Corchado, J. M. (1998). Models for integrating artificial intelligence approaches. DOCTORAL CONSORTIUM ON KNOWLEDGE DISCOVERY AND DATA MINING. PAISLEY, UK.

49. Borrajo, M. L., Corchado, J. M., Yáñez, J. C., Fdez-Riverola, F., & Díaz, F. (2005, August). Autonomous internal control system for small to medium firms. In *International Conference on Case-Based Reasoning* (pp. 106-121). Springer, Berlin, Heidelberg.
50. Fdez-Riverola, F., Díaz, F., & Corchado, J. M. (2004, November). Applying rough sets reduction techniques to the construction of a fuzzy rule base for case based reasoning. In *Ibero-American Conference on Artificial Intelligence* (pp. 83-92). Springer, Berlin, Heidelberg.
51. Corchado, J., & Lees, B. (1998). Case based reasoning opportunities and technologies. In *CONFERENCE ON KNOWLEDGE DISCOVERY. IEE, SAVOY PLACE, LONDON*.
52. Corchado, J., & Lees, B. (1998). Artificial neural networks in pattern recognition: multicollinearity and heterocedasticity. In *COLLOQUIUM ON KNOWLEDGE DISCOVERY. LONDON, UK*.
53. Corchado, J., & Lees, B. (1998). An overview of intelligent frameworks. In *COLLOQUIUM ON INTELLIGENT SYSTEMS. IEE, LONDON, UK*.
54. Corchado, J. M., & Lees, B. (1998). Probis: Modelling intelligence with hybrid systems. In *WORKSHOP ON DATA MINING. University of GLASGOW, SCOTLAND, UK*.
55. Corchado, J. (1998). Real time forecast with intelligent systems. In *CONFERENCE ON KNOWLEDGE DISCOVERY. IEE, SAVOY PLACE, LONDON*.
56. Corchado, J. M. (1997). Bdi multiagent hybrid architecture for project management. In *IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY AND DATA MINING. LONDON ENGLAND*.
57. Corchado, J. M. (1997). System for decision making: a practical case. In *CONFERENCE ON KNOWLEDGE DISCOVERY AND DATA MINING. IEE, LONDON, UK*.
58. Corchado, J. (1995). Cbr systems, an overview. In *INTERNATIONAL CONFERENCE ON INTELLIGENT SYSTEMS. LONDON, ENGLAND, UK*.
59. Li, T., Sun, S., Corchado, J. M., & Siyau, M. F. (2014, July). A particle dyeing approach for track continuity for the SMC-PHD filter. In *17th International Conference on Information Fusion (FUSION)* (pp. 1-8). IEEE.
60. Corchado, E. S., Corchado, J. M., Sáiz, L., & Lara, A. (2004, July). A beta-cooperative cbr system for constructing a business management model. In *Industrial Conference on Data Mining* (pp. 42-49). Springer, Berlin, Heidelberg.
61. Corchado, J. M., & Lees, B. (1998). Integration ai models. In *WORKSHOP ON KNOWLEDGE DISCOVERY AND DATA MINING. PML-NERC, PLYMOUTH LONDON, UK*.

62. Corchado, J. M., & Lees, B. (1998). Cognitive models for integrating artificial intelligence approaches. In *AII WORKSHOP ON KNOWLEDGE DISCOVERY. GLASGOW, UK.*
63. Corchado, J. M. (1997). Real time forecast with intelligent systems: Cbrs and anns. In *WORKSHOP ON ARTIFICIAL NEURAL NETWORKS. ABERDEEN* (pp. 1-3).
64. Casado-Vara, R., Prieto, J., De la Prieta, F., & Corchado, J. M. (2018). How blockchain improves the supply chain: Case study alimentary supply chain. *Procedia computer science*, 134, 393-398.
65. Corchado, J. M. (1996). Case-base reasoning recommendation system. In *IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY. LONDON, UK.*
66. Corchado, J. M. (1995). Neuro-symbolic reasoning-a solution for complex problems. In *INTERNATIONAL CONFERENCE ON INTELLIGENT SYSTEMS. LONDON, UK.*
67. Corchado, J. M. (1995). Multi agent tools: a case study. In *IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY. LONDON ENGLAND, UK.*
68. Casado-Vara, R., Prieto-Castrillo, F., & Corchado, J. M. (2018). A game theory approach for cooperative control to improve data quality and false data detection in WSN. *International Journal of Robust and Nonlinear Control*, 28(16), 5087-5102.
69. Corchado, J. M., & Lees, B. (2001). Adaptation of cases for case based forecasting with neural network support. In *Soft computing in case based reasoning* (pp. 293-319). Springer, London.
70. Rodríguez, J. M. C. (2000). Neuro-symbolic model for real-time forecasting problems (Doctoral dissertation, University of Paisley).
71. Casado-Vara, R., Chamoso, P., De la Prieta, F., Prieto, J., & Corchado, J. M. (2019). Non-linear adaptive closed-loop control system for improved efficiency in IoT-blockchain management. *Information Fusion*, 49, 227-239.
72. Li, T., Sun, S., Corchado, J. M., & Siyau, M. F. (2014, July). Random finite set-based Bayesian filters using magnitude-adaptive target birth intensity. In *17th International Conference on Information Fusion (FUSION)* (pp. 1-8). IEEE.
73. Rodríguez, S., Gil, O., De La Prieta, F., Zato, C., Corchado, J. M., Vega, P., & Francisco, M. (2010, May). People detection and stereoscopic analysis using MAS. In *2010 IEEE 14th International Conference on Intelligent Engineering Systems* (pp. 159-164). IEEE.
74. Guillén, J. H., del Rey, A. M., & Casado-Vara, R. (2019). Security Countermeasures of a SCIRAS Model for Advanced Malware Propagation. *IEEE Access*, 7, 135472-135478.

75. Corchado, J. M. (1996). Artificial intelligence models: composed systems as a solution. In IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY. LONDON ENGLAND, UK.
76. Casado-Vara, R., De la Prieta, F., Rodriguez, S., Prieto, J., & Corchado, J. M. (2018, June). Cooperative Algorithm to Improve Temperature Control in Recovery Unit of Healthcare Facilities. In International Symposium on Distributed Computing and Artificial Intelligence (pp. 49-62). Springer, Cham.
77. Corchado, J. M. (1995). Hybrid cbr system for real-time temperature forecasting in the ocean. In IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY. LONDON, UK.
78. Corchado, J. M. (1995). A distributed recommendation system assos. In IEEE COLLOQUIUM ON KNOWLEDGE DISCOVERY. IEE, LONDON, UK.
79. Corchado, J. M. (1995). The use of kernel methods in cbr systems. In INTERNATIONAL CONFERENCE ON INTELLIGENT SYSTEMS. LONDON ENGLAND UK.
80. Corchado, J. M. (1995). Case based reasoning systems: automatic construction. In INTERNATIONAL CONFERENCE ON INTELLIGENT SYSTEMS. LONDON ENGLAND UK.
81. Casado-Vara, R., de la Prieta, F., Prieto, J., & Corchado, J. M. (2018, November). Blockchain framework for IoT data quality via edge computing. In Proceedings of the 1st Workshop on Blockchain-enabled Networked Sensor Systems (pp. 19-24). ACM.