



A Deep Learning based Fast Signed Distance Map Generation

Zihao Wang, Clair Vandersteen, Thomas Demarcy, Dan Gnansia, Charles Raffaelli, Nicolas Guevara, Hervé Delingette

► To cite this version:

Zihao Wang, Clair Vandersteen, Thomas Demarcy, Dan Gnansia, Charles Raffaelli, et al.. A Deep Learning based Fast Signed Distance Map Generation. MIDL 2020 - Medical Imaging with Deep Learning, Jul 2020, Montréal, Canada. hal-02570026

HAL Id: hal-02570026

<https://hal.inria.fr/hal-02570026>

Submitted on 11 May 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A Deep Learning based Fast Signed Distance Map Generation

Zihao WANG^{1,2}

ZIHAO.WANG@INRIA.FR

¹ *Inria Sophia Antipolis, Nice, France*

² *Université Côte d'Azur, Nice, France*

Clair Vandersteen^{3,2}

³ *Head and Neck University Institute, Nice, France*

Thomas Demarcy⁴

Dan Gnansia⁴

⁴ *Oticon Medical, Nice, France*

Charles Raffaelli^{3,2}

³ *Department of Radiology, Nice University Hospital, France, Inria, Nice, France*

Nicolas Guevara^{3,2}

Hervé Delingette^{1,2}

Editors: Accepted at MIDL 2020

Abstract

Signed distance map (SDM) is a common representation of surfaces in medical image analysis and machine learning. The computational complexity of SDM for 3D parametric shapes is often a bottleneck in many applications, thus limiting their interest. In this paper, we propose a learning based SDM generation neural network which is demonstrated on a tridimensional cochlea shape model parameterized by 4 shape parameters. The proposed SDM Neural Network generates a cochlea signed distance map depending on four input parameters and we show that the deep learning approach leads to a 60 fold improvement in the time of computation compared to more classical SDM generation methods. Therefore, the proposed approach achieves a good trade-off between accuracy and efficiency.

Keywords: Signed Distance Map, Deep Learning

1. Introduction

A Signed Distance Map (SDM) ((Tsai and Osher, 2003)) is a scalar field $f(\mathbf{x})$ giving the signed distance of each point \mathbf{x} to a given (closed) surface, which mathematically translates into the relation $\|\nabla f\| = 1$. In practise, SDMs are 2D or 3D images storing the distance of each voxel center and are widely used to tackle various problems in computer vision or computer graphics fields. In machine learning, SDMs are useful to encode the probability to belong to a shape through log-odds maps ((Pohl et al., 2006)). For instance, given a surface $\mathcal{S}(\theta_S)$ and a scalar l_{ref} , the probability for a voxel n having position \mathbf{x}_n to belong to the surface can be provided through the SDM $\text{SDM}(\mathcal{S}(\theta_S), \mathbf{x}_n)$ at that voxel as $p(Z_n = 1) = \sigma\left(\frac{\text{SDM}(\mathcal{S}(\theta_S), \mathbf{x}_n)}{l_{\text{ref}}}\right)$ where $\sigma(x)$ is the sigmoid function.

While there exist fast (linear complexity) sweeping methods ((Maurer et al., 2003)) for computing SDM from binary shapes, the naive computation of an SDM from triangular meshes has complexity $O(Nn_T)$ where N is the number of image voxels and n_T is the number of triangles describing the shape. An example of a generic computation of SDM from meshes is available in VTK (Quammen et al., 2011; Baerentzen and Aanaes, 2005) through the *vtkImplicitPolyDataDistance* class. Since many algorithms are relying on the SDM generation, it is critical to optimize its computation time in various ways (Jia et al., 2018). In medical image analysis, the naive approach leads to poor performances due to the fact that volumetric images and complex shapes are considered. To improve the performance of the SDM calculation, several authors ((Wu et al., 2014; Roosing et al., 2019)) proposed 2D and 3D SDM computation methods that take advantage of graphics processing units (GPU) in order to accelerate the computation. Yet, there does not exist any generic library for fast computation of SDM on GPU, and the availability of specific GPU at test time is a significant limitation for machine learning applications.

Algorithmic optimizations were proposed by various authors ((Jones et al., 2006)) by adopting hierarchical data structures to reach an $O(N \log n_T)$ complexity. For instance, Complete Distance Field Representation (CDFR) ((Jian Huang et al., 2001)) were introduced with triangles structured into 3D grids cells.

Fast approximations of SDM was proposed in (Wu and Kobbelt, 2003) based on structured piece-wise linear distance approximation. Those approaches often require a significant pre-computation stage that can override their computational benefits at later stage.

Recent works of (Chen and Zhang, 2019) and (Park et al., 2019) developed neural networks for the generation of SDM for various of shapes. They rely on an decoder network that takes as input shape parameters and position, and outputs the SDM at that point. The training of those deep SDFs is based on a continuous regression from random samples involving a clamp loss (Park et al., 2019). Those networks are used for shape inference and are point-based signed distance evaluators (without any convolution operation) rather than being generators of SDM. As discussed later in this paper, this is a major issue for fast generation of large images of signed distance maps.

Despite those prior works, there does not exist any generic and efficient way to compute SDM from a triangular mesh on a grid on CPU resources. In this paper, we propose an alternative method for fast computation of SDM based on Convolutional Neural Network (CNN) which does not rely on the rasterization of mesh triangles and does not require any hardware acceleration at test time. Results showed that our approach reduces the SDM computational time complexity significantly without any significant impact on the accuracy of shape recovery.

2. Methods and Evaluation

The cochlea is an organ that transforms sound signals into electrical nerve stimuli to the cortex. Cochlea lesions can lead to hearing loss that can be improved by inserting Cochlear Implant(CI) on patients at a middle stage of the disease. Cochlea shape recovery from images is a pivotal step for CI, and the work of (Demarcy, 2017) is a state-of-art method for cochlea shape analysis which makes a computationally intensive use of SDM computations inside Expectation-Maximization loops.

2.1. Cochlea Shape Model and Dataset

We rely on a parametric cochlea shape model that represents the shape variability of the human cochlea. It is represented as a generalized cylinder around a centerline having four shape parameters a, α, b, ϕ , two of them for the longitudinal (resp. radial) extent of the centerline. To compute the SDM of the shape model, the parametric surface was discretized as triangular meshes whose edge lengths are approximately 0.30 ± 0.15 mm (Demarcy, 2017). The SDM was then generated by using VTK library and the *vtkImplicitPolyDataDistance* class which implements a naive SDM algorithm based on point-to-triangle distance computations.

For training the neural network, we generated a static dataset consisting of 625 ($5 \times 5 \times 5 \times 5$) cochlea SDM datasets of size $50 \times 50 \times 60$ by uniformly sampling the 4 deformation parameters within user specified ranges. In addition, we performed random data augmentation, by generating online SDMs during the training stage through a random sampling of the 4 shape parameters.

2.2. Signed Distance Map Neural Network

Our SDM Neural Network (SDMNN) is an encoder-decoder network with merged layers, its structure being inspired by the well known U-net (Ronneberger et al., 2015). The SDMNN has the four shape parameters as input and generates as output a $50 \times 50 \times 60$ signed distance map (see Fig. 1).




Figure 1: Proposed Signed Distance Map Neural Network (SDMNN)

3. Experiments and Evaluation

The SDMNN was trained on one NVIDIA 1080Ti GPU with both static 625 datasets and online random SDMs with a Mean Square Error (MSE) loss for 168 hours. After training, we generated 100 test SDMs with the naive mesh-based VTK code that are associated with random shape parameters. Those were compared to the SDMs generated by the SDMNN for the same shape parameters and the average MSE on the whole images were $MSE = 0.006mm$ which is small given that the range of a SDM is $(-0.2mm, 1.3mm)$.

Qualitative results are shown in Fig. 2 (I) where the comparison of the SDMNN and naive mesh-based generated maps is performed by extracting the isocontours associated with the zero (red) and 1mm (yellow) level sets. We see that the isocontours from the SDMNN match closely the ones generated from the mesh. Some small and smooth distortions appear for the yellow contours. Since in surface reconstruction problems, the main focus of SDM is on the zero level set, the errors of the yellow isocontours are likely not to entail any major reconstruction errors. To verify the accuracy of the zero level isocontour, we have extracted the zero isosurface by the marching cubes algorithm associated with the standard shape values and compared that reconstructed surface with the original triangulated mesh model (the one used to generate the mesh SDM). In Fig. 2 (II) the 2 surfaces are overlaid showing that the SDMNN isosurface is as smooth as the original mesh and that the 2 surfaces are very close indeed.




Figure 2: (Left-I) comparison between isocontours extracted from an SDM generated by the SDM neural network (left) and classical method (right);(Right-II) comparison of reconstructed 0-isosurface between the two methods.

The proposed approach is evaluated quantitatively in three ways. First, we compare the computation times between VTK mesh-based SDM generation and the SDMNN-based generation. All evaluations were performed on a Dell Mobile Workstation with Intel(R) Core(TM) i7-7820HQ @ 2.90GHz CPU. We show in Table 1 that the SDM neural network is about 66 times more efficient to generate a SDM than the classical method. Second, the performance was also compared for fitting a cochlea shape model on a clinical CT image as in (Demarcy, 2017) which requires several hundreds of evaluations of signed distance maps. In such case, the speedup was shown to be about 11 times faster than the mesh-based alternative. We also implemented the DeepSDF and IM-NET (Park et al., 2019; Chen and Zhang, 2019) for the generation of SDM of the cochlea with 4 shape parameters. For a fair comparison, we run DeepSDF (which is very similar to the IM-NET) to test its computational efficiency to fill a (60, 50, 50) SDM grid in one batch. The resulting computing time is 28s as shown in Table 1 which is even worse than the default VTK algorithm. This shows that there is high price to pay to have a point-based network rather than an image-based network. Furthermore, we found the accuracy in terms of signed distances of both networks to be significantly worse than our proposed SDMNN.

Thirdly, we evaluated the difference in terms of estimated shape parameters after fitting 9 clinical CT cochlea volumes using both mesh-based and SDMNN methods. This led to recover the 4 shape parameters a, α, b, ϕ on each of the 9 cochleas that are stored in vector P_{mesh} when using mesh-based SDM generation method and vector P_{SDMNN} with SDMNN.

Table 1: Different Methods Computational time for SDM generation (h:m:s)

Generation Time	SDMNN	Mesh based SDM	DeepSDF
Single SDM	0:00:00.2	0:00:10.7	0:00:28.1
Shape Fit	1:05:02.1	12:15:45.4	Failed

The errors in shape parameters $P_{err} = \|P_{mesh} - P_{SDMNN}\|$ are reported in Table 2 showing negligible discrepancies given that the parameters magnitude (see head of Table 2).

Table 2: Shape parameters estimation error for SDMNN compared to mesh based SDM

Parameters Name	a	α	b	φ
Parameters Range	(2.0, 5.0)	(0.0, 1.2)	(0.05, 0.25)	$(-\pi/4, \pi/4)$
Mean shape parameters errors P_{err} on 9 cases.	2.06e-08	2.53e-08	5.4e-08	1.00e-09

4. Conclusion

In this paper, we have proposed a deep learning-based fast signed distance map generation method. We showed quantitatively and qualitatively that it can generate 3D SDM in less than 300 ms, while having an accuracy suitable for shape-recovery, with no noticeable changes in recovered shape parameters. This CNN based SDM generation model can be used for any parametric shape model for SDM generation and does not require any GPGPU resources after training, which is compatible with a clinical environment. While other point-based approaches such as DeepSDF and IM-NET have been also proposed recently, the time overhead to fill a regular grid appears to be fairly large. The current approach is probably suitable only when the number of shape parameters is small since the number of SDMs in the training set should grow quadratically with the number of shape parameters. Future work will look at additional strategies to speed-up the training stage and improve the output accuracy.

References

- J. A. Baerentzen and H. Aanaes. Signed distance computation using the angle weighted pseudonormal. *IEEE Transactions on Visualization and Computer Graphics*, 11(3):243–253, May 2005. ISSN 2160-9306. doi: 10.1109/TVCG.2005.49.
- Zhiqin Chen and Hao Zhang. Learning implicit fields for generative shape modeling. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- Thomas Demarcy. *Segmentation and study of anatomical variability of the cochlea from medical images*. Theses, Université Côte d’Azur, July 2017.
- Shuman Jia, Antoine Despinasse, Zihao Wang, Hervé Delingette, Xavier Pennec, Pierre Jaïs, Hubert Cochet, and Maxime Sermesant. Automatically Segmenting the Left Atrium from

- Cardiac Images Using Successive 3D U-Nets and a Contour Loss. In *Statistical Atlases and Computational Modeling of the Heart (STACOM) workshop*, Granada, Spain, September 2018.
- Jian Huang, Yan Li, R. Crawfis, Shao-Chiung Lu, and Shuh-Yuan Liou. A complete distance field representation. In *Proceedings Visualization, 2001. VIS '01.*, pages 247–561, Oct 2001. doi: 10.1109/VISUAL.2001.964518.
- M. W. Jones, J. A. Baerentzen, and M. Sramek. 3d distance fields: a survey of techniques and applications. *IEEE Transactions on Visualization and Computer Graphics*, 12(4): 581–599, July 2006. ISSN 2160-9306. doi: 10.1109/TVCG.2006.56.
- C. R. Maurer, Rensheng Qi, and V. Raghavan. A linear time algorithm for computing exact euclidean distance transforms of binary images in arbitrary dimensions. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 25(2):265–270, Feb 2003. ISSN 1939-3539. doi: 10.1109/TPAMI.2003.1177156.
- Jeong Joon Park, Peter Florence, Julian Straub, Richard Newcombe, and Steven Lovegrove. DeepSDF: Learning continuous signed distance functions for shape representation. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2019.
- Kilian M Pohl, John Fisher, Martha E Shenton, Robert W Mccarley, W Eric L Grimson, Ron Kikinis, William M Wells, and W L Eric. Logarithm Odds Maps for Shape Representation. *Medical image computing and computer-assisted intervention : MICCAI ... International Conference on Medical Image Computing and Computer-Assisted Intervention*, 9(Pt 2): 955–963, 2006. URL <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2994060/>.
- C. Quammen, C. Weigle, and R. Taylor. Boolean operations on surfaces in vtk without external libraries. *VTK journal*, 05 2011.
- Olaf Ronneberger, Philipp Fischer, and Thomas Brox. U-net: Convolutional networks for biomedical image segmentation. volume 9351, pages 234–241, 10 2015. ISBN 978-3-319-24573-7. doi: 10.1007/978-3-319-24574-4_28.
- A. Roosing, O. Strickson, and Nikolaos Nikiforakis. Fast distance fields for fluid dynamics mesh generation on graphics hardware. 03 2019.
- Richard Tsai and Stanley Osher. Level set methods and their applications in image science. *Communications in mathematical sciences*, 1, 12 2003. doi: 10.4310/CMS.2003.v1.n4.a1.
- Jianhua Wu and Leif Kobbelt. Piecewise linear approximation of signed distance fields. In *Vision, Modeling and Visualization*, pages 513–520, 09 2003.
- Yizi Wu, Jiaju Man, and Ziqing Xie. A double layer method for constructing signed distance fields from triangle meshes. *Graphical Models*, 76(4):214 – 223, 2014. ISSN 1524-0703. doi: <https://doi.org/10.1016/j.gmod.2014.04.011>. URL <http://www.sciencedirect.com/science/article/pii/S152407031400037X>.