



Correction to: Performance optimization of tethered balloon technology for public safety and emergency communications

S. H. Alsamhi^{1,2,5} · F. A. Almalki³ · Ou Ma⁴ · M. S. Ansari⁵ · M. C. Angelides³

© Springer Science+Business Media, LLC, part of Springer Nature 2019

1 Correction to:

2 Telecommunication Systems

3 <https://doi.org/10.1007/s11235-019-00580-w>

4 The original version of this article was published with an
5 error in one of the co-author names and e-mail addresses.
The correct author name should read as “M. C. Angelides”

6 instead of “M. Angelides” and e-mail address should read
7 as “marios.angelides@brunel.ac.uk” instead of “marios.
8 angelides@bbrunel.ac.uk”.

9 The original article has been corrected.

10 **Publisher's Note** Springer Nature remains neutral with regard to juris-
11 dictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s11235-019-00580-w>.

✉ S. H. Alsamhi
s.alsamhi.rs.ece@iitbhu.ac.in

F. A. Almalki
faris.almalki@brunel.ac.uk

Ou Ma
ou.ma@uc.edu

M. S. Ansari
samar.ansari@zhcet.ac.in

M. C. Angelides
marios.angelides@brunel.ac.uk

1 School of Aerospace Engineering, Tsinghua University,
Beijing, China

2 IBB University, Ibb, Yemen

3 Department of Electronic and Computer Engineering, Brunel
University London, London, UK

4 College of Engineering and Applied Science, University of
Cincinnati, Cincinnati, OH, USA

5 Electronics Engineering Department, Aligarh Muslim
University, Aligarh, India