

Original article

Scand J Work Environ Health 2020;46(3):302-310

doi:10.5271/sjweh.3865

Do gender and psychosocial job stressors modify the relationship between disability and sickness absence: An investigation using 12 waves of a longitudinal cohort

by Milner A, Aitken Z, Byars S, Butterworth P, Kavanagh A

This study reports that workers with disabilities may be more likely to take sickness absence. Gender and job control are important considerations in understanding these absences. Modifying working conditions may therefore reduce the likelihood of workers with disabilities taking sickness absence.

Affiliation: Disability and Health Unit, Centre for Health Equity, Melbourne School of Population and Global Health, the University of Melbourne, Victoria 3010, Australia. a.kavanagh@unimelb.edu.au

Refers to the following texts of the Journal: 2016;42(5):359-370 2015;41(5):451-459

Key terms: disability; gender; HILDA survey; job control; job stressor; longitudinal cohort; psychosocial; psychosocial job stressor; sick leave; sickness absence; sickness leave; unpaid leave; working condition

This article in PubMed: www.ncbi.nlm.nih.gov/pubmed/31802134

Additional material

Please note that there is additional material available belonging to this article on the *Scandinavian Journal of Work, Environment & Health* -website.



Scand J Work Environ Health. 2020;46(3):302-310. doi:10.5271/sjweh.3865

Do gender and psychosocial job stressors modify the relationship between disability and sickness absence: An investigation using 12 waves of a longitudinal cohort

by Allison Milner, PhD, 1* Zoe Aitken, M Epi, 1 Sean Byars, PhD, 1.2 Peter Butterworth, PhD, 3.4 Anne Kavanagh, PhD 1.2

Milner A, Aitken Z, Byars S, Butterworth P, Kavanagh A. Do gender and psychosocial job stressors modify the relationship between disability and sickness absence: An investigation using 12 waves of a longitudinal cohort. *Scand J Work Environ Health*. 2020;46(3):302–310. doi:10.5271/sjweh.3865

Objectives A considerable proportion of the working population reports a disability. These workers may be at risk of adverse outcomes, including longer periods of sickness absence. This study examined the causal effect of disability on sickness absence and the role of psychosocial job stressors and gender as effect modifiers.

Methods Data on paid and unpaid sick leave, disability (yes/no) and psychosocial job stressors were available from 2005 to 2017 from the Household, Income and Labour Dynamics in Australia (HILDA) survey. Negative binomial models were used to model the rate of sickness absence in a year.

Results In the random effects model, workers with disability had 1.20 greater rate of sickness absence in a year [95% confidence interval (CI) 1.17–1.23, P<0.001] after adjustment for confounders. The rate was slightly lower in the fixed effects model. There was evidence of multiplicative interaction of the effect by gender and job control. The effect of disability on sickness absence was greater among men than women, and higher for people with low job control compared to those with high job control.

Conclusions There is a need for more research about the factors that can reduce sickness leave among workers with disabilities.

Key term job control; HILDA survey; sick leave; sickness leave; unpaid leave; working condition.

Globally, the prevalence of workers with disabilities is substantial (1) and is projected to increase in many countries worldwide (2). Disability is a complex construct. The most commonly accepted definition disability is based on the International Classification of Functioning, Disability and Health, where disability is an umbrella terms that includes impairments (eg, loss of a limb), limitations (eg, unable to dress independently) and participation restrictions (eg, unable to go to community events) (3). Although statistics vary between countries, evidence suggests that 50–80% of people with disabilities are employed across the OECD (4). In Australia, 53% of people with a disability were employed in

2015 (5). Research suggests that people with disabilities disproportionality experience poorer quality working experiences (6), including being underemployed (7) and reporting unfair pay for the work they do (8). Workers with disabilities are more likely to exit into "not in the labour force" (NILF) and unemployment (9) than those without disabilities. Workers with disabilities may also have a high rate of sickness absence. The rationale for this argument stems from the substantial amount of research demonstrating a relationship between chronic mental or physical health problems and sickness absence (10, 11). In particular, people with mental health disorders have been found to have twice the odds of sickness

Correspondence to: Professor Anne Kavanagh, Disability and Health Unit, Centre for Health Equity, Melbourne School of Population and Global Health, the University of Melbourne, Victoria 3010, Australia. [E-mail: a.kavanagh@unimelb.edu.au]

¹ Centre for Health Equity, Melbourne School Population and Global Health, The University of Melbourne, Victoria 3010 Australia

Melbourne Disability Institute, The University of Melbourne, Victoria 3010 Australia

³ Centre for Research on Ageing, Health and Wellbeing, Research School of Population Health, Australian National University, Canberra, ACT, 2600 Australia

Melbourne Institute of Applied Economic and Social Research, University of Melbourne, Victoria, 3010 Australia

^{*} Sadly, Professor Allison Milner died tragically on 12 August 2019 after this paper was submitted for publication.

absence (11), while those who suffer from poor physical health and experience pain and injury (12) are at greater risk of taking longer periods of sickness absence.

Gender also appears to be an important factor for consideration in sickness absence (13), which may be connected to greater ill-health burden among women. It is also important to consider that females are also more likely to be primary carers for children or other dependents (14). Thus, females may be taking sickness absence in order to care for others (15). Past research also suggests that workplace-related factors need to be addressed in sickness absence interventions (16). This is because workplace-related factors such as psychosocial job stressors (eg., low job control and high job demands) have been shown to be associated with increased risk of sickness absence (17, 18). However, there is lack of quantitative research on whether targeting these stressors could lead to a reduction in sickness absence among workers with disabilities. Similarly, there is a lack of research on whether the gendered dynamics of sickness absence observed in previous studies are also apparent among workers with disabilities.

Understanding the drivers of sickness absence among at-risks groups such as those with a disability will be of key interest to government and employers, particularly since there has been considerable investment in disability employment programs in many countries around the world (19). In the UK, the cost of sickness absence was estimated to be £9 billion annually in terms of lost productivity, with costs thought to be similar in other OECD countries (20). These costs extend beyond the workplace as sickness absence is predictive of exiting from the labour market onto disability pension (21–23), and thus has direct costs for the government. There are also community and individual costs as sickness absence is strongly correlated with a range of poor health outcomes at a population level, including mortality, depression, and hypertension (24).

The aim of the current paper is to examine the relationship between disability and sickness absence in Australia's working-age population, as well as examining important factors that may modify this association. In particular, we will examine whether being exposed to psychosocial job stressors (eg, low job control, high job demands, low job security, and low fairness of pay) results in greater sickness absence among persons with disabilities. We will also examine the role of gender as an effect modifier of the relationship between disability and sickness absence based on previous research demonstrating that sickness absence is a highly-gendered experience.

Methods

Data source

The Household, Income and Labour Dynamics in Australia (HILDA) survey is a longitudinal, nationally representative study of households established in 2001. It collects detailed information annually from over 13 000 individuals within over 7000 households (25). The initial survey wave began with a large national probability sample of households occupying private dwellings (25). The survey covers a range of dimensions including social, demographic, health and economic conditions using a combination of face-to-face interviews with trained interviewers and a self-completion questionnaire. The response rate for wave 1 was 66% (25). Interviews were sought in later waves with all persons in sampled households who turned 15 years of age. Additional persons have been added to the sample as a result of changes in household composition. Inclusion of these new households is the main way the HILDA survey maintains sample representativeness. A top-up sample of 2000 people was added to the survey in 2011 allowing better representation of the Australian population using the same methodology as the original sample (ie, a three-stage area-based design) (26). The response rates for the HILDA survey are >90% for respondents who have continued in the survey and >70% for new respondents being invited into the study (25). Those who were eligible for the study were working age people who had been employed continuously for ≥ 3 consecutive waves of HILDA. Only these consecutive waves (≥ 3) were included in the analysis. As a sensitivity analysis and to test for consistency, we assessed results restricting to workers who reported their employer provided paid sick leave. The flow chart into the study can be seen in figure 1.

The Australian Government Department of Social Services Access provided access to HILDA, and the research conforms to the principles embodied in the Declaration of Helsinki.

Outcome

The primary outcome was a self-reported measure of days of sickness absence in the 12 months prior to their interview and following the last HILDA survey. This was ascertained through two questions: one on the number of days participants spent on paid sick leave in the last 12 months, and the other asking about days of unpaid leave in the last 12 months. Days of paid and unpaid sick leave were summed and used to calculate an incidence rate (number of sick days in a year/total number of days in a year). The Australian National Employment standards stipulate that permanent employees have a ≥ 10 paid sick leave days per year. Recognizing that




Figure 1. Sample selection.

people with disabilities may require more sick leave than the paid sick leave provided by the employer, we also considered days of unpaid leave within a 12-month period. Paid and unpaid sick leave were summed. Information on paid and unpaid sickness absence is available in HILDA from 2005 onwards.

Exposure

Disability was determined from the following survey question "...do you have any long-term health condition, impairment or disability that restricts you in your everyday activities, and has lasted or is likely to last, for six months or more?". Specific examples of long-term conditions were shown, such as limited use of fingers or arms, long-term psychological problems, or problems with eyesight that could not be corrected with glasses or contact lenses. Disability was classified as a binary variable (yes/no). As a sensitivity analysis (discussed below), we conducted further analysis on individuals who acquired a disability (incident disability). This included those who had at least two consecutive waves of disability preceded by ≥2 consecutive waves without disability. We also considered a time-invariant defini-

tion of disability where we had three groups of disability: consistently reported in all contributed waves of HILDA, time varying reported disability (reported in some contributed waves and not others), and no reported disability in any contributed waves.

Effect modifiers

Gender (male or female) was collected from 2001 onwards. We considered four main psychosocial job stressors as possible effect modifiers. These were: job control (three items), job demands and complexity (three items), job insecurity (three items), and fairness of pay. All scales were based on a likert scale, where 1 was "strongly disagree" and 7 was "strongly agree". Scale reliabilities for these variables are based on analyses of all waves of data. Job control included: "I have a lot of freedom to decide how I do my own work"; "I have a lot of say about what happens on my job", and; "I have a lot of freedom to decide when I do my work". The scale reliability coefficient for these three items was 0.82. Job demands and complexity included: "My job is complex and difficult"; "My job often requires me to learn new skills", and; "I use many of my skills and abilities in my current job". The scale reliability coefficient was 0.72. Job insecurity included: "I have a secure future in my job"; the company I work for will still be in business 5 years from now", and; "I worry about the future of my job" (which was reverse coded). The scale reliability coefficient was 0.67. Fairness of pay was calculated from one item: "I get paid fairly for the things I do in my job". We dichotomized each total job stressor scale at the 75th percentile to create a binary variable representing those exposed versus non-exposed to each job stressor. We used the most-adverse quartile dichotomization based on previous predictive validation of these measures in relation to health outcomes (27).

Confounders

Our confounders included age (15–24, 25–29, 30–34, 35–44, 45–54 and 55–64 years), education [less than Year 12 (high school), Year 12, diploma or certificate, bachelors degree or higher], household structure (couple without children, couple with children, lone parent with children, lone person, and other), weekly household income (equivalized), employment arrangement (permanent, casual, fixed term, and self-employed) and a three-level variable capturing occupational skill level defined using the Australian and New Zealand Standard Classification of Occupations: low (eg, sales workers, machinery operators and drivers, laborers), medium (eg, technicians and trade workers, community and personal services workers, clerical and administrative workers), and high (managers, professionals) (28). Gender was

included as a confounder in main effects models, before being assessed as an effect modifier.

Analysis

At the first stage of analysis, we looked at the descriptive associations (means, frequencies) of disability and sickness absence by the effect modifiers.

We then used negative binominal random and fixed effects (FE) regression to model the relationship between sickness absence and disability as there was evidence of over-dispersion in the outcome variable. Random effects (RE) models model within and between individual variation while RE models only model within individual variation. The coefficients produced from RE models represent a weighted average of the estimates due to the within and between person effects. In our case, the RE coefficients for the effects of disability on sickness absence represent a combination of the relationship observed when we look at disability and sickness absence across (or between) different people and the relationship occurring within persons (eg, changes in disability status and days of sickness absence in a year within the same person over time).

It was not possible to fit these fixed effect models with negative binominal outcomes panel models in commercial statistical packages [such as Stata/SE 15.0 for Mac (64-bit Intel) (StataCorp, College Station, TX, USA], therefore we replicated the FE approach manually by generating the difference scores (ie, deviation from each individuals' mean score for all time-varying covariates) and implemented the model as a RE model. However, this approach estimates within-person effects only because all between-person differences are removed due to lack of variation in subject-specific means). These are referred to as FE models in the paper. Coefficients were transformed into incident rate ratios to ease interpretation.

The possibility that the relationship between disability and sickness absence differed for males and females was assessed by examining the statistical significance of the interaction terms and the results of the likelihood ratio test. This was tested in a negative binomial model. The same approach was used to assess if the relationship differed depending on reporting of psychosocial job stressors. We then used the approach to presenting effect modification results recommended by Knol & VanderWeele (29) and computed effect measure modification on the additive and multiplicative scales. Using this approach, additive effect measure modification was assessed by estimating the relative excess risk of interaction (RERI), which occurs when the effect of the exposure and the effect modifier considered together exceeds the sum of individual effects of the exposure and effect modifier.

Additive interaction term = $p_{11} - p_{10} - p_{01} - p_{00}$

Where p_{11} refers to the probability of the outcome for the exposed when the effect modifier is present.

The multiplicative effect measure modification is measured on the ratio scale and is estimated from the interaction term in the model. It represents the extent to which, on the ratio scale, the effect of the exposure and the effect modifier exceeds the product of the effects considered separately (30).

Multiplicative interaction term =
$$\frac{p_{11}/p_{01}}{p_{10}/p_{00}}$$

Additive effect measure modification is particularly useful when estimating the absolute benefit of interventions on the effect modifier of interest (30).

As both disability and psychosocial job stressors were time varying, a participant could change on one or both of these and still be included in the coefficient for this term. Because of this, we conducted an additional analysis to assess possible differences when we did not allow disability (our exposure) to vary. To do this, we constructed three groups (consistently reported disability, disability reported in some waves and not other and no disability) and this three-level variable was included and modelled in relation to changes in psychosocial job stressors and changes in sickness absence. As a sensitivity analysis, we calculated marginal effects (ie, taking the effects of the log scale) to understand the absolute effect of a given point increase in sickness absence in relation to a point change in the effect modifiers within strata of disability. As noted above, we considered a further sensitivity analysis restricted to workers who reported that their employers provided them with paid sick leave. All analyses were performed using Stata, version 15.1.

Results

The mean days of sickness absence was higher for people who reported a disability [5.73, standard deviation (SD) 11.41] compared to people who did not report a disability (mean 4.05, SD 7.53). Table 1 also shows the mean days of sickness absence in relation to the effect modifiers in the analytic sample. Females generally had higher sickness absence than men. Workers with lower control and lower reported fairness of pay had more sickness absence than those with higher control. Results are more mixed for job demands and security, as those with low security and demands reported slightly more days of sickness absence in a year. A description of the analytic sample can be seen in table 2.

Table 1. Description of sickness absence/unpaid leave and disability by effect modifiers in the analytic sample. [SD=standard deviation]

	No disability	Disability	
	Mean (SD)	Mean (SD)	
	3.18 (5.94)	4.88 (10.05)	
Gender			
Male	2.87 (6.05)	4.57 (9.90)	
Female	3.52 (5.79)	5.20 (10.20)	
Control			
Low	3.82 (6.33)	5.74 (9.30)	
High	3.01 (5.72)	4.67 (10.03)	
Demands			
Low	3.10 (5.69)	4.83 (9.99)	
High	3.35 (6.41)	4.98 (10.18)	
Security			
Low	2.97 (5.58)	5.16 (10.01)	
High	3.28 (5.95)	4.45 (9.66)	
Fairness of pay			
Low	3.59 (5.83)	5.14 (8.80)	
High	3.11 (5.91)	4.93 (10.31)	

Results of the negative binomial models can be seen in table 3. These show that in both the RE [risk ratio (RR) 1.20, 95% CI 1.17–1.23, P<0.001] and FE (RR 1.16, 95% CI 1.14–1.19, P<0.001) models, disability was associated with a greater number of sickness absence in a year after adjustment (eg, there was a 1.20 and 1.16 times greater rate of sickness absence, respectively, when a person reported a disability). Results were also consistent when we tested a model restricting the sample to people who had acquired a disability (RE model RR 1.27, 95% CI 1.21–1.34, P<0.001; FE model RR 1.26, 95% CI 1.19–1.34, P<0.001).

Results of the interaction tests using the RE model showed that only gender and job control were significant effect modifiers (both related to the interaction terms in the model and also the likelihood ratio tests). Results of these two models can be seen in table 4. There was a negative multiplicative (but not additive) interaction between disability and gender. As can be seen, there is a greater difference in sickness absence between men with a disability compared to those without (RR 1.24, 95% CI 1.21–1.28) than between women with and without a disability (RR 1.17, 95% CI 1.14–1.21). This was also seen in the marginal effects model which also estimates absolute differences (supplementary material, www.sjweh.fi/show abstract.php?abstract_id=3865, table S1).

Workers with disability who also had low control had a rate of sickness absence 1.43 times greater (95% 1.38–1.48) than workers with high control and no disability. Low control also had a slightly higher relative effect on sickness absence for people with disability (RR 1.19, 95% CI 1.15–1.24) compared to those without (RR 1.15, 95% CI 1.12–1.17). These results were also apparent when we assessed the marginal effects model (supplementary table S1), in analyses where disability was held constant (supplementary table S2), and also

Table 2. Sample description. [Adv Dip=advanced diploma; SD=standard deviation]

	% (Obs=107 128)	Mean (SD)
Number of days sickness absence		3.45 (6.78)
Weekly household income		\$1034.95 (\$507.20)
Disability		
No	84.24	
Yes	15.76	
Age group (years)		
15–24	16.66	
25-29	11.42	
30-34	10.73	
35-44	23.1	
45–54	23.96	
55-64	14.13	
Sex		
Male	52.15	
Female	47.85	
Household structure		
Couple with no children	25.6	
Couple with children	49.04	
Lone parent with children	7.86	
Lone person	13.49	
Other	4.01	
Education		
Bachelor degree or higher	29.82	
Adv Dip, Certificate or Year 12	50.67	
Year 11 or below	19.5	
Occupational skill level		
Lowest	22.65	
Medium	39.04	
Highest	38.31	
Employment arrangement		
Permanent	60.83	
Casual/labour hire	16.89	
Fixed term	7.84	
Self employed	14.44	

when we restricted analysis to those who had an entitlement to sick leave (supplementary table S3).

Discussion

The results of this study indicate that psychosocial working conditions, such as low job control, influence the likelihood of taking sickness absence, both among people with and without disabilities. Our research also highlights the role of gender in relation to sickness absence. Reporting a disability (including the acquisition of disability) was associated with 1.2 times greater rate of sickness absence for a person compared to when they did not report a disability.

Our findings indicate that workers with disabilities take more sickness leave than those who do not have disabilities, which is an unsurprising finding given the literature we cite above. However, as an advance on previous research, we demonstrate within-persons changes in sickness absence in relation to the presence of a disability. This indicates the likely causal effect of disability on sickness absence after controlling for other time

Table 3. The relationship between disability and days of sickness absence among those who are employed in all waves, within a 12-month period, negative binomial regression models, HILDA (2005–2017). Persons=14,432, observations=107,128. Average waves per person 7.4. [CI=confidence interval; IRR=incidence rate ratio.]

	R	Random effects model			Fixed effects model		
	IRR	95% CI	P-value	IRR	95% CI	P-value	
Disability							
No	1			1			
Yes	1.20	1.17-1.23	< 0.001	1.16	1.14-1.19	< 0.001	
Age group (years)							
15–24	1			1			
25-29	1.15	1.12-1.19	< 0.001	1.15	1.11-1.19	< 0.001	
30-34	1.13	1.09-1.16	< 0.001	1.19	1.14-1.24	< 0.001	
35-44	1.06	1.03-1.09	< 0.001	1.28	1.21-1.35	< 0.001	
45-54	0.92	0.89-0.95	< 0.001	1.31	1.23-1.40	< 0.001	
55-64	0.82	0.79-0.85	< 0.001	1.30	1.21-1.40	< 0.001	
Sex ^a							
Male	1						
Female	1.26	1.24-1.29	< 0.001	1			
Weekly household income	1.03	1.02-1.03	< 0.001	1.04	1.03-1.04	< 0.001	
Household structure							
Couple with no children	1			1			
Couple with children	0.97	0.94-0.99	0.002	0.91	0.89-0.94	< 0.001	
Lone parent with children	1.00	0.96-1.03	0.837	0.97	0.92-1.01	0.171	
Lone person	0.99	0.96-1.01	0.315	0.98	0.95-1.02	0.340	
Other	1.01	0.97-1.05	0.672	0.98	0.93-1.03	0.349	
Education							
Bachelor degree	1			1			
Year 12	0.89	0.87-0.91	< 0.001	0.81	0.77-0.86	< 0.001	
Year 11 or below	0.80	0.78-0.83	< 0.001	0.84	0.78-0.91	< 0.001	
Occupational skill level							
Lowest	1			1			
Medium	1.09	1.06-1.11	< 0.001	1.03	1.00-1.06	0.063	
Highest	1.05	1.02-1.08	0.002	1.05	1.01-1.09	0.006	
Employment arrangement							
Permanent	1			1			
Casual/labour hire	0.28	0.27-0.29	< 0.001	0.40	0.39-0.41	< 0.001	
Fixed term	0.84	0.82-0.86	<0.001	0.89	0.87-0.92	< 0.001	
Self employed	0.11	0.11-0.12	<0.001	0.32	0.30-0.33	< 0.001	

^a Sex omitted in fixed effects model as it was time invariant.

Table 4. The relationship between disability and days of sickness absence among those who are employed in all waves, within a 12-month period, negative binomial random effects regression models, HILDA, 2005–2017, interaction terms for gender and control. Models were adjusted for weekly household income, sex, education, occupational skill level, age group, household structure, employment arrangement. Persons=14,001, observations=93,225. Average waves per person 7.4. [RR=risk ratio]

	Male	Female
Disability		
No	1	1.27 (1.24-1.29)
Yes	1.24 (1.21-1.28)	1.49 (1.44-1.54)
RR for disability within gender	1.24 (1.21-1.28)	1.17 (1.14-1.21)
Interaction on the additive scale	-0.02 (-0.07-0.03)	
Interaction on multiplicative scale	0.94 (0.91-0.98)	
	High job control	Low job control
Disability		
No	1	1.15 (1.12-1.17)
Yes	1.20 (1.16-1.23)	1.43 (1.38-1.48)
RR	1.20 (1.16-1.23)	1.25 (1.21-1.29)
Interaction on the additive scale	0.09 (0.03-0.14)	
Interaction on multiplicative scale	1.04 (1.00-1.09)	

varying and invariant factors. Furthermore this effect was still evident when we restricted the sample to people who acquired a new disability. An obvious reason for these results is connected to a worsening of health conditions (10, 11). However, there are a range of factors that may influence sickness absence outside an individual's health. In particular, discrimination, stigma and bullying have been reported to be elevated among employed people with disabilities compared to those without disabilities (31). Previous research has shown a link between the experience of these types of adverse workplace experiences and greater likelihood of sickness absence (32, 33, 34). Hence, people with disabilities may be more exposed to stressors such as discrimination and bullying in workplace settings, and these may contribute to greater likelihood of taking sickness absence.

Another pertinent factor is low job control, which we found was predictive of sickness absence. We found that this was especially important to people with a disability (ie, there was a 1.24 times greater rate of taking sickness absence among people with disabilities experiencing low control compared to people with disabilities who reported high job control). There is a considerable

amount of research demonstrating the importance of job control as both a determinant of sickness absence (34) and other health outcomes (35). Hence, we would suggest that providing workers with disabilities a greater amount of control of where, how, and when they work might be a useful way of addressing sickness absence. This may include allowing people the flexibility of working from home for a proportion of their working time, as well as providing some flexibility over what they are doing within their working day.

Our results also highlight the role of gender as a factor when considering the relationship between disability and sickness absence. Confirming previous research, we found that women were more likely to take sickness absence leave than men (13). However, results shifted once we considered the role of disability. We found that males with disabilities were more likely to take sickness absence than males without disabilities, and this difference was greater on the multiplicative scale than what we found for women. The different working life of men and women must be acknowledged here. In general, men are less likely to have periods out of the workforce (36). Men are also less likely to take sickness absence (18). In converse, the working life of women may be more disrupted as, in general, women are disproportionately responsible for looking after dependents and have other domestic responsibilities (36). On the basis of this, it is possible that disability has a greater impact on the working life of men leading to a stronger impact on sickness absence. This difference may be less obvious for women who are already likely to be more likely to take sick leave than men. However, the relative size of effect is small and so it would be premature to base reforms on these findings. These findings need further investigation in other datasets.

One of the first limitations of this research concerns the conceptual and methodological difficulty in separating disability from sickness absence. In this study, we attempted to address this through careful research design, such as using different definitions of disability and using FE modelling approaches. The disability acquisition analysis we conducted demonstrated an effect on sickness absence following disability onset. We also examined the impact of disability after this was held constant within a person. Regardless of these methodological approaches, we acknowledge that this is still a limitation, both conceptually and methodologically. Notwithstanding, there is a growing number of studies demonstrating the effect of employment conditions on the health of people with disabilities (eg, 37, 38). Hence, we would argue that our results are still important and have validity. It is also important to acknowledge likely differences based on the severity and type of impairment a person has, which we did not have the power to examine in this analysis. Other limitations are related

to the fact that the data was self-reported, hence there is the possibility of misclassification bias. In saying this, we attempted to control for this by using a FE model to contrast within-person differences across the comparison groups. A FE model does this by holding stable factors constant, hence a person is able to act as their own control. There are many other important psychosocial aspects of the work environment that were not included in HILDA (eg, social support and bullying at work) that could also influence the relationship between disability and sickness absence. Further while classification of these psychosocial job stressors is based on previous research (27) and the use of relative measures (eg, upper quartile) is common (eg, relative poverty), future research should examine whether critical points can be identified so that absolute measures can be used (39).

In stating these limitations, there were also several strengths in this study. This included the ability to examine within-person effects controlling for time-invariant confounders that may have otherwise biased results. Further, we were able to include the entire spectrum of the employed population as we considered both paid and unpaid leave from work. This is particularly important in Australia as casual and self-employed persons do not usually have entitlement to paid sick leave.

In conclusion, this study highlights the role of both individual (eg, gender) and work-related (eg, job control) factors on the relationship between disability and sickness absence. From a prevention perspective, we would suggest that allowing people greater ability to have control of where, how and, when they work may be a way to address sickness absence. This might be particularly important for people with disabilities, especially given increased governmental emphasis on improving employment of people with disabilities internationally (19). There is also some evidence to suggest the role of clinical support and graded activities (eg, slow integration back into work) as a way to reduce sickness absence (16), although more research on intervention and prevention of sickness absence is needed.

Acknowledgments

We honour the memory of Associate Professor Allison Milner whose intellect and drive to do rigorous research that improves the health of disadvantaged people continues to inspire us. This paper uses unit record data from the Household, Income and Labour Dynamics in Australia (HILDA) Survey. HILDA was initiated and is funded by the Australian Government Department of Social Services DSS and managed by the Melbourne Institute of Applied Economic and Social Research Melbourne Institute. The findings and views reported in this

paper, however, are those of the author and should not be attributed to either DSS or the Melbourne Institute. The data used in this paper was extracted using the Add-On Package PanelWhiz for Stata. PanelWhiz (www.Panel-Whiz.eu) was written by Dr. John P. Haisken-DeNew (john@PanelWhiz.eu).

Financial support

This work was supported by a Victorian Health and Medical Research Fellowship (to AM), NHMRC Partnership Project (APP1151843 to AM and AK), and NHMRC Centre for Research Excellence (APP1116385 to AK and AM).

Conflict of interest

The authors declare no conflicts of interest.

References

- Blekesaune M. Have some European countries been more successful at employing disabled people than others? ISER Working Paper Series 2007; No. 2007-23.
- WHO. World report on disability. Geneva, Switzerland: World Health Organization; 2011.
- International Classification of Functioning. Disability and Health: ICF. Geneva, Switzerland: World Health Organization (WHO); 2001.
- OECD. Sickness, Disability and Work: Breaking the Barriers. [electronic resource]: A Synthesis of Findings across OECD Countries. Paris: OECD Publishing; 2010.
- Disability AB. Ageing and Carers, Australia: Summary of Findings, 2015. Cat. No. 4430.0. Canberra: Australian Bureau of Statistics; 2016.
- LaMontagne AD, Krnjacki L, Milner A, Butterworth P, Kavanagh A. Psychosocial job quality in a national sample of working Australians: A comparison of persons working with versus without disability. SSM Popul Health 2016 Mar;2:175-81. https://doi.org/10.1016/j. ssmph.2016.03.001.
- Milner A, King TL, LaMontagne AD, Aitken Z, Petrie D, Kavanagh AM. Underemployment and its impacts on mental health among those with disabilities: evidence from the HILDA cohort. J Epidemiol Community Health 2017 Dec;71(12):1198–202.
- Milner A, Aitken Z, Krnjacki L, Bentley R, Blakely T, LaMontagne AD et al. Perceived fairness of pay among people with and without disabilities: a propensity score matched analysis of working Australians. Scand J Work Environ Health 2015 Sep;41(5):451-9. https://doi. org/10.5271/sjweh.3515.
- 9. Milner A, Taouk Y, Disney G, Aitken Z, Rachele J,

- Kavanagh A. Employment predictors of exit from work among workers with disabilities: A survival analysis from the household income labour dynamics in Australia survey. PLoS One 2018 Dec;13(12):e0208334. https://doi.org/10.1371/journal.pone.0208334.
- de Vries H, Fishta A, Weikert B, Rodriguez Sanchez A, Wegewitz U. Determinants of Sickness Absence and Return to Work Among Employees with Common Mental Disorders: A Scoping Review. J Occup Rehabil 2018 Sep;28(3):393–417. https://doi.org/10.1007/s10926-017-9730-1.
- Duijts SF, Kant I, Swaen GM, van den Brandt PA, Zeegers MP. A meta-analysis of observational studies identifies predictors of sickness absence. J Clin Epidemiol 2007 Nov;60(11):1105–15. https://doi.org/10.1016/j. jclinepi.2007.04.008.
- Lötters F, Burdorf A. Prognostic factors for duration of sickness absence due to musculoskeletal disorders. Clin J Pain 2006 Feb;22(2):212–21. https://doi.org/10.1097/01. ajp.0000154047.30155.72.
- Laaksonen M, Martikainen P, Rahkonen O, Lahelma E. Explanations for gender differences in sickness absence: evidence from middle-aged municipal employees from Finland. Occup Environ Med 2008 May;65(5):325–30. https://doi.org/10.1136/oem.2007.033910.
- Bianchi SM, Sayer LC, Milkie MA, Robinson JP. Housework: Who Did, Does or Will Do It, and How Much Does It Matter? Soc Forces 2012 Sep;91(1):55–63. https:// doi.org/10.1093/sf/sos120.
- Risa AE, Bratberg E, Dahl SÅ. 'The Double Burden': Do Combinations of Career and Family Obligations Increase Sickness Absence among Women? Eur Sociol Rev 2002;18(2):233–49. https://doi.org/10.1093/esr/18.2.233.
- Odeen M, Magnussen LH, Maeland S, Larun L, Eriksen HR, Tveito TH. Systematic review of active workplace interventions to reduce sickness absence. Occup Med (Lond) 2013 Jan;63(1):7–16. https://doi.org/10.1093/occmed/kqs198.
- Niedhammer I, Bugel I, Goldberg M, Leclerc A, Guéguen A. Psychosocial factors at work and sickness absence in the Gazel cohort: a prospective study. Occup Environ Med 1998 Nov;55(11):735–41. https://doi.org/10.1136/oem.55.11.735.
- Milner A, Butterworth P, Bentley R, Kavanagh AM, LaMontagne AD. Sickness absence and psychosocial job quality: an analysis from a longitudinal survey of working Australians, 2005-2012. Am J Epidemiol 2015 May;181(10):781-8. https://doi.org/10.1093/aje/kwu355.
- OECD. Transforming Disability into Ability. [electronic resource]: Policies to Promote Work and Income Security for Disabled People. Paris: OECD Publishing; 2003.
- Taimela S, Justén S, Aronen P, Sintonen H, Läärä E, Malmivaara A et al. An occupational health intervention programme for workers at high risk for sickness absence. Cost effectiveness analysis based on a randomised controlled trial. Occup Environ Med 2008 Apr;65(4):242–8. https://doi.org/10.1136/oem.2007.033167.

- van Rijn RM, Robroek SJ, Brouwer S, Burdorf A. Influence of poor health on exit from paid employment: a systematic review. Occup Environ Med 2014 Apr;71(4):295–301. https://doi.org/10.1136/oemed-2013-101591.
- Gjesdal S, Bratberg E. Diagnosis and duration of sickness absence as predictors for disability pension: results from a three-year, multi-register based* and prospective study. Scand J Public Health 2003;31(4):246–54. https://doi. org/10.1080/14034940210165154.
- Kivimäki M, Forma P, Wikström J, Halmeenmäki T, Pentti J, Elovainio M et al. Sickness absence as a risk marker of future disability pension: the 10-town study. J Epidemiol Community Health 2004 Aug;58(8):710–1. https://doi.org/10.1136/jech.2003.015842.
- Kivimäki M, Head J, Ferrie JE, Singh-Manoux A, Westerlund H, Vahtera J et al. Sickness absence as a prognostic marker for common chronic conditions: analysis of mortality in the GAZEL study. Occup Environ Med 2008 Dec;65(12):820–6. https://doi.org/10.1136/oem.2007.038398.
- 25. Wilkins R. Families, Incomes and Jobs, Volume 8: A Statistical Report on Waves 1 to 10 of the Household, Income and Labour Dynamics in Australia Survey. Melbourne: Melbourne Institute of Applied Economic and Social Research; 2013.
- Watson N. Methodology for the HILDA top-up sample. HILDA Project Technical Paper Series No 1/11. Melbourne: Melbourne Institute of Applied Economic and Social Research; 2011.
- Butterworth P, Leach LS, Strazdins L, Olesen SC, Rodgers B, Broom DH. The psychosocial quality of work determines whether employment has benefits for mental health: results from a longitudinal national household panel survey. Occup Environ Med 2011 Nov;68(11):806–12. https://doi.org/10.1136/oem.2010.059030.
- Australian Bureau of Statistics. (2016). ANZSCO— Australian and New Zealand Standard Classification of Occupations, 1st ed.; Australian Bureau of Statistics: Canberra, Australia, 2016.
- Knol MJ, VanderWeele TJ. Recommendations for presenting analyses of effect modification and interaction. Int J Epidemiol 2012 Apr;41(2):514–20. https://doi.org/10.1093/ ije/dyr218.
- VanderWeele TJ, Knol MJ. A Tutorial on Interaction. Epidemiol Methods 2014;3(1):33-72. https://doi. org/10.1515/em-2013-0005.

- 31. Fevre R, Robinson A, Lewis D, Jones T. The ill-treatment of employees with disabilities in British workplaces. J Work. Employ Soc. 2013;27(2):288–307. https://doi.org/10.1177/0950017012460311.
- Mundbjerg Eriksen TL, Hogh A, Hansen ÅM. Long-term consequences of workplace bullying on sickness absence. Labour Econ 2016;43:129–50. https://doi.org/10.1016/j. labeco.2016.06.008.
- Nielsen MB, Indregard AM, Øverland S. Workplace bullying and sickness absence: a systematic review and meta-analysis of the research literature. Scand J Work Environ Health 2016 Sep;42(5):359–70. https://doi.org/10.5271/sjweh.3579.
- Duijts SF, Kant I, Swaen GM, van den Brandt PA, Zeegers MP. A meta-analysis of observational studies identifies predictors of sickness absence. J Clin Epidemiol 2007 Nov;60(11):1105–15. https://doi.org/10.1016/j. jclinepi.2007.04.008.
- 35. Harvey SB, Modini M, Joyce S, Milligan-Saville JS, Tan L, Mykletun A et al. Can work make you mentally ill? A systematic meta-review of work-related risk factors for common mental health problems. Occup Environ Med 2017 Mar;74(4):301–10. https://doi.org/10.1136/oemed-2016-104015.
- 36. Milner A, Scovelle AJ, King TL, Marck CH, McAllister A, Kavanagh AM, et al. Gendered Working Environments as a Determinant of Mental Health Inequalities: A Protocol for a Systematic Review. Int J Environ Res Public Health. 2019;16(7). P11:E1169.
- 37. Milner A, Krnjacki L, Butterworth P, Kavanagh A, LaMontagne AD. Does disability status modify the association between psychosocial job quality and mental health? A longitudinal fixed-effects analysis. Soc Sci Med 2015 Nov;144:104–11. https://doi.org/10.1016/j.socscimed.2015.09.024.
- 38. Aitken Z, Simpson JA, Gurrin L, Bentley R, Kavanagh AM. Do material, psychosocial and behavioural factors mediate the relationship between disability acquisition and mental health? A sequential causal mediation analysis. Int J Epidemiol 2018 Jan;47(3):829–40. https://doi.org/10.1093/ije/dyx277.
- Kyaw-Myint SM, Strazdins L, Clements M, Butterworth P, Gallagher L. A method of identifying health-based benchmarks for psychosocial risks at work: A tool for risk assessment. Saf Sci 2017;93:143–51. https://doi. org/10.1016/j.ssci.2016.11.016.

Received for publication: 14 July 2019