

Supplementary Data

lar papers at core.ac.uk

provided by Dip

Neuronal Hemoglobin is Reduced in Alzheimer's Disease, Argyrophilic Grain Disease, Parkinson's Disease, and Dementia with Lewy Bodies

Isidro Ferrer^{a,b,*}, Ana Gómez^a, Margarita Carmona^a, Gema Huesa^a, Silvia Porta^a, Miquel Riera-Codina^c, Marta Biagioli^d, Stefano Gustincich^d and Ester Aso^a

^a*Institut Neuropatologia, Servei Anatomia Patològica, IDIBELL-Hospital Universitari de Bellvitge, Hospitalet de Llobregat, Spain*

^b*CIBERNED, Centro de Investigación Biomédica de Enfermedades Neurodegenerativas, Spain*

^c*Departament de Fisiologia, Facultat de Biologia, Universitat de Barcelona, Spain*

^d*Sector of Neurobiology, International School for Advanced Studies (SISSA), AREA Science Park, Trieste, Italy*

Accepted 11 October 2010

Supplementary Table S1

Summary of cases used in the present study. FC: frontal cortex; SN: substantia nigra; Hip: hippocampus; amyg: amygdala; med oblo: medulla oblongata; M: male; F: female; PD: Parkinson disease; DLB: dementia with Lewy bodies; AD: Alzheimer disease-related pathology, stages of Braak; AGD: argyrophilic grain disease

	FC	SN	Hip	Amyg	Med oblo	Gender	Age	p-m delay	Neuropathology
1	X	X				M	41	5h55'	Control
2	X	X	X	X	X	M	56	3h50'	Control
3	X	X	X	X	X	M	39	3h30'	Control
4	X	X	X	X	X	M	59	6h25'	Control
5	X					M	61	2h45'	Control
6	X					M	67	5h	Control
7	X		X	X		F	73	7h	Control
8	X					M	75	9h	Control
9		X	X		X	F	78	3h40'	Control
10		X				F	71	8h30'	Control

*Correspondence to: Prof. Isidro Ferrer, Institut Neuropatologia, Servei Anatomia Patològica, IDIBELL-Hospital Universitari de Bellvitge, Carrer Feixa Llarga sn, 08907 Hospitalet de Llobregat, Spain. Tel.: +34 93 260 7452; Fax: +34 93 260 7503; E-mail: 8082ifa@gmail.com.

Supplementary Table S1
(Continued)

	FC	SN	Hip	Amyg	Med oblo	Gender	Age	p-m delay	Neuropathology
11		X				F	81	4h	Control
12		X	X		X	M	64	3h30'	Control
13	X					M	62	3h	Control
14	X					M	52	4h	Control
15	X					M	51	4h	Control
16	X					M	58	4h	Control
17		X	X		X	M	66	3h	Control
18		X				M	74	6h40'	Control
19		X				M	63	4h15'	Control
20		X		X	X	M	65	5h15'	Control
21		X				F	64	2h15'	Control
22		X			X	F	55	8h30'	Control
23	X					M	78	2h15'	Control
24	X					F	66	8h	Control
25	X					F	75	3h	Control
26	X	X			X	M	78	10h45'	PD
27	X	X	X			M	85	3h15'	PD
28	X	X			X	F	70	10h50'	PD
29	X	X			X	F	78	5h15'	PD
30	X	X				M	57	10h50'	PD
31	X				X	F		8h45'	PD
32	X				X	M	72	9h	PD
33	X					M	70	4h30'	PD
34	X		X		X	M	76	4h30'	PD
35		X	X			M	85	3h15'	PD
36		X	X		X	M	68	10h30'	PD
37	X	X				F	71	4h	PD
38	X	X			X	M	70	4h	PD
39	X	X			X	M	74	5h30'	PD
40	X	X				M	80	9h40'	PD
41	X	X				M	73	3h30'	PD
42		X				M	72	8h55'	PD
43		X				M	74	10h50'	PD
44	X		X	X	X	F	84	4h	DLB
45	X	X			X	M	76	9h40'	DLB
46	X					F	85	6h15'	DLB
47	X	X		X	X	M	81	7h	DLB
48		X				F	78	8h50'	DLB
49		X		X	X	M	82	1oh20'	DLB
50	X	X				M	78	8h30'	DLB
51	X	X	X		X	F	73	4h	DLB
52	X	X				F	87	6h	DLB
53	X		X			M	80	4h30'	DLB
54	X				X	M	74	6h15'	DLB
55		X				M	72	11h	DLB
56		X				F	78	6h30'	DLB
57	X		X	X		M	81	3h	AD IV
58	X		X	X		F	75	4h15'	AD V
59	X		X	X		M	78	9h30'	AD V
60	X	X	X	X	X	F	77	4h15'	AD VI
61	X	X	X	X		F	72	7h	AD VI
62	X	X	X			M	81	3h30'	AD VI
63	X					F	69	4h40'	AD VI
64	X		X		X	M	78	8h30'	AD V
65	X		X		X	F	77	6h20'	AD V
66	X		X	X	X	M	84	3h50'	AD VI
67	X	X	X		X	F	76	4h40'	AD VI
68	X		X	X		F	78	4h40'	AD IV
69			X			M	69	3h20'	AD III
70			X			M	72	2h30'	AD III
71			X			M	67	5h40'	AD III

Supplementary Table S1
(Continued)

	FC	SN	Hip	Amyg	Med obl	Gender	Age	p-m delay	Neuropathology
72			X			F	67	4h15'	AD II
73			X			F	72	3h15'	AD III
74	X		X	X		F	78	7h20'	AGD
75			X	X		F	76	8h30'	AGD
76	X		X			M	81	3h30'	AGD
77			X			F	68	2h50'	AGD
78			X	X		M	72	7h40'	AGD
79	X		X	X		M	68	8h20'	AGD

Supplementary Table S2

Summary of the antibodies and conditions used for immunohistochemistry, and simple and double-labeling immunofluorescence

Antibody	Species	Supplier	Dilution	Pre-treatment
Glial fibrillary acidic protein (GFAP)	Rabbit	Dako	1 : 250	
Amyloid- β	Mouse	Boehringer-Mannheim	1 : 50	Formic acid
Amyloid- β	Rabbit	Chemicon	1 : 25	Formic acid
Ubiquitin	Rabbit	Dako	1 : 200	
CD68	Mouse	Dako	1 : 100	
AT8	Mouse	Innogenetics or Pierce	1 : 50	
Phospho-tau Ser199	Rabbit	Calbiochem	1 : 100	
Phospho-tau Ser202	Rabbit	Calbiochem	1 : 100	
Phospho-tau Ser262	Rabbit	Calbiochem	1 : 100	
Phospho-tau Ser396	Rabbit	Calbiochem	1 : 100	
Phospho-tau Ser422	Rabbit	Calbiochem	1 : 100	
Phospho-tau Thr181	Rabbit	Calbiochem	1 : 250	
3Rtau	Mouse	Upstate	1 : 800	Formic acid
4Rtau	Mouse	Upstate	1 : 50	Formic acid
α -synuclein	Rabbit	Chemicon	1 : 250	Formic acid
Phospho- α -synuclein Ser129	Mouse	Wako	1 : 2,000	Formic acid
α B-crystallin	Rabbit	Novocastra	1 : 500	
Hemoglobin α	Rabbit	Santa Cruz	1 : 100	
Hemoglobin β	Rabbit	Santa Cruz	1 : 50	
Hemoglobin β	Mouse	Abcam	1 : 50	
Erythropoietin receptor	Sheep	Lifespan	1 : 100	
Neuroglobin	Mouse	Biovendor	1 : 100	

Supplementary Table S3

A semiquantitative evaluation of markedly reduced or absent hemoglobin α content in neurons with abnormal protein deposits in different regions and pathologies as revealed by the resolution provided by double-labeling immunofluorescence and confocal microscopy (see text for the method employed). FC: frontal cortex; Hip: hippocampus; Amyg: amygdala; med oblong: medulla oblongata referring neurons of the reticular formation and neurons of the motor nucleus of the vagus nerve; SN: substantia nigra referring dopaminergic neurons of the pars compacta; AD: Alzheimer's disease stages III–IV, and stages V–VI of NFT pathology following Braak nomenclature; AGD: argyrophilic grain disease; PD: Parkinson's disease; DLB: Dementia with Lewy bodies. x/x' represents the number of neurons with specific protein aggregates and the number of these neurons with markedly reduced or absent hemoglobin; n indicates the number of cases examined. bn indicates ballooned neurons. ND means not done

	FC	Hip	Amyg	Med oblong	SN
AD III–IV		61/61 (n = 4)	42/41 (n = 4)	ND	
AD V–VI	80/80 (n = 8)	76/75 (n = 8)	52/52 (n = 6) bn 18/18 (n = 5)		
AGD		32/31 (n = 5)	40/39 (n = 5) bn 20/20 (n = 5)	ND	ND
PD			ND	29/23 (n = 9)	18/13 (n = 9)
DLB	18/12 (n = 5)		22/17 (n = 5)	32/26 (n = 7)	32/25 (n = 7)