

NPS55-78-026

4
NAVAL POSTGRADUATE SCHOOL
Monterey, California



NON-STATIONARY INFINITE SERVER MODELS

AND THEIR RELATIVES

by

D. P. Gaver

and

J. P. LEHOCZKY

October 1978

Approved for public release; distribution unlimited.

FEDDOCS
D 208.14/2:
NPS-55-78-026

Naval Postgraduate School
Monterey, California

Rear Admiral T. F. Dedman
Superintendent

Jack R. Borsting
Provost

This report was prepared by:

| REPORT DOCUMENTATION PAGE | | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|---|-----------------------|--|
| 1. REPORT NUMBER NPS55-78-026 | 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER |
| 4. TITLE (and Subtitle) Non-Stationary Infinite Server Models and Their Relatives | | 5. TYPE OF REPORT & PERIOD COVERED Technical |
| | | 6. PERFORMING ORG. REPORT NUMBER |
| 7. AUTHOR(s) D. P. Gaver and L. P. Lehoczky | | 8. CONTRACT OR GRANT NUMBER(s) |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 | | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS |
| 11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 | | 12. REPORT DATE October 1978 |
| | | 13. NUMBER OF PAGES 41 |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) | | 15. SECURITY CLASS. (of this report) Unclassified |
| | | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE |
| 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. | | |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) | | |
| 18. SUPPLEMENTARY NOTES | | |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Compound Poisson Process Service Systems Non-stationary Processes | | |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A backward equation technique is used to derive properties of a time-dependent infinite server system subject to compound Poisson demand. The method is used to suggest a model leading to Zipf's law. | | |

TABLE OF CONTENTS

| | Page |
|---|------|
| 1. Introduction | 1 |
| 2. A Backward Equation for System Occupancy: Poisson Arrivals | 2 |
| 3. Compound Poisson (Bunched) Arrivals | 5 |
| 4. Bunch Division into Two Classes | 9 |
| 5. Related Problems, or "Sons and Daughters of M/G/ ∞ " | 12 |
| 5.1. Zipf's Law and Pareto Tails | 14 |
| REFERENCES | 20 |

NON-STATIONARY INFINITE SERVER MODELS AND THEIR RELATIVES

by

Donald P. Gaver^{*}
Naval Postgraduate School and
Monterey, CA 93940

John P. Lehoczky
Carnegie-Mellon University
Pittsburgh, PA 15213

1. Introduction

The waiting-time model characterized by (i) Poisson arrivals to (ii) an unlimited number of servers, these characterized by (iii) independent service times of arbitrary distribution--usually called the M/G/ ∞ system--has a special significance and utility that stems from the simplicity of its solution. That is, if $N(t)$, $t \geq 0$, denotes the number of arrivals being served at time t , conveniently referred to as system occupancy, and if $N(0) = 0$, then $N(t)$ itself has the Poisson distribution. This fact is well-known when the Poisson arrival rate is a constant, λ , and $F(x)$ is the distribution of service times perhaps with finite mean $E[S] = \mu^{-1} < \infty$; in this latter case the limiting distribution ($t \rightarrow \infty$) is always Poisson with parameter $E[S] = \lambda/\mu$; see Parzen (1962). Such a model approximately characterizes

- a) the number of occupied channels in a system of parallel, lightly-loaded telephone or communication channels (see Feller (1967)).
- b) the number of items undergoing repair in a logistics system,
- c) the number of vehicles simultaneously using a city's free-way system (see Newell (1966)).
- d) the number of drug "particles" inhabiting a particular organ (compartment) in a human or animal body at time t (see Gaver and Lehoczky (1977)).

* Research partially supported by National Science Foundation Grant Number MCS-77-07587 at the Naval Postgraduate School.

In this paper it is shown that $N(t)$ possesses a Poisson distribution even if the arrival rate is time dependent, denoted by $\lambda(t)$, and if the distribution of the service time S_t , of an arrival at t is itself dependent upon t , i.e. is $F(x;t)$, t being a parameter. Furthermore, if arrivals occur in bunches--is compound Poisson--then $N(t)$ itself has the compound Poisson distribution. Incidentally, if $\lambda(t) = \lambda$, a constant, arriving bunches are geometrically distributed, and service times are exponential, the limiting distribution of $N(t)$ is shown to be the negative binomial. The simple methods used are extended to study multivariate process models, and also to shot-noise, storage, and Zipf's law.

2. A Backward Equation for System Occupancy: Poisson Arrivals

The distribution of $N(t)$ may be approached as follows. Let $N(t,u)$ denote the system occupancy at t that arrived after time u , $0 \leq u \leq t$; clearly one takes $N(t,0) = N(t)$, and $N(t,t) = 0$ with probability one. Let

$$p_n(t,u) = P\{N(t,u) = n\} \tag{2.1}$$

Hold t fixed, and consider the possible events that may occur in a time period of length du . Write $\bar{F}(x,t) = P\{S_t > x\} = 1 - F(x,t)$, and observe that either (a) no arrival occurs that remains a system occupant by time t , an event of probability $1 - \lambda(u)du \bar{F}(t-u,u) + o(du)$, or (b) one arrival occurs and

remains an occupant at t , an event of probability

$\lambda(u)du \bar{F}(t-u,u) + o(du)$. All other possibilities are negligible.

Thus

$$p_n(t, u + du) = [1 - \lambda(u)du \bar{F}(t-u,u)] p_n(t, u) + \lambda(u)du \bar{F}(t-u,u) p_{n-1}(t, u) + o(du) \quad (2.2)$$

Now subtract $p_n(t, u)$ from each side, divide by du , and let $du \rightarrow 0$. The result is the backward equation

$$\frac{-dp_n(t, u)}{du} = -\lambda(u) \bar{F}(t-u,u) p_n(t, u) + \lambda(u) \bar{F}(t-u,u) p_{n-1}(t, u), \quad n = 1, 2, 3, \dots \quad (2.3)$$

and

$$\frac{-dp_0(t, u)}{du} = -\lambda(u) \bar{F}(t-u,u) p_0(t, u) \quad (2.4)$$

The equation (2.4) may be integrated from u to t to give

$$p_0(t, u) = \exp\left[-\int_u^t \lambda(v) \bar{F}(t-v)dv\right], \quad (2.5)$$

and when $u \rightarrow 0$ this shows that

$$p_0(t, 0) = P\{N(t)=0\} = \exp\left[-\int_0^t \lambda(v) \bar{F}(t-v,v)dv\right].$$

Invocation of the earlier equation (2.3) shows inductively that

$$\begin{aligned}
 p_n(t,0) &= P\{N(t) = n\} \\
 &= \exp\left[-\int_0^t \lambda(v) \bar{F}(t-v,v) dv\right] \frac{1}{n!} \left[-\int_0^t \lambda(v) \bar{F}(t-v,v) dv\right]^n
 \end{aligned}
 \tag{2.6}$$

and thus $N(t)$ has a Poisson distribution.

An approach via generating functions is easy and direct.

Define

$$E[z^{N(t,u)}] = g(z,t;u) = \sum_{n=0}^{\infty} z^n P\{N(t,u) = n\}.
 \tag{2.7}$$

Note that the contribution to occupancy at time t from arrivals in $(u, u + du)$, $\Delta N(t,u) = N(t,u) - N(t, u + du)$ is independent of the contribution from arrivals after $u + du$ by Poisson process properties, so the convolution property of the generating function leads to writing

$$\begin{aligned}
 &g(z,t;u) \\
 &= [z \lambda(u)du \bar{F}(t-u,u) + 1 - \lambda(u)du \bar{F}(t-u,u)] g(z,t; u + du) + o(du)
 \end{aligned}
 \tag{2.8}$$

Next subtract $g(z,t,u + du)$ from each side, divide by du and let $du \rightarrow 0$. The result is

$$\frac{dg(z,t;u)}{du} = (z-1) \lambda(u)du \bar{F}(t-u, u) g(z,t;u)
 \tag{2.9}$$

This equation is immediately solved to produce

$$g(z,t;u) = \exp[(z-1) \int_u^t \lambda(v) \bar{F}(t-v,v) dv], \quad (2.10)$$

which is recognized to be the generating function of the Poisson distribution (2.6).

3. Compound Poisson (Bunched) Arrivals

Next consider the situation in which the number of arrivals that occur together is random. In other words, bunches of arrivals occur together, and the bunch sizes are discrete random variables, so the arrival process is a (time-dependent) compound Poisson; see Feller (1967). Let $B(u)$ be the size of a bunch that arrives at time u ; its distribution and generating function are, respectively,

$$P\{B(u) = k\} = b_k(u) \quad k = 1, 2, \dots$$

$$E[z^{B(u)}] = h(z, u) = \sum_{k=1}^{\infty} z^k b_k(u) \quad (3.1)$$

Again, let $g(z,t,u)$ be the generating function of $N(t,u)$ as in (2.7). Notice that $g(z,t,u)$ represents the contribution to $N(t,u)$ arising from arrivals in $(u, u + du)$ plus the independent contribution from $(u + du, t)$; see (2.8). To derive the g.f. of the contribution from (u, du) , denoted by

ΔN , condition on the event of an arrival and bunch size $B(u)$;
by independence of the services,

$$E[z^{\Delta N} | \text{arrival in } (u, du), B(u)] \\ = [z\bar{F}(t-u, u) + F(t-u, u)]^{B(u)} \quad (3.2)$$

Now removal of the condition on $B(u)$ yields

$$E[z^{\Delta N} | \text{arrival in } (u, u + du)] = h[(z-1)\bar{F}(t-u, u) + 1, u]. \quad (3.3)$$

Of course

$$E[z^{\Delta N} | \text{no arrival in } (u, u + du)] = z^0 = 1,$$

so

$$E[z^N] = \lambda(u)du h[(z-1)\bar{F}(t-u, u) + 1, u] + 1 - \lambda(u)du + o(du) \quad (3.4)$$

and thus

$$g(z, t, u) = [\lambda(u)du h[(z-1)\bar{F}(t-u, u) + 1, u] + 1 - \lambda(u)du] g(z, t, u+du) \\ + o(du), \quad (3.5)$$

which leads to the differential equation

$$-\frac{dg}{du} = \lambda(u) \{h[(z-1)\bar{F}(t-u, u) + 1, u] - 1\} g(z, t, u), \quad (3.6)$$

The solution of which is the generating function

$$g(z,t;u) = \exp\left[- \int_u^t \lambda(v) \{1-h[(z-1) \bar{F}(t-v,v) + 1, v]\}dv\right] \quad (3.7)$$

Although inversion of (3.7) to produce a simple and familiar expression for the probabilities $\{p_n(t), n = 0,1,2,\dots\}$ seems

beyond the realm of possibility, certain facts do emerge.

For example, differentiation of $g(z,t;0)$ yields moments,

$$E[N(t)] = \left. \frac{dg}{dz} \right|_{z=1} = \int_0^t \lambda(v) E[B(v)] \bar{F}(t-v,v) dv, \quad (3.8)$$

$$\text{Var}[N(t)] = E[N(t)] + \int_0^t \lambda(v) E[B(v) \cdot (B(v)-1)] (\bar{F}(t-v,v))^2 dv,$$

and so forth. Note that $\text{Var}[N(t)]/E[N(t)] > 1$ if bunch sizes are sometimes greater than unity, as is to be expected. Furthermore, setting $z = 0$ yields

$$P\{N(t) = 0\} = p_0(t,0) = \exp\left\{- \int_0^t \lambda(v) h[F(t-v,v), v] dv\right\} \quad (3.9)$$

The form of the general coefficient of z^j may be deduced from consideration of (3.2) and (3.3). The coefficient of z^j in $h[(z-1) \bar{F}(t-u,u) + 1, u]$ is the probability of exactly j "successes"--meaning survivals to time t from u in $B(u)$ Bernoulli trials, hence

$$h[(z-1) \bar{F}(t-u, u) + 1, u] = \sum_{j=0}^{\infty} z^j c_j(u) \quad (3.10)$$

$$c_j(u) = \sum_{k=0}^{\infty} b_k(u) \binom{k}{j} (\bar{F}(t-u, u))^j (F(t-u, u))^{k-j}, \quad j = 0, 1, 2, \dots$$

Thus an alternative expression for g is

$$g(z, t; u) = \exp\left[- \int_u^t \lambda(v) \left\{ 1 - \sum_{j=0}^{\infty} z^j c_j(v) \right\} dv\right]$$

Since $\{c_j(v), j = 0, 1, 2, \dots\}$ is a discrete probability distribution for every v , as is evident from (3.10), $N(t, u)$ clearly has a compound Poisson distribution.

Of interest is the following

EXAMPLE. Suppose $\lambda(v) = \lambda$, $\bar{F}(x, v) = e^{-\theta x}$, $b_k(u) = (1-\alpha)\alpha^{k-1}$, $k = 1, 2, \dots$. This is the case of stationary "stuttering Poisson" arrivals. Substitution into (3.7) yields for $u = 0$,

$$\begin{aligned} g(z, t; 0) &= \exp \left[- \int_0^t \lambda \left\{ 1 - \frac{(1-\alpha) [(z-1)e^{-\theta(t-v)} + 1]}{1 - \alpha [(z-1)e^{-\theta(t-v)} + 1]} \right\} dv \right] \\ &= \exp \left[\lambda \int_0^t \frac{(z-1) e^{-\theta(t-v)} dv}{(1 - \alpha - \alpha [(z-1)e^{-\theta(t-v)}])} \right] \\ &= \exp \left[\frac{-\lambda}{\theta\alpha} \ln \left\{ \frac{1 - \alpha - \alpha [(z-1)]}{1 - \alpha - \alpha (z-1) e^{-\theta t}} \right\} \right] \\ &= \left[\frac{1 - \alpha - \alpha (z-1) e^{-\theta t}}{1 - \alpha z} \right]^{\lambda/\theta\alpha} \end{aligned}$$

as t tends to infinity the latter generating function approaches

$$g(z, \infty; 0) = \lim_{t \rightarrow \infty} g(z, t; 0) = \left(\frac{1 - \alpha}{1 - \alpha z} \right)^{\lambda / \theta \alpha}$$

the generating function of the negative binomial distribution. Hence the long-run distribution of server occupancy is, in this particular case, a familiar form that may readily be used in various applications in place of the ordinary Poisson that results from (2.6) or (2.10) under similar circumstances.

4. Bunch Division into Two Classes

Suppose that bunches arrive in a Poisson manner, but that each bunch is independently fragmented into subbunches of type 1 and type 2 customers with probability p_1 and p_2 respectively (although these probabilities may be time-dependent also, we do not bother with this). Items of type i are served in accordance with distribution $F_i(x, u)$. This setup may model demands on certain logistics systems, e.g. by landing aircraft with different failure categories. Although the number of types of arrivals is limited to two, there is no difficulty in extending it to more types if necessary.

Following the pattern leading to (3.5) one may write

$$\begin{aligned}
E[z_1^{N_1(t,u)} z_2^{N_2(t,u)}] &= g(z_1, z_2, t; u) \\
&= \{ \lambda(u) du \, h[p_1(z_1-1) \bar{F}_1(t-u, u) + p_2(z_2-1) \bar{F}_2(t-u, u) + 1, u] + 1 - \lambda(u) du \} \\
&\quad \times g(z_1, z_2, t; u + du)
\end{aligned} \tag{4.1}$$

where $N_i(t, u)$ is the contribution to system occupancy of the type i arrivals between u and t . It then follows that

$$\begin{aligned}
-\frac{dg}{du} &= -\lambda(u) \{ 1 - h[p_1(z_1-1) \bar{F}_1(t-u, u) + p_2(z_2-1) \bar{F}_2(t-u, u) + 1, u] \\
&\quad \times g(z_1, z_2, t; u) \} ,
\end{aligned} \tag{4.2}$$

from which the joint generating function

$$\begin{aligned}
g(z_1, z_2, t; 0) \\
&= \exp\left[- \int_0^t \lambda(v) \{ 1 - h[p_1(z_1-1) \bar{F}_1(t-v, v) + p_2(z_2-1) \bar{F}_2(t-v, v) + 1, v] \} dv\right]
\end{aligned} \tag{4.3}$$

appears. Moments are obtained by differentiation; see (3.8); to obtain means and variances simply replace $\lambda(u)$ by $p_i \lambda(u)$. The covariance results from partial differentiations of the exponent at $z_1 = 1, z_2 = 1$:

$$\text{cov}[N_1(t), N_2(t)] = \int_0^t \lambda(v) E[B(v)(B(v)-1)] p_1 p_2 \bar{F}_1(t-v, v) \bar{F}_2(t-v, v) dv$$

(4.4)

which is always positive.

EXAMPLE. Let $\lambda(u) = \lambda$, $h(z,u) = (1-\alpha)z/(1-\alpha z)$. If

$\bar{F}_i(x,u) = e^{-\theta_i x}$ then the following results:

$$g(z_1, z_2, t; 0) = \exp \left\{ -\lambda \int_0^t \left\{ \frac{p_1(z_1-1)e^{-\theta_1 v} + p_2(z_2-1)e^{-\theta_2 v}}{1 - \alpha + \alpha[p_1(z_1-1)e^{-\theta_1 v} + p_2(z_2-1)e^{-\theta_2 v}]} \right\} dv \right\} \quad (4.5)$$

which, regrettably, cannot be integrated in closed form unless

$\theta_1 = \theta_2$ (= 1 for convenience) in that case we find that as

$t \rightarrow \infty$

$$g(z_1, z_2, \infty, 0) = \left[\frac{1 - \alpha}{1 - \alpha p_1 z_1 - \alpha p_2 z_2} \right]^{\lambda/\alpha} \quad (4.6)$$

This is the generating function of a bivariate distribution with negative binomial marginal distribution.

5. Related Problems, or "Sons and Daughters of M/G/∞"

Models for shot-noise, see Rice (1954), and for dams and rainfall and runoff, see Gaver and Miller (1962), share the general structure of the previous infinite server models. Time-dependent versions of these will be formulated and briefly discussed using the backward equation approach.

Let $\lambda(u)$ be the rate of arrival of a certain event at time u , and let $\tilde{e}(u,t)$ denote the random effect at time t of an event at time u , $0 \leq u \leq t$. In general $\tilde{e}(u,t)$ will be real-valued random variable; in the shot noise application it represents the response at time t of an electrical circuit to an impulse at time u , and in the case of a dam or storage system it may be the amount of water in the reservoir resulting from a rainstorm at time u . Let the Laplace transform of $\tilde{e}(u,t)$ be

$$\phi(s,t;u) = E[e^{-s\tilde{e}(u,t)}] \quad (5.1)$$

Now write down a backward differential equation for

$$\psi(s,t;u) = E[e^{-sX(t,u)}], \quad (5.2)$$

$X(t,u)$ being the combined effect at t of all of the (sub, or component) effects occurring after u and before t :

$$X(t,u) = \sum_{i=0}^{A(t,u)} \tilde{e}(u_i,t) = \int_u^t \tilde{e}(s,t) dN(s) \quad (5.3)$$

where $A(t)$ is the number of (Poisson) events in (u,t) , and u_i is the instant at which the i th such event occurs. It is seen that

$$\frac{\partial \psi}{\partial u} = [\lambda(u) - \lambda(u) \phi(s,t;u)] \psi(s,t;u), \quad (5.4)$$

exactly as was true for (3.6), and thus

$$\psi(s,t;u) = \exp\left\{ \int_u^t \lambda(v) [\phi(s,t;v) - 1] dv \right\} \quad (5.5)$$

EXAMPLE. Let $\lambda(u) = \lambda$ and $\phi(s,t;u) = Se^{-\theta(t-u)}$, $\theta > 0$, S having the exponential distribution with density $\mu e^{-\mu x}$. It follows that

$$\phi(s,t;u) = \frac{\mu}{\mu + se^{-\theta(t-u)}} \quad (5.6)$$

and thence that

$$\begin{aligned} \psi(s,t;0) &= \exp\left\{ \int_0^t \lambda \frac{se^{-\theta(t-u)}}{\mu + se^{-\theta(t-u)}} du \right\} \\ &= \left(\frac{\mu + se^{-\theta t}}{\mu + s} \right)^{\lambda/\theta} \rightarrow \left(\frac{\mu}{\mu + s} \right)^{\lambda/\theta} \end{aligned} \quad (5.7)$$

as $t \rightarrow \infty$, so in the long run the total effect has gamma distribution. See Gaver and Miller (1962) for the same result derived differently.

5.1. Zipf's Law and Pareto Tails

Let $\lambda(u) = e^{-\alpha u}$ and let $e(u,t) = S(u) e^{-\theta(t-u)}$, $\theta > 0$, $S(u)$ having the distribution $F(\cdot)$; successive $S(u)$ values are independent. This setup models a collection of organisms that are born at random times and grow independently and exponentially thereafter. We are interested in the fraction of all those born in $(0,t)$ that exceed size x at time t ; we shall see that the fraction exhibits the "Pareto tail" associated with Zipf's law; see Mandelbrodt (1978).

Let $\tilde{I}(x,u,t)$ denote the indicator function

$$\tilde{I}(x,u,t) = \begin{cases} 1 & \text{if } \tilde{e}(u,t) > x \\ 0 & \text{if } \tilde{e}(u,t) \leq x. \end{cases} \quad (5.3)$$

In the present model define

$$p_x(u,t) \equiv E[\tilde{I}(x,u,t)] = \bar{F}(xe^{-\theta(t-u)}) \quad (5.9)$$

although what follows next does not require the latter explicit form.

Now introduce the bivariate generating function

$$g(z_a, z_x, t; u) = E[z_a^{A(t,u)} z_x^{N_x(t,u)}] \quad (5.10)$$

where $A(t,u)$ is the number of arrivals (births) in (u,t) , and $N_x(t,u)$ is the number of those organisms born in (u,t) that exceed x in size at time t ; we put $A(t,0) = A(t)$, and $N_x(t) = N_x(t,0)$. Then by the backward argument analogous to that producing (2.8),

$$\begin{aligned} g(z_a, z_x, t; u) &= [z_a z_x^{-\lambda(u)} du p_x(u,t) + z_a^{-\lambda(u)} du (1-p_x(u,t)) + 1 - \lambda(u) du] \quad (5.11) \\ &\quad \times g(z_a, z_x, t; u+du) + o(du), \end{aligned}$$

which leads to a differential equation with solution

$$g(z_a, z_x, t; 0) = \exp\left\{\int_0^t \lambda(u) du [z_a (z_x^{-1}) p_x(u, t) + (z_a - 1)]\right\} \quad (5.12)$$

This shows that $A(t)$ and $N_x(t)$ have a bivariate Poisson distribution; from (5.10) one finds

$$\begin{aligned} m(t) &= E[A(t)] = \text{Var}[A(t)] = \int_0^t \lambda(u) du, \\ m_x(t) &= E[N_x(t)] = \text{Var}[N_x(t)] = \int_0^t \lambda(u) p_x(u, t) du \\ \text{Cov}[A(t), N_x(t)] &= \int_0^t \lambda(u) p_x(u, t) du = m_x(t). \end{aligned} \quad (5.13)$$

Under many interesting circumstances, a notable instance being the specific model beginning this example, both $E[A(t)]$ and $E[N_x(t)] \rightarrow \infty$ as $t \rightarrow \infty$.

$$\begin{aligned} E[A(t)] &= \int_0^t e^{\alpha u} du = \frac{1}{\alpha} (e^{\alpha t} - 1) \sim \frac{1}{\alpha} e^{\alpha t}, \\ E[N_x(t)] &= \int_0^t e^{\alpha u} du \bar{F}(xe^{-\theta(t-u)}) \\ &= e^{\alpha t} \frac{1}{\theta x^{\alpha/\theta}} \int_{xe^{-\theta t}}^x z^{\alpha/\theta - 1} \bar{F}(z) dz \\ &\sim \frac{e^{\alpha t}}{\theta x^{\alpha/\theta}} \int_0^x z^{\alpha/\theta - 1} \bar{F}(z) dz \end{aligned} \quad (5.14)$$

provided the integral exists.

Now define

$$f(x,t) = \frac{E[N_x(t)]}{E[A(t)]} \sim \frac{\alpha}{\theta} \frac{1}{x^{\alpha/\theta}} \int_0^x z^{\alpha/\theta-1} \ddot{F}(z) dz, \quad (t \rightarrow \infty) \quad (5.15)$$

the long-time average fraction of those organisms born before t and that exceed x in size at t ; clearly for large x this fraction exhibits the "Pareto tail" behavior: $x^{-\alpha/\theta}$, provided that the integral exists for large x , as will be assumed.

It will now be shown that with high probability the above law should actually hold for observed data in the following sense. Form the ratio of observable random variables $N_x(t)/A(t)$; this ratio should approximate to $f(x,\infty)$ as $t \rightarrow \infty$. To show that this is so, consider, for $\epsilon > 0$,

$$P \left\{ \frac{N_x(t)}{A(t)} \leq f(x,t) + \epsilon \right\} = P\{N_x(t) - A(t)[f(x,t) + \epsilon] \leq 0\}. \quad (5.16)$$

For the specific model of this example both $E[A(t)]$ and $E[N_x(t)] \rightarrow \infty$ as $t \rightarrow \infty$, consequently it can be shown (e.g. by the continuity theorem for characteristic functions) that $(A(t), N_x(t))$ are approximately bivariate normal for large t with parameters given by (5.13). Therefore

$$E[N_x(t) - A(t)[f(x,t) + \epsilon]] = -E[A(t)]\epsilon$$

$$\begin{aligned} \text{Var}[N_x(t) - A(t)[f(x,t) + \epsilon]] &= \text{Var}[N_x(t)] + [f(x,t) + \epsilon]^2 \text{Var}[A(t)] \\ &\quad - 2[f(x,t) + \epsilon] \text{cov}[N_x(t), A(t)] \\ &= m_x(t) + [f(x,t) + \epsilon]^2 m(t) - 2[f(x,t) + \epsilon] m_x(t) \\ &= m(t) \{f(x,t) + [f(x,t) + \epsilon]^2 - 2[f(x,t) + \epsilon] f(x,t)\} \\ &= m(t) \{f(x,t)(1 - f(x,t)) + \epsilon^2\} \end{aligned} \tag{5.17}$$

we use the normal approximation to assess the probability (5.16):

$$\begin{aligned} P \left\{ \frac{N_x(t)}{A(t)} \leq f(x,t) + \epsilon \right\} &= P\{N_x(t) - A(t)[f(x,t) + \epsilon] \leq 0\} \\ &\cong \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\frac{m(t)\epsilon}{[m(t)\{f(x,t)(1-f(x,t))+\epsilon^2\}]^{1/2}}} e^{-z^2/2} dx \end{aligned} \tag{5.18}$$

As $t \rightarrow 0$ the fraction $f(x,t)$ approaches the (finite) right side (5.15) and then, since $m(t) \rightarrow \infty$, the integral approaches unity; similar argument shows that $N_x(t)/A(t) > f(x,t) - \epsilon$ with probability approaching unity. It follows that the ratio $N_x(t)/A(t)$ is a consistent estimator of $f(x,t)$ at the point x as $t \rightarrow \infty$. The statement (5.18) can also be used to supply approximate confidence limits for $f(x,t)$.

An alternative formulation leads to similar asymptotic results. Suppose that the arrival rate is now taken to be $k\lambda(u)$, k being a parameter that will later approach infinity; see Barbour (1974) for an analogous model and analysis. The interpretation is that when k becomes large organism births occur thick and fast--even more so, of course, for later times than earlier when (now) $\lambda(u) = ke^{\alpha u}$ as in our example. Now all analysis goes through as before, and the average fraction function is

$$f_k(x,t) = \frac{E[N_x(t)]}{E[A(t)]} = \frac{1}{x^{\alpha/\theta}} \frac{e^{\alpha t}}{\theta(e^{\alpha t}-1)} \int_{xe^{-\theta t}}^x z^{\alpha/\theta-1} \bar{F}(z) dz, \quad (5)$$

independent of k , while

$$m(t;k) = E[A(t)] = k \int_0^t \lambda(u) du = \frac{k}{\alpha} (e^{\alpha t}-1) = km(t) \quad (5)$$

As $k \rightarrow \infty$ a central limit theorem argument once again applies (here for every finite t) to show that

$$P \left\{ \frac{N_x(t)}{A(t)} \leq f_k(x,t) + \epsilon \right\} \cong \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} km(t)\epsilon / [km(t) \{f_k(x,t) (1-f_k(x,t) + \epsilon^2)\}]^{1/2} e^{-z^2/2} dz \quad (5)$$

and the latter probability clearly approaches unity as $k \rightarrow \infty$, this

time for every t . The asymptotic normality also allows approximate confidence limits to be placed on $f_k(x,t)$.

We emphasize that the above analysis applies just to any single x -value. Analogous results should be derivable for any finite sequence of x -values, and thence extended by continuity to all real values, obtaining results similar to the Glivenko-Cantelli theorem for ordinary distribution functions. This, and other, generalizations are under development and will be reported in a subsequent paper.

REFERENCES

- Barbour, A.D. (1974). On a functional central limit theorem for Markov population processes. Adv. Appl. Probability, 6, pp. 21-39.
- Feller, W. (1967). An Introduction to Probability Theory and Its Applications, Vol. I, John Wiley and Sons, New York.
- Gaver, D. P. and Lehoczky, J. P. (1977). A diffusion approximation analysis of a general n-compartment system. Math. Biosciences Elsevier - North Holland, New York, pp. 127-148.
- Gaver, D. P. and Miller, R. G., Jr. (1962). Limiting distributions for some storage problems, Chapter 7 of Studies in Applied Probability and Management Science. Stanford University Press, Stanford, California.
- Mandelbrodt, B. (1978). Fractals: Form, Chance, and Dimension, W. H. Freeman and Co., San Francisco, California.
- Newell, G. F. (1966), Equilibrium probability distributions for low density highway traffic. J. Appl. Probability, 3, pp. 247-260.
- Parzen, M. (1962). Stochastic Processes. Holden-Day, Inc., San Francisco, California.
- Rice, S. O. (1954). Mathematical analysis of random noise, in N. Wax, ed., Selected Papers on Noise and Stochastic Processes, Dover, New York.

OFFICE OF NAVAL RESEARCH 1
 SAN FRANCISCO AREA OFFICE
 760 MARKET STREET
 SAN FRANCISCO CALIFORNIA 94102

TECHNICAL LIBRARY 1
 NAVAL ORDANCE STATION
 INDIAN HEAD MARYLAND 20640

NAVAL SHIP ENGINEERING CENTER 1
 PHILADELPHIA
 DIVISION TECHNICAL LIBRARY
 PHILADELPHIA PENNSYLVANIA 19112

BUREAU OF NAVAL PERSONNEL 1
 DEPARTMENT OF THE NAVY
 TECHNICAL LIBRARY
 WASHINGTON D. C. 20370

LIBRARY CODE 0212 2
 NAVAL POSTGRADUATE SCHOOL
 MONTEREY CALIFORNIA 93940

PROF. M. AECHEL-FAMEED 1
 DEPARTMENT OF MATHEMATICS
 UNIVERSITY OF NORTH CAROLINA
 CHARLOTTE
 NC 28223

PROF. T. W. ANDERSON 1
 DEPARTMENT OF STATISTICS
 STANFORD UNIVERSITY
 STANFORD , CALIFORNIA 94305

PROF. F. J. ANSCOMBE 1
 DEPARTMENT OF STATISTICS
 YALE UNIVERSITY
 NEW HAVEN
 CONNECTICUT 06520

PROF. L. A. ARCIA 1
 INSTITUTE OF INDUSTRIAL
 ADMINISTRATION
 UNION COLLEGE
 SCHENECTADY,
 NEW YORK 12308

PROF. C. R. BAKER 1
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF NORTH CAROLINA
 CHAPEL HILL,
 NORTH CAROLINA
 27514

PROF. R. E. BECHHOFFER 1
 DEPARTMENT OF OPERATIONS RESEARCH
 CORNELL UNIVERSITY
 ITHACA
 NEW YORK 14850

PROF. N. J. BERSHAD 1
 SCHOOL OF ENGINEERING
 UNIVERSITY OF CALIFORNIA
 IRVINE,
 CALIFORNIA
 92664

P. J. BICKEL 1
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF CALIFORNIA
 BERKELEY, CALIFORNIA
 94720

PROF. F. W. BLOCK 1
 DEPARTMENT OF MATHEMATICS
 UNIVERSITY OF PITTSBURGH
 PITTSBURGH
 PA
 15260

PROF. JOSEPH BLUM 1
 DEPT. OF MATHEMATICS, STATISTICS
 AND COMPUTER SCIENCE
 THE AMERICAN UNIVERSITY
 WASHINGTON
 DC
 20016

PROF. R. A. BRADLEY 1
 DEPARTMENT OF STATISTICS
 FLORIDA STATE UNIVERSITY
 TALLAHASSEE, FLORIDA 32306

PROF. R. E. BARLOW 1
 OPERATIONS RESEARCH CENTER
 COLLEGE OF ENGINEERING
 UNIVERSITY OF CALIFORNIA
 BERKLEY
 CALIFORNIA 94720

MR. C. N. BENNETT 1
 NAVAL COASTAL SYSTEMS LABORATORY
 CCDE P761
 PANAMA CITY,
 FLORIDA
 32401

PROF. L. N. BHAT
 COMPUTER SCIENCE / OPERATIONS
 RESEARCH CENTER
 SOUTHERN METHODIST UNIVERSITY
 DALLAS,
 TEXAS 75275

1 -

PROF. W. R. ELISCHKE
 DEPT. OF QUANTITATIVE
 BUSINESS ANALYSIS
 UNIVERSITY OF SOUTHERN CALIFORNIA
 LOS ANGELES, CALIFORNIA
 90007

1

DR. DERRILL J. BORDELON
 NAVAL UNDERWATER SYSTEMS CENTER
 COCE 21
 NEWPORT
 RI

1

02840

J. E. BOYER JR
 DEPT. OF STATISTICS
 SOUTHERN METHODIST UNIVERSITY
 DALLAS
 TX

1

75275

DR. J. CHANDRA
 U. S. ARMY RESEARCH
 P. O. BOX 12211
 RESEARCH TRIANGLE PARK,
 NORTH CAROLINA
 27706

1

PROF. H. CHERNOFF
 DEPT. OF MATHEMATICS
 MASS INSTITUTE OF TECHNOLOGY
 CAMBRIDGE,
 MASSACHUSETTS 02139

1

PROF. C. LERMAN
 DEPARTMENT OF CIVIL ENGINEERING
 AND ENGINEERING MECHANICS
 COLUMBIA UNIVERSITY
 NEW YORK
 NEW YORK

1

10027

PROF. R. L. DISNEY
 VIRGINIA POLYTECHNIC INSTITUTE
 AND STATE UNIVERSITY
 DEPT. OF INDUSTRIAL ENGINEERING
 AND OPERATIONS RESEARCH
 BLACKSBURG, VA

1

24061

MR. J. DWYLING
 DEFENSE LOGISTICS STUDIES
 INFORMATION EXCHANGE
 ARMY LOGISTICS MANAGEMENT CENTER
 FORT LEE,
 VIRGINIA 20390

1

PROF. J. C. ESARY
DEPT. OF OPERATIONS RESEARCH AND
ADMINISTRATIVE SCIENCES
NAVAL POSTGRADUATE SCHOOL
MONTEREY,
CALIFORNIA 93940

1

DR. M. J. FISCHER
DEFENSE COMMUNICATIONS AGENCY
1860 WIEFLE AVENUE
RESTON
VIRGINIA
22070

1

PROF. D. P. GAVER
DEPT. OF OPERATIONS RESEARCH
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CA

1

93940

MR. GENE F. GLEISSNER
APPLIED MATHEMATICS LABORATORY
DAVID TAYLOR NAVAL SHIP RESEARCH
AND DEVELOPMENT CENTER
BETHESDA
MD

1

20084

PROF. S. S. GUPTA
DEPARTMENT OF STATISTICS
PURDUE UNIVERSITY
LAFAYETTE
INDIANA 47907

1

PROF. D. L. HANSON
DEPT. OF MATH. SCIENCES
STATE UNIVERSITY OF NEW YORK,
BINGHAMTON
BINGHAMTON
NY

1

13901

PROF. F. J. HARRIS
DEPT. OF ELECTRICAL ENGINEERING
SAN DIEGO STATE UNIVERSITY
SAN DIEGO
CA

1

92182

PROF. L. F. HERBACH
DEPT. OF OPERATIONS RESEARCH AND
SYSTEMS ANALYSIS
POLYTECHNIC INSTITUTE OF NEW YORK
BROOKLYN
NY

1

11201

PROF. M. J. FINCH
DEPARTMENT OF ECONOMICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG,
VIRGINIA 24061

1

PROF. W. M. FIRSCH
 INSTITUTE OF MATHEMATICAL SCIENCES
 NEW YORK UNIVERSITY
 NEW YORK
 NEW YORK 10453

1

PROF. D. L. IGLEHART
 DEPARTMENT OF OPERATIONS RESEARCH
 STANFORD UNIVERSITY
 STANFORD,
 CALIFORNIA
 94350

1

PROF. J. B. KADANE
 DEPARTMENT OF STATISTICS
 CARNEGIE-MELLON
 PITTSBURGH,
 PENNSYLVANIA
 15213

1

DR. RICHARD LAU
 DIRECTOR
 OFFICE OF NAVAL RESEARCH BRANCH OFF
 1030 EAST GREEN STREET
 PASADENA
 CA 91101

1

DR. A. R. LAUFER
 DIRECTOR
 OFFICE OF NAVAL RESEARCH BRANCH OFF
 1030 EAST GREEN STREET
 PASADENA
 CA 91101

1

PROF. M. LEADBETTER
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF NORTH CAROLINA
 CHAPEL HILL
 NORTH CAROLINA 27514

1

DR. J. S. LEE
 J. S. LEE ASSOCIATES, INC.
 2001 JEFFERSON DAVIS HIGHWAY
 SUITE 802
 ARLINGTON
 VA 22202

1

PROF. L. C. LEE
 DEPARTMENT OF STATISTICS
 VIRGINIA POLYTECHNIC INSTITUTE
 AND STATE UNIVERSITY
 BLACKSBURG
 VA 24061

1

PROF. R. S. LEVENWORTH
 DEPT. OF INDUSTRIAL AND SYSTEMS
 ENGINEERING
 UNIVERSITY OF FLORIDA
 GAINSVILLE,
 FLORIDA 32611

1

PROF. P. A. W. LEWIS 1
 DEPT. OF OPERATIONS RESEARCH AND
 ADMINISTRATIVE SCIENCES
 NAVAL POSTGRADUATE SCHOOL
 MONTEREY, CALIFORNIA
 93940

PROF. G. LIEBERMAN 1
 STANFORD UNIVERSITY
 DEPARTMENT OF OPERATIONS RESEARCH
 STANFORD CALIFORNIA 94305

DR. JAMES R. MAAR 1
 NATIONAL SECURITY AGENCY
 FORT MEADE, MARYLAND
 20755

PROF. R. W. MACSEN 1
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF MISSOURI
 COLUMBIA
 MO

65201

DR. N. R. MANN 1
 SCIENCE CENTER
 ROCKWELL INTERNATIONAL CORPORATION
 P.O. BOX 1085
 THOUSAND OAKS,
 CALIFORNIA 91320

DR. W. F. MARLOW 1
 PROGRAM IN LOGISTICS
 THE GEORGE WASHINGTON UNIVERSITY
 707 22ND STREET, N. W.
 WASHINGTON, D. C.
 20037

PROF. E. MASRY 1
 DEPT. APPLIED PHYSICS AND
 INFORMATION SERVICE
 UNIVERSITY OF CALIFORNIA
 LA JOLLA
 CALIFORNIA 92093

DR. BRUCE J. McDONALD 1
 SCIENTIFIC DIRECTOR
 SCIENTIFIC LIAISON GROUP
 OFFICE OF NAVAL RESEARCH
 AMERICAN EMBASSY - TOKYO
 APO SAN FRANCISCO 96503

PROF. J. A. MUCKSTADT 1
 DEPT. OF OPERATIONS RESEARCH
 CORNELL UNIVERSITY
 ITHACA,
 NEW YORK
 14850

DR. JANET M. MYHRE
 THE INSTITUTE OF DECISION SCIENCE
 FOR BUSINESS AND PUBLIC POLICY
 CLAREMONT MEN'S COLLEGE
 CLAREMONT
 CA 91711

1

MR. F. NISSELSCH
 BUREAU OF THE CENSUS
 ROOM 2025
 FEDERAL BUILDING 3
 WASHINGTON,
 D. C. 20333

1

MISS B. S. CRLEANS
 NAVAL SEA SYSTEMS COMMAND
 (SEA OFF)
 RM 103C8
 ARLINGTON VIRGINIA 20360

1

PROF. D. E. OWEN
 DEPARTMENT OF STATISTICS
 SOUTHERN METHODIST UNIVERSITY
 DALLAS
 TEXAS
 75222

1

PROF. E. PARZEN
 STATISTICAL SCIENCE DIVISION
 STATE UNIVERSITY OF NEW YORK
 AT BUFFALO
 AMHERST
 NEW YORK 14226

1

DR. A. PETRASOVITS
 ROOM 207B, FOOD AND DRUG BLDG.
 TUNNEY'S PASTURE
 OTTAWA, ONTARIO K1A-CL2,
 CANADA

1

PROF. S. L. PHOENIX
 SIBLEY SCHOOL OF MECHANICAL AND
 AEROSPACE ENGINEERING
 CORNELL UNIVERSITY
 ITHACA
 NY 14850

1

DR. A. L. POWELL
 DIRECTOR
 OFFICE OF NAVAL RESEARCH BRANCH OFF
 495 SUMMER STREET
 BOSTON
 MA 02210

1

MR. F. R. FRICCI
 CODE 224 OPERATIONS TEST AND ONRS
 EVALUATION FORCE (OPTEVFJR)
 NORFOLK,
 VIRGINIA
 20360

1

PROF. M. L. PURI
DEPT. OF MATHEMATICS
P.O. BOX F
INDIANA UNIVERSITY FOUNDATION
BLOOMINGTON
IN 47401 1

PROF. H. ROBBINS
DEPARTMENT OF MATHEMATICS
COLUMBIA UNIVERSITY
NEW YORK,
NEW YORK 10027 1

PROF. M. ROSENBLATT
DEPARTMENT OF MATHEMATICS
UNIVERSITY OF CALIFORNIA SAN DIEGO
LA JOLLA
CALIFORNIA 92093 1

PROF. S. M. ROSS
COLLEGE OF ENGINEERING
UNIVERSITY OF CALIFORNIA
BERKELEY
CA 94720 1

PROF. I. RUBIN
SCHOOL OF ENGINEERING AND APPLIED
SCIENCE
UNIVERSITY OF CALIFORNIA
LOS ANGELES,
CALIFORNIA 90024 1

PROF. I. R. SAVAGE
DEPARTMENT OF STATISTICS
YALE UNIVERSITY
NEW HAVEN,
CONNECTICUT
06520 1

PROF. L. L. SCHARF JR
DEPARTMENT OF ELECTRICAL ENGINEERING
COLORADO STATE UNIVERSITY
FT. COLLINS,
COLORADO
80521 1

PROF. R. SERFLING
DEPARTMENT OF STATISTICS
FLORIDA STATE UNIVERSITY
TALLAHASSEE FLORIDA 32306 1

PROF. W. R. SCHLACANY
DEPARTMENT OF STATISTICS
SOUTHERN METHODIST UNIVERSITY
DALLAS,
TEXAS
75222 1

PROF. C. C. SIEGMUND
DEPT. OF STATISTICS
STANFORD UNIVERSITY
STANFORD
CA

1

94305

PROF. M. L. SPOJMAN
DEPT. OF ELECTRICAL ENGINEERING
POLYTECHNIC INSTITUTE OF NEW YORK
BRUCKLYN,
NEW YORK
11201

1

PROF. N. SINGPURWALLA
DEPT. OF OPERATIONS RESEARCH
THE GEORGE WASHINGTON UNIVERSITY
707 22ND ST. N. W.
WASHINGTON, D. C.

1

20052

DR. A. L. SLAFKOSKY
SCIENTIFIC ADVISOR
COMMANDANT OF THE MARINE CORPS
WASHINGTON,
D. C.
20380

1

MR. CHARLES S. SMITH
CASD (I&L),
PENTAGON
WASHINGTON
DC

1

20301

DR. C. E. SMITH
DESMATICS INC.
P.O. BOX 618
STATE COLLEGE
PENNSYLVANIA
16801

1

PROF. W. L. SMITH
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL
NORTH CAROLINA 27514

1

PROF. H. SLOMCA
DEPARTMENT OF STATISTICS
STANFORD UNIVERSITY
STANFORD,
CALIFORNIA
94305

1

MR. GLENN F. STAFLY
NATIONAL SECURITY AGENCY
FORT MEADE,
MARYLAND 20755

1

MR. DAVID A. SWICK
 ADVANCED PROJECTS GROUP
 CODE 8103
 NAVAL RESEARCH LAB.
 WASHINGTON
 DC 20375 1

MR. WENDELL G. SYKES
 ARTHUR D. LITTLE, INC.
 ACCRN PARK
 CAMBRIDGE
 MA 02140 1

PROF. J. R. THOMPSON
 DEPARTMENT OF MATHEMATICAL SCIENCE
 RICE UNIVERSITY
 HOUSTON,
 TEXAS
 77001 1

PROF. W. A. THOMPSON
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF MISSOURI
 COLUMBIA,
 MISSOURI
 65201 1

PROF. F. A. TILLMAN
 DEPT. OF INDUSTRIAL ENGINEERING
 KANSAS STATE UNIVERSITY
 MANHATTAN
 KS 66506 1

PROF. J. W. TUKEY
 DEPARTMENT OF STATISTICS
 PRINCETON UNIVERSITY
 PRINCETON, N. J. 08540 1

PROF. A. F. VEINOTT
 DEPARTMENT OF OPERATIONS RESEARCH
 STANFORD UNIVERSITY
 STANFORD
 CALIFORNIA
 94305 1

DANIEL H. WAGNER
 STATION SQUARE ONE
 FACIL, PENNSYLVANIA
 19301 1

PROF. GRACE WAHBA
 DEPT. OF STATISTICS
 UNIVERSITY OF WISCONSIN
 MADISON
 WI 53706 1

PROF. PETER ELCCMFIELD
STATISTICAL DEPT.
PRINCETON UNIVERSITY
PRINCETON, N. J.

1

C8540

PROF. G. G. BROWN
DEPT. OF OP
NAVAL POSTGRADUATE SCH CCL
MONTEREY
CALIFORNIA

1

93940

R. W. BUTTERWORTH
SYSTEMS EXPLORATION
WEBSTER ST.
MONTEREY
CALIFORNIA

1

93940

DR. JAMES CAPRA
7218 DELFIELD STREET
CHEVY CHASE
MARYLAND

1

20015

DR. D. R. COX
DEPT. OF MATHEMATICS
IMPERIAL COLLEGE
LONDON SW7

1

ENGLAND

DEFENSE DOCUMENTATION CTR.
CAMERON STATION
ALEXANDRIA
VIRGINIA

1

22314

ECON. AND MAN. SCI. CTR.
NORTHWESTERN UNIV.
EVANSTON
ILLINOIS

1

60201

MAN. SCE. RES. CTR.
FACULTY OF COM. AND BUS. ADMIN.
UNIV. OF BRITISH COLUMBIA
VANCOUVER
BRITISH COLUMBIA V6T 1W5 CANADA

1

DR. M. DWASS
MATH. DEPT.
NORTHWESTERN UNIV.
EVANSTON
ILLINOIS

1

60201

PROF. K. T. WALLENIUS
DEPARTMENT OF MATHEMATICAL SCIENCES
CLEMSON UNIVERSITY
CLEMSON,
SOUTH CAROLINA 29631

1

PROF. G. S. WATSON
DEPARTMENT OF STATISTICS
PRINCETON, N. J. 08540

1

PROF. BERNARD WIDROW
STANFORD ELECTRONICS LAB
STANFORD UNIVERSITY
STANFORD
CA

1

94305

PROF. G. E. WHITEHOUSE
DEPT. OF INDUSTRIAL ENGINEERING
LEHIGH UNIVERSITY
BETHLEHEM
PA

1

18015

PROF. S. ZACKS
DEPT. OF MATHEMATICS AND STATISTICS
CASE WESTERN RESERVE UNIVERSITY
CLEVELAND.,
OHIO
44106

1

PROF. M. ZIA-HASSAN
DEPARTMENT OF INDUSTRIAL AND
SYSTEMS ENGINEERING
ILLINOIS INSTITUTE OF TECHNOLOGY
CHICAGO
IL

1

60616

HEAD, MATH. SCI SECTION
NAT. SCIENCE FOUNDATION
1800 G STREET, N.W.
WASHINGTON, D.C.

1

20550

PROF. A. F. ANDRUS
DEPT. OF CR
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

1

93940

PROF. C. R. BARR
DEPT. OF CR
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

1

93940

DR. R. ELASHOFF
BIOMATHEMATICS
UNIV. OF CALIF.
LCS ANGELES
CALIFORNIA

90024

PROF. GEORGE S. FISHMAN
UNIV. OF NORTH CAROLINA
CUR. IN OR AND SYS. ANALYSIS
PHILLIPS ANNEX
CHAPEL HILL, NORTH CAROLINA

20742

DR. R. GNANACESIKAN
BELL TELEPHONE LAB
HOLMDEL, N. J.

07733

DR. A. J. GOLDMAN
CHIEF, CR
DIV. 205.C2, ADMIN. A428
U.S. DEPT. OF COMMERCE
WASHINGTON, D.C.

20234

DR. H. FIGGINS
53 BONN 1, POSTFACH 589
NASSESTRASSE 2

WEST GERMANY

DR. P. T. HOLMES
DEPT. OF MATH.
CLEMSON UNIV.
CLEMSON
SOUTH CAROLINA

29631

DR. J. A. FOCKI
BELL TELEPHONE LABS
HOLMDEL
NEW JERSEY

07733

DR. ROBERT HOCKE
MATH. DEPT.
WESTINGHOUSE RES. LABS
CHURCHILL Bldg
PITTSBURGH, PENNSYLVANIA

15235

DR. D. L. IGLEFART
DEPT. OF C.F.
STANFORD UNIV.
STANFORD
CALIFORNIA

94305

| | | |
|--|---|-------|
| DR. PATRICIA JACCBS CR DEPT. NAVAL POSTGRADUATE SCHCCL MONTEREY CALIFORNIA | 1 | 93940 |
| DR. H. KOBAYASHI IBM YORKTOWN HEIGHTS NEW YORK | 1 | 10598 |
| DR. JOHN LEFOCZKY STATISTICS DEPARTMENT CARNEGIE-MELLON UNIVERSITY PITTSBURGH PENNSYLVANIA | 1 | 15213 |
| LIBRARY CCCE 55 NAVAL POSTGRADUATE SCHCCL MONTEREY CALIFORNIA | 1 | 93940 |
| DR. A. LEMOINE 1020 GUINDA ST. PALO ALTO, CALIFORNIA | 1 | 94301 |
| DR. J. MACQUEEN UNIV. OF CALIF. LOS ANGELES CALIFORNIA | 1 | 90024 |
| PROF. K. T. MARSHALL DEPT. OF CE NAVAL POSTGRADUATE SCHCCL MONTEREY CALIFORNIA | 1 | 93940 |
| DR. M. MAZUMCAR MATH. DEPT. ESTINGHOUSE RES. LABS COURCHILL BFC PITTSBURGH PENNSYLVANIA | 1 | 15235 |
| DR. LEON F. MCGINNIS SCHOOL OF INC. AND SYS. ENG. GEORGIA INST. OF TECH. ATLANTA GEORGIA | 1 | 30332 |

DR. D. R. MCNEIL
DEPT. OF STATISTICS
PRINCETON UNIV.
PRINCETON
NEW JERSEY

08540

1

PROF. P. R. MILCH
DEPT. OF OR
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

93940

1

DR. F. MOSTELLER
STAT. DEPT.
HARVARD UNIV.
CAMBRIDGE
MASSACHUSETTS

02139

1

PROF. R. R. READ
DEPT. OF OR
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

93940

1

DR. M. REISER
IBM
THOMAS J. WATSON RES. CTR.
YORKTOWN HEIGHTS
NEW YORK

10598

1

DEAN OF RESEARCH
CODE 013
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

93940

1

PROF. F. R. RICHARDS
DEPT. OF OR
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CALIFORNIA

93940

1

DR. J. RIGGAN
DEPT. OF MATHEMATICS
ROCKEFELLER UNIV.
NEW YORK
NEW YORK

10021

1

DR. LINUS SCHRAGE
UNIV. OF CHICAGO
GRAD. SCHOOL OF BUS.
5836 GREENWOOD AVE.
CHICAGO, ILLINOIS

60637

1

| | | |
|---|---|-------|
| DR. PAUL SCHWEITZER THOMAS J. WATSON RESEARCH CTR 9 POST OFFICE BOX 218 YORKTOWN HEIGHTS NEW YORK | 1 | 10598 |
| DR. RICHARD SCRENSON CODE 303 NPRDC 271 CATALINA BLVD. SAN DIEGO CALIFORNIA | 1 | 92152 |
| PROF. M. G. SOVEREIGN DEPT. OF OR NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 | 93940 |
| DR. V. SRINIVASAN GRADUATE SCHOOL OF BUSINESS STANFORD UNIVERSITY STANFORD CALIFORNIA | 1 | 94305 |
| DR. R. M. STARK STATISTICS AND COMPUTER SCI. UNIV. OF DELAWARE NEWARK DELAWARE | 1 | 19711 |
| PROF. RICHARD VANSLYKE RES. ANALYSIS CORP. BEECHWOOD OLD TAPPEN ROAD GLEN COVE, NEW YORK | 1 | 11542 |
| PROF. JOHN W. TUKEY FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY | 1 | 08540 |
| DR. THOMAS C. VARLEY OFFICE OF NAVAL RESEARCH CODE 434 ARLINGTON VA | 1 | 22217 |
| PROF. G. WATSON FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY | 1 | 08540 |

| | No. of Copies |
|--|---------------|
| Dr. Roy Welsch M.I.T., Solan School Cambridge, MA 02139 | 1 |
| Dean of Research 012 Naval Postgraduate School Monterey, Ca. 93940 | 1 |
| Professor D. P. Gaver Code 55Gv Naval Postgraduate School Monterey, Ca. 93940 | 20 |
| R. J. Stampfel Code 55 Naval Postgraduate School Monterey, Ca. 93940 | 1 |

U185867



5 6853 01057695 2

~~U185867~~