


REPORT SECTION
12 SCHOOL
1977

NPS55-77-45

NAVAL POSTGRADUATE SCHOOL

Monterey, California



NTDS COMPUTER FACILITIES SCHEDULING SYSTEM

--FINAL REPORT

by

James K. Hartman

and

Gilbert T. Howard

December 1977

Approved for public release; distribution unlimited.

Prepared for:

COMDIRSYSSACT

FEDDOCS
D 208.14/2:NPS-55-77-45 San Diego, California

NAVAL POSTGRADUATE SCHOOL
Monterey, California

Rear Admiral Isham Linder
Superintendent

Jack R. Borsting
Provost

This work was supported by FLTCOMDIRSYSSACT, San Diego.

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55-77-45	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) NTDS Computer Facilities Scheduling System-- Final Report		5. TYPE OF REPORT & PERIOD COVERED Technical
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) James Hartman and Gilbert Howard		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, CA 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS FLTCOMDIRSYSSACT San Diego, CA		12. REPORT DATE December 1977
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 162
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) NTDS Scheduling FCDSSA Computer Facilities		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report investigates the scheduling of Naval Tactical Data Systems (NTDS) mockups and the associated computer facilities at FCDSSA/FCDSTCP, San Diego. We provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording and equipment hookup. The decision logic of the scheduling portion of this system has been developed in detail, and a prototype scheduling program has been written and tested. The results indicate that the computer		

20. Continued

program can do a good job of producing a job schedule and the associated equipment assignments.

A schedule for system implementation is also suggested.

NTDS COMPUTER FACILITIES SCHEDULING SYSTEM
--FINAL REPORT

James K. Hartman

and

Gilbert T. Howard

Naval Postgraduate School
Monterey, California

December 1977

TABLE OF CONTENTS

	Page
I. INTRODUCTION	1
A. Purpose	1
B. Report Organization	2
II. SYSTEM OPERATION	3
A. General Overview	3
B. Typical Interaction Sequences	4
C. Detailed Interaction Descriptions	10
1. Define Configuration	11
2. Display Configuration	12
3. Delete Configuration	12
4. Enter Schedule Request	13
5. Display Schedule Request	19
6. Modify or Delete Schedule Request	20
7. Construct Schedule	20
8. Display Schedule	21
9. Modify Schedule	22
10. Hookup Equipment	23
11. Unhook Equipment	24
12. Change Equipment Status	24
13. Display Equipment Status	25
14. Change Basic Data Files	25
D. Summary of System Interactions	26
III. FILE DESCRIPTIONS AND FILE MANAGEMENT	27
A. File Descriptions	27
1. Equipment File	27
2. Maintenance File	28
3. Pending Weekly Request File	28
4. Current Week Schedule and Request File	29
5. Next Week Schedule and Request File	30
6. Current Week Schedule Cross Reference File	30
7. Next Week Schedule Cross Reference File	31
8. Configuration File	31
9. History Files	31
B. File Management	32

TABLE OF CONTENTS Continued

	Page
IV. DESCRIPTION OF THE SCHEDULING PROCESS	36
A. Overview of Scheduling Operation	36
B. Initial Conditions for Scheduling	37
1. Time Specification	37
2. Equipment Specification	38
3. Assumptions about Equipment Availability..	39
4. Job request Processing Sequence.....	40
C. Decision Logic for Scheduling Subprograms....	42
1. Determine Equipment Availability (EQAVAL) .	43
2. Determine Equipment Requirements (GETEQ) ..	46
3. Insert Job in Schedule (INSERT)	47
4. Remove Job from Schedule (REMOVE)	54
5. Replace Job in Schedule (REPLAC)	57
6. Compute Number of Time Periods (PERIOD) ...	58
D. Decision Logic for the Scheduling Program....	60
1. Generation of Alternatives.....	60
2. Flowchart	62
E. Interaction With Human Scheduler	66
1. Initial Schedule Preparation	66
2. Schedule Revision	71
IV. DESCRIPTION OF PROGRAM AND RESULTS	
A. Differences Between the Test Program and A Version for Implementation	73
B. Description of Test Program Data Arrays	75
C. Description of Time Periods in Scheduling Program	80
D. Input Data Required for Scheduling Program....	81
E. Description of Test Problem	82
F. Assignment of Specific Equipment	85
G. Summary of Results from Test Problems	89
VI. CONCLUSIONS AND RECOMMENDATIONS	91
A. Summary	91
B. Major Tasks Remaining Before Implementation...	92
APPENDIX A Equipment Scheduling Program	93

ABSTRACT

This report investigates the scheduling of Naval Tactical Data Systems (NTDS) mockups and the associated computer facilities at FCDSSA/FCDSTCP, San Diego. We provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording and equipment hookup. The decision logic of the scheduling portion of this system has been developed in detail, and a prototype scheduling program has been written and tested. The results indicate that the computer program can do a good job of producing a job schedule and the associated equipment assignments.

A schedule for system implementation is also suggested.

I. INTRODUCTION

A. Purpose

This report investigates the scheduling of Naval Tactical Data System (NTDS) mockups and the associated computer facilities at the Fleet Combat Direction System Support Activity (FCDSSA) and the Fleet Combat Direction System Training Center, Pacific (FCDSTCP), San Diego. NTDS mockups, digital computers, and various items of computer peripheral equipment are combined into many different configurations for use in training by FCDSTCP and for use in program development and program test by FCDSSA. Equipment must also be made available periodically for required maintenance. The variety of different users, configurations, and time restrictions creates a problem in job and equipment scheduling which is quite complicated.

In this report we provide a design for an automated, computer based, interactive system for assisting in the management of job and equipment scheduling, equipment status recording, and equipment hookup for the NTDS computer facilities. Installation of such a system could relieve the load on the current manual scheduling system and provide continuity in the scheduling system even though the individuals responsible for scheduling may change. It could also make up to date schedule and equipment status information readily available, provide increased flexibility when schedule revisions are necessary, and interface with the high speed digital switch (HSDS) equipment leading eventually to automatic hookup of jobs.

B. Report Organization

Section II of this report provides an overview of system operation from the user's viewpoint and indicates from the system viewpoint how the automated functions are accomplished. In particular, this requires definition of data files for the scheduling system and program modules to operate upon these files as the system performs its various functions. These files and program modules are briefly described in Section II, and their interrelationships are specified.

Section III concentrates on file descriptions in greater detail.

Section IV provides detailed decision logic and flow-charts for the program modules which make up the system. In particular, the complex module which actually performs the scheduling operation is broken into several subroutines which are described in detail. A preliminary, non-interactive version of this scheduling module has been written and tested in order to assess the effectiveness of the scheduling logic. This program is described in Section V.

Finally, in Section VI we list what we feel are the major remaining tasks leading to implementation of the system.

III. SYSTEM OPERATION

A. General Overview

An overall view of the system is provided in the flowchart of Figure 1. System USERS input equipment configuration definitions and requests for scheduled time. MAINTENANCE personnel input equipment status updates. Once a week these inputs are integrated to form a schedule of time and equipment assignments at the CONTROL DESK by a human scheduler interacting with a scheduling program. When the time comes for jobs to be run, the CONTROL DESK initiates the HSDS control program which references the configuration file and the schedule to determine which equipment to hookup. When changes are required in the schedule, the scheduling program is again called and the changes are worked out interactively by the scheduler and the program.

In the above overview we have designated three categories of people who will interact with the system.

1. USERS are people who submit job requests for scheduled time on various configurations of NTDS equipment. Note that this category includes job requests for training, program development and test, and also for scheduled maintenance.
2. The system CONTROL DESK is a central location with overall control of system operation. It includes the scheduling function as well as initiation of equipment hookup and some communications with users.




Figure 1. Overall System Operations

3. MAINTENANCE personnel interact with the system by updating equipment status indicators as equipment fails and is fixed.

B. Typical Interaction Sequences

Since the operations of this system are to some extent interactive and occur in a time sequence, it is useful to describe typical sequences of interactions within the context of a scheduling cycle. The system will produce a new schedule once a week. For convenience let us assume that this occurs on Wednesday afternoon each week and that the schedule produced starts at 0000 hours on the following Monday and runs for a week. (Alternate assumptions about timing would change details, but the overall pattern of interaction sequences would be similar.) For convenience we number the days in a three consecutive week period as follows:

M	T	W	H	F	A	S
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19

On Wednesday the 8th, the system will be constructing a schedule for the week 13-19.

1. Typical sequence for weekly scheduling. The following flowchart (Figure 2) summarizes the typical sequence of interactions for a user request to be included on next week's schedule. Such a request would be submitted anytime on days 1-7, would be scheduled on days 8-9, and would run during the week 13-19. The flowcharts in this section are based on a preliminary chart developed by LT Amos Maples, FCDSSA.
2. Typical sequence for daily scheduling. Sometimes a user will discover after the scheduling deadline (day 8) that he would like to have a job scheduled during the week 13-19. If there is available equipment to meet his late request, then his job should be added to the schedule, but in general the existing schedule will not be changed to accommodate the late request. We call such a request a "daily" request. The interaction sequence for a "daily" request is shown in the following flowchart (Figure 3).
3. Typical sequence for maintenance status change. Maintenance personnel will modify the equipment status file whenever a piece of equipment fails or is repaired. The impact on the scheduling system is shown in the accompanying flowchart (Figure 4).




Figure 2. Flowchart for Typical Weekly Job Request




Figure 3. Flowchart for Typical Daily Job Request




Figure 4. Flowchart for Maintenance Status Change

C. Detailed Interaction Descriptions

The proposed computer facilities scheduling system will maintain data files (as indicated in Figure 1) for equipment configurations, job requests, equipment status, and the schedule. At various times people interact with the system by issuing commands at remote terminals. These commands initiate execution of computer program modules which read or write on the data files and return output to the person initiating the request. In this section we describe in some detail the types of interactions planned for the system and indicate the effects they have on the various data files.

Some of these interactions are quite simple, so the logic they use does not require elaborate description. For example, a command "Display Configuration XXXX" will search the configuration file for the name XXXX and display either the configuration (if XXXX is found) or an error message (if XXXX is not found). These simple interactions will be completely described in this section.

Other interactions are quite complex. The major example is the construction of a weekly schedule. Complex interactions will be briefly sketched in this section, but detailed specification of the decision logic will be postponed to Section IV.

We now list and describe the interaction types.

1. Define Configuration. Each job request must specify the equipment it requires and the manner in which the various channels of the equipment are interconnected. Such a specification is called a configuration. It is anticipated that the system control structure for defining a configuration will be similar to that of the BUILD commands in the existing HSDS program. The primary difference is that the new system will have to be able to describe configurations in terms of the logical equipment types (e.g. any 642B computer) as well as specific equipment identifiers (e.g. CPU-2). This added capability is required so that the scheduling program will have maximum flexibility in equipment assignment. The current BUILD routines work only with specific equipment identifiers, so that any substitutions must be made manually at hookup time.

Definition of the format and mnemonics for specifying configurations in this more general fashion is a FCDSSA responsibility (Action Harry Gold and Basil Brown).

When a user issues a "define configuration" command the system will check to be sure the configuration name input by the user does not duplicate one already in the configuration file, and then will copy the user's specification into the configuration file as a new entry. Possible elaborations include a) checking to be sure that each configuration is unique and b) defining new configurations as minor modifications of existing configurations.

Summary of files affected:

read CONFIGURATION file.,
write CONFIGURATION file.

2. Display Configuration. Several different displays of the information in the configuration file should be available upon request. All of these displays are simple input-output formatting exercises which will be routine to program once the configuration format is determined by FCDSSA. The displays available should include the following:
 - a) List the names of all configurations currently in the file.
 - b) Display the configuration with name XXXX. (If XXXX is not a previously defined configuration, return an error message.)
 - c) Display all configurations.
 - d) In b and c above, the user will have the option to list only the equipment required or also the details of channel interconnections.
 - e) List all configurations which require equipment type z.

Summary of files affected: read CONFIGURATION file.

3. Delete Configuration. Obsolete configurations can be removed from the configuration file. This interaction should be reserved for control desk use to prevent accidental erasures in the file. As a possible elaboration, the system

might check to be sure that no currently pending job request uses the configuration before it is deleted, since otherwise at scheduling or hookup time the job will request a configuration whose description is no longer available in the system.

Summary of files affected:

read CONFIGURATION file
erase CONFIGURATION file,
possibly read PENDING REQUEST file.

4. Enter Schedule Request. Users may input job requests for inclusion in the schedule at any time. Job requests which arrive before the weekly scheduling time ("weekly requests") are accumulated in the PENDING REQUEST file until scheduling time. Job requests which arrive after the scheduling deadline ("daily requests") are kept in the PENDING REQUEST file and treated on a space-available basis. In either case, entering a schedule request is a simple input-output operation. At this time we will define formats for the input and the PENDING REQUEST file and describe the editing checks that the program should make on each new request.

Any job request must contain information in three basic areas: job identification, equipment required, and time required. The job identification is reasonably straightforward. The primary job identifier is a user assigned job

name. Users will have to be precise about using exactly the same name when displaying information about their job request or its place in the schedule. Other elements in the job identification are the task number (primarily for accounting--no real function in scheduling), the user's organization code (in the current view, the scheduling algorithm will sort requests by code, and each code may prioritize its requests if desired), a priority sequence if the user's code wishes to assign one, and the user's phone extension so the control desk can call the user if necessary.

Specification of the equipment required for a given job is straightforward. The user will merely specify the name of the standard configuration which he requires. If there is not an existing configuration for the required equipment or if the user doesn't know its name, then the user will input a special code (say 999) and the "define configuration" program will be called to establish the new configuration or to search the existing configuration file for the name of the configuration matching the user's needs. Users will be able to specify alternative configurations if several different configurations will meet their needs.

Specification of the time required for a job request has several aspects. Users will first specify the week for which the request is intended, and the system will then check the request submission deadline to see if this is a "weekly" request or a "daily" request. Then the user must specify

how much time is required and when he would like the job to be scheduled. Specification of the information is complicated by the variety of different jobs which the system must handle. For most users (see exceptions below) the number of hours of time required is fairly firm and easy to specify. However, different users vary widely in their desires about when during the week their job should be run.

- a. Certain users, notably maintenance and training, have priority status during certain times of the day and try to concentrate their jobs during these times.
- b. Some users have preference for certain times of day, others for certain days of the week, others for various combinations of both day and time. Almost everyone prefers day time shifts to night shifts, but there are some exceptions.
- c. Because of other commitments, some users are unable to run their jobs at certain times.
- d. Some job requests want several time blocks on different days with at least a day between blocks for debugging.
- e. Some user requests (e.g. ASIS05) are submitted as a single large block of time with the understanding that the scheduler will spread this time in smaller blocks throughout the week at his convenience. These smaller blocks are then allocated to different ASIS05 users by the ASIS05 group without having the scheduler involved.

f. It is virtually certain that not all users will get their first preference in time assignments. Thus the system will allow a user to specify several alternative times (perhaps many) and indicate his preferences among these times.

From the standpoint of the scheduling algorithm, each separate block of time will be treated as a separate request. For example, a job asking for four hours on Monday and four hours on Wednesday will be split into two separate job requests which are scheduled independently. The system will assign a "segment number" to differentiate between the two blocks. For each separately requested block of time the scheduling program needs a list of acceptable start times, arranged in preference order. All acceptable times should be included in the list and any time which is impossible should be left off the list. The scheduling program will then step through the acceptable times in the given preference order, until it finds a time where the job fits into the schedule.

For submitting a schedule request, however, such a format might be unwieldly since the list of possible start times might be quite long. An alternative input format which can easily be translated into the preference ordered time list is suggested below.

- Each job request can ask for as many blocks of time as desired. For each block the user specifies
- a) the number of hours in that block
 - b) day-time combinations which are desirable start times
 - c) day-time combinations which are not possible start times.

Examples

1. (4 M0 8) indicates that four hours time is required, and that Monday 0800 is the desired start time.
2. (6 H) indicates that six hours time is required and that Thursday (H) is the desired day.
3. (5 M08, W12, H) indicates that five hours time is required, and that Monday 0800, Wednesday 1200, or anytime Thursday are desirable start times.
4. (4 M08, NOT T, W, H) indicates that four hours on Monday at 0800 is desired, and that no time on Tuesday, Wednesday, or Thursday is acceptable (perhaps the user will be out of town).
5. (8 T08, W, NOT F16) indicates eight hours is required, Tuesday 0800 or anytime Wednesday are desirable, but Friday 1600 is impossible.
6. (4 M08), (6 T08), (4 W12, NOT F) requests three separate blocks of time each of which is interpreted as above.

Input to such a time specification could be in the compact form shown for users who understand the format and could also easily be expanded into a prompt-and-respond mode on terminals for users who are not so familiar with the format.

Translating this format into the preference ordered list of start times is a straightforward process: desirable times are placed at the top of the preference order, and impossible times are omitted from the list. Times which are not mentioned at all will appear on the list at the bottom of the preference order, and, of course, the user will have no control over their ordering.

For users who want to place a preference ordering on all of their acceptable times, the option of just inputting the ordered list of start times should also be available.

It should be noted that this time specification format, while probably adequate for most jobs, does not allow for specifying minimum intervals between blocks or for splitting large request blocks into smaller pieces. One way of handling special cases is to include a field in the request input for "comments to the scheduler" so that the control desk's human scheduler can force the interactive computer scheduling program to satisfy side constraints that are hard to anticipate or provide for in automatic scheduling.

Editing checks should be built into the program which accepts job requests to ensure that the request makes sense. For example:

- a) The job name should be unique for each job request submission. Thus the system should check each new name against those already in the file.
- b) Other identification information should be reasonable, e.g. code numbers should be for codes that exist.
- c) All configuration names should be checked against the configuration file, and the user should be required to define any missing configurations.
- d) All times should be checked to be sure they are within the proper ranges.
- e) The resulting file record in the PENDING REQUEST file should be echoed to the user to allow validation at entry time of the actual file record, and immediate correction of any errors found.

Summary of files affected:

read PENDING REQUEST file
write PENDING REQUEST file
read CONFIGURATION file.

- 5. Display Schedule Request. The system should display any job request (or all) on demand. The display is a routine input/output exercise. For preliminary implementation, simple display of all the information in the file record is probably adequate. A more elaborate display routine might selectively edit part of the data (e.g. list names of all jobs from code 06 or all jobs using configuration XXXX).

Summary of files affected:

read PENDING REQUEST file.

6. Modify or Delete Schedule Request. Changes in user requirements or input errors may require changing or deleting requests which have been previously entered. Such modifications or deletions should be protected functions with only the user who submitted the request or the control desk allowed to change the request. For initial implementation, the easiest way to handle a modification is to delete the old request and re-enter the entire modified request. If modifications are frequent it might be worthwhile to develop special modification routines later.

Summary of files affects:

read PENDING REQUEST file

write PENDING REQUEST file.

7. Construct Schedule. Once a week, at scheduling time, the system produces a schedule of time and equipment assignments for the following week. The schedule construction process will be an interaction between a human scheduler (CONTROL DESK function) and a computer program scheduler. The program will be able to rapidly generate alternatives, will perform the basic bookkeeping operations, and will use simple heuristics to construct portions of the schedule.

When these heuristics fail, or at other appropriate times the human scheduler will intervene to suggest alternatives for the computer to try or to process additional information (such as the comments field in a schedule request) which the computer cannot handle.

The result of the scheduling process is a list of the scheduled time and equipment assigned to each job request, and a list of the job requests (if any) which could not be scheduled.

Since the scheduling interaction is complex, its decision logic must be specified in considerable detail. We will postpone this detailed description of the scheduling process until Section IV.

Summary of files affected: As indicated in Figure 2 of Section II-B the scheduling process will require read access to all of the system files, and will write on the SCHEDULE file.

3. Display Schedule. A variety of displays of the weekly schedule will be required to meet the needs of various users.

a) The simplest such display is for an individual job. The display would merely repeat the job request identification fields, specify the day and time assigned and list the equipment assigned. If the scheduler has found it necessary to assign equipment which is not currently in an UP maintenance status, a note to this effect should be included.

- b) Using the same format as in a) above, it would be desirable to be able to list subsets of jobs such as all training jobs, all jobs scheduled for the Monday afternoon shift or all jobs using computer CPU2. This is a routine sort or search problem.
- c) In addition to the displays above, the control desk scheduler will need to have available more global information about the schedule if he is to interact effectively with the system during the schedule construction and schedule modification processes. The types of display available to the scheduler and their format will be crucial to the success of the scheduling effort, and will be discussed in more detail along with the scheduling process in Section IV.

Summary of files affected:

read SCHEDULE file.

9. Modify Schedule. After a schedule has been constructed, changes in equipment availability, changes in user needs, or in extreme cases, new and extremely important jobs which must be scheduled will require modifications in the existing schedule. Sometimes the change may be simple (e.g. substitute CPU H for CPU K in job XXX), but other changes may require rework of substantial portions of the schedule.

The schedule modification process will be interactive and similar to the original schedule construction process

except that it starts with an existing partial schedule.

Further details are reserved for Section IV.

Summary of files affected: Schedule modification is like schedule construction in that it can affect any of the system files.

10. Hookup Equipment. At the beginning of each shift, the jobs scheduled to start in that shift must be hooked up. Detailed discussion of the hookup system is beyond the scope of this research project, but a brief sketch is in order. The proposed system would use the schedule file to determine the jobs and equipment to be processed, and then the configuration file would provide details of the channel interconnections. Using this information, the system will create a set of HSDS hookup commands for each of the jobs to be run. These would then be sent to the HSDS control computer which will actually perform the hookup. The major requirements, in addition to the existing HSDS programs, are for a processor to develop the set of HSDS commands and for a communication link from the system to the HSDS control computer.

Summary of files affected:

read SCHEDULE file

read CONFIGURATION file.

11. Unhook Equipment. When a job is done, the equipment is unhooked. The discussion of equipment hookup above is relevant. It is probably desirable to have human intervention to prevent automatic disconnecting of jobs since a brief extension of time might allow job completion.
12. Change Equipment Status. As a part of the equipment file, the system will maintain an equipment status list. This would incorporate or replace the HSDS status list and Harry Gold's equipment status program. There will be three possible status indicators for each piece of equipment. UP, REDUCED CAPABILITY (REDCAP), and DOWN. At HOOKUP time, the system will refuse to hook up any equipment which is DOWN and will give a warning message about REDCAP equipment. Since the schedule is made up as much as 10 days before run time, the scheduler will assume that DOWN and REDCAP equipment can be fixed in time and will schedule it if necessary (with a warning message). If equipment is known to be down for an extended period (awaiting parts or shipped out for repair) and will not be available next week, maintenance may so indicate by preemptively scheduling that equipment into a maintenance status for the entire week. Then the system will not assign it to anyone else. Formats for inputs and displays have been developed in previous status programs, so we will not concentrate on them at this time.

Access to the "change equipment status" program is restricted to maintenance personnel only

Summary of files affects:

read EQUIPMENT file

write EQUIPMENT file.

13. Display Equipment Status. On demand the system will display the current maintenance status of any piece of equipment that it schedules. Summary displays such as "all CPU's" or "all DOWN equipment" should be available. For equipment in the DOWN or REDCAP categories, a maintenance file will contain comments about the equipment to help users decide whether, for example, their job can use a piece of REDCAP equipment.

Summary of files affected:

read EQUIPMENT file.

14. Change Basic Data Files. Changes to basic system data files (such as the equipment list) will sometimes be required (for example, when a new piece of equipment is acquired). Routines should be available to make such changes possible. Their use is, of course, restricted so the typical user will never encounter them.

D. Summary of System Interactions

In the following table we summarize the above interactions and indicate the people who will be initiating them. Several of the interactions should clearly be reserved for maintenance or for the control desk. Other interactions such as Modify Schedule Request should be available to the user who submitted that request, but not to other users. This can be handled by appropriate code words in the control programs, or by restricting these functions to a single central authority such as the control desk.

Interaction	User	Control Desk	Maintainanc
1. Define Configuration	X	X	X
2. Display Configuration	X	X	X
3. Delete Configuration		X	
4. Enter Schedule Request	X		X
5. Display Schedule Request	X	X	X
6. Modify or Delete Schedule Request	X	X	
7. Construct Schedule		X	
8. Display Schedule	X	X	X
9. Modify Schedule		X	
10. Hookup Equipment		X	X
11. Unhook Equipment		X	X
12. Change Equipment Status			X
13. Display Equipment Status	X	X	X
14. Change Basic Data Files		X	

X means that the indicated person initiates the indicated interaction.

III. FILE DESCRIPTIONS AND FILE MANAGEMENT

A. File Descriptions

The proposed computer facilities scheduling system requires a number of data files to be stored and accessed as schedules are prepared and implemented. In this section we provide descriptions of these files, their contents, and some suggestions for file management in the system.

Throughout we will concentrate on the minimum files necessary to perform the scheduling job recognizing that other aspects of the system may require additional files or additional entries in the files we define. For example, as part of the equipment file it might be useful for someone to know the date of acquisition of each piece of equipment. Since this information does not impact on the scheduling function, we choose not to incorporate it into our description of the equipment file.

A list of the files required by the scheduling system and their contents follows.

1. EQUIPMENT file

The equipment file contains information about each piece of equipment that the system schedules. The information required consists of:

- a) a unique identifier for each piece of equipment

(The HSDS mnemonic is a logical identifier to use.)

- b) an equipment status code to indicate the current maintenance status of the equipment. The three possible status values are UP, DOWN, and REDUCED CAPABILITY.

This file should have space for several hundred pieces of equipment.

2. MAINTENANCE file

Verbal comments describing the nature of maintenance required on DOWN and REDCAP equipment can be useful to users in deciding whether they can use the malfunctioning equipment. For example, if only one channel of a device is bad, and the user's job doesn't access that channel, then he may be able to continue even though the equipment is marked REDCAP. This file will contain entries for DOWN and REDCAP equipment only and will consist of

- a) the equipment identifier (same as in the equipment file)
- b) the status indicator DOWN or REDCAP
- c) comments on the nature of the problem.

Other information such as time of failure are important for maintenance recordkeeping, but do not directly affect the scheduling function.

Review of recent maintenance activity should give an indication of the required size for this file.

3. PENDING WEEKLY REQUEST File

As requests are received they are accumulated in this file until scheduling time each week. The data which is input in each job request will comprise one record of this file, and should include the following data items:

- a) job name
- b) segment number (system assigned if a request includes several blocks of time)
- c) task number

- d) organization code
- e) priority sequence within code (optional)
- f) user name
- g) phone extension
- h) number, n, of acceptable configurations
- i) configuration names for the n acceptable configurations
- j) week for which the request is intended
- k) number, t, of acceptable start times
- l) preference ordered list of the t acceptable start times
- m) comments to the scheduler, if any.

Space for 200 job request segments per week should be adequate.

4. CURRENT WEEK SCHEDULE and REQUEST file

This file contains information about all the job requests which are either scheduled to be run during the current week or awaiting scheduling as a daily request. For each of these jobs it is necessary to retain all of the job request information listed in file 3 above since changes during the week may necessitate rescheduling of the job. In addition to data items (a) through (m) of file 3, each record of the Current Week file will contain the following information about the schedule relevant to each job:

- n) scheduled start time
(= 999 if the job has not yet been scheduled)

- o) the configuration name under which the job was scheduled
(blank if not yet scheduled)
- p) a list of the specific equipment identifiers which are assigned to this job in the schedule.

Space for 200 records should be adequate.

5. NEXT WEEK SCHEDULE and REQUEST File

The format of the Next Week file is identical to that of the Current Week file, except that it contains job request and schedule information for the week following this week. Such a file is required since next week's schedule is prepared before this week's schedule has all been run, and hence there can be two different schedules in existence at a given time. Section III-B will discuss the transfer of data among the Request file, the Current Week file and the Next Week file.

Each record of the Next Week file contains data items a through p listed under files 3 and 4 above.

Space for 200 records should be adequate.

6. CURRENT WEEK SCHEDULE CROSS REFERENCE File

The schedule cross reference file contains, for each time during the week, a list of the job ID for all the jobs which are scheduled to be running at that time. This includes jobs starting at that time as well as jobs starting at earlier times which overlap into that time period.

Space is required for one record for each time period with each record containing, perhaps, up to twenty job ID's.

7. NEXT WEEK SCHEDULE CROSS REFERENCE File

This file is identical to the Current Week Schedule Cross Reference file except that it covers a different period of time.

8. CONFIGURATION File

The configuration file contains a list of the equipment required for each job. Each configuration has a separate record consisting of

- a) unique configuration name
- b) equipment required for the job
- c) channel interconnection instructions.

An estimate of size for this file is difficult to give at this time since details of the format for describing configurations is not yet complete. We anticipate a fairly large number of distinct configurations, perhaps several hundred.

9. HISTORY File

It is likely that some information will be retained in history files after it has become obsolete for current scheduling purposes. For the moment we will ignore these files as they do not influence the scheduling operation.

B. File Management

Since the proposed system implements a weekly schedule in continuous real time, there will clearly have to be a time (or times) during the week when files are cleared of last week's data and loaded with this week's new information. In this section we approach the problem by examining the necessary retention of information over time in the system. In particular we concentrate on the files which are changing completely every week--the Request files, the Current Week file and the Next Week file.

For concreteness let us again denote the days in three consecutive weeks (as in Section II-B) as follows:

M	T	W	H	F	A	S
			1	2	3	4
6	7	8	9	10	11	12
13	14	15	16	17	18	19

and consider the timing of requests and schedules for the week 13-19.

Weekly requests for week 13-19 can be input on days 1-7, and must be retained in some form until they are run (as late as day 19). Thus a weekly request may be in the system for as long as 19 days.

Daily requests for week 13-19 can be input on days 8-19 and must be retained until they are run, or, if not scheduled, until the week is over (as late as day 19). Thus a daily request may be in the system for as long as 12 days.

It should be noted that even after a request is scheduled it is still necessary to retain the request since if schedule modifications must occur, some jobs may have to be rescheduled. Since requests may be in the system for nearly 3 weeks in a weekly scheduling cycle, there will clearly have to be either multiple files or overlap between several weeks in a single file.

The schedule for week 13-19 will be developed on day 8 and reviewed and finalized on day 9. It will be retained until day 19, for a total of 12 days in the system.

Given these preliminary observations, we refer to Figure 5 to illustrate the flow of information in the files. As the weekly requests for week 13-19 are submitted (on days 1-7) they are accumulated into the Pending Weekly Request file. On day 8 the entire Pending Weekly Request file is moved into the Next Week file leaving the Request file empty to accept requests for the week 20-26. The schedule is then constructed, and, as each job is scheduled, its time and equipment assignments are added to its record in the Next Week File. At the end of the week (day 12) the jobs for the week just completed




Figure 5. File Management

(6-12) are erased from the Current Week file and the schedule for the week 13-19 is moved into the Current Week File. Equipment hookups are then made from the Current Week file throughout the week.

Any daily requests for week 13-19 that arrive on days 8-12 are added to the Next Week file and scheduled if possible on a first-come-first-served basis. Daily requests for week 13-19 arriving on days 13-19 will be added to the Current Week file in the same manner.

Although they are not included in Figure 5, the Current and Next Week Schedule Cross Reference files are handled in the same fashion as the Current and Next Week Schedule and Request files.

IV. DESCRIPTION OF THE SCHEDULING PROCESS

A. Overview of Scheduling Operation.

At scheduling time each week the Pending Weekly Request file has accumulated a number (perhaps 100-200) of distinct job request segments for time blocks of varying length and equipment configurations of varying complexity. The job of the scheduler is to assign start times and equipment in such a way that

- a) each individual request is satisfied,
- b) the equipment needs of all jobs scheduled to run at any time during the week do not exceed the equipment available to be used and
- c) the pieces of equipment assigned to each job are physically located in convenient spatial arrangements.

During the week the prepared schedule may have to be changed to reflect changes in job requirements or equipment availability. When this occurs the scheduler's job is to make required changes to still satisfy a, b, and c above with as few modifications to the existing schedule as possible.

Both the schedule preparation activity and the schedule modification activity are interactive processes with an on line computer scheduling program trying many alternatives and keeping track of equipment availability and scheduled times and equipment throughout the process. When the computer's scheduling

attempts fail, or when additional comments to the scheduler impose constraints the computer cannot handle, the human scheduler will be notified. He will then attempt to resolve the issue, or if that seems impossible, he will make the decision to skip the troublesome job and move on to schedule others.

B. Initial Conditions for Scheduling

1. Time Specification.

As discussed in Section II.C.4 of this report, we assume that each job request segment includes a preference ordered list of start times that are considered acceptable for that job. The most desirable time should be first on the list, and any time which is not acceptable should not be included anywhere on the list. The schedule program will attempt to schedule the job at each listed time, in preference order, until a workable time is found. Although we attempt to give each job a time as high on its preference list as possible, we also consider it more important to get jobs scheduled than to give them their most preferred time. Thus we would choose a schedule in which two jobs each get their least preferred time over a schedule in which one job gets its most preferred time and the other job cannot be scheduled at any acceptable time. The program will never attempt to schedule a job at a time not on its list of preferred times, although the manual scheduler may, as a last resort, propose such a time.

2. Equipment Specification.

Each job request specifies a number (often only one) of acceptable equipment configuration names. For purposes of the scheduling algorithm only part of the configuration specification is required. The scheduler needs to know the equipment requirements for the job, but has no use for the channel interconnection instructions. We will assume that each acceptable configuration has been summarized and the equipment specification is presented in the following form:

Equipment type	Number Required	Specific equipment ID for all equipment which can be used for this requirement
CPU-1	1	CPU-1
Any type B Computer in C&S-2	2	CPU-M, CPU-L, CPU-K, CPU-H, CPU-P, CPU-Q, CPU-R
Any MTU in C&S-2	1	MTU-A, MTU-B, MTU-C, MTU-G, MTU-J, MTU-K
NTDS mockup	1	NTDS-1, NTDS-7, NTDS-8

In particular it is important that configurations be specified in as much generality as possible to provide maximum flexibility for the scheduler. If the user is able to use any type B computer then a configuration which specifies CPU-M is unnecessarily restrictive and will lessen the user's chances of being scheduled.

Given equipment specifications in the above format, the scheduling computer program will select the number required of each equipment type from the specific candidates listed. The selection process will check to be sure the equipment is not already assigned at this time, and will attempt to select spatially convenient configurations of computers, magnetic tape units, and teletypes.

3. Assumptions about Equipment Availability

Since the schedule is initially prepared from 5 to 12 days before the jobs are actually run, equipment availability at run time is likely to differ from that at scheduling time. It does not seem possible to get reliable down-time estimates for malfunctioning equipment, so it is difficult to predict equipment availability for the following week. The scheduling computer program will, thus, assign equipment even though its current status is not UP. This is equivalent to assuming that equipment which is in DOWN or REDCAP status at scheduling time will be fixed by the time it is needed during the next week. This perhaps optimistic assumption is considered preferable to the alternative assumption that any equipment not UP at scheduling time will not be UP any time during the next week. When DOWN or REDCAP equipment is assigned in the schedule it should be flagged so the user will be warned to check the status again as his assigned time approaches. Then if the equipment is still down (or if other equipment has failed in the interim) he can initiate corrective action with the scheduler.

4. Job Request Processing Sequence.

The complexity of the scheduling task when users are allowed to express multiple preferences for times and configurations, and when other constraints are imposed by command organization (e.g. Training jobs have priority in daytime shifts, but not at night), precludes scheduling methods which attempt to consider all factors and all requests simultaneously. Thus the proposed computer facilities scheduling program will operate sequentially, scheduling one job at a time, and occasionally backtracking to change earlier assignments when it is advantageous to do so.

This mode of scheduling requires determination of the sequence in which the jobs are to be considered. Jobs which appear early in the sequence will be more likely to be scheduled than those late in the sequence, so, in some sense, the sequencing should reflect job importance or priority where these ideas are clearly defined and agreed upon. Thus, for example, it seems reasonable to place the job requests for early morning scheduled block maintenance in C&S1 and C&S2 at the top of the job sequence since they do have priority over all other jobs at this time. Similarly, training jobs which request time during the daytime shift are acknowledged to have priority over other jobs during that time and thus should appear earlier in the job request sequence.

There does not, however, seem to be universal agreement on the relative importance of one training job versus another, or of one program development and test job versus another, so

large portions of the job processing sequence are still not determined. Several considerations are relevant to this question:

- a) It seems likely that if large jobs are scheduled first, then it will not be too hard to fit small jobs into the "holes" left in the schedule toward the end of the sequence. Conversely, if the large jobs are left until last, the chance of finding large "holes" remaining to fit them into seems much smaller. Thus placing large jobs earlier in the sequence will probably yield better schedules. There are several possible measures of "largeness" for a job (time required and number of computers being obvious measures), but it is not obvious which to use or how to combine them.
- b) If a particular responsibility center within the command (say a given code) feels that it can prioritize the jobs within its area and desires to do so, then the sequential processing of jobs gives a natural way to implement the priorities.
- c) Across codes it is more difficult to establish and agree on relative job importance, so the suggestion has been made that after priority maintenance and training jobs are scheduled, the job sequence should rotate among the other codes. Each code could order its jobs as desired, and the system would then take the first job from each code's list in turn, then the second job and would continue rotating among the codes until the job request file is empty.

d) A default sequence to all of the above possibilities is the first-come-first-served-sequence. In the absence of a decision to sequence in a more logical fashion, this alternative might be implemented. We do not recommend it.

We will assume that the job processing sequence has been determined as suggested above with priority maintenance and training jobs scheduled first. The remaining jobs are selected for scheduling on a rotating basis among the codes. Each code (training included) may prioritize its own jobs if it wishes to do so; otherwise the system will sort within each code according to job size. The scheduling computer program will follow the given job sequence in its attempts to generate a schedule. Of course, if the human scheduler can work his way around a problem by an adroit change in the sequence, he should have some authority to do so.

C. Decision Logic for Scheduling Subprograms

In performing the scheduling task there are some basic operations that are repeated many times in differing situations. In this section we isolate some of these basic operations and describe how they are performed. In later sections we will then refer back to these operations as subroutines or "black boxes" which can be called at will. We also will begin to define some terminology which will be used in the rest of the report.

1. Determine Equipment Availability (EQAVAL)

The basic fact which makes it necessary to schedule equipment is that only a limited amount of that equipment is available. Throughout the scheduling process we need to know which pieces of equipment are available and which are already scheduled to be used at various times during the week. Information about equipment availability will be kept in an array JEQAVA. We discuss several alternatives for handling and updating this array.

- a) The simplest alternative would keep the availability of every piece of equipment for every time period during the week constantly updated in JEQAVA. For (say) 400 pieces of equipment, and if a scheduling period is one hour, then JEQAVA must contain room for $400 \times 168 = 67,200$ bits of information (0 = not available, 1 = available). Every time any schedule change occurs, the corresponding equipment availability bits are turned off or on. The primary disadvantage of this procedure is the space required for JEQAVA although packing schemes could help. The advantage is speed and simplicity.
- b) At the expense of more processing we can save substantial space in the JEQAVA array. Whenever we need to know equipment availability, a subroutine called EQAVAL will construct the JEQAVA array for all equipment but only for the subset of times that we are currently examining (thus a nine hour job request would need $400 \times 9 = 3600$ bits if time periods

of one hour are used). The procedure is detailed in the flowchart of Figure 6.

The subroutine is called by

```
CALL EQAVAL(JTIM, JPERS, JEQAVA)
```

where the input parameters are

JTIM = the first time period of interest

and JPERS = the number of time periods (starting
 with JTIM).

The subroutine returns the two-dimensional array

```
JEQAVA (400 × JPERS)
```

of equipment availability indicators for all equipment and for the JPERS time periods starting with JTIM. The routine requires reference to the Schedule Cross Reference file to find all jobs scheduled at a given time, and to the Next Week Schedule file to find the equipment assigned for each such job. (If we are working on the Current Week Schedule, then reference the Current Week file instead).

- c) A further savings in JEQAVA space could be obtained if only a subset of equipment were considered. When trying to schedule a given job, the only equipment of interest is the equipment which could satisfy that job's configuration needs. The processing would be increased by the logic required to keep track of which equipment to ignore. We have not examined this alternative in detail.




Figure 6. EQAVA SUBROUTINE

In the system description that follows we will assume that alternative b) has been chosen.

2. Determine Equipment Requirements (GETEQ)

As each job is processed, its equipment requirements must be obtained from the configuration file and converted to a form which the scheduler can process. We perform this function by a subroutine GETEQ.

The calling sequence for GETEQ is

```
CALL GETEQ (JCNFG, JEQREQ)
```

where JCNFG is the job configuration name or number (input to the subroutine) and JEQREQ is an array summarizing the resulting equipment requirements. As indicated previously in Section IV-B-2 the equipment requirement in JEQREQ contains, for each equipment type required by the job,

- a) an identifier for the equipment type
- b) the number of pieces of equipment of that type required
- c) a list of the specific equipment identifiers for all pieces of equipment which could meet the requirement for this type.

We call the equipment on this list "eligible" equipment.

The processing logic for this subroutine cannot be detailed until the format for configuration descriptions has been specified.

3. Insert Job in Schedule (INSERT)

A crucial operation in the scheduling process is to insert a given job into the schedule at a given time. The primary tasks involved are the determination of whether the equipment required by the job is available at the given time, and if equipment is available the selection of the specific pieces of equipment to assign to yield a physically convenient equipment layout.

The INSERT subroutine has calling sequence

```
CALL INSERT (JOB, JTIM, JPERS, JCNFG, JEQREQ, JEQAVA, JACTN, JOK)
```

with input parameters

JOB = job identification

JTIM = start time to be tried

JPERS = length of job

JCNFG = configuration identifier--not used in INSERT, but
we want to write it onto the schedule file later

JEQREQ = equipment requirement for this job
(previously prepared by subroutine GETEQ)

JEQAVA = equipment availability at the indicated times
(previously prepared by subroutine EQAVA)

JACTN = {

 0 if this is only a trial--return 0 or
 1 in JOK, but do not actually schedule
 the job

 1 if this is for scheduling--if the job can
 be scheduled then do so

and a single output indicator

JOK = {

 0 if the attempt to select equipment failed

 1 if the attempt succeeded.

In addition if the scheduling attempt succeeds and if JACTN = 1, the subroutine will write output onto the appropriate record of the Next or Current Week Schedule file giving the scheduled time JTIM, the selected equipment, and the configuration used JCNFG, and will also enter this job into the Schedule Cross Reference file.

In accordance with FCDSSA guidance, the INSERT routine will concentrate on physical location for computers (CPU's), magnetic tape units (MTU's), and teletypes (TTY's) only. Other equipment will be assigned without regard to location. CPU's are divided into four classes corresponding to 642-A and 642-B computers in each of the rooms C&S1 and C&S2. MTU's and TTY's

are selected to be in the same room as the CPU's chosen for the job and to be as close to them as possible.

To illustrate the logic of equipment selection let us suppose that the JEQREQ equipment requirement specifies 3 642B CPU's in C&S2, 2 MTU's, and 1 TTY. The three CPU's will be selected first. To accomplish this, the INSERT routine searches a stored list of all the possible CPU-B triples in C&S2 in a preference order based on physical location of these CPU's (since there are seven such computers, there are $\binom{7}{3} = 35$ possible triples--the list is not very long). Each possible triple is checked for eligibility (against the JEQREQ list) and availability (against the JEQAVA array). The first acceptable CPU triple found is assigned to this job (hence the best available physical arrangement of CPU's is selected).

Next MTU's and TTY's are selected to be as close as possible to the selected CPU's. This process references another stored list of MTU's in location preference order for each CPU and a similar list for TTY's.

After the location sensitive equipment is assigned, all other equipment is assigned checking only eligibility and availability. If, at any stage of the equipment selection process, not enough equipment is available to meet the requirement, then the INSERT routine terminates with a failure indicator (JOK = 0). The decision logic for the subroutine is indicated in the flowcharts of Figures 7, 8, 9 and 10 which follow.




Figure 7. INSERT (CPU selection)




Figure 8. INSERT (MTU selection)




Figure 9. INSERT (TTY selection)




Figure 10. INSERT (select other equipment)

4. Remove Job from Schedule (REMOVE)

Sometimes the only way to schedule a job J is to remove a different job K from the schedule to make room for J and then to reschedule K in a different place. Subroutine REMOVE will remove a job from the schedule and will update a JEQAVA equipment availability array to reflect the schedule change. Usually most of the candidates K for removal will not result in a successful rescheduling, so the removal will be temporary with K being put back in its original place before trying another job K to move. To make the replacement easier, subroutine REMOVE will save the job time and equipment assignment for job K in a temporary array called KSAVE; then replacement will not require searching for available equipment.

The calling sequence is

```
CALL REMOVE (JOBK, KSAVE, JEQAVA, JTIM, JPERS, JOK)
```

where the input parameters are

JOBK = the job K to be removed from the schedule

JEQAVA = an equipment availability array to be updated

JTIM = the first time period represented in the equipment availability array JEQAVA

JPERS = the number of time periods represented in the equipment availability array JEQAVA

(Note that JTIM, JPERS, and JEQAVA usually relate to the time where we are trying to schedule job J. This overlaps with the time where job K is currently scheduled, but the times need not be identical.)

The subroutine output is

KSAVE = all scheduled time and equipment assignments for job K are saved here just in case we might have to replace job K later

and

$$JOK = \begin{cases} 0 & \text{if the job } JOBK \text{ was not found on the} \\ & \text{schedule--thus cannot remove it} \\ 1 & \text{if removal completed as requested} \end{cases}$$

In addition the subroutine will delete the scheduled time and equipment for job JOBK from the Schedule files.

The subroutine decision logic is straightforward and is displayed in the flowchart of Figure 11.




Figure 11. REMOVE subroutine

5. Replace Job in Schedule (REPLAC)

Suppose that an attempt to schedule job J by removing job K from the schedule has been made and has failed. Before proceeding to other attempts at scheduling J we should replace K in its previous place in the schedule. Since nothing else has changed, the previous time and equipment assignments (in KSAVE) are still valid, so we can bypass all the searching in subroutine INSERT and simply put job K back in its old place. Subroutine REPLAC accomplishes this and updates the equipment availability. It is assumed that no other changes have been made since a previous REMOVE operation.

The calling sequence is

```
CALL REPLAC (JOBK, KSAVE, JEQAVA, JTIM, JPERS)
```

where the input parameters are

JOBK = the job to be replaced

KSAVE = temporary array where the schedule information
for JOBK is stored

JEQAVA = equipment availability array to be updated

JTIM = first time period represented in JEQAVA

JPERS = number of time periods represented in JEQAVA

The only subroutine output is that Schedule files will be updated to reflect the scheduled time and equipment for JOBK. The subroutine is essentially the reverse of REMOVE. Decision logic is given in Figure 12.

6. Compute Number of Time Periods (PERIOD)

The scheduling method described in this report assumes that the week for which the schedule is constructed is divided into a number of distinct, sequentially numbered time periods. They need not be of equal length. Each scheduling request includes a list of acceptable starting times and a job duration. For different starting times, the number of periods affected by a job may differ. Thus it is necessary to determine the number of periods affected since the process of determining whether a job will fit at a given starting time involves examining each of the affected periods to determine if sufficient equipment is available.

The program described in Chapter V uses a subroutine called PERIOD to determine the number of periods involved for a given start time and job duration. It assumes that the result is less than or equal to four periods.




Figure 12. REPLAC subroutine

D. Decision Logic for the Scheduling Program

The subroutines of the preceding section perform the basic bookkeeping functions of scheduling. What remains is to define a control program--the scheduling program--which generates alternatives to try, schedules jobs when these alternatives work, and interacts with a human scheduler at the control desk at appropriate times.

The basic principle of operation for the scheduling program is to step through many alternative combinations of time and equipment until it finds a feasible combination. The power of the computer is that it can accurately and rapidly repeat this rather simple minded alternative testing for far more alternatives than a human could process. The weakness of the computer is that it will test only the alternatives it is programmed to generate. It is quite likely that some schedule combinations that seem almost intuitively best for humans will be missed entirely by the machine. Thus we propose a system in which the computer interacts with a human operator to try to achieve the best features of each.

In this section we concentrate on the logic of the computer program. The next section will discuss interaction between the program and the human.

1. Generation of Alternatives

In a schedule building operation which processes jobs in a given job request sequence, the typical problem is to

find a place for the next job, J, in the sequence in an already partly completed schedule. There are many alternative times and equipment selections which should be tried, and generally several of these alternatives may be feasible. Our program will use the expressed preferences of the job request submitter to generate alternatives in a preferred order, and will select the first feasible alternative found.

The simplest step in generating alternatives is to try all combinations of acceptable configurations, acceptable times, and eligible equipment to see if the job, J, will fit at any acceptable place in the existing schedule. This can be done quickly and accurately by the computer by calling subroutine INSERT for each acceptable combination of time and configuration. Arranging the trials in preference order on configurations and times will guarantee that the first feasible combination found is the best possible.

A more complicated set of alternatives arises when we consider modifying the existing schedule to make room for the new job. One way of doing this is to (temporarily) remove an already scheduled job K from the schedule. If this makes enough room to schedule job J, then we hope to find room elsewhere for job K. If job J still doesn't fit, then a different K can be tried. If eventually a K is found such that both jobs fit back into the schedule, then the modification has been successful. If no such K is found, then since J is lower in the processing sequence than any already scheduled job K, J must be left unscheduled or we must try some other alternatives.

Other more complex schedule modifications can be imagined, for example,

- a) Move two adjacent jobs K and L to make room for job J and then try to put K and L back into the schedule elsewhere
- b) Move job K to make room for job J. Then move job L so K can be put back into the schedule. Finally try to put L back into the schedule elsewhere.

2. Flowchart

In Figures 13, 14 and 15, we specify the decision logic for the direct scheduling (J only) and single job schedule modification (J&K) discussed above. The logic could easily be expanded to incorporate other alternatives.




Figure 13. SCHEDULER




Figure 13. SCHEDULER (continued)




FIGURE 13. SCHEDULER (continued)

E. Interaction With Human Scheduler

In this section we discuss the ways in which the human scheduler might interact with the scheduling program. His interaction with the system as a whole has been discussed already in Section III-D and we will consider here only the following two topics:

- (a) The interaction of the human and the scheduling program during the initial scheduling process,
- (b) interaction after the schedule has been produced.

The general concept in the scheduling system is that the human scheduler should be in control of the system and that the scheduling program should serve as an aid in producing and revising the schedules. We want the human scheduler to have the option of suggesting possible changes that the computer can evaluate and of modifying the computer produced schedule if he wishes to do so.

1. Initial Schedule Preparation

During the actual scheduling process the scheduler will interact with the program in several ways. These include the following preliminary steps just before running the scheduling program:

- a) scanning the data files to check for completeness, obvious errors, ...
- b) manually preordering jobs if desired
- c) removing from the equipment availability list any equipment known to be down for the next week.

We envision the program running in an interactive mode whereby the scheduler is notified when the program is unable to schedule any job, say J. Upon such notification the scheduler would have several options available, first to collect information, then to take action if desired. In a computer based system such as this we cannot expect that the scheduler will have too much insight into subtle changes that might improve the schedule. The reason for this is that the scheduler will no longer be working directly with the job requests as he does now on the scheduling board where he gains insight into possible schedule modifications. In the absence of this insight, the challenge in system design is to make the system responsive to a variety of questions he might wish to ask.

Listed below are several information requests to which the system should be responsive when queried by the scheduler. We envision that the scheduler would ask these questions before suggesting any schedule modifications to the computer program, and that asking these questions would cause no change in the existing partial schedule.

(i) Requests for information

a) Display the existing schedule:

- jobs scheduled in each time period
- equipment assigned to each job.

This request can be fulfilled simply by reading and displaying information contained in the existing schedule files.

- b) Display job request information for job J includin
-identification
-sequence number
-configuration(s) requested
-times requested
-number of hours requested

This request can also be satisfied by displaying information contained in existing files.

- c) List all times when job J could be scheduled without deleting jobs already scheduled. (Assummin that an attempt has already been made to schedule job J, these times must be currently designated as unacceptable for J or else the job would already have been scheduled.)

This request would be satisfied by calling on the subroutine INSERT and simply noting whether the variable JOK in that routine is 0 (job cannot be inserted) or 1 (job can be inserted). A provision would have to be made in INSERT to prevent its changing variables when JOK = 1 since this is an information request only. The variable JACTN = 0 serves this purpose.

- d) What equipment shortage prevents job J from being scheduled beginning at time t, and what other jobs are assigned equipment of that type at the same time?

This information can be obtained from INSERT since if INSERT fails it is because an equipment shortage has been identified. A provision would be necessary to record all shortages instead of simply exiting from INSERT when the first shortage is identified.

The system's response to item (b) might indicate some currently unacceptable times at which job J could be scheduled. The scheduler could contact that programmer and determine if any of those times could be used. If so, job J could be scheduled. If not, more subtle changes will have to be made or else job J will remain unscheduled.

The system's response to (c) will inform the scheduler regarding conflicts which prevent job J from being inserted at its requested times. If sufficient reason exists for doing so, the scheduler might later force job J into the schedule and a conflicting job, say K, out. Notice that if this is done, it will be impossible to find an acceptable time for job K without further schedule changes since all such interchanges between J and K would already have been tried by the scheduling program. What has not been tried is removing two jobs simultaneously, say K and L and then trying to reinsert them elsewhere although

this option could easily be included in the scheduling program.

After asking any of these questions the scheduler should have available the following alternatives.

(ii) Requests for action

- a) do nothing and let the program continue,
- b) extend the list of acceptable times for any job,
- c) specify alternate configurations for any job,
- d) reorder the job processing sequence
- e) initiate a new run (after b, c, or d),
- f) force job J into the schedule at time t and remove other specified jobs. (The program would determine which jobs to remove if job J were moved to the top of the processing list and a new run initiated.)

If the scheduler chooses not to intervene during the scheduling process he would still have the above options available upon completion of the computer run. Of course, in this case if all the jobs were successfully scheduled as requested he would probably make no changes, but if some jobs are not scheduled the scheduler would probably want to try some alternatives to see if the remaining jobs can somehow be inserted into the schedule.

2. Schedule Revision

After the schedule is completed and published there are several events that would necessitate a change in it. These include:

- a) the unanticipated arrival of an urgent job whose priority demands that it be scheduled at a certain time;
- b) equipment breakdown;
- c) a job withdrawal.

While the first of these events should be very rare, its occurrence will cause cancellation of some job or jobs. Such jobs will normally be treated as new arrivals and placed in the pending request file if no alternate time is found. However, if the scheduler chooses to do so, he can insert the displaced job in any new time period he desires. This action can cause further displacements and such cascading should not be allowed to propagate too far since it would be very disruptive.

The breakdown of any scheduled equipment near to run time will cause the cancellation of some job unless a reassignment of equipment is possible. If this is not possible and cancellation occurs, the scheduler should be able to use the scheduling program to search for alternative times in which the cancelled job could be scheduled. The cancelled job would be treated as a new request and would remain in the PENDING REQUEST file if no time is found for it. In exceptional cases, it could be rescheduled at the expense of other jobs.

Whenever a job is cancelled or voluntarily withdrawn from the schedule there is a possibility that some job in the PENDING REQUEST file can then be scheduled. The search through the PENDING REQUEST file for such a job could be initiated automatically or by a request from the scheduler.

V. DESCRIPTION OF PROGRAM AND RESULTS

In this chapter we discuss the FORTRAN program which was written to test the scheduling method proposed in this report. This program was designed only as a test mechanism and is not intended for implementation in its current form although it should serve as a useful model from which a final version can be prepared.

The overall logic of the program has already been discussed in Chapter IV and in this chapter we will confine our attention to a discussion of how this version differs from the version intended for implementation, a description of the data arrays used in this program, and the input required.

The scheduling method was tested by obtaining a typical week's scheduling requests from FCDSSA (week of 1 Nov. 76) and producing a schedule from them. In this chapter we also describe how the FCDSSA data was translated into a suitable input format for the program, and we will describe briefly the results of that experiment.

A. Differences Between the Test Program and A Version for Implementation

The test program described here differs from the version envisioned for implementation in the following ways:

- a) the test program was written as a stand-alone program residing entirely in core memory.

- b) The program is not interactive, thus no provision has been made for the scheduler to obtain information from it of the type discussed in Chapter IV, Section E and no way is provided for him to influence the schedule produced. The variable JACTN is not included in the test program.
- c) The data files described in Chapter III of this report were replaced in this program by data arrays in core.
- d) The test program assigns specific equipment only for MTU's, TTY's, and CPU's. The other types of equipment are not assigned to specifically identify individual pieces of equipment. Each type is simply allocated on the basis of numerical availability without regard for its specific ID or location.

B. Description of Test Program Data Arrays

Listed below are the data arrays used in the test program and a description of their contents.

The arrays occurring in MAIN are:

1. IEQ4JB (200,40): This array called "equipment for job" allows space for 200 jobs and twenty types of equipment. For each job, the entries in that row are in pairs:

...[equip ID, number of pieces]20 pairs.

The entry specifies the ID number for some equipment as well as the number of pieces of that equipment assigned to this job. The information here corresponds to item p of the Current Week File in Chapter III.

2. ITM4JB (200,2): This array is called "time for job" and contains for each job start time assigned to the job and the number of periods occupied by the job. This information would be contained in the Current Week File described in Chapter III.
3. JB4TM (42,20): The "job for time" array contains 42 rows, one for each time period. In each row the 20 elements are job ID's corresponding to jobs scheduled at that time. A job ID will appear if the job is scheduled to begin at that time or if the job began earlier but overlaps into that time. This corresponds to the Schedule Cross Reference File of Chapter III.

4. NEQUIP (60): The "number of equipment" array contain the total number of pieces of equipment available for each of 60 distinct types. This corresponds to the Equipment File described in Chapter III.
 5. IEQ4CG (60,40): This array "equipment for configuration" contains the definition of the equipment configuration for as many as 60 configurations. The data elements for each configuration are in pairs:
...[equip ID, number of pieces]
- The dimension 40 allows for as many as twenty pairs or twenty equipment types. This information corresponds to that in the Configuration File of Chapter III.
6. ISP4JB (200,49): The "specific equipment for job" array contains space for the ID's of the specific equipment assigned to each of 200 jobs. The test program assigns only TTY, MTU and CPU equipment by specific identifier. There are 49 such pieces of equipment. The assignment of specific equipment ID's was a feature added after the basic version of the scheduling program was completed. In the basic version equipment was allocated only the basis of numerical availability. This corresponds to item p of the Current Week File of Chapter III.

7. JBINFO (200,10): This array contains job information for each of 200 jobs. The information is:
1. JSEQ, job sequence number.
 2. JNAME alpha job name.
 3. NCNFG, number of acceptable configurations for this job.
 4. JHRS, number of hours requested
 5. JNTML, number of acceptable start times.
 6. Not used
- 7.-10. Configuration numbers for this job listed in preference order.
- This information corresponds to that in the Pending Weekly Request File of Chapter III.
8. JBTIME (200,42): The "job time" array gives the ordered list of as many as 42 acceptable times listed in preference order for each of 200 jobs. The number of entries is JNTML.
- This information is the same as item 8 of the Pending Weekly Request file of Chapter III.
9. NCFG (200): An array used only to store configuration numbers for later printing. The j^{th} element is the configuration number used when scheduling job J. Corresponds to the information in g of the Pending Weekly Request File of Chapter III.
10. JEQAVA (60,4): This array called "J equipment available" records the number of pieces of equipment available for each of the 60 types for the next four time periods beginning at the time period currently under consideration for job J.

11. JEQREQ (40): For the job designated J the "J equipment required" array stores up to 20 pairs of
 - ...[equip ID, number required] ...
12. KEQAVA (60,4): Similar to JEQAUA.
13. KEQREQ (40): Similar to JEQREQ.
14. JSPEAVA (60,4): This array records the specific equipment available for each of 60 types and four time periods.
15. KSPAVA: Similar to JSPEAVA
16. JSAVE (91): This is a temporary array used to store information about the scheduling arrangements for job J. The array is used when job J is temporarily withdrawn from the schedule. If replacement is required it can be done quickly using JSAVE. The information is
 1. The scheduled time.
 2. The number of periods affected.
 3. 20 pairs of [equip ID, Number assigned].
 4. 49 numbers requesting the ID's of the specific equipment assigned to job J.
17. KSAVE (91): Similar to JSAVE.
18. JTIMS (42); The "J times" array holds the acceptable times for the current job, job J, in preference order. The data contained here duplicates the information contained in one row of JBTIME. The original concept was that information

on all the jobs would be stored peripherally (JBTIME) and the data for the current job would be brought into core as needed (JTIM).

19. KTIM (42): Similar to JTIM.

The arrays occurring only in the subroutine SPECIF are:

1. LOOK (17): This array is used as an address array. It stores an address which tells where to begin looking in the ISPEC array for the ID's of singles, pairs, triples and quadruples of CPU's.
2. ISPEC (776): The locations of the CPU's available in C&S 1 and C&S 2 were examined and groups of compatible CPU's for type A and B computers were identified. The ID members for groups of 1, 2, 3, 4 were listed in the array ISPEC in decreasing order of desirability beginning with C&S 2A. Following that were the lists for C&S 2B C&S 1A and C&S 1B computers. If more than four CPU's are needed, their ID's are found by looking through the list of single CPU's until the correct number of available units is found. If the desired number is not available, the job is not scheduled.
3. ISPTTY (24,8): This array holds the specific teletype ID's which are desirable for use with each CPU. For each of the 24 CPU's this array contains as many as eight ID's corresponding to compatible TTY's listed in descending order of desirability.

4. ISPMTU (24, 8): Similar to ISPTTY except this array holds MTU ID's.
5. NCPU (2): This array holds the ID for a CPU specifically assigned in C&S 1 or C&S 2 for the job currently under consideration. It is used to reference the arrays ISPTTY and ISPMTU.

C. Description of Time Periods in Scheduling Program

The test version of the scheduling program described here assumes that the scheduling week is divided into 42 time periods. Each day is divided into six periods whose boundaries are the times: 0000, 0400, 0700, 1200, 1600, 2000, 0000 . Period 1 is Monday from 0000 to 0400, and they are numbered consecutively thereafter.

The subroutine PERIOD is called for each scheduling request to determine the number of periods which that job will overlap if it begins at the time currently being requested and continues for the number of hours required. The subroutine assumes the number of periods affected is four or fewer.

D. Input Data Required for Scheduling Program

The input data required for the scheduling program is described in general terms in this section. The exact data formats can be determined by examining the program listing.

For each job the following information is required:

- a) A unique ID number ≤ 200 . The program currently processes the jobs in the order input, but provision is made in the program (see comments) for other orderings if desired.
- b) A job name.
- c) The number of acceptable configurations ≤ 4 .
- d) The number of hours requested.
- e) The number of acceptable times ≤ 42 .
- f) A list of the acceptable configurative numbers.
- g) An ordered list of acceptable times.

In addition to the data for the individual jobs, the data describing the configurations must be available. This includes:

- a) The number of configurations
- b) (equip ID, number) in pairs for each configuration.
Up to 20 pairs are allowed.

Date describing the equipment available must be available including:

- a) The number of equipment types.
- b) The number of pieces available for each type.

The existing test program handles only three specific types of equipment TTY's, MTU's and CPU's. Data is required (in subroutine SPECIF) regarding the preference order in which these pieces of equipment are assigned. This data is currently read in as a BLOCK DATA subroutine.

Section V-F describes the method of assigning specific equipment.

E. Description of Test Problem

Data for a typical week's scheduling requests (1 Nov 1976) was obtained from FCDSSA and prepared as input to the test program.

The first step was to assign a specific ID number to each piece of equipment that is involved in the schedule. Table 1 shows the ID numbers assigned.

The next task was to translate the individual job requests into the required input format. The result of this can be seen most easily by looking at the output section of the computer program, but some explanation is needed. For example, job number 1 was a maintenance job requesting one configuration, seven hours at one acceptable time. It requested configurations 3 and time 1. Jobs 2-5 were also maintenance jobs.

Some guesswork was necessary in translating the job requests since we are not familiar with the needs of the individual programmers. For example, the request from ASIS-05 was interprete

TABLE 1. Equipment Numbers as Used in Test Program

EQUIP

<u>#</u>	<u>NAME</u>	<u>AVAIL</u>
1	Computer A C&S 2 (α's)	7
2	Computer B C&S 2 (α's)	7
3	Computer A C&S 1 (#s)	5
4	Computer B C&S 1 (#s)	6
5	Mag Tape RD-243	10
6	Mag Tape RD-294	2
7	Mag Tape RD-281	4
8	Mock-up NTDS 1	1
9	Mock-up NTDS 2	1
10	Mock-up NTDS 3	1
11	Mock-up NTDS 4	1
12	Mock-up NTDS 4a	1
13	Mock-up NTDS 5	1
14	Mock-up NTDS 6	1
15	Mock-up NTDS 7	1
16	Mock-up NTDS 7a	1
17	Mock-up NTDS 8	1
18	Mock-up PC E	1
19	CATCC1	1
20	ATDS 1,2	1
21	ASIS 1	1
22	DD963	1
23	Ref Mem Unit	6
24	Simulators EW1	1
25	Simulators LMS	1
26	Simulators SM 319 (1-5)	5
27	Simulators SM 319 (6-10)	5
28	Simulators SM 319 (11,12)	2
29	Simulators 441 (13-19)	7

Table 1. Continued.

<u>#</u>	<u>NAME</u>	<u>AVAIL</u>
30	Comm. USQ - 59 (1)	1
31	Comm. USQ - 59 (2)	1
32	Comm. USQ - 36 (3)	1
33	Comm. USQ - 36 (4)	1
34	Comm. SSQ - 29 (5)	1
35	Comm. SSQ - 29 (6)	1
36	Comm. CP - 800	1
37	Comm. SSW - 1A, 1C	2
38	Comm. KG 22	1
39	Radar, Live	1
40	Perif: Vid Proc	1
41	MK 9/11	1
42	WCP	1
43	BUP	1
44	KCMX	4
45	PES()	7
46	PES()	9
47	KSC	5
48	RO-280	3
49	1532/1232	1
50	RP-161	1
51	ECMU	5
52	Additional UYK-7	1
53	UYK-20	6
54	UYA-5	1
55	TTY	20
56	DUMMY (ASIS-05)	1

as a request for seven blocks of four hours each at any of 10 times. This was broken into seven separate requests (numbered 52-58) and to prevent any two from occurring simultaneously we defined a dummy piece of equipment (#56, one available), needed by each job. Other requests were also broken into several separate requests. Jobs 66 and 67 are both named SAIL and indicate that four hours is requested Tuesday or Wednesday afternoon and four hours on Thursday or Friday.

Associated with each of these job requests is a configuration number. The configurations are defined in the data input and are printed out for easy reference.

F. Assignment of Specific Equipment

The initial version of this test program assigned equipment to jobs on the basis of numerical (and temporal) availability only. The modified version, discussed in this chapter, goes one step farther and deals with individual pieces of equipment when assigning CPU's, TTY's and MTU's. This section discusses the method used in assigning this specific equipment.

The reason for dealing with specific equipment in these three categories is that not all possible configuration are spatially convenient and it is necessary to select groups of equipment which will be acceptable to the users. For the other types of equipment, spatial location is not as critical and that

equipment is not dealt with in the same detail as CPU's, TTY's and MTU's. When the schedule is published, or at least when the equipment is hooked-up, it will be necessary to select specific prices of equipment for assignment to the individual jobs. If any of the other equipment is critical because of its compatibility or incompatibility with other equipment, it can be assigned by the scheduling program in the same way CPU's, TTY's and MTU's are assigned. But if no constraints exist of the compatibility of other equipment, any piece will do, and it is unnecessary to go to additional effort to select it during the scheduling process.

When dealing with a job, say job J, the program first gets the basic data for that job. This includes the times and configuration(s) requested by the job and its duration. The first step is to call the subroutine GETEQ and examine the configuration file to determine the type and quantity of equipment requested. Next the subroutine PERIOD is called to compute the number of periods which would be affected by this job if it is assigned to the starting time currently being considered. The subroutine EQAVAL determines the total amount of equipment available in each of the periods (up to 4) affected by the job and plans in the results in the arrays JEQAVA and JSPAVA. When INSERT is called a comparison is made to determine if enough equipment is available to accommodate this job. This check is on the basis of numerical availability only. If this test fails, the program moves to the next time, configuration or job. If

successful, a check must still be made on the availability of compatible CPU's, TTY's and MTU's. This is done in subroutine SPECIFIC.

SPECIFIC first examines the CPU's (equipment ID numbers 1, 2, 3 and 4). Suppose 3 C&S 2A computers are required. The array LOOK is used to store an address in the array ISPEC where a list of compatible triples of C&S 2A computers begins. The array ISPEC is accessed at that point and if the first three C&S 2A computers are available, they are assigned by changing the array ISP4JB. If not, the next three on the list are examined.

Assuming the desired number of CPU's is available in an acceptable group, the program goes on to examine TYY's and MTU's. If no acceptable group of CPU's is found the program returns to INSERT then to MAIN to try the next time, configuration, or job. No attempt is made to rearrange existing assignments of specific equipment even though we know adequate numbers of CPU's are available or we would not have entered SPECIF.

All the CPU's in C&S 1 and C&S 2 were examined in preparing the lists of single, doubles, triples, and quadruples appearing in the array ISPEC. Personnel at FCDSSA should examine these lists to determine if the preference ordering we assigned is suitable from the user's point of view. This data appears in the program listing as BLOCK DATA called ISPEC. The beginning address in ISPEC for various groups can be found in LOOK as shown below in Table 2.

Table 2. Correspondence between Addresses in
ISPEC and groups of computers.

<u>(Address in ISPEC)-1</u>	<u>Type</u>	<u>Number of Computers</u>
LOOK(1) = 0	C&S 2A	1 (singles)
(2) = 7	C&S 2A	2 (doubles)
(3) = 49	C&S 2A	3 (triples)
(4) = 154	C&S 2A	4 (quadruples)
(5) = 294	C&S 2B	1 (singles)
(6) = 301	C&S 2B	2 (doubles)
(7) = 343	C&S 2B	3 (triples)
(8) = 448	C&S 2B	4 (quadruples)
(9) = 588	C&S 1A	1 (singles)
(10) = 592	C&S 1A	2 (doubles)
(11) = 604	C&S 1A	3 (triples)
(12) = 616	C&S 1A	4 (quadruples)
(13) = 620	C&S 1B	1 (singles)
(14) = 626	C&S 1B	2 (doubles)
(15) = 656	C&S 1B	3 (triples)
(16) = 716	C&S 1B	4 (quadruples)
(17) = 776	dummy address	

If more than four computers are required, the subroutine abandons the idea of selecting compatible groups and simply reads down the list of singles until an adequate number of CPU's is found.

When assigning specific TTY's and MTU's the program begins by referencing a CPU already assigned (if any) and selects TTY's or MTU's compatible with that CPU. This is done for TTY's by reading in the array ISPTTY where for each CPU there is listed, in decreasing order of desirability, the acceptable TTY units. For MTU's the list is found in ISPMTU. In each case, assuming adequate numbers of TTY's and MTU's are found, they are assigned to the current job. If it is found that insufficient TTY's or MTU's are available, the program deletes all previously assigned equipment (e.g. CPU's) before returning to INSERT with a failure indication, JOK = 0.

G. Summary of Results from Test Problems

The results of the test problem can be clearly seen by examining the computer output in Appendix A.

Ninety-one jobs were examined, 173 individual attempts at job insertion were made; 54 of these were attempts at replacing a job (K) when temporarily displaced by another job (J) lower on the processing list. In the course of the scheduling, 78 job removals were attempted. Of the ninety-one jobs only four were

left unscheduled. Three of these had allowed only one acceptable time which conflicted with another job requesting some of the same equipment. No amount of shuffling would have found a feasible solution. It is in this kind of situation that the human scheduler could use his knowledge of the programmer's needs to extend the list of acceptable job times, to modify the configuration, reduce the duration requested, or make some other accommodation. The other unscheduled job had specified three acceptable times and the reasons it remained unscheduled are a little more subtle, but again the human, if presented with the appropriate information, might be able to resolve the problem.

VI. CONCLUSIONS AND RECOMMENDATIONS

A. Summary

In this report we have presented the design for an interactive scheduling program as a part of an overall system, which includes NTDS equipment status reporting, equipment scheduling, and, eventually, automatic hookup via the High Speed Digital Switch. This design includes file definitions, proposals for file management, program modules, and detailed flowcharts for the decision logic in the crucial scheduling module.

In addition, a prototype scheduling program has been written using the proposed design and tested on the actual job requests for a typical week. The results indicate that a stand-alone computer program can do a good job of scheduling, and we anticipate that the addition of an interactive capability would allow the human scheduler to further improve these results using the scheduling program.

B. Major Tasks Remaining Before Implementation

Several steps are required to implement the automatic scheduling system described here. The steps presented are arranged to minimize the impact on the users and will cause very little change in their routines until a workable system can be demonstrated.

The major steps required are:

1. Define and establish the configuration file.
2. Modify the job request format so that users specify their requests in terms of
 - configuration numbers
 - preferred times.
3. Concurrent with Steps 1 and 2, program and debug a useable version of the scheduling program.
4. Upon the completion of Steps 1 and 2, the user's requests are coming to the schedule with the appropriate information for input to the scheduling program. The information must be input into the SCHEDULE REQUEST FILE for use by the scheduling program.

The actual scheduling process is of no importance to the user and the transition from manual scheduling to the scheduling program can be made at this point without affecting the user. Any difficulties which arise are the concern of the schedule not the users. In this sense any problems are confined and will not cause widespread disruption in FCDSSA.

5. Make any necessary modifications to the scheduling program based on the experience gained in Step 4.
6. Expand the system to allow users to input directly to SCHEDULE REQUEST file and to interrogate the system for scheduling information.
7. Incorporate maintenance information via the EQUIPMENT file into the scheduling system.
8. Interconnect the scheduling system with HSDS.

APPENDIX A

EQUIPMENT SCHEDULING PROGRAM

FOURTEEN IV GREEK

MAIN

DANCE 2001

SATE = 78004 16/08/03

```

00011 C D I M E N S I O N I E Q 4 J E ( 2 0 0 , 4 0 ) , I T M 4 J D ( 2 0 0 , 4 2 ) , I S P T J B ( 2 0 0 , 4 5 ) , J S T M ( 4 2 , 2 0 ) , N E Q L I P ( 6 0 )  

00012 C D I M E N S I O N I F Q 4 C C ( 6 0 , 4 0 )  

00013 C D I M E N S I O N J B I N E ( 2 0 0 , 1 C ) , J F T I N F ( 2 0 0 , 4 2 ) , N C F G ( 2 0 0 )  

00014 C D I M E N S I O N J E C A V A ( 6 0 , 4 ) , J E D R E Y ( 4 0 )  

00015 C D I M E N S I O N K F L A V A ( 6 0 , 7 ) , K E D R E C ( 6 0 )  

00016 C D I M E N S I O N J S P A V A ( 6 0 , 4 ) , K S P A V A ( 6 0 , 7 )  

00017 C D I M E N S I O N J S A V E ( 6 0 , 1 ) , K S A V E ( 6 0 )  

00018 C D I M E N S I O N J T M S ( 6 2 ) , K T M S ( 4 2 )  

00019 C D I M E N S I O N J N E X T ( 2 0 0 )  

00020 C C O M M U N I F Q 4 J E , I T M 4 J B , J E 4 T M , N E Q L I P , I E C 4 C G  

00021 C C O M M U N I T Y P E , N S P , I S P , J B

```

SECTION ONE DATA INLET

NBRCFG EQUIP 10, NBR.....(IN PAIRS)

15
4012
(1) CARES
(2) HERCFC CARES)

TYPE NSP
EQUIP.....FOR EACH TYPE

```

5000 FORMAT (40I2)
5001 WRITE (*,5002)
5002 FORMAT (10CH,F=1.15)
5003 WRITE (*,5001) (IEQ4(C(20:15)),J=1,35,2)
5004 FCYAT (*,5002)
5005 WRITE (*,5002) (IEQ4(C(1:15)),J=2,40,2)
5006

```

3003 FLORIDA • NUMBER 1, 2015
11 CANTINE REAL IN DATA FOR EQUIP AVAILAB

```

      C WE ALLOW 60 EQUIP TYPES
      C READ  ({1,100},NTYPE,NSP
      C WRITE ({1,100},NTYPE,NSP
      C FORMA ({1,100},NTYPE,{1,12},{1,12})
      C READ  ({1,500},INETYPE,{1,12},{1,12})

```

```

INITIALIZE NEQUIP
IF(F1=F2)TYPE1=1
IF(F1=F2)G1=1
DC711=ILL,60
NEQUIP1=0

```

```

72 CONTINUE
      WRITE(6,1002)
1002 FORMAT(1,NUMBER OF PIECES OF EQUIPMENT AVAILABLE.)
      WRITE(6,1013)
1013 FORMAT(1,TYPE(J),J=1,NTYPE)
      WRITE(6,1023)
1023 FORMAT(1,NB)

```

PAGE 200

1000 FC8MAT(215)

0044

```

C READ THE DATA FOR EACH JCB
C STORE IN ARRAY JETIME(JSEC, 1 TO 42)
C
C 0045 DO 1 IN=1, JMAX
C 0046 READ (5,200) (JBINFO(IN,I), I=1,5)
C 0047 2000 FORMAT (15,1X,A5,4I5)
C 0048 J2=JBINFO(1,2)
C 0049 J3=JBINFO(1,3)
C 0050 J5=JBINFO(1,5)
C 0051 READ (5,500) (JEINFO(IN,I), I=7, J3)
C 0052 3000 FORMAT (1I15) (JETIME(IN,I), I=1, J5)
C
C
C NXXX=6+JBINFO(IN,5)
C 0053 WRITE (6,22) (JBINFO(IN,PM), MM=1, NXXX)
C 0054 22   FCKM=0, JNE=13, JNEM=13, JCNG=13, JHRS=13, JCNFIC=13
C 0055 1, NBR TIMES ACCEPTABLE=1, A4, REJECTED=13, NBR
C 0056 NCOC=JEINFO(1,5)
C 0057 WRITE (6,700) (JETIME(IN,M), M=1, NCOC)
C 7000 FORMAT (1I15) (TIME=, 42I3)
C
C
C 0058 ITIME(JIN,1)=0
C 0059 ITIME(JIN,2)=0
C 0060 C COUNT TIME FOR EACH JOB ARE NOW ARRANGE
C 0061 C THE TIMES FOR EACH JOB ARE NOW ARRANGE
C 0062 WRITE (6,750) 7500 FORMAT (1V, G SUMMARY OF SCHEDULING PROCESS//)
C 0063 C INITIALIZE JBIM
C 0064 DC 9C IX=1,42
C 0065 DC 9C IY=1,20
C 0066 JE4TME(IY,IX)=0
C 0067 80 COUNT TIME IY=1 AND ISPF4JB
C 0068 DC 9C IX=1,200
C 0069 DC 9C IY=1,40
C 0070 JE4TME(IY,IX)=0
C 0071 SO COUNT TIME IX=1,40
C 0072 DC 9C IX=1,45
C 0073 ISP4TME(IY,IX)=0
C 0074 S1 COUNT TIME IX=1,45
C 0075 S2 COUNT TIME IX=1,40
C
C
C 0076 C ROUTINE THAT PREORDERS JOBS... MUST FILL JNEXT(JMAX)
C 0077 333 JNEXT(1)=JBINFO(1,1)
C
C
C 0078 TRY TO INSERT JOB J If EXISTING HOLES
C 0079 DC 100 JJJ=1, JMAX
C 0080 J=JNE(I(JJJ))
C 0081 J3=JBINFO(I(J3))
C 0082 DC 9C JCIN=1, J3
C 0083 WRITE ((C,110)) J
C 0084 1100 FLGDATA FOR JC J
C 0085 DO 234 JFIN=1,JMAX
C 0086 234 JINFO(JFIN)=JC
C 0087 334 JCINFO(JFIN)=JC
C
C
C 0088 GET DATA WORKING ON JOB *, IS/ICX, *TRY IT IN RESULT*
C 0089 335 COUNT TIME
C
C
C 0090 JSEC=JCINFO(JFIN),1
C 0091 JNAME=JCINFO(JFIN),2
C 0092 JHRS=JCINFO(JFIN),6+JCCN
C 0093 JINFO(JFIN)=JC
C 0094 334 COUNT TIME
C 0095 335 COUNT TIME

```

FORTran	0CS3 0CS4 0CS5 0CS6 0CS7	0098 0C95 0100 0101 0102 0103 0104 0105 0106 0107 0108 0109 0110 0111 0112 0113 0114 0115 0116 0117 0118 0119 0120 0121 0122 0123 0124 0125 0126 0127 0128 0129 0130 0131 0132 0133 0134 0135 0136 0137 0138 0139 0140 0141 0142 0143
---------	--------------------------------------	--


```

      C SUBROUTINE GETF90(JCNFG, JEQKFC) GETS THE EQUIP SUMMARY FOR CONFIG FILE
      C AND PUTS IT IN THE ARRAY JEQREU
      C SUBROUTINE GETTEC(JCNFG, JEORFQ)
      C DIMENSION IEQ4J(100,40), ITP4JB(200,2), ISP4JB(200,45)
      C DIMENSION IEC4C(100,40), ISP4JB(200,45)
      C COMMON TFO4JE, TM4JB, JB4TM, NEQUIP, IEC4CG
      C COMMON NTYP, NSP, ISP4JE
      C DC 21, 3, 2
      C JEQREU(I)=IEC4CG(JCNFG,I)
      C JEQREU(I+1)=IEC4CG(JCNFG,I+1)
      C RETURN
      END

```

```

PAGE 0001
MAIN      DATE = 76C04
16/CS/CS

C SUBROUTINE PERIOD (JSTART, JEND, JHOURS, JPERS) ASSUMES TIMES ARE
C NUMBERED 120..6 ON MON 780.. ON TUESDAY ETC. PERIODS GO FROM
C 000 TO 400 TO 0700 TO 1200 TO 1600 TO 2200 TO 0000 TO 0600 TO 1200 TO 1800 TO 2400
C THIS ROUTINE WILL DETERMINE THE TOTAL NUMBER OF PERIODS FOR A
C JOB WHOSE START TIME AND DURATION ARE GIVEN IN THE FIRST TWO LOCATIONS
C ASSUME DURATION NOT EQUAL 0, OTHERWISE JPERS = 1
C SUBROUTINE PERIOD(JSTART, JHOURS, JPERS)
C
C JSTART
C JHOURS
C JPERS=0
C 107 INTEGER=J1-(J1/6)*6
C 108 GETAN INTEGER=1,2,3,4,5,6
C 109 GUTC(1),GUTC(2),GUTC(3),INTEGER
C 110 OUTSIZE RANGE #E CNTINUE
C 111 J2=J2-4
C 112 G2=J2-105
C 113 J2=J2-3
C 114 G2=J2-105
C 115 J2=J2-5
C 116 IF ((J2.LE.0) GO TO 106
C 117 J1=J1+1
C
C C0001
C0002
C0003
C0004
C0005
C0006
C0007
C0008
C0009
C0010
C0011
C0012
C0013
C0014

```

```

C SUBROUTINE EQAVAL COMPUTES THE AVAILABLE EQUIP
C FOR JPEERS TIME PERIODS STARTING AT JTIP AND LEAVES THE RESULTS IN JECAVA
C NOTE JPEERS MUST BE .LE.4 OR ROUTINE SETS IT TO 4
OCC1
0002
0003
0004
0005
0006
0007
0008
0009
0010
0011
0012
0013
0014
0015
0016
0017
0018
0019
0020
0021
0022
0023
0024
0025
0026
0027
0028
0029
0030
0031
0032
0033
0034
0035
0036
0037
0038
0039

SUBROUTINE EQAVAL(JTIP,JPFS,JECAVA,JSPAVA)
DIMENSION IJ4JB(200,40),ISP4JB(200,40),NEQUIP(60)
DIMENSION IJ4CC(60,40),ISP4CC(60,40),JSFAVA(60,40)
COMMON /E4JB/IE4JB(60,40),JSFAVA(60,40),I4TM,NEQUIP, IEC4CG
C INITIATE JECAVA TOTAL EQUIP AVAILABLE WITH NO JOBS SCHEDULED
C IF(JPEERS.LT.4) JPEERS=4
DC1LOC(I,J) TYPE
N=NEQUIP(I)
DO1LOC(J)=1, JPEERS
C INITIIZE JSPAVA(I,J)=N
DC2CC(I,J)=N, NSP IS THE NUMBER OF SPECIFIC TYPES TO CONSIDER
DC2EC(J,I)=1, JPFRS
C JSPAVA=1 MEANS AVAILABLE
C 250 CONTINUE
200 CONTINUE
C LOOP OVER TIME PERIODS INVOLVED WITH THIS REQUEST
DO3CC(I,J)=1, JPEERS
C FOR EACH TIME PERIOD LOOK OVER ALL JOBS SCHEDULED IN THAT PERIOD
DO4CC(L=1,20
JBD=J4TN(JTIP,L)
1IF(JBD.EQ.0) GO TO 400
C FOR EACH JOB DO LOOP OVER ALL PIECES OF EQUIP ASSIGNED TO THAT JCB
DC3OC(N=1,39)2
10F1=EQ4JB(JBD,1)
10F2=EQ4JB(JBD,2)
10F3=EQ4JB(JBD,3)
10F4=EQ4JB(JBD,4)
10F5=EQ4JB(JBD,5)
10F6=EQ4JB(JBD,6)
10F7=EQ4JB(JBD,7)
10F8=EQ4JB(JBD,8)
10F9=EQ4JB(JBD,9)
10F10=EQ4JB(JBD,10)
10F11=EQ4JB(JBD,11)
10F12=EQ4JB(JBD,12)
10F13=EQ4JB(JBD,13)
10F14=EQ4JB(JBD,14)
10F15=EQ4JB(JBD,15)
10F16=EQ4JB(JBD,16)
10F17=EQ4JB(JBD,17)
10F18=EQ4JB(JBD,18)
10F19=EQ4JB(JBD,19)
10F20=EQ4JB(JBD,20)
C DECREMENT AVAILABILITY LIST
JELAVATION(I,JBD)=JECAVA(IDEQ,LTIP)-IEC4JB(JBD,LTIP)
300 CONTINUE
DC2EC(N=1,14)
1IF(CS.PEQ.0) GO TO 350
C DECREMENT SPECIFIC EQUIP AVAILABLE LIST
C JSPAVA=1 MEANS AVAILABLE
C 350 CONTINUE
300 CONTINUE
C RETURN
600 WRITE(6,607) IEC4JB(JTIP,4)
607 FORMAT(1X,'SUBROUTINE EQAVAL FINDS NEGATIVE AVAILABILITY FOR
1 EQUIPMENT TYPE',
1 'IN TIME PERIOD', I5, 'EXECUTION TERMINATING.')
1 STOP
ENC

```

FORTRAN IV G LEVEL 21

MAIN

DATE = 78CJ4 16/09/03

PAGE 0001

```

C SUBROUTINE SPECIFIC CHECKS AVAILABILITY OF THE REQUIRED SPECIFIC EQUIPMENT
C AND ASSIGNS THEM IF AVAILABLE. IF NOT, JCHECK=2
C SUBROUTINE SPECIFIC IF NUT, JCPU=2, JCHECK=2, JSFAVA)
C DIMENSION JEC4(JE(200,40),JEC4VA,JEC4JB(200,20),JS4TB(42,20),NEQUIP(50))
C DIMENSION JEC4G(JC(200,40),JSP4G(JC(200,40),JSP4VA(50,4))
C DIMENSION JEC4L(JC(17),JEC4L(17),JSP4L(17),JSP4VA(50,4))
C DIMENSION JEC4T(JT(22,8),JSP4T(JT(77,8),JSP4VA(50,4))
C DIMENSION NCPU(2)
C COMMON IF(JT),JT4(Jb,IS24JB
C COMMON NTYPE,NSPEC,ISPEC
C COMMON/HOWDY/ISPTTY,ISPTTU
C COMMS=0
C NTY=C
C NTU=C
C NT14V=0
C NCPUAV=0
C NCPU=0
C NCPU(1)=0
C NCPU(2)=0
C DC70C=N=114
C DC50M=114
C IF(JE(14,14).EQ.N) GO TO 51
C CONTINUE
C 50 CONTINUE
C WE NEED JC(E(14,14)) COMPUTERS OF TYPE N
C NCNPS=ACCPUS+1
C NCFLS=JEC4C(M+1)
C LAC=(N-1)*4+1
C NADGC=LCCR(LAD)
C NCROUP=1
C GCTC50
C 52 COUNT UP THE ADDRESSES OF SINGLES, PAIRS ETC FOR THIS REQUEST
C LAC=1+(N-1)*4+1+NCPLUS
C NADGC=LCCR(LAD)+1
C NCROUP=(NADGC-NADGO)/NCPLUS
C NCOUNT=LCCR(LAD)
C DC61J=1,NCPLUS
C IAC=1,IAC+1
C IACNT=ISPEC(LAD)
C IACNT IS THE ID FOR A CPU IN THE GROUP CURRENTLY BEING EXAMINED
C I WANT AVAILABLE FOR THE PERIODS NEEDED?
C
C DC62K=1,NCPLUS
C IF(JS4VA(IWANT,K).EQ.0) GO TO 60
C I WANT IS AVAILABLE
C 62 COUNTINUE
C I COUNTINUE
C ALL THE CPUs IN THE GROUP BEING CONSIDERED ARE AVAILABLE FOR JPERS PERIOD
C ASSIGN THEM
C
C DC71J=1,NCPLUS
C IAC=1,IAC+1
C IACNT=ISPEC(LAD)
C NCPU(N+1,49)
C DC71L=1,49
C IF(JSP4J(JCB,L).EQ.0) GC TO 81
C ISP4J(JCB,L)=I WANT
C DC72J=1,IWANT,JPERS
C JSP4VA(IWANT,ITIM)=0
C 72 COUNTINUE
C 71 COUNTINUE
C 60 COUNTINUE
C SPECIFIC EQUIPMENT NOT AVAILABLE

```

S9E11

PAGE 0002

16/09/03

DATE = 78004

SPECIF

FORTRAN IV G LEVEL 21

```
0126      791 CONTINUE EC=0) GO TO 1890
0128      850 IF(NCCMPS+NITTYAV
N1=NCCMPS+NITTYAV
N2=NCCMPS+NITTYAV
      DO 851 I=N1,N2
DC 852 ITIM=LJFFERS
J$TAVA(ISP4,JE(JCE,1),ITIM)=1
892 CONTINUE
1890 IF(NMTUAV*EC=0) GO TO 2390
N3=NCCMPS+NITTYAV+1
N4=NCCMPS+NITTYAV+NMTUAV
      DC 1891 ITIM=L4
DC 1892 ITIM=L4
J$PAV(ISP4,JB(JCE,1),ITIM)=1
1893 CONTINUE
1894 DO 1895 L=1,49
      1895 ISP4,JE(JCE,L)=0
      2851 RETURN
      701 ENC
```

```

C SUBROUTINE REMOVE REMOVES A JCB FROM THE SCHEDULE
C A) IF JOB IS NOT ON THE SCHEDULE, THEN
C B) IF JCB IS ON THE SCHEDULE, THEN
C    1) REMOVE IT FROM THE SCHEDULE
C    2) INCREMENT AVAILABLE EQUIPMENT ARRAY JEQAVA AT TIME JTIM
C       FOR JPERS PERIODS IF JOB OVERLAPS THESE TIMES
C       3) SAVE TIME AND EQUIP ASSIGNMENTS IN JSAVE FOR POSSIBLE REPLACEMENT
C          NOTE TIME JTIN IS ASSUMED TO CORRESPOND TO THE FIRST COL OF JEQAVA

C NOTE JPERS MUST BE .LT. 4 OR ROUTINE WILL SET IT TO 4
C SUBROUTINE REMOVE (JOB,JSAYL,JECAVA,JTIM,JPERS,JSPPAVA)
C DIMENSION JEQ4JB(200,4),JSPP4JB(200,4),JBTM(42,2),NEQUIP(60)
C DIMENSION JSAVE(91),JEQAVA(60,4),JSPPAVA(60,4)
C COMMON JEQ4JB,LTIM,JE4T,NEQUIP,IEC4G
C FIND JOB IN CURRENT SCHEDULE STARTING AT JBTM AND RUNNING FOR JPERS PERIODS
C JOB=ITM4JB(JOB,1)
C IF (JCBPER=1) RETURN
C JCBPER=ITM4JB(JCB,2)
C SAVE TIME ASSIGNMENTS
C JSAVE(1)=JBTM
C JSAVE(2)=JCBPER
C COMPUTE OVERLAP TIME BETWEEN THIS JOB AND EQAVA LIST AS THE TIME INTERVAL
C JTIN=JT2
C SWITCH=C
C JEQ4JB=C(JTIN,JBTM)
C K1=JCBTIN+JCBPER-1
C K2=MINC(1,K2)
C J2=MINC(1,J2).THEN NO OVERLAP. SET SWITCH TO 11C
C ISWITCH=11C
C COMPUTE COLUMN INDICES 11 TO 12 IN JEQAVA ARRAY
C 110 J1=J1-JTIN+1
C 120 J2=J2-JTIN+1
C LOOP OVER EQUIPMENT ID'S IN ASSIGNED EQUIP LIST FOR JOB (MAX OF 20 TYPES)
C 130 DO 150 M=1,20
C   SAVE EQUIP ASSIGNMENT
C   JSAVE(M+2)=IEQ4JB(JOB,M)
C   JSAVE(M+3)=IEQ4JB(JCB,M+1)
C   INCREMENT EQUIPMENT AVAILABILITY IF THIS JOB OVERLAPS JEQAVA ARRAY
C   IF (ISWITCH=11C) GO TO 145
C   IF (IEQ4JB(JCB,M)=0) GO TO 145
C   CC 140 JECAVA(IJOB,I)=JEQAVA(IJOB,M)+IEQ4JB(JOB,M+1)
C   CC 141 IEQ4JB(JCB,M)=0
C   145 IEQ4JB(JCB,M+1)=0
C   150 COUNT(IJOB)=0
C   CC 25C N=1,42
C   JSAVE(-2+M)=JSPP4JB(JCB,M)
C   INCREMENT AVAILABILITY IF JOB OVERLAPS JSPPAVA
C   IF ((ISWITCH=11C) GO TO 245
C   IF (IEQ4JB(JCB,M)=0) GO TO 245
C   DO 240 I=1,12
C   240 JSPPAVA(IDSP,I)=1
C   REMOVE EQUIP FROM SCHED
C   245 IEQ4JB(JCB,N)=0
C   COUNT(IJOB)=0
C   REMOVE TIME ASSIGNMENTS FROM THE SCHEDULE
C   ITM4JB(JCB,1)=0
C   ITM4JB(JCB,2)=0
C   DO 250 ITIM=1,JPERS
C   JT=JBTM+ITIM-1
C   DC=200 L=1,20
C   IF (IEQ4JB(JCB,L)=0) GO TO 250
C   200 IF (IEQ4JB(JCB,L).EQ. JCB) JBTM(JT,L)=0

```

```

C IF NOT HAVING REPLACED SINCE PREVIOUS JECAVA, REMOVE
0001 SUBROUTINE REPLAC (JUCB,JSAVE,JTIME,JPEFS,JSPAVA)
0002 DIMENSION IEC44(200,40),IT44(200,40),ISP44(200,40),
0003 JSAVE(51),JECAVA(50,1),JSPAVA(60,4)
0004 DIMENSION JTYPE(100,100),JEC44(60,40),JSPAVA(60,4),
0005 CCNAME(100,100),JETIM(60,40),NEQUP(60,4),
0006 CCPNAME(100,100),NSP44(60,40),TEC44G
0007 C GET START TIME AND NUMBER OF PERIODS
0008 C SCHEDULE JCB INTO TIME ARRAYS
0009 C JCEPFF(JSAV,E1)
0010 C IT44(JCB,1)=JCTIM
0011 C IT44(JCB,2)=JCSPFP
0012 C DC12=IT44(JCBPER,1)
0013 C DC12=JCTIM+IT44(1,20)
0014 C IF(JCTIM(JT,1).NE.0) GO TO 100
0015 C GOTO C120
0016 C 100 COUNT TRUE
0017 C WRITE(6,107) JT,JUB
0018 C 107 FERMAT(6,106) THAN 2C JOBS IN JETIME ARRAY AT TIME, IS, • UNABLE
0019 C TO REPLACE JOB, 15)
0020 C STOPC
0021 C 120 COUNT TRUE
0022 C NEXT SCHEDULE EQUIP
0023 C FIRST SWITCH=C
0024 C J1=MAXC(JTIME+JCSPF-1)
0025 C K1=JTIME+JCSPF-1
0026 C K2=MIN(JK1,K2)
0027 C IF(J1.GT.J2) THEN NO OVERLAP SO SET SWTCR=1
0028 C ISWTCR=1
0029 C GOTO 220
0030 C COMPUTE COLUMN INDICES 11 AND 12 IN JECAVA ARRAY
0031 C 210 I1=JTIME
0032 C I2=JTIME+JCSPF-1
0033 C LCOP=CVEK EQUIPMENT 10'S IN SAVED LIST
0034 C Z20 DC2EC R=1,2$9,2
0035 C FIL1 JEC44(JB,ARRAY)
0036 C FIL1 JEC44(JB,M)=JSAVE(M+2)
0037 C LE44(JB,M+1)=JSAVE(M+3)
0038 C DECREMENT EQUIP AVAILABILITY IF THIS JOB OVERLAPS JECAVA ARRAY
0039 C IF(I1SWTCR.EQ.1) GO TO 245
0040 C IF(I1COP.EQ.1) GO TO 245
0041 C DC34C I=I1,I2
0042 C JECAVA(I1EQ,1)=JECAVA(I1EQ,1)-JSAVE(M+2)
0043 C JSAVAT(1,1)=0 GO TO 300
0044 C 240 COUNT TRUE
0045 C 250 COUNT TRUE
0046 C 0045 DCP44(JCB,M)=JSAVE(42+M)
0047 C DECREMENT AVAILABILITY IF JCB OVERLAPS JSPAVA
0048 C IF(I1SWTCR.EQ.1) GO TO 345
0049 C IF(I1COP.EQ.1) GO TO 345
0050 C DC34C I=I1,I2
0051 C JSAVAT(1,1)=C
0052 C 340 COUNT TRUE
0053 C 350 COUNT TRUE
0054 C RETURN
0055 C 300 WRITE(6,307) ICFQ,JCE
0056 C 307 FORMAT(6, EQUIPMENT TYPE, 15, • INC'T ADEQUATE TO MEET REQUIREMENT
0057 C 1,• UNABLE TO COMPLETE SUBROUTINE REPLAC )
0058 C STOPC
0059 C END

```


NBRCFG = 38


```

MAX= 51
JSEQ= 1 JNAME=MAIN JCFG= 1 JHRS= 7 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 3
JSEQ= 1 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 4
JSEQ= 2 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 5
JSEQ= 3 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 5
JSEQ= 12 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 4
JSEQ= 4 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 4
JSEQ= 19 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 4
JSEQ= 5 JNAME=MAIN JCFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 5
JSEQ= 25 JNAME=NTDS JCFG= 1 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 1
JSEQ= 3 JNAME=NTDS JCFG= 1 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 1
JSEQ= 7 JNAME=NTDS JCFG= 1 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 1

```

JSEQ= 9	JNAME=NTDS	JCNFG= 1	JHRS= 5	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 1
TIME= 15					
JSEQ= 9	JNAME=NTDS	JCNFG= 1	JHRS= 4	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 2
TIME= 16					
JSEQ= 10	JNAME=NTDS	JCNFG= 1	JHRS= 5	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 2
TIME= 21					
JSEQ= 11	JNAME=NTDS	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 2
TIME= 27					
JSEQ= 12	JNAME=TEAM	JCNFG= 1	JHRS= 5	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 2
TIME= 2					
JSEQ= 13	JNAME=TEAM	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 2
TIME= 5					
JSEQ= 14	JNAME=TEAM	JCNFG= 1	JHRS= 5	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 6
TIME= 15					
JSEQ= 15	JNAME=TEAM	JCNFG= 2	JHRS= 4	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 7 37
TIME= 16					
JSEQ= 16	JNAME=TEAM	JCNFG= 2	JHRS= 5	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 7 37
TIME= 21					
JSEQ= 17	JNAME=TEAM	JCNFG= 2	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 7 37
TIME= 27					
JSEQ= 18	JNAME=TDEW	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 8
TIME= 2					
JSEQ= 19	JNAME=TDEW	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 8
TIME= 5					
JSEQ= 20	JNAME=TDEW	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 8
TIME= 15					
JSEQ= 21	JNAME=TDEW	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 8
TIME= 21					
JSEQ= 22	JNAME=TDEW	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 8
TIME= 27					
JSEQ= 23	JNAME=CATC	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 9
TIME= 2					
JSEQ= 24	JNAME=CATC	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 9
TIME= 5					
JSEQ= 25	JNAME=CATC	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 9
TIME= 15					
JSEQ= 26	JNAME=CATC	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 9
TIME= 21					
JSEQ= 27	JNAME=CATC	JCNFG= 1	JHRS= 9	NBR TIMES ACCEPTABLE= 1	NBR REJECTED= 41 CONFIG= 9

JSEQ= 25 JNAME=AIC JCNFG= 2 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 10 38
 TIME= 5 JNAME=AIC JCNFG= 2 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 10 38
 JSEQ= 26 JNAME=AIC JCNFG= 2 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 10 38
 TIME= 21 JNAME=AIC JCNFG= 2 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 10 38
 JSEQ= 27 JNAME=AIC JCNFG= 2 JHRS= 9 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 10 38
 TIME= 27 JNAME=JITF JCNFG= 1 JHRS= 7 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 14 CONFIG= 11
 JSEQ= 28 JNAME=TIMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 12
 TIME= 4 JNAME=TIMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 39 CONFIG= 12
 JSEQ= 29 JNAME=TIMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 39 CONFIG= 12
 TIME= 17 JNAME=TIMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 39 CONFIG= 12
 JSEQ= 30 JNAME=TIMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 39 CONFIG= 12
 TIME= 20 JNAME=NTST JCNFG= 1 JHRS= 6 NBR TIMES ACCEPTABLE= 4 NBR REJECTED= 38 CONFIG= 32
 JSEQ= 31 JNAME=NTST JCNFG= 1 JHRS= 7 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 33
 TIME= 17 JNAME=NTST JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 4 NBR REJECTED= 38 CONFIG= 34
 JSEQ= 32 JNAME=NTST JCNFG= 1 JHRS= 7 NBR TIMES ACCEPTABLE= 1 NBR REJECTED= 41 CONFIG= 35
 TIME= 24 JNAME=NTST JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 39 CONFIG= 36
 JSEQ= 33 JNAME=NEAL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 8 NBR REJECTED= 34 CONFIG= 15
 TIME= 25 JNAME=NEAL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 8 NBR REJECTED= 34 CONFIG= 16
 JSEQ= 34 JNAME=NEAL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 8 NBR REJECTED= 34 CONFIG= 17
 TIME= 26 JNAME=GAY JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 8 NBR REJECTED= 34 CONFIG= 18
 JSEQ= 35 JNAME=GAY JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 8 NBR REJECTED= 34 CONFIG= 19
 TIME= 27 JNAME=ANSI JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 20

JSEQ= 50 JNAME=BURR JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 4 NBR REJECTED= 26 CONFIG= 20
 TIME= 11 12 13 14 JNAME=BURR JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 4 NBR REJECTED= 38 CONFIG= 20
 JSEQ= 51 JNAME=BURR JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 4 NBR REJECTED= 38 CONFIG= 20
 TIME= 22 23 24 25 JNAME=BURR JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 52 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 53 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 54 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 55 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 56 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 57 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 58 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 TIME= 3 4 5 6 JNAME=ASIS JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 10 NBR REJECTED= 32 CONFIG= 21
 JSEQ= 59 JNAME=LAMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 36 CONFIG= 22
 TIME= 10 11 12 13 JNAME=LAMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 36 CONFIG= 22
 JSEQ= 60 JNAME=LAMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 36 CONFIG= 22
 TIME= 22 23 24 25 JNAME=LAMK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 36 CONFIG= 22
 JSEQ= 61 JNAME=STCK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 9 NBR REJECTED= 33 CONFIG= 23
 TIME= 10 11 12 13 JNAME=STCK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 9 NBR REJECTED= 33 CONFIG= 23
 JSEQ= 62 JNAME=ERSK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 15 NBR REJECTED= 36 CONFIG= 24
 TIME= 10 11 12 13 JNAME=FALL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 9 NBR REJECTED= 31 CONFIG= 25
 JSEQ= 63 JNAME=MAXW JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 12 NBR REJECTED= 30 CONFIG= 26
 TIME= 5 6 7 8 JNAME=MAXW JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 12 NBR REJECTED= 30 CONFIG= 26
 JSEQ= 64 JNAME=SAIL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 9 NBR REJECTED= 33 CONFIG= 27
 TIME= 10 11 12 13 JNAME=SAIL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 9 NBR REJECTED= 33 CONFIG= 28
 JSEQ= 65 JNAME=CD72 JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 28
 TIME= 10 11 12 13 JNAME=CD72 JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 36 CONFIG= 28
 JSEQ= 66 JNAME=SAIL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 10 11 12 13 JNAME=SAIL JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29

JSEQ= 71 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 2₁ 2₄ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 72 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 2₅ 3₀ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 73 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 3₂ 3₄ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 74 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 3₅ 4₀ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 75 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 3₅ 4₀ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 76 JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 TIME= 4₁ 4₂ JNAME= BPC JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 29
 JSEQ= 77 JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 TIME= 1₂ 3₄ 5₆ JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 JSEQ= 78 JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 TIME= 7₈ 9₁₀ 11₁₂ JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 JSEQ= 79 JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 TIME= 1₂ 1₄ 1₅ 1₆ 1₇ 1₈ JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 JSEQ= 80 JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 TIME= 1₉ 2₀ 2₁ 2₂ 2₃ 2₄ JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 JSEQ= 81 JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 TIME= 2₅ 2₆ 2₇ 2₈ 2₉ 3₀ JNAME=HALL₁ JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 6 NBR REJECTED= 26 CONFIG= 30
 JSEQ= 82 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 TIME= 3₄ JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 JSEQ= 83 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 TIME= 5₆ 10 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 JSEQ= 84 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 TIME= 1₅ 1₆ JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 JSEQ= 85 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 TIME= 2₁ 2₂ JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 JSEQ= 86 JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 TIME= 2₇ 2₈ JNAME=MPDS JCNFG= 1 JHRS= 8 NBR TIMES ACCEPTABLE= 2 NBR REJECTED= 40 CONFIG= 31
 JSEQ= 87 JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 TIME= 2₃ 4 JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 JSEQ= 88 JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 TIME= 8₉ 1₀ JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 JSEQ= 89 JNAME=EURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 TIME= 1₄ 1₅ 1₆ JNAME=EURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 JSEQ= 90 JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 TIME= 2₀ 2₁ 2₂ JNAME=BURK JCNFG= 1 JHRS= 4 NBR TIMES ACCEPTABLE= 3 NBR REJECTED= 29 CONFIG= 13
 JSEQ= 91 JNAME=NAOR JCNFG= 1₁ JHRS= 4 NBR TIMES ACCEPTABLE= 23 NBR REJECTED= 19 CONFIG= 14
 TIME= 5₆ 10₁₁ 12₁₃ 17₁₈ 22₂₃ 24₂₅ 28₂₉ 30₃₃ 34₃₅ 36₃₇ 39₄₀ 41₄₂

SUMMARY OF SCHEDULING PROCESS

WORKING ON JOB	1	RESULT
TRY IT IN	1	
WORKING ON JOB	2	RESULT
TRY IT IN	1	
WORKING ON JOB	3	RESULT
TRY IT IN	1	
WORKING ON JOB	4	RESULT
TRY IT IN	1	
WORKING ON JOB	5	RESULT
TRY IT IN	1	
WORKING ON JOB	6	RESULT
TRY IT IN	1	
WORKING ON JOB	7	RESULT
TRY IT IN	1	
WORKING ON JOB	8	RESULT
TRY IT IN	1	
WORKING ON JOB	9	RESULT
TRY IT IN	1	
WORKING ON JOB	10	RESULT
TRY IT IN	1	
WORKING ON JOB	11	RESULT
TRY IT IN	1	
WORKING ON JOB	12	RESULT
TRY IT IN	1	
WORKING ON JOB	13	RESULT
TRY IT IN	1	
WORKING ON JOB	14	RESULT
TRY IT IN	1	
WORKING ON JOB	15	RESULT
TRY IT IN	1	
NEW TRY IN REMOVE	16	JOB 15 FIT?
	9	1 TRY TO REPLACE 9 IN PERIOD RESULT 0 16

WORKING TRY IT IN	CN JOB	17	TRY TO REPLACE 11
WORKING TRY IT IN	JCB	1	IN PERIOD RESULT 0
WORKING TRY IT IN	RESULT	1	
WORKING TRY IT IN	C	18	
WORKING TRY IT IN	RESULT	1	
WORKING TRY IT IN	S	19	
WORKING ON JOB	TRY IT IN	1	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	20	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	15	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	21	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	22	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	23	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	24	
WORKING ON JOB	RESULT	1	
WORKING ON JOB	TRY IT IN	25	
WORKING ON JOB	RESULT	1	
NEW TRY IN REMOVE	JOB	26FIT?	
NEW TRY IN REMOVE	JOB	25FIT?	
NEW TRY IN REMOVE	JOB	25FIT?	
WORKING TRY IT IN	C	8	
WORKING TRY IT IN	RESULT	14	
WORKING TRY IT IN	C	20	
WORKING TRY IT IN	RESULT	0	
NEW TRY IN REMOVE	JOB	26FIT?	
NEW TRY IN REMOVE	JOB	26FIT?	
WORKING TRY IT IN	C	10	
WORKING TRY IT IN	RESULT	1	
WORKING TRY IT IN	C	16	
WORKING TRY IT IN	RESULT	0	
NEW TRY IN REMOVE	JOB	27FIT?	
NEW TRY IN REMOVE	JOB	27FIT?	
WORKING TRY IT IN	C	21	
WORKING TRY IT IN	RESULT	0	
NEW TRY IN REMOVE	JOB	27FIT?	
NEW TRY IN REMOVE	JOB	27FIT?	
WORKING TRY IT IN	C	11	
WORKING TRY IT IN	RESULT	1	
NEW TRY IN REMOVE	JOB	27FIT?	
NEW TRY IN REMOVE	JOB	27FIT?	
WORKING TRY IT IN	C	17	
WORKING TRY IT IN	RESULT	0	
NEW TRY IN REMOVE	JOB	27FIT?	
NEW TRY IN REMOVE	JOB	27FIT?	

WORKING CN JOB	22	0
TRY IT IN	28	RESULT
NCW TRY ₂	IN REMOVE	JOB
	6	TRY TO REPLACE
		IN PERIOD RESULT
	12	TRY TO REPLACE
	18	IN PERIOD RESULT
WORKING CN JOB	28	0
TRY IT IN	28	RESULT
NCW TRY ₂	IN REMOVE	JOB
	0	TRY TO REPLACE
		IN PERIOD RESULT
WORKING CN JOB	29	0
TRY IT IN	29	RESULT
NCW TRY ₉	IN REMOVE	JOB
	7	TRY TO REPLACE
		IN PERIOD RESULT
WORKING CN JOB	24	0
TRY IT IN	29	RESULT
NCW TRY ₁₅	IN REMOVE	JOB
	13	TRY TO REPLACE
	19	IN PERIOD RESULT
WORKING CN JOB	30	0
TRY IT IN	30	RESULT
NCW TRY ₂₁	IN REMOVE	JOB
	8	TRY TO REPLACE
	14	IN PERIOD RESULT
WORKING CN JOB	30	0
TRY IT IN	31	RESULT
NCW TRY ₂₁	IN REMOVE	JOB
	1	TRY TO REPLACE
	20	IN PERIOD RESULT

10	1	TRY TO REPLACE 10 IN PERIOD RESULT 0	
21	0	TRY TO REPLACE 21 IN PERIOD RESULT 0	
WORKING CN JOB TRY IT IN 21	31	RESULT 1	
WORKING CN JOB TRY IT IN 27	32	RESULT C	
NEW TRY IN 27	32FIT?	REMOVE JOB 32FIT?	
	11	TRY TO REPLACE 11 IN PERIOD RESULT 0	
	22	0	TRY TO REPLACE 22 IN PERIOD RESULT 0
WORKING CN JOB TRY IT IN 27	32	RESULT 1	
WORKING ON JOB TRY IT IN 7	33	RESULT 1	
WORKING CN JOB TRY IT IN 5	34	RESULT C	
WORKING CN JOB TRY IT IN 17	35	RESULT C	
WORKING CN JOB TRY IT IN 28	26	RESULT C	
WORKING CN JOB TRY IT IN 25	37	RESULT 1	
WORKING CN JOB TRY IT IN 11	38	RESULT 1	
WORKING CN JOB TRY IT IN 19	39	RESULT 1	
WORKING CN JOB TRY IT IN 22	40	RESULT 1	
WORKING CN JOB TRY IT IN 25	41	RESULT 1	
WORKING ON JOB TRY IT IN 33	42	RESULT C	
WORKING CN JOB TRY IT IN 22	43	RESULT 1	
	45	C 1	

WORKING CN	JOB	TRY IT IN	43	RESULT
		TRY IT IN	21	C
			22	C
WORKING CN	JOB	TRY IT IN	44	RESULT
		TRY IT IN	21	C
			22	C
WORKING CN	JOB	TRY IT IN	45	RESULT
		TRY IT IN	21	C
			22	C
WORKING CN	JOB	TRY IT IN	46	RESULT
		TRY IT IN	21	C
			23	C
WORKING CN	JOB	TRY IT IN	47	RESULT
		TRY IT IN	21	C
			22	C
			23	C
			24	C
			25	C
WORKING CN	JOB	TRY IT IN	48	RESULT
		TRY IT IN	21	C
			25	C
WORKING CN	JOB	TRY IT IN	49	RESULT
		TRY IT IN	21	C
			25	C
ACK TRY IN	REMOVE JOB	49 FIN?		
			34	0
			42	0
			44	0
			46	0
			6	
			48	1
				TRY TO REPLACE 48
				IN PERIOD RESULT
			5	0
			6	1
WORKING CN	JOB	50		
		TRY IT IN	11	RESULT
			12	C
WORKING CN	JOB	TRY IT IN	51	RESULT
		TRY IT IN	22	C
WORKING CN	JOB	TRY IT IN	52	RESULT

WORKING ON TRY	CN	JOB	55	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	54	RESULT
	TRY	IN	5	C
WORKING ON TRY	CN	JOB	55	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	55	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	56	RESULT
	TRY	IN	3	C
WORKING ON TRY	CN	JOB	56	RESULT
	TRY	IN	3	C
WORKING ON TRY	CN	JOB	57	RESULT
	TRY	IN	3	C
WORKING ON TRY	CN	JOB	57	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	58	RESULT
	TRY	IN	3	C
WORKING ON TRY	CN	JOB	59	RESULT
	TRY	IN	2	C
WORKING ON TRY	CN	JOB	60	RESULT
	TRY	IN	2	C
WORKING ON TRY	CN	JOB	61	RESULT
	TRY	IN	1	C
WORKING ON TRY	CN	JOB	62	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	62	RESULT
	TRY	IN	4	C
WORKING ON TRY	CN	JOB	63	RESULT
	TRY	IN	10	C
WORKING ON TRY	CN	JOB	63	RESULT
	TRY	IN	11	C

16		C		
WORKING	CN	JOB	64	RESULT
TRY	IT	IN	0	
17		C		
WORKING	CN	JOB	65	RESULT
TRY	IT	IN	1	
18		C		
WORKING	CN	JOB	66	RESULT
TRY	IT	IN	1	
19		C		
WORKING	CN	JOB	67	RESULT
TRY	IT	IN	1	
20		C		
WORKING	CN	JOB	68	RESULT
TRY	IT	IN	1	
21		C		
WORKING	CN	JOB	69	RESULT
TRY	IT	IN	1	
22		C		
WORKING	CN	JOB	70	RESULT
TRY	IT	IN	1	
23		C		
WORKING	CN	JCB	71	RESULT
TRY	IT	IN	1	
24		C		
WORKING	CN	JOB	72	RESULT
TRY	IT	IN	1	
25		C		
WORKING	CN	JOB	73	RESULT
TRY	IT	IN	1	
26		C		
WORKING	CN	JOB	74	RESULT
TRY	IT	IN	1	
27		C		
WORKING	CN	JCB	75	RESULT
TRY	IT	IN	1	
28		C		
WORKING	CN	JOB	76	RESULT
TRY	IT	IN	1	
29		C		
WORKING	CN	JOB	77	RESULT
TRY	IT	IN	0	
30		C		
WORKING	CN	JOB	78	RESULT
TRY	IT	IN	0	

WORKING CN JCB

TRY IT IN

WORKING CN JOB

TRY IT IN

TRY TO REPLACE RESULT
IN PERIOD 6

TRY TO REPLACE RESULT
IN PERIOD 28

TRY TO REPLACE RESULT
IN PERIOD 77

TRY TO REPLACE
IN PERIOD 7

TRY TO REPLACE RESULT
IN PERIOD 29

TRY TO REPLACE
IN PERIOD 76

TRY TO REPLACE RESULT
IN PERIOD 9

TRY TO REPLACE
IN PERIOD 7

WORKING ON	JOB	TRY	IT	IN	RESULT
15	84				
16	85				
17	86				
18	87				
19	88				
20	89				
21	90				
22	91				
23	92				
24	93				
25	94				
26	95				
27	96				
28	97				
29	98				
30	99				
31	100				
32	101				
33	102				
34	103				
35	104				
36	105				
37	106				
38	107				
39	108				
40	109				
41	110				
42	111				
43	112				
44	113				
45	114				
46	115				
47	116				
48	117				
49	118				
50	119				
51	120				
52	121				
53	122				
54	123				
55	124				
56	125				
57	126				
58	127				
59	128				
60	129				
61	130				
62	131				
63	132				
64	133				
65	134				
66	135				
67	136				
68	137				
69	138				
70	139				
71	140				
72	141				
73	142				
74	143				
75	144				
76	145				
77	146				
78	147				
79	148				
80	149				
81	150				
82	151				
83	152				
84	153				
85	154				
86	155				
87	156				
88	157				
89	158				
90	159				
91	160				
92	161				
93	162				
94	163				
95	164				
96	165				
97	166				
98	167				
99	168				
100	169				
101	170				
102	171				
103	172				
104	173				
105	174				
106	175				
107	176				
108	177				
109	178				
110	179				
111	180				
112	181				
113	182				
114	183				
115	184				
116	185				
117	186				
118	187				
119	188				
120	189				
121	190				
122	191				
123	192				
124	193				
125	194				
126	195				
127	196				
128	197				
129	198				
130	199				
131	200				
132	201				
133	202				
134	203				
135	204				
136	205				
137	206				
138	207				
139	208				
140	209				
141	210				
142	211				
143	212				
144	213				
145	214				
146	215				
147	216				
148	217				
149	218				
150	219				
151	220				
152	221				
153	222				
154	223				
155	224				
156	225				
157	226				
158	227				
159	228				
160	229				
161	230				
162	231				
163	232				
164	233				
165	234				
166	235				
167	236				
168	237				
169	238				
170	239				
171	240				
172	241				
173	242				
174	243				
175	244				
176	245				
177	246				
178	247				
179	248				
180	249				
181	250				
182	251				
183	252				
184	253				
185	254				
186	255				
187	256				
188	257				
189	258				
190	259				
191	260				
192	261				
193	262				
194	263				
195	264				
196	265				
197	266				
198	267				
199	268				
200	269				
201	270				
202	271				
203	272				
204	273				
205	274				
206	275				
207	276				
208	277				
209	278				
210	279				
211	280				
212	281				
213	282				
214	283				
215	284				
216	285				
217	286				
218	287				
219	288				
220	289				
221	290				
222	291				
223	292				
224	293				
225	294				
226	295				
227	296				
228	297				
229	298				
230	299				
231	300				
232	301				
233	302				
234	303				
235	304				
236	305				
237	306				
238	307				
239	308				
240	309				
241	310				
242	311				
243	312				
244	313				
245	314				
246	315				
247	316				
248	317				
249	318				
250	319				
251	320				
252	321				
253	322				
254	323				
255	324				
256	325				
257	326				
258	327				
259	328				
260	329				
261	330				
262	331				
263	332				
264	333				
265	334				
266	335				
267	336				
268	337				
269	338				
270	339				
271	340				
272	341				
273	342				
274	343				
275	344				
276	345				
277	346				
278	347				
279	348				
280	349				
281	350				
282	351				
283	352				
284	353				
285	354				
286	355				
287	356				
288	357				
289	358				
290	359				
291	360				
292	361				
293	362				
294	363				
295	364				
296	365				
297	366				
298	367				
299	368				
300	369				
301	370				
302	371				
303	372				
304	373				
305	374				
306	375				
307	376				
308	377				
309	378				
310	379				
311	380				
312	381				
313	382				
314	383				
315	384				
316	385				
317	386				
318	387				
319	388				
320	389				
321	390				
322	391				
323	392				
324	393				
325	394				
326	395				
327	396				
328	397				
329	398				
330	399				
331	400				
332	401				
333	402				
334	403				
335	404				
336	405				
337	406				
338	407				
339	408				
340	409				
341	410				
342	411				
343	412				
344	413				
345	414				
346	415				
347	416				
348	417				
349	418				
350</td					

TRY IT IN	RESULT	
27	0	
WORKING CN JOB	1	
TRY IT IN	87	RESULT
28	C	
WORKING CN JOB	88	RESULT
TRY IT IN	1	
29	C	
WORKING CN JOB	89	RESULT
TRY IT IN	1	
WORKING CN JOB	90	RESULT
TRY IT IN	C	
20	C	
21	C	
NCW TRY IN REMOVE	JOB	90FIT?
22	38	0
21	10	0
16	0	1
TRY TO REPLACE	16	RESULT
IN PERIOD	21	0
21	0	
21	0	
21	0	
21	0	
TRY TO REPLACE	16	RESULT
IN PERIOD	21	0
21	0	
21	0	
21	0	
TRY TO REPLACE	16	RESULT
IN PERIOD	21	0
21	0	
21	0	
21	0	
WORKING CN JOB	91	RESULT
TRY IT IN	35	
25	0	
10	0	
11	C	
12	C	
16	C	
17	C	

SCHEDULE SUMMARY BY JOB

JCB NUMBER		7		NAME = NICES	
		START TIME = 9			
		NUMBER OF PERS = 2			
		CONFIG NBR = 1			
		SPECIFIC EQUIPMENT ASSIGNEE			
		CES2 TYPE A		CES2 TYPE	
A	B	C	D	E	F
1	0	0	0	0	0
CARRIER EQUIPMENT					
		TYPE		NUMBER	
		1		2	
				3	
				4	
				5	
				2	

CES1 B	10	CES2 MTU	CES1 MTU	CES1 TTY	CES1 TTY
23560	10	A8C6J	1256A	H	P
11035	0	1000	000	000	000
0	0	0	0	0	0
0	0	0	0	0	0

```

JCB NUMBER 11 NAME= NTDS
           START TIME= 27
           NBR OF PERS= 2
           CONFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNE
CES2 TYPE A CES2 TYPE
A B C D E S A P L K H P
1 0 C O C C C O O O O O
OTHER EQUIPMENT
TYPE 1 4
NMBR 1 2

```

JCB NUMBER 12 NAME= TEAM
 START TIME= 9
 NBR OF PERS= 6
 CNFIG NBR= 6
 SPECIFIC EQUIPMENT ASSIGNE

OTHER EQUIPMENT

TYPE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
NMBR	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 14
 JCB NAME= TEAM
 START TIME= 15
 NBR OF PERS= 1
 CCNFIG NBR= 6
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 A
 A B C D E S N M L K H P Q R 1 7 8 9
 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0
 OTHER EQUIPMENT
 TYPE 1 2 3 4 5 6 7 8
 NMBR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

129

JCB NUMBER 15
 JCB NAME= TEAM
 START TIME= 16
 NBR OF PERS= 1
 CCNFIG NBR= 7
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 A
 A B C D E S N M L K H P Q R 1 7 8 9
 0 0 0 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0
 OTHER EQUIPMENT
 TYPE 1 2 3 4 5 6 7 8
 NMBR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

JCB NUMBER 16
 JCB NAME= TEAM
 START TIME= 21
 NBR OF PERS= 2
 CCNFIG NBR= 7
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 A
 A B C D E S N M L K H P Q R 1 7 8 9
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 OTHER EQUIPMENT
 TYPE 1 2 3 4 5 6 7 8
 NMBR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

OTHER EQUIPMENT
TYPE 1 2 3 5 9 13 12 30 31 32 55 0 0 0 0 0 0 0 0

JCB NUMBER 17
JCB NAME= TEAM
START TIME= 27
NBR OF PERS= 2
CCNFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B
A B C D E S N M L K H P Q R
0 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1
OTHER EQUIPMENT
TYPE 1 2 3 5 9 13 12 30 31 32 55 0 0 0 0 0 0 0 0

JCB NUMBER 18
JCB NAME= TDEW
START TIME= 3
NBR OF PERS= 2
CCNFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B
A B C D E S N M L K H P Q R
C C C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
OTHER EQUIPMENT
TYPE 4 5 1 26 27 28 47 0 3 0 - 3 0 0 3 0 0 0 0 0 0

JCB NUMBER 19
JCB NAME= TDEW
START TIME= 9
NBR OF PERS= 2
CCNFIG NBR= 2
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B
A B C D E S N M L K H P Q R
C 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
OTHER EQUIPMENT
TYPE 1 2 3 4 5 6 10 23 8 9 13 0 0 0 0 0 0 0 0 0 0

JOB NUMBER 20
 JCB NAME= TDEW
 START TIME= 15
 NBR OF PERS= 2
 CCNFIG NBR= 8
 SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
OTHER EQUIPMENT	A B C D E S A	M L K H P G R	1 7 8 9	2 3 4 5	1 1 1 0	A B C G J	1 2 5 6	1 2 3 4
TYPE NBR	4 3 1	2 6 5	2 8	4 7	3	0 3 0	0 1 0	0 0 0
						0 0 0	0 0 0	0 0 0
						0 0 0	0 0 0	0 0 0

JCB NUMBER 21
 JCB NAME= TDEW
 START TIME= 21
 NBR OF PERS= 2
 CCNFIG NBR= 8
 SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
OTHER EQUIPMENT	A B C D E S A	M L K H P G R	1 7 8 9	2 3 4 5	1 1 1 0	A B C G J	1 2 5 6	1 2 3 4
TYPE NBR	4 3 1	2 6 5	2 8	4 7	3	0 0 0	0 1 0	0 0 0
						0 0 0	0 0 0	0 0 0
						0 0 0	0 0 0	0 0 0

JCB NUMBER 22
 JCB NAME= TDEW
 START TIME= 27
 NBR OF PERS= 2
 CCNFIG NBR= 8
 SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
OTHER EQUIPMENT	A B C D E S A	M L K H P G R	1 7 8 9	2 3 4 5	1 1 1 0	A B C G J	1 2 5 6	1 2 3 4
TYPE NBR	4 3 1	2 6 5	2 8	4 7	3	0 0 0	0 1 0	0 0 0
						0 0 0	0 0 0	0 0 0
						0 0 0	0 0 0	0 0 0

JCB NUMBER	23	JCB NAME	CATC	START TIME	15	NBR OF PERS	2	CCNFIG NBR	5	SPECIFIC EQUIPMENT ASSIGNED		OTHER EQUIPMENT	
CES2 TYPE A	W	CES2 TYPE b	W	CES1 A	2345	CES2 MTU	1256	CES1 MTU	1234	CES1 TTY	56	CES1 H	0000
A 0 0 0 0 0	K 0 0 0 0 0	P 0 0 0 0 0	R 0 0 0 0 0	A B C D E F	G H I J K	B C D E F G	H I J K L	A B C D E F	G H I J K	B C D E F G	H I J K L	A C D E F G	H I J K L
TYPE NBR	3 2	5	19	29	37	43	44	0	0	0	0	0	0

JCB NUMBER 26 NOTE SCHEDULED * * * * * * * * * * * * * * * * * *

JCB NAME = CATC

START TIME = 0

NUMBER OF PERS = 0

CCNFIG NBR = 9

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY	CES2 TTY
A B C D E S N	K L K H P Q R	1 7 8 9	2 3 4 5	1 0	A B C G J	K	1 2 3 4 5
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	A C D E H	P	0 0 0 0 0 0 0
C77ER EQUIPMENT							
TYPE	0	3	0	0	0	0	0
NUMBER	0	0	0	0	0	0	0

JCB NUMBER 27 NOTE SCHEDULED * * * * * * * * * * * * * * * * * *

JCB NAME = CATC

START TIME = 0

NUMBER OF PERS = 0

CCNFIG NBR = 9

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY	CES2 TTY
A B C D E S N	K L K H P Q R	1 7 8 9	2 3 4 5	1 0	A B C G J	K	1 2 3 4 5
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	A C D E H	P	0 0 0 0 0 0 0
C77ER EQUIPMENT							
TYPE	0	6	0	0	0	0	0
NUMBER	0	0	0	0	0	0	0

JCB NUMBER 28 NOTE SCHEDULED * * * * * * * * * * * * * * * * * *

JCB NAME = AIC

START TIME = 3

NUMBER OF PERS = 2

CCNFIG NBR = 28

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY	CES2 TTY
A B C D E S N	K L K H P Q R	1 7 8 9	2 3 4 5	1 0	A B C G J	K	1 2 3 4 5
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	A C D E H	P	0 0 0 0 0 0 0
C77ER EQUIPMENT							
TYPE	2	51	10	11	29	37	39
NUMBER	2	52	11	11	31	31	39

JCE NUMBER 25

JCB NAME= AIC

START TIME= 9

NUMBER OF PERS= 2

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
A B C D E S N	M L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 0 0 0 0	1 2 5 6 0 0 0 0	A C D E H P	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0	
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0

OTHER EQUIPMENT

| TYPE |
|------|------|------|------|------|------|------|------|
| 2 | 51 | 5 | 10 | 16 | 29 | 37 | 39 |
| 2 | 51 | 5 | 10 | 11 | 1 | 1 | 1 |
| NMBR | | | | | | | |

JCE NUMBER 30

JCB NAME= AIC

START TIME= 15

NUMBER OF PERS= 2

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
A B C D E S N	M L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 0 0 0 0	1 2 5 6 0 0 0 0	A C D E H P	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0	
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0

OTHER EQUIPMENT

| TYPE |
|------|------|------|------|------|------|------|------|
| 2 | 51 | 5 | 10 | 10 | 29 | 37 | 39 |
| 2 | 51 | 5 | 10 | 11 | 1 | 1 | 1 |
| NMBR | | | | | | | |

JCE NUMBER 31

JCB NAME= AIC

START TIME= 21

NUMBER OF PERS= 2

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
A B C D E S N	M L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 0 0 0 0	1 2 5 6 0 0 0 0	A C D E H P	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0	
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0

OTHER EQUIPMENT

| TYPE |
|------|------|------|------|------|------|------|------|
| 2 | 51 | 5 | 10 | 10 | 29 | 37 | 39 |
| 2 | 51 | 5 | 10 | 11 | 1 | 1 | 1 |
| NMBR | | | | | | | |

JCB NUMBER JCB NAME= ALIC
 START TIME= 27
 NBR OF PERS= 2
 CCNFIG NBR= 38
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B
 A B C D E S N K L K H P Q R
 0 0 0 0 0 0 1 1 3 0
 OTHER EQUIPMENT
 TYPE 2 51 5 1 16
 NUMBER 2 2

JCB NUMBER JCB NAME= JITF
 START TIME= 7
 NBR OF PERS= 2
 CCNFIG NBR= 11
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B
 A B C D E S N K L K H P Q R
 0 0 0 0 0 0 1 1 1 1
 OTHER EQUIPMENT
 TYPE 2 51 10 1 1
 NUMBER 2 2

JCB NUMBER JCB NAME= JITF
 START TIME= 7
 NBR OF PERS= 2
 CCNFIG NBR= 11
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B
 A B C D E S N K L K H P Q R
 0 0 0 0 0 0 1 1 1 1
 OTHER EQUIPMENT
 TYPE 2 51 10 1 1
 NUMBER 2 2

JCB NUMBER JCB NAME= TINK
 START TIME= 5
 NBR OF PERS= 1
 CCNFIG NBR= 12
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B
 A B C D E S N K L K H P Q R
 0 0 0 0 0 0 1 1 0 0
 OTHER EQUIPMENT
 TYPE 2 51 14 1 1
 NUMBER 2 3

JCB NUMBER JCB NAME= TINK
 START TIME= 17
 NBR OF PERS= 12
 CCNFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	1 0 0 0 0 0 0	1 1 0 0 0 0 0	1 7 3 9	2 3 4 5	1 3 5 0	1 2 3 4	1 2 3 4
O J C O C C C	0 0 0 0 0 0 0	0 1 0 0 0 0 0	0 3 3 0	0 3 0 0	0 0 0 0	0 0 0 0	0 0 0 0
CTER EQUIPMENT	TYPE 2	5	14	27	44	51	51
TYPE NBR	3	1	1	1	1	0	0

JCB NUMBER 36

JCB NAME= TINK
 START TIME= 29
 NBR OF PERS= 1
 CCNFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	1 0 0 0 0 0 0	1 1 1 0 0 0 0	1 7 3 9	2 3 4 5	1 3 5 0	1 2 3 4	1 2 3 4
C O C C C C C	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
CTER EQUIPMENT	TYPE 2	5	14	27	44	51	51
TYPE NBR	3	1	1	1	1	0	0

136

JCB NUMBER 37

JCB NAME= NTST
 START TIME= 11
 NBR OF PERS= 2
 CCNFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

	CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	0 0 0 0 0 0 0	0 1 1 1 1 1 1	1 7 8 9	2 3 4 5	1 3 5 0	1 2 3 4	1 2 3 4
C C C C C C C	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
CTER EQUIPMENT	TYPE 2	5	14	32	33	37	51
TYPE NBR	4	1	1	1	1	1	1

JCB NUMBER 38

JCB NAME= NTST
 START TIME= 19

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 1 1 1		0 0 0 1 1 1		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	
CITER EQUIPMENT											
TYPE	1	2	14	23	32	33	44	51	45	0	0
NMBR	3	4	1	1	1	1	1	1	3	0	0
SPECIFIC EQUIPMENT ASSIGNED											
CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 0 0 0		0 0 0 0 0 0 0		0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
CITER EQUIPMENT											
TYPE	2	5	14	23	27	32	44	51	45	0	0
NMBR	4	2	1	1	5	1	1	1	3	0	0

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 1 1 1		0 0 0 1 1 1		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	
CITER EQUIPMENT											
TYPE	1	2	14	23	32	33	44	51	45	0	0
NMBR	3	4	1	1	1	1	1	1	3	0	0
SPECIFIC EQUIPMENT ASSIGNED											
CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 0 0 0		0 0 0 0 0 0 0		0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
CITER EQUIPMENT											
TYPE	3	5	19	23	37	51	46	0	0	0	0
NMBR	2	1	1	1	1	1	1	1	4	0	0

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 1 1 1		0 0 0 1 1 1		0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	
CITER EQUIPMENT											
TYPE	1	2	14	23	32	33	44	51	45	0	0
NMBR	3	4	1	1	1	1	1	1	3	0	0
SPECIFIC EQUIPMENT ASSIGNED											
CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MU	CES1	MU	CES2	TTY
A B C D E S N		R L K H P Q R		1 7 8 9	2 3 4 5	3 0 0 1	A B C G J K	1 2 5 6	A C D E H P	1 0 3 4 5 6 7 8	
0 0 0 0 0 0 0		0 0 0 0 0 0 0		0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0
CITER EQUIPMENT											
TYPE	3	5	19	23	37	51	46	0	0	0	0
NMBR	2	1	1	1	1	1	1	1	4	0	0

JCE NUMBER 48 JCB NAME= HEP1
 START TIME= 11
 NBR OF PERS= 1
 CCNFIG NBR= 1S
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A 8 C D E S N	N L K H P Q R	1 7 8 9	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8
C 3 0 0 C 0 0	0 0 0 C 0 0	0 1 2 0	0 1 0 0	0 0 0 C 0	0 0 0 C 0

CTHER EQUIPMENT

| TYPE NMBR |
|-----------|-----------|-----------|-----------|-----------|-----------|
| 5 1 | 5 1 | 5 1 | 5 1 | 5 1 | 5 1 |
| 3 4 | 3 4 | 3 4 | 3 4 | 3 4 | 3 4 |
| 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

JCB NUMBER 49 JCB NAME= BURR
 START TIME= 6
 NBR OF PERS= 1
 CCNFIG NBR= 20
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A 8 C D E S N	N L K H P Q R	1 7 8 9	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8
C 0 0 C 0 0	0 0 0 C 0 0	0 0 0 0	0 0 1 0	0 0 0 0	0 0 0 0

CTHER EQUIPMENT

| TYPE NMBR |
|-----------|-----------|-----------|-----------|-----------|-----------|
| 5 1 | 5 1 | 5 1 | 5 1 | 5 1 | 5 1 |
| 4 6 | 4 6 | 4 6 | 4 6 | 4 6 | 4 6 |
| 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

JCB NUMBER 50 JCB NAME= BURR
 START TIME= 12
 NBR OF PERS= 1
 CCNFIG NBR= 20
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A 8 C D E S N	N L K H P Q R	1 7 8 9	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8
C 0 0 C 0 0	0 0 0 C 0 0	0 0 0 0	0 0 1 0	0 0 0 0	0 0 0 0

CTHER EQUIPMENT

| TYPE NMBR |
|-----------|-----------|-----------|-----------|-----------|-----------|
| 5 1 | 5 1 | 5 1 | 5 1 | 5 1 | 5 1 |
| 4 6 | 4 6 | 4 6 | 4 6 | 4 6 | 4 6 |
| 1 1 | 1 1 | 1 1 | 1 1 | 1 1 | 1 1 |

JCB NUMBER 45

JCB NAME = GHAY
 START TIME = 23
 ABR OF PERS = 1
 CCNFIG NBR = 17
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE	A	CES2 TYPE	B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	0 0 0 0 0 0 0	N L K H P Q R	0 0 0 0 0 0 0	1 7 6 9	2 3 4 5	1 0	A C D E H P	1 2 3 4 5 6 7 8
C O C C O C	0 0 0 0 0 0	C O C O C O C	0 0 0 0 0 0	0 0 0 0 1 1	0 0 0 0 1 1	0 0 0 0 1 0	A C D E H P	0 0 0 0 0 0 0
CITER EQUIPMENT								
TYPE	4	5	11	12	44	46	51	51
NUMBER	3	1	1	1	1	1	1	1

JCB NUMBER 46

JCB NAME = ANSI
 START TIME = 25
 ABR OF PERS = 1
 CCNFIG NBR = 18
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE	A	CES2 TYPE	B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	0 0 0 0 0 0 0	N L K H P Q R	0 0 0 0 0 0 0	1 7 8 9	2 3 4 5	1 0	A C D E H P	1 2 3 4 5 6 7 8
C O C C O C	0 0 0 0 0 0	C O C O C O C	0 0 0 0 0 0	0 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0	A C D E H P	0 0 0 0 0 0 0
CITER EQUIPMENT								
TYPE	3	5	13	27	46	51	51	51
NUMBER	3	1	1	1	1	1	1	1

JCB NUMBER 47

JCB NAME = ANSI
 START TIME = 29
 ABR OF PERS = 1
 CCNFIG NBR = 18
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE	A	CES2 TYPE	B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	0 0 0 0 0 0 0	N L K H P Q R	0 0 0 0 0 0 0	1 7 8 9	2 3 4 5	1 0	A C D E H P	1 2 3 4 5 6 7 8
C O C C O C	0 0 0 0 0 0	C O C O C O C	0 0 0 0 0 0	0 1 1 1	0 0 0 0 0 0	0 0 0 0 0 0	A C D E H P	0 0 0 0 0 0 0
CITER EQUIPMENT								
TYPE	3	5	13	27	46	51	51	51
NUMBER	3	1	1	1	1	1	1	1

JCB NUMBER 54

JCB NAME= ASIS

START TIME= 9

NBR OF PERS= 1

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 3 0	2 3 4 5 9 10 0 0 1 3 0 0	A B C G J K 0 0 0 0 0 0	1 2 5 6 A C U E H P 0 1 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	1	2	3	4	5	6	7	8
TYPE	1	5	1	1	1	50	54	56	5
NUMBER	1	1	1	1	1	1	1	1	1

JCB NUMBER 55

JCB NAME= ASIS

START TIME= 10

NBR OF PERS= 1

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 9 10 0 0 1 0 0 0	A B C G J K 0 0 0 0 0 0	1 2 5 6 A C D E H P 0 1 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	1	2	3	4	5	6	7	8
TYPE	1	5	1	1	1	50	54	56	5
NUMBER	1	1	1	1	1	1	1	1	1

JCB NUMBER 56

JCB NAME= ASIS

START TIME= 11

NBR OF PERS= 1

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 6 10 0 0 1 0 0 0	A B C G J K 0 0 0 0 0 0	1 2 5 6 A C D E H P 0 1 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	1	2	3	4	5	6	7	8
TYPE	1	5	1	1	1	50	54	56	5
NUMBER	1	1	1	1	1	1	1	1	1

JCB NUMBER 57

JCB NAME= ASIS

START TIME= 12

NBR OF PERS= 1

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES1 MTU	CES2 MTU	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 6 10 0 0 1 0 0 0	A B C G J K 0 0 0 0 0 0	1 2 5 6 A C D E H P 0 1 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0

JCB NUMBER 51 JCB NAME= BURR
 START TIME= 24
 NBR OF PERS= 1
 CONFIG NBR= 20
 EQUIPMENT ASSIGNED

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MTU	CES2	TTY
A	B	C	D	E	S	N	L	H	P
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	13	37	51	46	0	0	0
NMBR	3	1	1	1	1	4	0	0	0

JCB NUMBER 52 JCB NAME= ASIS
 START TIME= 25
 NBR OF PERS= 1
 CONFIG NBR= 21
 EQUIPMENT ASSIGNED

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MTU	CES2	TTY
A	B	C	D	E	S	N	L	H	P
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56
NMBR	1	1	1	1	1	1	1	1	1

JCB NUMBER 53 JCB NAME= ASIS
 START TIME= 24
 NBR OF PERS= 1
 CONFIG NBR= 21
 EQUIPMENT ASSIGNED

CES2	TYPE A	CES2	TYPE B	CES1	A	CES2	MTU	CES2	TTY
A	B	C	D	E	S	N	L	H	P
0	0	0	0	0	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0

OTHER EQUIPMENT

TYPE	4	5	6	7	21	48	50	54	56
NMBR	1	1	1	1	1	1	1	1	1

CIPHER EQUIPMENT

TYPE	4	5	1	7	9	1	21	51	0	8	3	0	8	0	8	0	0	0	0
NUMBER	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	

JCB NUMBER 61

JCB NAME= STICK
 START TIME= 12
 NBR OF PERS= 1
 CCNFIG NBR= 22
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	
A B C D E S N	H L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8	A B C G J K	1 1 0 0 0 0 0 0	A C D E H P	1 0 0 0 0 0 0 0
C O C O C O C O	O O O O O O O O	0 3 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0

CIPHER EQUIPMENT

TYPE	4	5	19	51	2	46	0	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	2	2	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	

JCB NUMBER 62

JCB NAME= ERSK
 START TIME= 8
 NBR OF PERS= 1
 CCNFIG NBR= 24
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	
A B C D E S N	H L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8	A B C G J K	1 0 0 0 0 0 0 0	A C D E H P	1 0 0 0 0 0 0 0
C O C O C O C O	O O O O O O O O	0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0

CIPHER EQUIPMENT

TYPE	4	5	12	51	1	46	0	0	0	0	0	0	0	0	0	0	0	0
NUMBER	3	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	

JCB NUMBER 62

JCB NAME= FALL
 START TIME= 17
 NBR OF PERS= 1
 CCNFIG NBR= 25
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	CES1 MTU	CES2 RTY	
A B C D E S N	H L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6	A C D E H P	1 2 3 4 5 6 7 8	A B C G J K	1 0 0 0 0 0 0 0	A C D E H P	1 0 0 0 0 0 0 0
C O C O C O C O	O O O O O O O O	0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0

JCB NUMBER 59
 JOB NAME= ASIS
 START TIME= 21
 NBR OF PERS= 1
 CCNFIG NBR= 21
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CTER EQUIPMENT
 TYPE 4 5 6 1
 NBR 1 1 1 1
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER 55
 JOB NAME= LARK
 START TIME= 21
 NBR OF PERS= 1
 CCNFIG NBR= 22
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CTER EQUIPMENT
 TYPE 4 5 6 1
 NBR 1 1 1 1
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER 60
 JOB NAME= LARK
 START TIME= 23
 NBR OF PERS= 21
 CCNFIG NBR= 22
 SPECIFIC EQUIPMENT ASSIGNED
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 CES2 TYPE A CES2 TYPE B CES1 MTU CES1 TTY
 A B C D E S N M L K H P J K
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER 67
 JCB NAME= SAIL
 START TIME= 23
 NBR OF PERS= 1
 CCNFIG NBR= 28
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES2 TTY	CES1 TTY
A B C D E S N	N L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D F H P	1 2 3 4 5 6 7 8		
1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 3 0 0	0 3 4 0	0 0 3 1 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER																	
2	1	5	1	14	1	51	2	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 66
 JCB NAME= EPC
 START TIME= 11
 NBR OF PERS= 1
 CCNFIG NBR= 25
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES2 TTY	CES1 TTY	
A B C D E S N	N L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D F H P	1 2 3 4 5 6 7 8			
1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	1 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER																	
1	1	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER 65
 JCB NAME= EPC
 START TIME= 11
 NBR OF PERS= 1
 CCNFIG NBR= 25
 SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES2 TTY	CES1 TTY	
A B C D E S N	N L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D F H P	1 2 3 4 5 6 7 8			
1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0	0 0 0 0	1 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER																	
1	1	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

JCB NUMBER JCB NAME= MAXW

START TIME= 6

NBR OF PERS= 1

CONFIGNBRE= 26

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 3 0 3	2 3 4 5 0 3 0 3	1 2 5 6 0 1 0 0	1 2 3 4 5 6 7 8 0 3 0 0 0 0 0 0
C O C O C O C O C	C O C O C O C O C				

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
4	5	10	1	44	2	51	1
2	1						

JCB NUMBER JCB NAME= CC72

START TIME= 17

NBR OF PERS= 1

CONFIGNBRE= 27

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 0 0 0 0	1 2 5 6 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0
C O C O C O C O C	C O C O C O C O C				

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
2	5	0	0	0	0	0	0
1							

JCB NUMBER JCB NAME= SA1L

START TIME= 13

NBR OF PERS= 1

CONFIGNBRE= 28

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES2 TTY	CES1 TTY
A B C D E S N	K L K H P Q R	1 7 8 9 0 0 0 0	2 3 4 5 0 0 0 0	1 2 5 6 0 0 0 0	1 2 3 4 5 6 7 8 0 0 0 0 0 0 0 0
C O C C C O C O C	C O C C C O C O C				

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
2	5	6	1	14	11	53	0
1							

JCB NUMBER 73

JCB NAME= EPC

START TIME= 23

NUMBER OF PERS= 21

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
A B C D E S N	N L K H P J R	1 7 8 9	2 3 4 5 6 10	1 0 0 0 0 K	1 2 5 6 J K	1 0 0 0 0 K	1 2 3 4 5 6 7 8
1 9 C 0 0 0 0 0 0	C 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

CITER EQUIPMENT

| TYPE |
|------|------|------|------|------|------|------|------|
| 1 | 5 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |

OTHER EQUIPMENT

TYPE NMR

JCB NUMBER 74

JCB NAME= EPC

START TIME= 25

NUMBER OF PERS= 21

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES1 B	CES2 MTU	CES2 TTY	CES1 MTU	CES1 TTY
A B C D E S N	N L K H P J R	1 7 8 9	2 3 4 5 6 10	1 0 0 0 0 K	1 2 5 6 J K	1 0 0 0 0 K	1 2 3 4 5 6 7 8
1 9 C 0 0 0 0 0 0	C 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

CITER EQUIPMENT

TYPE NMR

```

JCB NUMBER 7C
          JCB NAME= EPC
          START TIME= 17
          NBR OF PERS= 1
          CONFIG NBR= 2S
          SPECIFIC EQUIPMENT ASSIGNE
          CES2 TYPE A    CES2 TYPE
          A B C D E S N   V L K H P
          1 2 C C C C C   C O O O O
          OTHER EQUIPMENT
          TYPE 1      1
          NMBR 3      3

```

JCB NUMBER	72	JCB NAME	BPC
START TIME	29	NUMBER OF PERSONS	1
CONFIGNBR	25	SPECIFIC EQUIPMENT ASSIGNED	
CES2 TYPE A	CES2 TYPE B	CES1A	CES1 MTU
A B C D E S N	R L K H P Q R	2 3 4 5 6 10	1 2 5 6 J K
1 C C C C C C	0 0 0 0 0 0 0	0 0 0 0 0 0 0	A B C D E H P
OTHER EQUIPMENT			CES1 TTY
TYPE	1 5 1	0 0 0	1 2 3 4 5 6 7 8
NUMBER	1	0 0 0	0 0 0 0 0 0 0 0

JCB NUMBER 3C

JCB NAME= HALL

START TIME= 23

NBR OF PERS= 2

CCNFIG NBR= 3C

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 MTU	CES1 TTY
A 0 0 C D E S N	A 0 0 C D E S N	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
0 0 0 C 0 0 C	0 0 0 C 0 0 C	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
2	0	3	0	3	0
1	0	3	0	3	0

TYP

NUMBER

JCB NUMBER 81

JCB NAME= HALL

START TIME= 26

NBR OF PERS= 2

CCNFIG NBR= 3D

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 MTU	CES1 TTY
A 0 0 C D E S N	A 0 0 C D E S N	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
0 0 0 C 0 0 C	0 0 0 C 0 0 C	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
2	0	0	0	0	0
1	0	0	0	0	0

TYP

NUMBER

JCB NUMBER 82

JCB NAME= MPCS

START TIME= 23

NBR OF PERS= 2

CCNFIG NBR= 31

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 MTU	CES1 TTY
A 0 0 C D E S N	A 0 0 C D E S N	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
0 0 0 C 0 0 C	0 0 0 C 0 0 C	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0
0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0	1 0 0 0 0 0 0 0

ITEM	CARRIER EQUIPMENT		
	TYPE	SIZE	NUMBER
1	1	1	
2	2	2	
3	3	3	
4	4	4	
5	5	5	
6	6	6	
7	7	7	
8	8	8	
9	9	9	
10	10	10	
11	11	11	
12	12	12	
13	13	13	
14	14	14	
15	15	15	
16	16	16	
17	17	17	
18	18	18	
19	19	19	
20	20	20	
21	21	21	
22	22	22	
23	23	23	
24	24	24	
25	25	25	
26	26	26	
27	27	27	
28	28	28	
29	29	29	
30	30	30	
31	31	31	
32	32	32	
33	33	33	
34	34	34	
35	35	35	
36	36	36	
37	37	37	
38	38	38	
39	39	39	
40	40	40	
41	41	41	
42	42	42	
43	43	43	
44	44	44	
45	45	45	
46	46	46	
47	47	47	
48	48	48	
49	49	49	
50	50	50	
51	51	51	
52	52	52	
53	53	53	
54	54	54	
55	55	55	
56	56	56	
57	57	57	
58	58	58	
59	59	59	
60	60	60	
61	61	61	
62	62	62	
63	63	63	
64	64	64	
65	65	65	
66	66	66	
67	67	67	
68	68	68	
69	69	69	
70	70	70	
71	71	71	
72	72	72	
73	73	73	
74	74	74	
75	75	75	
76	76	76	
77	77	77	
78	78	78	
79	79	79	
80	80	80	
81	81	81	
82	82	82	
83	83	83	
84	84	84	
85	85	85	
86	86	86	
87	87	87	
88	88	88	
89	89	89	
90	90	90	
91	91	91	
92	92	92	
93	93	93	
94	94	94	
95	95	95	
96	96	96	
97	97	97	
98	98	98	
99	99	99	
100	100	100	

JCE NUMBER	77	JCE NAME	HALL
START TIME	5	NBR OF PERS	2
CONFIGNUMBER	5C	SPECIFIC EQUIPMENT ASSIGNED	
CES2	TYPE A	CES2	TYPE B
A B C	D E S N	K L K	P Q R
C O C	O C C	O C O	O C O
OTHER EQUIPMENT			
TYPE	2	C	0
NMR	1	C	0

```

JCB NUMBER JCB NAME= MPC5
START TIME= 28
AER OF PFRS= 2
CONFIG NBR= 1
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B
A B C D E S A L K H P Q R
C O C O C O C O C O C O C O
CITHER EQUIPMENT
TYPE 2 0 0 3 0 0 0 0 0 0 0 0
NMBR 2

```

JCB NUMBER	88
JCB NAME	BURK
START TIME	9
ABR OF PERS	1
CONFIGNBR	13
SPECIFIC EQUIPMENT ASSIGNED	
CES2 TYPE A	CES2 TYPE B
A B C D E S N	V L K H P Q R
C O O C O O C	C O O C O O C
OTHER EQUIPMENT	
TYPE	3 5 13 1
NUMBER	1 1 1 1

CTHER EQUIPMENT
TYPE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER JCB NAME= MPC9
START TIME= 9
NBR OF PERS= 2
CCNFIG NBR= 31
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B CES1 A CES2 MTU CES1 MTU CES1 TTY CES1 TTY
A B C D E S N V L K H P Q R 1 7 8 9 2 3 4 5 6 1 0 1 2 5 6 A C D E H P 1 2 3 4 5 6 7 8
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CTHER EQUIPMENT
TYPE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER JCB NAME= MPC8
START TIME= 16
NBR OF PERS= 2
CCNFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B CES1 A CES2 MTU CES1 MTU CES1 TTY CES1 TTY
A B C D E S N V L K H P Q R 1 7 8 9 2 3 4 5 6 1 0 1 2 5 6 A C D E H P 1 2 3 4 5 6 7 8
C O O 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CTHER EQUIPMENT
TYPE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

JCB NUMBER JCB NAME= MPC8
START TIME= 21
NBR OF PERS= 2
CCNFIG NBR= 21
SPECIFIC EQUIPMENT ASSIGNED
CES2 TYPE A CES2 TYPE B CES1 A CES2 MTU CES1 MTU CES1 TTY CES1 TTY
A B C D E S N V L K H P Q R 1 7 8 9 2 3 4 5 6 1 0 1 2 5 6 A C D E H P 1 2 3 4 5 6 7 8
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CTHER EQUIPMENT
TYPE 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

* * * * * JONES ACT SCHEDULE *** 25 26 27 90

JCB NUMBER 85
JCB NAME= BURK
START TIME= 14
NBR OF PERS= 2
CCNFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 TTY	CES1 RTY
A B C D E S N	N L K H P Q R	1 0 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D E H P
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
3	1	5	13	20	30
1	1	21	31		

JCB NUMBER 90
NOT SCHEDULED *****

JCB NAME= BURK
START TIME= 17
NBR OF PERS= 0
CCNFIG NBR= 12

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 TTY	CES1 RTY
A B C D E S N	N L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D E H P
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
0	0	0	0	0	0
C	0	0	0	0	0

JCB NUMBER 91
JCB NAME= NACR
START TIME= 17
NBR OF PERS= 1
CCNFIG NBR= 14

SPECIFIC EQUIPMENT ASSIGNED

CES2 TYPE A	CES2 TYPE B	CES1 A	CES2 MTU	CES1 TTY	CES1 RTY
A B C D E S N	N L K H P Q R	1 7 8 9	2 3 4 5 6 10	A B C G J K	1 2 5 6 A C D E H P
0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 1 1 0	0 0 0 0 0 0	1 0 0 0 0 0	0 0 0 0 0 0

OTHER EQUIPMENT

TYPE	NUMBER	TYPE	NUMBER	TYPE	NUMBER
3	2	5	10	51	23

DISTRIBUTION LIST

Number of Copies

Library, Code 55
Naval Postgraduate School
Monterey, California 93940 2

Office of Research Administration
Code 012A
Naval Postgraduate School
Monterey, California 93940 1

Professor James Hartman
Code 55
Naval Postgraduate School
Monterey, California 93940 3

Professor Gilbert Howard
Code 55Hk
Naval Postgraduate School
Monterey, California 93940 4

Commanding Officer
FLTCOMBATDIRSYSSACT
200 Catalina Boulevard
San Diego, California 92147
Attn: Code 06 5

Defense Documentation Center
Cameron Station
Alexandria, Virginia 22314 2

U181593

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01069584 4

U18159