



HHS PUBLIC ACCESS

Author manuscript

Arch Virol. Author manuscript; available in PMC 2019 August 01.

Published in final edited form as:

Arch Virol. 2018 August ; 163(8): 2283–2294. doi:10.1007/s00705-018-3814-x.

TAXONOMY OF THE ORDER MONONEGAVIRALES: UPDATE 2018

A full list of authors and affiliations appears at the end of the article.

Abstract

In 2018, the order *Mononegavirales* was expanded by inclusion of 1 new genus and 12 novel species. This article presents the updated taxonomy of the order *Mononegavirales* as now accepted by the International Committee on Taxonomy of Viruses (ICTV) and summarizes additional taxonomic proposals that may affect the order in the near future.

Keywords

Anphevirus; Arlivirus; Bornaviridae; bornavirus; Chengtivirus; Crustavirus; Filoviridae; filovirus; ICTV; International Committee on Taxonomy of Viruses; mononegavirad; Mononegavirales; mononegavirus; Mymonaviridae; mymonavirid; mymonavirus; Nyamiviridae; nyamivirid; nyamivirus; Paramyxoviridae; paramyxovirid; paramyxovirus; Pneumoviridae; pneumovirid; pneumovirus; Rhabdoviridae; rhabdovirid; rhabdovirus; Sunviridae; sunvirid; sunvirus; virus classification; virus nomenclature; virus taxonomy

INTRODUCTION

The virus order *Mononegavirales* was established in 1991 to accommodate related viruses with nonsegmented, linear, single-stranded, negative-sense RNA genomes distributed among three families [19, 20]. Today, the order includes 8 families [1, 2, 11, 21]. Amended/

*Corresponding author: JHK: Integrated Research Facility at Fort Detrick (IRF-Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick, Frederick, MD 21702, USA; Phone: +1-301-631-7245; Fax: +1-301-631-7389; kuhnjens@mail.nih.gov.

†The members of the 2014–2017 International Committee on Taxonomy of Viruses (ICTV) *Bornaviridae* Study Group;

#the members of the 2014–2017 ICTV *Filoviridae* Study Group;

*the members of the 2014–2017 ICTV *Mononegavirales* Study Group;

‡the members of the 2014–2017 ICTV *Nyamiviridae* Study Group;

the members of the 2014–2017 ICTV *Paramyxoviridae* Study Group;

&the members of the 2014–2017 ICTV *Rhabdoviridae* Study Group;

\$the 2014–2017 ICTV Chair of the Animal dsRNA and ssRNA- Viruses Subcommittee.

COMPLIANCE WITH ETHICAL STANDARDS

The views and conclusions contained in this document are those of the authors and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the US Department of the Army, the US Department of Defense, the US Department of Health and Human Services, the Department of Homeland Security (DHS) Science and Technology Directorate (S&T), or of the institutions and companies affiliated with the authors. In no event shall any of these entities have any responsibility or liability for any use, misuse, inability to use, or reliance upon the information contained herein. The US departments do not endorse any products or commercial services mentioned in this publication.

Conflict of Interest

The authors declare no conflicts of interest.

Ethical approval

This article does not contain any studies with human participants or animals performed by any of the authors.

emended order descriptions were published in 1995 [5], 1997 [22], 2000 [23], 2005 [24], 2011 [6], 2016 [2], and 2017 [3]. In 2017, the Study Groups of the International Committee on Taxonomy of Viruses (ICTV) responsible for the taxonomy of the order and its 8 families assigned unclassified mononegaviruses to existing or novel taxa and continued efforts to streamline the order nomenclature in collaboration with other virus experts. Here we present the changes that were proposed via official ICTV taxonomic proposals (TaxoProps) at <http://www.ictvonline.org/> in 2017 and accepted by the ICTV Executive Committee (EC). These changes are part of the official ICTV taxonomy as of 2018.

TAXONOMIC CHANGES AT THE ORDER RANK

In 2018, no changes were made at the order rank.

TAXONOMIC CHANGES AT THE FAMILY RANK

Bornaviridae

The family *Bornaviridae* was expanded in 2018 by creation of a second genus (*Carbovirus*), including two novel species for the newly discovered jungle carpet python virus (JCPV) and southwest carpet python virus (SWCPV) found in carpet pythons (Pythonidae: *Morelia spilota*), respectively [10]. The previously established genus *Bornavirus* was renamed *Orthobornavirus* to remove the ambiguity of the terms “bornavirus”/“bornaviral” that resulted due to the creation of the second genus (in absence of the genus name change, “bornavirus”/“bornaviral” could refer either to all members of the family *Bornaviridae* or only to those of the genus *Bornavirus*). All binomial species names of the genus *Bornavirus* were adjusted by replacing the genus epithet “*bornavirus*” with “*orthobornavirus*” (TaxoProps 2017.005M.A.v1.Carbovirus and 2017.004M.A.v1.Bornaviridae_ren).

Filoviridae

The species name *Tai Forest ebolavirus* was changed to *Tai Forest ebolavirus* by removal of the diaeresis (TaxoProp 2017.001G.A.v2.43spren).

Mymonaviridae

In 2018, no changes were made at the family rank.

Nyamiviridae

In 2018, no changes were made at the family rank.

Paramyxoviridae

The genus *Avulavirus* was expanded in 2018 by the addition of six species (TaxoProp 2017.010M.A.v2.Avulavirus_6sp). The species *Avian avulavirus 14–16* were established for avian paramyxoviruses 14–16 (APMV-14–16) that were recently discovered in an unspecified duck in Japan, a white-rumped sandpiper (Scolopacidae: *Calidris fuscicollis*) in Brazil, and unspecified birds in South Korea, respectively [12, 27, 28]. The species *Avian avulavirus 17–19* were established for Antarctic penguin viruses A–C (APVA–APVC) that

were recently discovered in Antarctic long-tailed gentoo penguins (Spheniscidae: *Pygoscelis papua*) [18].

Pneumoviridae

In 2018, no changes were made at the family rank.

Rhabdoviridae

The genus *Ledantevirus* was expanded in 2018 by one species, *Kanywara ledantevirus*, for Kanywara virus (KYAV) recently discovered in an unclassified nycteribiid batfly in Uganda [8] (TaxoProp 2017.009M.A.v1.Ledantevirus_sp).

The genus *Lyssavirus* was expanded by the addition of two novel species, *Gannoruwa bat lyssavirus* and *Lleida bat lyssavirus*, for Gannoruwa bat lyssavirus (GBLV) and Lleida bat virus (LLEBV), recently discovered in Indian flying foxes (*Pteropus medius*) in Sri Lanka and in a Schreibers's long-fingered bat (*Miniopterus schreibersii*) in Spain in 2011, respectively [4, 9, 15] (TaxoProps 2017.013M.A.v1.Lyssavirus_sp and 2017.014M.A.v1.Lyssavirus_sp).

Finally, the genus *Tibrovirus* was expanded by one species, *Beatrice Hill tibrovirus*, for Beatrice Hill virus (BHV) discovered in 1984 in Australian biting midges (Ceratopogonidae: *Culicoides peregrinus*) [26, 29] (TaxoProp 2017.019M.U.v1.Tibrovirus_sp).

Sunviridae

In 2018, no changes were made at the family rank.

OUTLOOK

The taxonomy of viruses of the order *Mononegavirales* remains in flux and additional important changes are likely forthcoming. Indeed, in 2017, two additional taxonomic proposals that would affect the order *Mononegavirales* were debated during the most recent ICTV EC meeting in Singapore. TaxoProp 2017.006M.U.v2.Negarnaviricota proposes

- establishment of a phylum for negative-sense RNA viruses that is subdivided into two subphyla;
- establishment of a sister order to the order *Mononegavirales* to accommodate the recently discovered “chuviruses” [13, 25]; and
- combination of both sister orders in a class assigned to one of the subphyla.

TaxoProp 2017.016M.U.v3.Mononegavirales_rev proposes

- expansion of the family *Mymonaviridae* by 6 species for novel soybean leaf-associated viruses and an invertebrate virus [16, 17, 25];
- transfer of the nyamiviral genus *Peropivirus* into a new family and expansion of the genus by 6 species for novel invertebrate viruses [13, 25];

- transfer of the free-floating genus *Crustavirus* into the family *Nyamiviridae*; the expansion of *Crustavirus* by two species for novel invertebrate viruses; and the expansion of *Nyamiviridae* by an additional three genera that include a total of five species for novel invertebrate viruses [13, 25];
- establishment of a new family that absorbs the previously free-floating genus *Anphevirus* and expansion of this genus by six species for novel invertebrate viruses [7, 13, 14, 25]; and
- dissolution of the previously free-floating genera *Chengivirus* and *Wastrivirus* and transfer of their species into the genus *Arlivirus*, expansion of *Arlivirus* by three new species for novel invertebrate viruses [13, 25], and transfer of this genus into a new family.

These two proposals failed to find unanimous approval at a final ICTV EC vote in fall of 2017 and were deferred to the 2018 ICTV EC meeting, at which a simple majority vote would suffice for approval of the original proposals.

SUMMARY

A summary of the current, ICTV-accepted taxonomy of the order *Mononegavirales* is presented in Table 1.

Authors

Gaya K. Amarasinghe^{1,#}, Nidia G. Aréchiga Ceballos², Ashley C. Banyard³, Christopher F. Basler^{4,#}, Sina Bavari^{5,#}, Andrew J. Bennett⁶, Kim R. Blasdell^{7,&}, Thomas Briese^{8,\$}, Alexander Bukreyev^{9,#}, Yíngyún Cai (蔡莹芸)¹⁰, Charles H. Calisher^{11,&}, Cristine Campos Lawson¹⁰, Kartik Chandran^{12,#}, Colin A. Chapman^{13,14,15}, Charles Y. Chiu¹⁶, Kang-Seuk Choi (최강석)¹⁷, Peter L. Collins^{18,^}, Ralf G. Dietzgen^{19,*‡&}, Valerian V. Dolja²⁰, Olga Dolnik^{21,#}, Leslie L. Domier^{22,‡}, Ralf Dürrwald^{23,\$}, John M. Dye^{5,#}, Andrew J. Easton^{24,*^}, Hideki Ebihara (海老原秀喜)^{25,#}, Juan E. Echevarría²⁶, Anthony R. Fooks³, Pierre B. H. Formenty^{27,#}, Ron A. M. Fouchier^{28,^}, Conrad M. Freuling²⁹, Elodie Ghedin^{30,‡}, Tony L. Goldberg⁶, Roger Hewson^{31,#}, Masayuki Horie (堀江真行)^{32,\$}, Timothy H. Hyndman³³, Dàohóng Ji (姜道宏)^{34,‡}, Robert Kityo³⁵, Gary P. Kobinger^{36,#}, Hideki Kondō (近藤秀樹)^{37,&}, Eugene V. Koonin³⁸, Mart Krupovic³⁹, Gael Kurath^{40,*^&}, Robert A. Lamb^{41,42,^}, Benhur Lee^{43,^}, Eric M. Leroy^{44,#}, Piet Maes⁴⁵, Andrea Maisner^{21,^}, Denise A. Marston³, Sunil Kumar Mor⁴⁶, Thomas Müller²⁹, Elke Mühlberger^{47,#}, Víctor Manuel Neira Ramírez⁴⁸, Sergey V. Netesov (Нетесов Сергей Викторович)^{49,#}, Terry Fei Fan Ng⁵⁰, Norbert Nowotny^{51,52,\$,*}, Gustavo Palacios⁵, Jean L. Patterson^{53,#}, Janusz T. Pawłska^{54,#}, Susan L. Payne^{55,\$}, Karla Prieto⁵, Bertus K. Rima^{56,*^}, Paul Rota^{57,^}, Dennis Rubbenstroth^{58,\$,*}, Martin Schwemmle^{58,\$}, Stuart Siddell^{59,\$}, Sophie J. Smither^{60,#}, Qisheng Song⁶¹, Timothy Song⁶², Mark D. Stenglein⁶³, David M. Stone^{64,&}, Ayato Takada (高田礼人)^{65,#}, Robert B. Tesh^{9,&}, Luciano Matsumiya Thomazelli⁶⁶, Keizō Tomonaga (朝長啓造)^{67,\$}, Noël Tordo^{68,&}, Jonathan S. Towner^{69,#}, Nikos Vasilakis^{9,*‡&}, Sonia Vázquez-Morón²⁶, Claudio Verdugo⁷⁰, Viktor E. Volchkov^{71,#}, Victoria Wahl^{72,#},

Peter J. Walker^{73,*,&}, David Wang^{74,†}, Lin-Fa Wang (王林发)^{75,^}, James F. X. Wellehan⁷⁶, Michael R. Wiley^{9,77}, Anna E. Whitfield^{78,&}, Yuri I. Wolf³⁸, Gengyín Yè (叶恭银)⁷⁹, Yǒng-Zhèn Zhāng (张永振)⁸⁰, and Jens H. Kuhn^{10,\$,#,*‡}

Affiliations

¹Department of Pathology and Immunology, Washington University School of Medicine, St. Louis, Missouri, USA ²Laboratorio de Rabia, Instituto de Diagnóstico y Referencias Epidemiológicos, Mexico City, Mexico ³Animal and Plant Health Agency, Weybridge, Surrey, UK ⁴Center for Microbial Pathogenesis; Institute for Biomedical Sciences; Georgia State University, Atlanta, GA, USA ⁵United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick, Maryland, USA ⁶Department of Pathobiological Sciences, School of Veterinary Medicine, University of Wisconsin-Madison, Madison, Wisconsin, USA ⁷CSIRO Health and Biosecurity, Australian Animal Health Laboratory, Geelong, Victoria, Australia ⁸Center for Infection and Immunity, and Department of Epidemiology, Mailman School of Public Health, Columbia University, New York, New York, USA ⁹The University of Texas Medical Branch, Galveston, Texas, USA ¹⁰Integrated Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Frederick, Maryland, USA ¹¹Arthropod-Borne and Infectious Diseases Laboratory, College of Veterinary Medicine and Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA ¹²Department of Microbiology and Immunology, Albert Einstein College of Medicine, Bronx, New York, USA ¹³Department of Anthropology and McGill School of Environment, McGill University, Montréal, Québec, Canada ¹⁴Wildlife Conservation Society, Bronx, New York, USA ¹⁵Section of Social Systems Evolution, Primate Research Institute, Kyoto University, Kyoto, Japan ¹⁶University of California, San Francisco, California, USA ¹⁷Avian Disease Research Division, Animal and Plant Quarantine Agency, Gimcheon, Republic of Korea ¹⁸Respiratory Viruses Section, Laboratory of Infectious Diseases, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, Maryland ¹⁹Queensland Alliance for Agriculture and Food Innovation, The University of Queensland, St. Lucia, Queensland, Australia ²⁰Department of Botany and Plant Pathology and Center for Genome Research and Biocomputing, Oregon State University, Corvallis, Oregon, USA ²¹Institute of Virology, Philipps University Marburg, Marburg, Germany ²²Department of Crop Sciences, University of Illinois, Illinois, USA ²³Robert Koch Institut, Berlin, Germany ²⁴School of Life Sciences, University of Warwick, Coventry, UK ²⁵Department of Molecular Medicine, Mayo Clinic, Rochester, Minnesota, USA ²⁶National Center of Microbiology, Carlos III Institute of Health, Majadahonda, Madrid, Spain ²⁷World Health Organization, Geneva, Switzerland ²⁸Department of Viroscience, Erasmus Medical Center, Rotterdam, The Netherlands ²⁹Institute of Molecular Virology and Cell Biology, Friedrich-Loeffler-Institute, WHO Collaborating Centre for Rabies Surveillance and Research, Greifswald-Insel Riems, Germany ³⁰Center for Genomics and Systems Biology, Department of Biology, New York University, New York, New York, USA ³¹Public Health England, Porton Down, Wiltshire, Salisbury, UK ³²Hakubi Center for Advanced Research, Kyoto University,

Kyoto, Japan³³College of Veterinary Medicine, School of Veterinary and Life Sciences, Murdoch University, Murdoch, Western Australia, Australia³⁴State Key Laboratory of Agricultural Microbiology, The Provincial Key Lab of Plant Pathology of Hubei Province, College of Plant Science and Technology, Huazhong Agricultural University, Wuhu, China³⁵Department of Zoology, Makerere University, Kampala, Uganda³⁶Department of Microbiology, Immunology & Infectious Diseases, Université Laval, Quebec City, Canada³⁷Institute of Plant Science and Resources, Okayama University, Kurashiki, Japan³⁸National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, USA³⁹Department of Microbiology, Institut Pasteur, Paris, France⁴⁰US Geological Survey Western Fisheries Research Center, Seattle, Washington, USA⁴¹Department of Molecular Biosciences, Northwestern University, Evanston, Illinois, USA⁴²Howard Hughes Medical Institute, Northwestern University, Evanston, Illinois, USA⁴³Department of Microbiology, Icahn School of Medicine at Mount Sinai, New York, New York, USA⁴⁴Centre International de Recherches Médicales de Franceville, Institut de Recherche pour le Développement, Franceville, Gabon⁴⁵KU Leuven, Zoonotic Infectious Diseases unit, Leuven, Belgium⁴⁶Department of Veterinary Population Medicine and Veterinary Diagnostic Laboratory, College of Veterinary Medicine, University of Minnesota, St. Paul, Minnesota, USA⁴⁷Department of Microbiology and National Emerging Infectious Diseases Laboratories, Boston University School of Medicine, Boston, Massachusetts, USA⁴⁸Universidad de Chile Facultad de Ciencias Veterinarias y Pecuarias, Santiago, Chile⁴⁹Novosibirsk State University, Novosibirsk, Novosibirsk Oblast, Russia⁵⁰Department of Laboratory Medicine, University of California at San Francisco, San Francisco, California, USA⁵¹Institute of Virology, University of Veterinary Medicine, Vienna, Austria⁵²Department of Basic Medical Sciences, College of Medicine, Mohammed Bin Rashid University of Medicine and Health Sciences, Dubai, United Arab Emirates⁵³Department of Virology and Immunology, Texas Biomedical Research Institute, San Antonio, Texas, USA⁵⁴Center for Emerging Zoonotic and Parasitic Diseases, National Institute for Communicable Diseases of the National Health Laboratory Service, Sandringham-Johannesburg, Gauteng, South Africa⁵⁵Department of Veterinary Pathobiology, College of Veterinary Medicine and Biomedical Sciences, Texas A&M University, College Station, Texas, USA⁵⁶Centre for Experimental Medicine, School of Medicine, Dentistry and Biomedical Sciences, The Queen's University of Belfast, Belfast, Northern Ireland, UK⁵⁷National Center for Immunization and Respiratory Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA⁵⁸Institute for Virology, Medical Center—University of Freiburg, Faculty of Medicine, University of Freiburg, Freiburg, Germany⁵⁹School of Cellular and Molecular Medicine, University of Bristol, Bristol, UK⁶⁰CBR Division, Dstl, Porton Down, Salisbury, Wiltshire, UK⁶¹Division of Plant Sciences, College of Agriculture, Food and Natural Resources, University of Missouri, Columbia, Missouri, USA⁶²Center for Genomics and Systems Biology, Department of Biology, New York University, New York, NY, USA⁶³Department of Microbiology, Immunology, and Pathology, College of Veterinary Medicine and

Author Manuscript Author Manuscript Author Manuscript Author Manuscript

Biomedical Sciences, Colorado State University, Fort Collins, Colorado, USA
⁶⁴Centre for Environment, Fisheries and Aquaculture Science, Weymouth, Dorset, UK
⁶⁵Division of Global Epidemiology, Hokkaido University Research Center for Zoonosis Control, Sapporo, Japan
⁶⁶Institute of Biomedical Science, Universidade de São Paulo, Brazil
⁶⁷Institute for Frontier Life and Medical Sciences (inFront), Kyoto University, Kyoto, Japan
⁶⁸Institut Pasteur, Unité des Stratégies Antivirales, WHO Collaborative Centre for Viral Haemorrhagic Fevers and Arboviruses, OIE Reference Laboratory for RVFV & CCHFV, Paris, France & Institut Pasteur de Guinée, Conakry, Guinea
⁶⁹Viral Special Pathogens Branch, Division of High-Consequence Pathogens Pathology, National Center for Emerging and Zoonotic Infectious Diseases, Centers for Disease Control and Prevention, Atlanta, Georgia, USA
⁷⁰Universidad Austral de Chile Facultad de Ciencias Veterinarias, Valdivia, Chile
⁷¹Molecular Basis of Viral Pathogenicity, CIRI, INSERM U1111 - CNRS UMR5308, Université de Lyon, Université Claude Bernard Lyon 1, Ecole Normale Supérieure de Lyon, Lyon, France
⁷²National Biodefense Analysis and Countermeasures Center, Fort Detrick, Frederick, MD, USA
⁷³School of Biological Sciences, University of Queensland, St. Lucia, Queensland, Australia
⁷⁴Departments of Molecular Microbiology and Pathology and Immunology, Washington University School of Medicine, St. Louis, Missouri, USA
⁷⁵Programme in Emerging Infectious Diseases, Duke-NUS Medical School, Singapore
⁷⁶College of Veterinary Medicine, University of Florida, Gainesville, Florida, USA
⁷⁷University of Nebraska Medical Center, Omaha, Nebraska, USA
⁷⁸Department of Entomology and Plant Pathology, North Carolina State University, Raleigh North Carolina, USA
⁷⁹State Key Laboratory of Rice Biology & Ministry of Agriculture Key Laboratory of Molecular Biology of Crop Pathogens and Insects, Institute of Insect Sciences, Zhejiang University, Hangzhou, China
⁸⁰State Key Laboratory for Infectious Disease Prevention and Control, Collaborative Innovation Center for Diagnosis and Treatment of Infectious Diseases, Department of Zoonoses, National Institute for Communicable Disease Control and Prevention, Chinese Center for Disease Control and Prevention, Changping, Beijing, China

Acknowledgments

We thank Laura Bollinger (NIH/NIAID Integrated Research Facility at Fort Detrick, Frederick, MD, USA) for critically editing the manuscript.

Funding

This work was supported in part through Battelle Memorial Institute's prime contract with the US National Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272200700016I (Y.C., J.H.K.). This work was also funded in part under Contract No. HSHQDC-15-C-00064 awarded by DHS S&T for the management and operation of the National Biodefense Analysis and Countermeasures Center (NBACC), a federally funded research and development center (V.W.); National Institutes of Health (NIH) contract HHSN272201000040I/HHSN2720004/D04 and grant R24AI120942 (N.V., R.B.T.); and intramural funds of the US Department of Health and Human Services to the US National Library of Medicine (E.V.K. and Y.I.W.). This work was also supported by the UK Department for Environment, Food and Rural Affairs (Defra), Scottish Government and Welsh Government (grant number SV3500) (A.R.F.).

ORCIDs

- Amarasinghe: orcid.org/0000-0002-0418-9707
- Aréchiga Ceballos: orcid.org/0000-0002-7450-3060
- Banyard: orcid.org/0000-0002-1286-9825
- Basler: orcid.org/0000-0003-4195-425X
- Blasdell: orcid.org/0000-0003-2121-0376
- Briese: orcid.org/0000-0002-4819-8963
- Bukreyev: orcid.org/0000-0002-0342-4824
- Chandran: orcid.org/0000-0003-0232-7077
- Choi: orcid.org/0000-0001-6825-6924
- Dietzgen: orcid.org/0000-0002-7772-2250
- Dolnik: orcid.org/0000-0001-7739-4798
- Domier: orcid.org/0000-0002-4943-2547
- Dürrwald: orcid.org/0000-0002-3432-0438
- Dye: orcid.org/0000-0002-0883-5016
- Easton: orcid.org/0000-0002-2288-3882
- Echevarría: orcid.org/0000-0001-7522-850X
- Fooks: orcid.org/0000-0002-3243-6154
- Formenty: orcid.org/0000-0002-9482-5411
- Fouchier: orcid.org/0000-0001-8095-2869
- Freuling: orcid.org/0000-0002-1076-398X
- Ghedin: orcid.org/0000-0002-1515-725X
- Goldberg: orcid.org/0000-0003-3962-4913
- Hewson: orcid.org/0000-0003-2273-3152
- Horie: orcid.org/0000-0003-4682-7698
- Hyndman: orcid.org/0000-0003-4083-562X

Kobinger: orcid.org/0000-0003-0612-2298
Krupovic: orcid.org/0000-0001-5486-0098
Kurath: orcid.org/0000-0003-3294-560X
Lee: orcid.org/0000-0003-0760-1709
Maes: orcid.org/0000-0002-4571-5232
Maisner: orcid.org/0000-0002-9369-4050
Marston: orcid.org/0000-0001-9215-088X
Mühlberger: orcid.org/0000-0003-3547-9376
Müller: orcid.org/0000-0002-0959-3653
Netesov: orcid.org/0000-0002-7786-2464
Ng: orcid.org/0000-0002-4815-8697
Nowotny: orcid.org/0000-0002-3548-571X
Palacios: orcid.org/0000-0001-5062-1938
Paw ska: orcid.org/0000-0001-8776-7519
Payne: orcid.org/0000-0001-8494-580X
Rima: 0000-0002-1427-4120
Siddell: orcid.org/0000-0002-8702-7868
Stenglein: 0000-0002-0993-813X
Stone: orcid.org/0000-0002-6912-746X
Takada: orcid.org/0000-0003-2464-6642
Thomazelli: orcid.org/0000-0002-9157-6122
Towner: orcid.org/0000-0002-6473-3049
Vasilakis: orcid.org/0000-0002-0708-3289
Vázquez-Morón: orcid.org/0000-0002-0977-741X
Verdugo: orcid.org/0000-0002-2866-260X
Wahl: orcid.org/0000-0002-6588-4308

Walker: orcid.org/0000-0003-1851-642X
Wellehan: orcid.org/0000-0001-5692-6134
Whitfield: orcid.org/0000-0002-3538-015X
Wolf: orcid.org/0000-0002-0247-8708
Ye: orcid.org/0000-0003-4937-8867
Kuhn: orcid.org/0000-0002-7800-6045

References

1. Adams MJ, Lefkowitz EJ, King AM, Carstens EB. Ratification vote on taxonomic proposals to the International Committee on Taxonomy of Viruses (2014). *Arch Virol*. 2014; 159:2831–2841. [PubMed: 24906522]
2. Afonso CL, Amarasinghe GK, Bányai K, Bào Y, Basler CF, Bavari S, Bejerman N, Blasdell KR, Briand F-X, Briese T, Bukreyev A, Calisher CH, Chandran K, Chéng J, Clawson AN, Collins PL, Dietzgen RG, Dolnik O, Domier LL, Dürwald R, Dye JM, Easton AJ, Ebihara H, Farkas SL, Freitas-Astúa J, Formenty P, Fouchier RA, Fù Y, Ghedin E, Goodin MM, Hewson R, Horie M, Hyndman TH, Ji ng D, Kitajima EW, Kobinger GP, Kondo H, Kurath G, Lamb RA, Lenardon S, Leroy EM, Li C-X, Lin X-D, Liú L, Longdon B, Marton S, Maisner A, Mühlberger E, Netesov SV, Nowotny N, Patterson JL, Payne SL, Paweska JT, Randall RE, Rima BK, Rota P, Rubbenstroth D, Schwemmle M, Shi M, Smither SJ, Stenglein MD, Stone DM, Takada A, Terregino C, Tesh RB, Tian J-H, Tomonaga K, Tordo N, Towner JS, Vasilakis N, Verbeek M, Volchkov VE, Wahl-Jensen V, Walsh JA, Walker PJ, Wang D, Wang L-F, Wetzel T, Whitfield AE, Xiè JT, Yuen K-Y, Zhang Y-Z, Kuhn JH. Taxonomy of the order *Mononegavirales*: update 2016. *Arch Virol*. 2016; 161:2351–2360. [PubMed: 27216929]
3. Amarasinghe GK, Bào Y, Basler CF, Bavari S, Beer M, Bejerman N, Blasdell KR, Bochnowski A, Briese T, Bukreyev A, Calisher CH, Chandran K, Collins PL, Dietzgen RG, Dolnik O, Dürwald R, Dye JM, Easton AJ, Ebihara H, Fang Q, Formenty P, Fouchier RAM, Ghedin E, Harding RM, Hewson R, Higgins CM, Hong J, Horie M, James AP, Ji ng D, Kobinger GP, Kondo H, Kurath G, Lamb RA, Lee B, Leroy EM, Li M, Maisner A, Mühlberger E, Netesov SV, Nowotny N, Patterson JL, Payne SL, Paweska JT, Pearson MN, Randall RE, Revill PA, Rima BK, Rota P, Rubbenstroth D, Schwemmle M, Smither SJ, Song Q, Stone DM, Takada A, Terregino C, Tesh RB, Tomonaga K, Tordo N, Towner JS, Vasilakis N, Volchkov VE, Wahl-Jensen V, Walker PJ, Wang B, Wang D, Wang F, Wang L-F, Werren JH, Whitfield AE, Yan Z, Ye G, Kuhn JH. Taxonomy of the order *Mononegavirales*: update 2017. *Arch Virol*. 2017; 162:2493–2504. [PubMed: 28389807]
4. Aréchiga Ceballos N, Vázquez Morón S, Berciano JM, Nicolás O, Aznar López C, Juste J, Rodríguez Nevado C, Aguilar Setién A, Echevarría JE. Novel lyssavirus in bat, Spain. *Emerg Infect Dis*. 2013; 19:793–795. [PubMed: 23648051]
5. Bishop DHL, Pringle CR. Order *Mononegavirales*. In: Murphy FA, Fauquet CM, Bishop DHL, Ghabrial SA, Jarvis AW, Martelli GP, Mayo MA, Summers MD, editors. *Virus Taxonomy—Sixth Report of the International Committee on Taxonomy of Viruses/Archives of Virology*. Springer-Verlag: Vienna, Austria; 1995. 265–267.
6. Easton AJ, Pringle CR. Order *Mononegavirales*. In: King AMQ, Adams MJ, Carstens EB, Lefkowitz EJ, editors. *Virus Taxonomy—Ninth Report of the International Committee on Taxonomy of Viruses*. Elsevier/Academic Press; London, United Kingdom; 2011. 653–657.
7. Fauver JR, Grubaugh ND, Krajacich BJ, Weger-Lucarelli J, Lakin SM, Fakoli LS III, Bolay FK, Diclaro JW II, Dabiré KR, Foy BD, Brackney DE, Ebel GD, Stenglein MD. West African *Anopheles gambiae* mosquitoes harbor a taxonomically diverse virome including new insect-specific flaviviruses, mononegaviruses, and totiviruses. *Virology*. 2016; 498:288–299. [PubMed: 27639161]

8. Goldberg TL, Bennett AJ, Kityo R, Kuhn JH, Chapman CA. Kanyawara virus: a novel rhabdovirus infecting newly discovered nycteribiid bat flies infesting previously unknown pteropodid bats in Uganda. *Sci Rep.* 2017; 7:5287. [PubMed: 28706276]
9. Gunawardena PS, Marston DA, Ellis RJ, Wise EL, Karawita AC, Breed AC, McElhinney LM, Johnson N, Banyard AC, Fooks AR. Lyssavirus in Indian flying foxes, Sri Lanka. *Emerg Infect Dis.* 2016; 22:1456–1459. [PubMed: 27434858]
10. Hyndman TH, Shilton CM, Stenglein MD, Wellehan JFX Jr. Divergent bornaviruses from Australian carpet pythons with neurological disease date the origin of extant *Bornaviridae* prior to the end-Cretaceous extinction. *PLOS Pathog.* 2018; 14:e1006881. [PubMed: 29462190]
11. Kuhn JH, Bekal S, Cai Y, Clawson AN, Domier LL, Herrel M, Jahrling PB, Kondo H, Lambert KN, Mihindukulasuriya KA, Nowotny N, Radoshitzky SR, Schneider U, Staeheli P, Suzuki N, Tesh RB, Wang D, Wang L-F, Dietzgen RG. *Nyamiviridae*: proposal for a new family in the order *Mononegavirales*. *Arch Virol.* 2013; 158:2209–2226. [PubMed: 23636404]
12. Lee H-J, Kim J-Y, Lee Y-J, Lee E-K, Song B-M, Lee H-S, Choi K-S. A novel avian paramyxovirus (putative serotype 15) isolated from wild birds. *Front Microbiol.* 2017; 8:786. [PubMed: 28529504]
13. Li C-X, Shi M, Tian J-H, Lin X-D, Kang Y-J, Chen L-J, Qin X-C, Xu J, Holmes EC, Zhang Y-Z. Unprecedented genomic diversity of RNA viruses in arthropods reveals the ancestry of negative-sense RNA viruses. *Elife.* 2015; 4:e05378.
14. Longdon B, Murray GG, Palmer WJ, Day JP, Parker DJ, Welch JJ, Obbard DJ, Jiggins FM. The evolution, diversity, and host associations of rhabdoviruses. *Virus Evol.* 2015; 1:vev014. [PubMed: 27774286]
15. Marston DA, Ellis RJ, Wise EL, Aréchiga Ceballos N, Freuling CM, Banyard AC, McElhinney LM, de Lamballerie X, Müller T, Fooks AR, Echevarría JE. Complete genome sequence of Lleida bat lyssavirus. *Genome Announc.* 2017; 5:e01427. [PubMed: 28082487]
16. Marzano S-YL, Domier LL. Novel mycoviruses discovered from metatranscriptomics survey of soybean phyllosphere phytobiomes. *Virus Res.* 2016; 213:332–342. [PubMed: 26547008]
17. Marzano S-YL, Nelson BD, Ajayi-Oyetunde O, Bradley CA, Hughes TJ, Hartman GL, Eastburn DM, Domier LL. Identification of diverse mycoviruses through metatranscriptomics characterization of the viromes of five major fungal plant pathogens. *J Virol.* 2016; 90:6846–6863. [PubMed: 27194764]
18. Neira V, Tapia R, Verdugo C, Barriga G, Mor S, Ng TFF, García V, del Río J, Rodrigues P, Briceño C, Medina RA, González-Acuña D. Novel avulaviruses in penguins, Antarctica. *Emerg Infect Dis.* 2017; 23:1212–1214. [PubMed: 28628443]
19. Pringle CR. Order *Mononegavirales*. In: Francki RIB, Fauquet CM, Knudson DL, Brown F, editors *Classification and Nomenclature of Viruses—Fifth Report of the International Committee on Taxonomy of Viruses/Archives of Virology*. Springer-Verlag; Vienna, Austria: 1991. 239–241.
20. Pringle CR, Alexander DJ, Billeter MA, Collins PL, Kingsbury DW, Lipkind MA, Nagai Y, Orvell C, Rima B, Rott R, ter Meulen V. The order *Mononegavirales*. *Arch Virol.* 1991; 117:137–140. [PubMed: 2006902]
21. Pringle CR. Virus taxonomy 1996—a bulletin from the Xth International Congress of Virology in Jerusalem. *Arch Virol.* 1996; 141:2251–2256. [PubMed: 8992952]
22. Pringle CR. The order *Mononegavirales*—current status. *Arch Virol.* 1997; 142:2321–2326. [PubMed: 9672597]
23. Pringle CR. Order *Mononegavirales*. In: van Regenmortel MHV, Fauquet CM, Bishop DHL, Carstens EB, Estes MK, Lemon SM, Maniloff J, Mayo MA, McGeoch DJ, Pringle CR, Wickner RB, editors *Virus Taxonomy—Seventh Report of the International Committee on Taxonomy of Viruses*. Academic Press; San Diego, California, USA: 2000. 525–530.
24. Pringle CR. Order *Mononegavirales*. In: Fauquet CM, Mayo MA, Maniloff J, Desselberger U, Ball LA, editors *Virus Taxonomy—Eighth Report of the International Committee on Taxonomy of Viruses*. Elsevier/Academic Press; San Diego, California, USA: 2005. 609–614.
25. Shi M, Lin X-D, Tian J-H, Chen L-J, Chen X, Li C-X, Qin X-C, Li J, Cao J-P, Eden J-S, Buchmann J, Wang W, Xu J, Holmes EC, Zhang Y-Z. Redefining the invertebrate RNA virosphere. *Nature.* 2016; 540:539–543.

26. Standfast HA, Dyce AL, St George TD, Muller MJ, Doherty RL, Carley JG, Filippich C. Isolation of arboviruses from insects collected at Beatrice Hill, Northern Territory of Australia, 1974-1976. *Aust J Biol Sci.* 1984; 37:351–366. [PubMed: 6152599]
27. Thampaisarn R, Bui VN, Trinh DQ, Nagai M, Mizutani T, Omatsu T, Katayama Y, Gronsang D, Le DHT, Ogawa H, Imai K. Characterization of avian paramyxovirus serotype 14, a novel serotype, isolated from a duck fecal sample in Japan. *Virus Res.* 2017; 228:46–57. [PubMed: 27884627]
28. Thomazelli LM, de Araújo J, Fabrizio T, Walker D, Reischak D, Ometto T, Barbosa CM, Petry MV, Webby RJ, Durigon EL. Novel avian paramyxovirus (APMV-15) isolated from a migratory bird in South America. *PLoS One.* 2017; 12:e0177214. [PubMed: 28486490]
29. Wiley MR, Prieto K, Blasdell KR, Cai Y, Campos Lawson C, Walker PJ, Chiu CY, Palacios G, Kuhn JH. Beatrice Hill virus represents a novel species in the genus *Tibrovirus* (*Mononegavirales: Rhabdoviridae*). *Genome Announc.* 2017; 5:e01485–01416. [PubMed: 28126935]

Table 1
ICTV-accepted taxonomy of the order Mononegavirales as of 2018

Listed are all mononegaviruses that have been classified into species.

Genus	Species¶	Virus (Abbreviation)¶
Family Bornaviridae		
<i>Carbovirus</i>	<i>Queensland carbovirus</i> *	jungle carpet python virus (JCPV)
	<i>Southwest carbovirus</i>	southwest carpet python virus (SWCPV)
<i>Orthobornavirus</i>	<i>Elapid 1 orthobornavirus</i>	Loveridge's garter snake virus 1 (LGSV-1)
	<i>Mammalian 1 orthobornavirus</i> *	Borna disease virus 1 (BoDV-1)
		Borna disease virus 2 (BoDV-2)
	<i>Mammalian 2 orthobornavirus</i>	variegated squirrel bornavirus 1 (VSBV-1)
	<i>Passeriform 1 orthobornavirus</i>	canary bornavirus 1 (CnBV-1)
		canary bornavirus 2 (CnBV-2)
		canary bornavirus 3 (CnBV-3)
	<i>Passeriform 2 orthobornavirus</i>	estrildid finch bornavirus 1 (EsBV-1)
	<i>Psittaciform 1 orthobornavirus</i>	parrot bornavirus 1 (PaBV-1)
		parrot bornavirus 2 (PaBV-2)
		parrot bornavirus 3 (PaBV-3)
		parrot bornavirus 4 (PaBV-4)
		parrot bornavirus 7 (PaBV-7)
	<i>Psittaciform 2 orthobornavirus</i>	parrot bornavirus 5 (PaBV-5)
	<i>Waterbird 1 orthobornavirus</i>	aquatic bird bornavirus 1 (ABBV-1)
		aquatic bird bornavirus 2 (ABBV-2)
Family Filoviridae		
<i>Cuevavirus</i>	<i>Lloviu cuevavirus</i> *	Lloviu virus (LLOV)
<i>Ebolavirus</i>	<i>Bundibugyo ebolavirus</i>	Bundibugyo virus (BDBV)
	<i>Reston ebolavirus</i>	Reston virus (RESTV)
	<i>Sudan ebolavirus</i>	Sudan virus (SUDV)
	<i>Tai Forest ebolavirus</i>	Tai Forest virus (TAFV)
	<i>Zaire ebolavirus</i> *	Ebola virus (EBOV)
<i>Marburgvirus</i>	<i>Marburg marburgvirus</i> *	Marburg virus (MARV)
		Ravn virus (RAVV)
Family Mymonaviridae		
<i>Sclerotimonavirus</i>	<i>Sclerotinia sclerotimonavirus</i> *	Sclerotinia sclerotiorum negative-stranded RNA virus 1 (SsNSRV-1)
Family Nyamiviridae		
<i>Nyavirus</i>	<i>Midway nyavirus</i>	Midway virus (MIDWV)
	<i>Nyamanini nyavirus</i> *	Nyamanini virus (NYMV)
	<i>Sierra Nevada nyavirus</i>	Sierra Nevada virus (SNVV)

Genus	Species¶	Virus (Abbreviation)¶
<i>Peropivirus</i>	<i>Pteromalus puparum peropivirus</i> * [*]	Pteromalus puparum negative-strand RNA virus 1 (PpNSRV-1)
<i>Socyvirus</i>	<i>Soybean cyst nematode socyvirus</i> * [*]	soybean cyst nematode virus 1 (SbCNV-1)
Family Paramyxoviridae		
<i>Aquaparamyxovirus</i>	<i>Salmon aquaparamyxovirus</i> * [*]	Atlantic salmon paramyxovirus (AsaPV)
<i>Avulavirus</i>	<i>Avian avulavirus 1</i> [*]	avian paramyxovirus 1 (APMV-1) ¹
	<i>Avian avulavirus 2</i>	avian paramyxovirus 2 (APMV-2)
	<i>Avian avulavirus 3</i>	avian paramyxovirus 3 (APMV-3)
	<i>Avian avulavirus 4</i>	avian paramyxovirus 4 (APMV-4)
	<i>Avian avulavirus 5</i>	avian paramyxovirus 5 (APMV-5)
	<i>Avian avulavirus 6</i>	avian paramyxovirus 6 (APMV-6)
	<i>Avian avulavirus 7</i>	avian paramyxovirus 7 (APMV-7)
	<i>Avian avulavirus 8</i>	avian paramyxovirus 8 (APMV-8)
	<i>Avian avulavirus 9</i>	avian paramyxovirus 9 (APMV-9)
	<i>Avian avulavirus 10</i>	avian paramyxovirus 10 (APMV-10)
	<i>Avian avulavirus 11</i>	avian paramyxovirus 11 (APMV-11)
	<i>Avian avulavirus 12</i>	avian paramyxovirus 12 (APMV-12)
	<i>Avian avulavirus 13</i>	avian paramyxovirus 13 (APMV-13)
	<i>Avian avulavirus 14</i>	avian paramyxovirus 14 (APMV-14)
	<i>Avian avulavirus 15</i>	avian paramyxovirus 15 (APMV-15)
	<i>Avian avulavirus 16</i>	avian paramyxovirus 16 (APMV-16)
	<i>Avian avulavirus 17</i>	Antarctic penguin virus A (APV-A)
	<i>Avian avulavirus 18</i>	Antarctic penguin virus B (APV-B)
	<i>Avian avulavirus 19</i>	Antarctic penguin virus C (APV-C)
<i>Ferlaviruses</i>	<i>Reptilian ferlaviruses</i> * [*]	Fer-de-Lance virus (FDLV)
<i>Henipavirus</i>	<i>Cedar henipavirus</i>	Cedar virus (CedV)
	<i>Ghanaian bat henipavirus</i>	Kumasi virus (KV) ²
	<i>Hendra henipavirus</i> * [*]	Hendra virus (HeV)
	<i>Mojiang henipavirus</i>	Möji ng virus (MojV)
	<i>Nipah henipavirus</i>	Nipah virus (NiV)
<i>Morbillivirus</i>	<i>Canine morbillivirus</i>	canine distemper virus (CDV)
	<i>Cetacean morbillivirus</i>	cetacean morbillivirus (CeMV)
	<i>Feline morbillivirus</i>	feline morbillivirus (FeMV)
	<i>Measles morbillivirus</i> * [*]	measles virus (MeV)
	<i>Small ruminant morbillivirus</i>	peste-des-petits-ruminants virus (PPRV)
	<i>Phocine morbillivirus</i>	phocine distemper virus (PDV)
	<i>Rinderpest morbillivirus</i>	rinderpest virus (RPV)
<i>Respirovirus</i>	<i>Bovine respirovirus 3</i>	bovine parainfluenza virus 3 (BPIV-3)
	<i>Human respirovirus 1</i>	human parainfluenza virus 1 (HPIV-1)

Genus	Species¶	Virus (Abbreviation)¶
	<i>Human respirovirus 3</i>	human parainfluenza virus 3 (HPIV-3)
	<i>Porcine respirovirus 1</i>	porcine parainfluenza virus 1 (PPIV-1)
	<i>Murine respirovirus*</i>	Sendai virus (SeV) ³
<i>Rubulavirus</i>	<i>Achimota rubulavirus 1</i>	Achimota virus 1 (AchPV-1)
	<i>Achimota rubulavirus 2</i>	Achimota virus 2 (AchPV-2)
	<i>Bat mumps rubulavirus</i>	bat mumps virus (BMV) ⁴
	<i>Canine rubulavirus</i>	parainfluenza virus 5 (PIV-5) ⁵
	<i>Human rubulavirus 2</i>	human parainfluenza virus 2 (HPIV-2)
	<i>Human rubulavirus 4</i>	human parainfluenza virus 4a (HPIV-4a)
		human parainfluenza virus 4b (HPIV-4b)
	<i>Mapuera rubulavirus</i>	Mapuera virus (MapV)
	<i>Menangle rubulavirus</i>	Menangle virus (MenPV)
	<i>Mumps rubulavirus*</i>	mumps virus (MuV)
	<i>Porcine rubulavirus</i>	La Piedad Michoacán Mexico virus (LPMV) ⁶
	<i>Simian rubulavirus</i>	simian virus 41 (SV-41)
	<i>Sosuga rubulavirus</i>	Sosuga virus
	<i>Teviot rubulavirus</i>	Teviot virus (TevPV)
	<i>Tioman rubulavirus</i>	Tioman virus (TioPV)
	<i>Tuhoko rubulavirus 1</i>	Tuhoko virus 1 (ThkPV-1)
	<i>Tuhoko rubulavirus 2</i>	Tuhoko virus 2 (ThkPV-2)
	<i>Tuhoko rubulavirus 3</i>	Tuhoko virus 3 (ThkPV-3)
Family Pneumoviridae		
<i>Metapneumovirus</i>	<i>Avian metapneumovirus*</i>	avian metapneumovirus (AMPV) ⁷
	<i>Human metapneumovirus</i>	human metapneumovirus (HMPV)
<i>Orthopneumovirus</i>	<i>Bovine orthopneumovirus</i>	bovine respiratory syncytial virus (BRSV)
	<i>Human orthopneumovirus*</i>	human respiratory syncytial virus A2 (HRSV-A2)
		human respiratory syncytial virus B1 (HRSV-B1)
	<i>Murine orthopneumovirus</i>	murine pneumonia virus (MPV)
Family Rhabdoviridae		
<i>Almendravirus</i>	<i>Arboretum almendravirus</i>	Arboretum virus (ABTV)
	<i>Balsa almendravirus</i>	Balsa virus (BALV)
	<i>Coot Bay almendravirus</i>	Coot Bay virus (CBV)
	<i>Puerto Almendras almendravirus*</i>	Puerto Almendras virus (PTAMV)
	<i>Rio Chico almendravirus</i>	Rio Chico virus (RCHV)
<i>Curiovirus</i>	<i>Curionopolis curiovirus*</i>	Curionopolis virus (CURV)
	<i>Iriri curiovirus</i>	Iriri virus (IRIRV)
	<i>Itacaiunas curiovirus</i>	Itacaiunas virus (ITAV)
	<i>Rochambeau curiovirus</i>	Rochambeau virus (RBUV)

Genus	Species¶	Virus (Abbreviation)¶
<i>Cytorhabdovirus</i>	<i>Alfalfa dwarf cytorhabdovirus</i>	alfalfa dwarf virus (ADV)
	<i>Barley yellow striate mosaic cytorhabdovirus</i>	barley yellow striate mosaic virus (BYSMV)
	<i>Broccoli necrotic yellows cytorhabdovirus</i>	broccoli necrotic yellows virus (BNYV)
	<i>Colocasia bobone disease-associated cytorhabdovirus</i>	Colocasia bobone disease-associated virus (CBDaV)
	<i>Festuca leaf streak cytorhabdovirus</i>	festuca leaf streak virus (FLSV)
	<i>Lettuce necrotic yellows cytorhabdovirus*</i>	lettuce necrotic yellows virus (LNYV)
	<i>Lettuce yellow mottle cytorhabdovirus</i>	lettuce yellow mottle virus (LYMoV)
	<i>Northern cereal mosaic cytorhabdovirus</i>	northern cereal mosaic virus (NCMV)
	<i>Sonchus cytorhabdovirus 1</i>	sonchus virus (SonV)
	<i>Strawberry crinkle cytorhabdovirus</i>	strawberry crinkle virus (SCV)
	<i>Wheat American striate mosaic cytorhabdovirus</i>	wheat American striate mosaic virus (WASMV)
<i>Dichorhavirus</i>	<i>Coffee ringspot dichorhavirus</i>	coffee ringspot virus (CoRSV)
	<i>Orchid fleaek dichorhavirus*</i>	orchid fleaek virus (OFV)§
<i>Ephemerovirus</i>	<i>Adelaide River ephemerovirus</i>	Adelaide River virus (ARV)
	<i>Berrimah ephemerovirus</i>	Berrimah virus (BRMV)
	<i>Bovine fever ephemerovirus*</i>	bovine ephemeral fever virus (BEFV)
	<i>Kimberley ephemerovirus</i>	Kimberley virus (KIMV)
		Malakal virus (MALV)
	<i>Koolpinyah ephemerovirus</i>	Koolpinyah virus (KOOLV)
	<i>Kotonkan ephemerovirus</i>	kotonkan virus (KOTV)
	<i>Obodhiang ephemerovirus</i>	Obodhiang virus (OBOV)
	<i>Yata ephemerovirus</i>	Yata virus (YATV)
<i>Hapavirus</i>	<i>Flanders hapavirus</i>	Flanders virus (FLAV)
	<i>Hart Park hapavirus</i>	Hart Park virus (HPV)
	<i>Gray Lodge hapavirus</i>	Gray Lodge virus (GLOV)
	<i>Joinjakaka hapavirus</i>	Joinjakaka virus (JOIV)
	<i>La Joya hapavirus</i>	La Joya virus (LJV)
	<i>Kameise hapavirus</i>	Kameise virus (KAMV)
	<i>Landjia hapavirus</i>	Landjia virus (LANV = LJAV)
	<i>Manitoba hapavirus</i>	Manitoba virus (MANV = MNTBV)
	<i>Marco hapavirus</i>	Marco virus (MCOV)
	<i>Mosqueiro hapavirus</i>	Mosqueiro virus (MQOV)
	<i>Mossuril hapavirus</i>	Mossuril virus (MOSV)
	<i>Ngaingan hapavirus</i>	Ngaingan virus (NGAV)

Genus	Species¶	Virus (Abbreviation)¶
	<i>Ord River hapavirus</i>	Ord River virus (ORV)
	<i>Parry Creek hapavirus</i>	Parry Creek virus (PCV)
	<i>Wongabel hapavirus</i> * ⁸	Wongabel virus (WONV)
<i>Ledantivirus</i>	<i>Barur ledantivirus</i>	Barur virus (BARV)
	<i>Fikirini ledantivirus</i>	Fikirini virus (FKRV)
	<i>Fukuoka ledantivirus</i>	Fukuoka virus (FUKV)
	<i>Kanyawara ledantivirus</i>	Kanyawara virus (KYAV)
	<i>Kern Canyon ledantivirus</i>	Kern Canyon virus (KCV)
	<i>Keuraliba ledantivirus</i>	Keuraliba virus (KEUV)
	<i>Kolente ledantivirus</i>	Kolente virus (KOLEV)
	<i>Kumasi ledantivirus</i>	Kumasi rhabdovirus (KRV)
	<i>Le Dantec ledantivirus</i> *	Le Dantec virus (LDV)
	<i>Mount Elgon bat ledantivirus</i>	Mount Elgon bat virus (MEBV)
	<i>Nkolbisson ledantivirus</i>	Nkolbisson virus (NKOV)
	<i>Nishimuro ledantivirus</i>	Nishimuro virus (NISV) ⁹
	<i>Oita ledantivirus</i>	Oita virus (OITAV)
	<i>Wuhan ledantivirus</i>	Wǔhàn louse fly virus 5 (WLFV-5)
	<i>Yongjia ledantivirus</i>	Yōngji tick virus 2 (YTV-2)
<i>Lyssavirus</i>	<i>Aravan lyssavirus</i>	Aravan virus (ARAV)
	<i>Australian bat lyssavirus</i>	Australian bat lyssavirus (ABLV)
	<i>Bokeloh bat lyssavirus</i>	Bokeloh bat lyssavirus (BBLV)
	<i>Duvenhage lyssavirus</i>	Duvenhage virus (DUVV)
	<i>European bat 1 lyssavirus</i>	European bat lyssavirus 1 (EBLV-1)
	<i>European bat 2 lyssavirus</i>	European bat lyssavirus 2 (EBLV-2)
	<i>Gannoruwa bat lyssavirus</i>	Gannoruwa bat lyssavirus (GBLV)
	<i>Ikoma lyssavirus</i>	Ikoma lyssavirus (IKOV)
	<i>Irkut lyssavirus</i>	Irkut virus (IRKV)
	<i>Khujand lyssavirus</i>	Khujand virus (KHUV)
	<i>Lagos bat lyssavirus</i>	Lagos bat virus (LBV)
	<i>Lleida bat lyssavirus</i>	Lleida bat virus (LLEBV)
	<i>Mokola lyssavirus</i>	Mokola virus (MOKV)
	<i>Rabies lyssavirus</i> *	rabies virus (RABV)
	<i>Shimoni bat lyssavirus</i>	Shimoni bat virus (SHIBV)
	<i>West Caucasian bat lyssavirus</i>	West Caucasian bat virus (WCBV)
<i>Novirhabdovirus</i>	<i>Hirame novirhabdovirus</i>	hirame rhabdovirus (HIRV)
	<i>Piscine novirhabdovirus</i>	viral hemorrhagic septicemia virus (VHSV) ¹⁰
	<i>Salmonid novirhabdovirus</i> *	infectious hematopoietic necrosis virus (IHNV)
	<i>Snakehead novirhabdovirus</i>	snakehead rhabdovirus (SHRV)

Genus	Species¶	Virus (Abbreviation)¶
<i>Nucleorhabdovirus</i>	<i>Datura yellow vein nucleorhabdovirus</i>	datura yellow vein virus (DYVV)
	<i>Eggplant mottled dwarf nucleorhabdovirus</i>	eggplant mottled dwarf virus (EMDV)
	<i>Maize fine streak nucleorhabdovirus</i>	maize fine streak virus (MSFV)
	<i>Maize Iranian mosaic nucleorhabdovirus</i>	maize Iranian mosaic virus (MIMV)
	<i>Maize mosaic nucleorhabdovirus</i>	maize mosaic virus (MMV)
	<i>Potato yellow dwarf nucleorhabdovirus*</i>	potato yellow dwarf virus (PYDV)
	<i>Rice yellow stunt nucleorhabdovirus</i>	rice yellow stunt virus (RYSV)
		rice transitory yellowing virus (RTYV)
	<i>Sonchus yellow net nucleorhabdovirus</i>	sonchus yellow net virus (SYNV)
	<i>Sowthistle yellow vein nucleorhabdovirus</i>	sowthistle yellow vein virus (SYVV)
	<i>Taro vein chlorosis nucleorhabdovirus</i>	taro vein chlorosis virus (TaVCV)
<i>Perhabdovirus</i>	<i>Anguillid perhabdovirus</i>	eel virus European X (EVEX)
	<i>Perch perhabdovirus*</i>	perch rhabdovirus (PRV)
	<i>Sea trout perhabdovirus</i>	lake trout rhabdovirus (LTRV)
<i>Sigmavirus</i>	<i>Drosophila affinis sigmavirus</i>	Drosophila affinis sigmavirus (DAffSV)
	<i>Drosophila ananassae sigmavirus</i>	Drosophila ananassae sigmavirus (DAAnSV)
	<i>Drosophila immigrans sigmavirus</i>	Drosophila immigrans sigmavirus (DImmSV)
	<i>Drosophila melanogaster sigmavirus*</i>	Drosophila melanogaster sigmavirus (DMelSV)
	<i>Drosophila obscura sigmavirus</i>	Drosophila obscura sigmavirus (DObsSV)
	<i>Drosophila tristis sigmavirus</i>	Drosophila tristis sigmavirus (DTriSV)
	<i>Muscina stabulans sigmavirus</i>	Muscina stabulans sigmavirus (MStaSV)
<i>Sprivivirus</i>	<i>Carp sprivivirus*</i>	spring viremia of carp virus (SVCV)
	<i>Pike fry sprivivirus</i>	grass carp rhabdovirus (GrCRV)
		pike fry rhabdovirus (PFRV)
		tench rhabdovirus (TenRV)
<i>Sripuvirus</i>	<i>Almpiwar sripuvirus</i>	Almpiwar virus (ALMV)
	<i>Chaco sripuvirus</i>	Chaco virus (CHOV)
	<i>Niakha sripuvirus*</i>	Niakha virus (NIAV)
	<i>Sena Madureira sripuvirus</i>	Sena Madureira virus (SMV)
	<i>Sripur sripuvirus</i>	Sripur virus (SRIV)
<i>Tibrovirus</i>	<i>Bas Congo tibrovirus</i>	Bas-Congo virus (BASV)
	<i>Beatrice Hill tibrovirus</i>	Beatrice Hill virus (BHV)
	<i>Coastal Plains tibrovirus</i>	Coastal Plains virus (CPV)

Genus	Species¶	Virus (Abbreviation)¶
	<i>Ekpoma 1 tibrovirus</i>	Ekpoma virus 1 (EKV-1)
	<i>Ekpoma 2 tibrovirus</i>	Ekpoma virus 2 (EKV-2)
	<i>Sweetwater Branch tibrovirus</i>	Sweetwater Branch virus (SWBV)
	<i>Tibrogargan tibrovirus</i> * ¹	Bivens Arm virus (BAV)
		Tibrogargan virus (TIBV)
<i>Tupavirus</i>	<i>Durham tupavirus</i> *	Durham virus (DURV)
	<i>Klamath tupavirus</i>	Klamath virus (KLAV)
	<i>Tupaia tupavirus</i>	tupaia virus (TUPV)
<i>Varicosavirus</i>	<i>Lettuce big-vein associated varicosavirus</i> *	lettuce big-vein associated virus (LBVaV) ^{II}
<i>Vesiculovirus</i>	<i>Alagoas vesiculovirus</i>	vesicular stomatitis Alagoas virus (VSAV)
	<i>American bat vesiculovirus</i>	American bat vesiculovirus (ABVV)
	<i>Carajas vesiculovirus</i>	Carajás virus (CJSV)
	<i>Chandipura vesiculovirus</i>	Chandipura virus (CHPV)
	<i>Cocal vesiculovirus</i>	Cocal virus (COCV)
	<i>Indiana vesiculovirus</i> *	vesicular stomatitis Indiana virus (VSIV)
	<i>Isfahan vesiculovirus</i>	Isfahan virus (ISFV)
	<i>Jurona vesiculovirus</i>	Jurona virus (JURV)
	<i>Malpais Spring vesiculovirus</i>	Malpais Spring virus (MSPV)
	<i>Maraba vesiculovirus</i>	Maraba virus (MARAV)
	<i>Morreton vesiculovirus</i>	Morreton virus (MORV)
	<i>New Jersey vesiculovirus</i>	vesicular stomatitis New Jersey virus (VSNJV)
	<i>Perinet vesiculovirus</i>	Perinet virus (PERV)
	<i>Piry vesiculovirus</i>	Piry virus (PIRYV)
	<i>Radi vesiculovirus</i>	Radi virus (RADV)
	<i>Yug Bogdanovac vesiculovirus</i>	Yug Bogdanovac virus (YBV)
Unassigned	<i>Moussa virus</i>	Moussa virus (MOUV)
Family Sunviridae		
<i>Sunshinevirus</i>	<i>Reptile sunshinevirus 1</i> *	Sunshine Coast virus (SunCV)
Unassigned		
<i>Anphevirus</i>	<i>Xincheng anphevirus</i> *	X nchéng mosquito virus (XcMV)
<i>Arlivirus</i>	<i>Lishi arlivirus</i> *	Líshí spider virus 2 (LsSV-2)
<i>Chengtivirus</i>	<i>Tacheng chengtivirus</i> *	Tăchéng tick virus 6 (TcTV-6)
<i>Crustavirus</i>	<i>Wenzhou crustavirus</i> *	W nzh u crab virus 1 (WzCV-1)
<i>Wastrivirus</i>	<i>Sanxia wastrivirus</i> *	S nxiá water strider virus 4 (SxWSV-4)

* Asterisks denote type species.

¹Please note that viruses are real objects that are assigned to concepts that are called taxa. Species, genera, families, and orders are taxa. Taxon names are always italicized and always begin with a capital letter. Virus names, on the other hand, are not italicized and are not capitalized, except if the name or a name component is a proper noun. This column lists the virus names with their correct (lack of) capitalization.

¹Includes: Newcastle disease virus (NDV) and pigeon paramyxovirus 1 (PPMV-1);

²synonym: GH-M74a virus;

³synonym: murine parainfluenza virus 1;

⁴synonym: bat paramyxovirus;

⁵synonym: simian virus 5;

⁶synonym: porcine rubulavirus;

⁷synonyms: avian pneumovirus, turkey rhinotracheitis virus;

⁸synonyms: citrus leprosis virus nuclear type, citrus necrotic spot virus;

⁹synonym: wild boar rhabdovirus 1 (WBRV1);

¹⁰synonyms: Egtved virus, *Paralichthys olivaceus* rhabdovirus;

¹¹synonym: tobacco stunt virus.