

University of Wollongong Research Online

Australian Health Services Research Institute

Faculty of Business and Law

2011

Equity of access to rehabilitation services in Australia

Frances D. Simmonds University of Wollongong, francess@uow.edu.au

James P. Dawber University of Wollongong, jdawber@uow.edu.au

Janette P. Green University of Wollongong, janette@uow.edu.au

Follow this and additional works at: https://ro.uow.edu.au/ahsri

Recommended Citation

Simmonds, Frances D.; Dawber, James P.; and Green, Janette P., "Equity of access to rehabilitation services in Australia" (2011). *Australian Health Services Research Institute*. 106. https://ro.uow.edu.au/ahsri/106

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

Equity of access to rehabilitation services in Australia

Abstract

Powerpoint presentation presented at the ANZCOS / AFRM Conference, Brisbane

Keywords

services, equity, rehabilitation, australia, access

Publication Details

F. D. Simmonds, J. P. Dawber & J. P. Green "Equity of access to rehabilitation services in Australia", ANZCOS / AFRM Conference, Brisbane, 15 September 2011, (2011)

Equity of Access to Rehabilitation Services in Australia

Frances Simmonds James Dawber Janette Green



Australasian Rehabilitation Outcomes Centre

Australasian Rehabilitation Outcomes Centre (AROC)

- AROC is a joint initiative of the Australian rehabilitation sector established in 2002
- AROC manages a rehabilitation benchmarking initiative in Australia and New Zealand whose ultimate aim is the improvement of outcomes for rehabilitation patients.
- To achieve this, AROC requires member rehabilitation services to collect a defined set of data against each and every rehabilitation patient they treat.

Introduction


- Explore the question, are rehabilitation services equally accessible across Australia?
 - Patients and facilities
- Exclusion factors which may affect equality:
 - Socioeconomic status
 - Rural or remote
 - Public vs. private rehabilitation service

Methods

- Inpatient data for the period 1 July 2009 to 30 June 2010.
 - 70,449 episodes
 - 165 facilities (of 180 nationwide)
- How were these exclusion factors measured?
 - Allocating a socioeconomic status category
 - SEIFA
 - Allocating a geographical location category
 - ASGC-RA
 - Measuring distance
 - Trigonometry based on latitude/longitude of centre of postcodes

Socioeconomic Category	Postcode Population		Postcode SEIFA Score	Postcode
			owest	
	4	94	469.69	6434
Low	1 d Australian	2740	544.25	6770
	- Population	7679	548.07	0852
	Fopulation			
Medium	4	472	981.20	6522
	$\frac{1}{2}$ of Australian	782	981.21	5400
	Population	11,566	981.24	2134
	Population			
High	$\frac{1}{3}$ of Australian Population	11,726	1038.35	4031
		825	1038.48	3951
		1851	1038.65	3634
	Population		•	
			lighest	


Distributions across socioeconomic and geographic levels



People who reside in:


- higher socioeconomic areas
- Major Cities receive proportionally more rehabilitation.

National associations between socioeconomic and geographic levels




There is a clear relationship between socioeconomic status and remoteness, with lower socioeconomic areas being closely associated with regional/remote areas.

Distributions of socioeconomic level by public/private



People who live in high socioeconomic areas are more likely to access private rehabilitation treatment.


Distribution of facilities across socioeconomic and geographic levels



Private rehabilitation facilities are **more likely** to be found in **high socioeconomic areas**.


And less likely to be found in regional or remote areas.

Distance travelled to rehabilitation services



People residing in outer regional and remote high socioeconomic areas travel further to access rehabilitation than those in similarly located low socioeconomic areas.

Distance travelled by impairment



For impairments treated largely in specialist units (e.g., brain and spinal injury), the central locations of these services drives some of the differential in travel distance.

Additional information

- LOS was different between socioeconomic levels but is because of public/private discrepancies
- No significant differences in FIM change between socioeconomic levels
- Average travel distance to access rehabilitation services varied considerably across different **impairments**
- Average travel distance to access rehabilitation services decreased as age increased

Conclusion

- The main finding of the study is that **access to rehabilitation** in Australia is **inequitable**
 - People in lower socioeconomic areas
 - People in regional and remote areas
- Access to public and private rehabilitation services differ across socioeconomic and geographic locations
 - People residing in high socioeconomic areas are more likely to afford private rehabilitation services.
 - Also, private rehabilitation services are more likely to be situated in high socioeconomic areas which also increases accessibility.