

University of Wollongong

## Research Online

---

Faculty of Health and Behavioural Sciences -  
Papers (Archive)

Faculty of Science, Medicine and Health

---

January 2011

### **Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers**

Ali Sadeghpour

*University of Wollongong, as953@uow.edu.au*

Jo Russell

*University of Wollongong, jrussell@uow.edu.au*

Vicki Flood

*University of Wollongong, vflood@uow.edu.au*

Paul Mitchell

*Centre for Vision Research, Uni of Sydney*

Follow this and additional works at: <https://ro.uow.edu.au/hbspapers>



Part of the [Arts and Humanities Commons](#), [Life Sciences Commons](#), [Medicine and Health Sciences Commons](#), and the [Social and Behavioral Sciences Commons](#)

---

#### **Recommended Citation**

Sadeghpour, Ali; Russell, Jo; Flood, Vicki; and Mitchell, Paul: Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers 2011.

<https://ro.uow.edu.au/hbspapers/1058>

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: [research-pubs@uow.edu.au](mailto:research-pubs@uow.edu.au)

---

## **Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers**

### **Keywords**

associated, biomarkers, australian, healthy, vitamin, eating, index, b12, folate, homocysteine

### **Disciplines**

Arts and Humanities | Life Sciences | Medicine and Health Sciences | Social and Behavioral Sciences

### **Publication Details**

Sadeghpour, A., Russell, J., Flood, V. & Mitchell, P. 2011, 'Australian healthy eating index is associated with homocysteine, vitamin B12 and folate biomarkers', 2011 Annual Meeting of the International Society for Behavioral Nutrition and Physical Activity, International Society for Behavioral Nutrition and Physical Activity, pp. P201-P201.

P201

## **Australian Healthy Eating Index is associated with homocysteine, Vitamin B12 and folate biomarkers**

*Ali Sadeghpour, University of Wollongong, ; Jo Russell, University of Wollongong, Australia; Vicki Flood, University of Wollongong, Australia; Paul Mitchell, University of Wollongong, Australia*

### **Purpose**

Assessing diet quality using the Australian Healthy Eating Index (AusHEI) can provide insights into overall dietary behaviours. This study aimed to examine associations between the AusHEI and a range of nutritional biomarkers among older Australians

### **Methods**

In a cohort of older Australians (50+ years), who participated in the Blue Mountains Eye Study (BMES) in 1997-2000, 2608 people completed a food frequency questionnaire (FFQ) and provided fasting blood samples. Data from the FFQ was used to calculate diet quality scores, measured by the AusHEI with higher scores indicating a closer adherence to dietary guidelines. Mean levels of serum folate, Vitamin B12, homocysteine, total cholesterol, HDL cholesterol and triglycerides were compared across quintiles AusHEI scores

### **Results**

Preliminary results showed significant trend for improved levels of serum folate, Vitamin B12, homocysteine, total cholesterol and HDL cholesterol with increasing quintiles of diet quality ( $p$  for trend  $<0.05$ ). Mean levels of biomarkers in the highest quintile of diet quality were compared to those in the lowest quintile with significant differences ( $p<0.05$ ) for folate (19.5nmol/L vs 17.1 nmol/L), Vitamin B12 (295pmol/L vs 261pmol/L), homocysteine (11.2 $\mu$ mol/L vs 13.32 $\mu$ mol/L), and total cholesterol (5.9mg/dL vs 5.7mg/dL). No significant mean differences were found between the highest and lowest quintiles of AusHEI for HDL cholesterol and triglycerides

### **Conclusion**

There was a significant association between nutrition biomarkers (folate, Vitamin B12, homocysteine and cholesterol) and AusHEI score. These biomarkers may be used to provide an objective measure of diet quality and has implications for future research