

# Wayfinding Behavior within Buildings – An International Survey

ANAND VEERASWAMY, EDWIN R. GALEA, and PETER J. LAWRENCE

Fire Safety Engineering Group  
The University of Greenwich  
20 Park Row, Greenwich, London SE10 9LS, UK

### ABSTRACT

A building wayfinding questionnaire study is presented which analyses the importance of a set of wayfinding criteria from a building evacuation perspective. The main path selection criteria tested in this questionnaire are handedness and length of the first leg of the path. The study involved 1166 participants from 36 countries. The results suggest that the handedness, a genetic factor, and the side of the road people drive on, a cultural factor, exert a significant influence on path choice. The results of this study clarify misconceptions existing in urban wayfinding studies regarding the importance of the length of the first leg of a path. Path selection criteria along with their relative rankings are suggested for inclusion in wayfinding algorithms used within evacuation models. It is not clear how large an effect these influences will have on evacuation analysis. This will be examined by introducing these factors into a new wayfinding algorithm recently introduced into the building EXODUS evacuation model.

**KEYWORDS:** wayfinding, escape routes, path selection, human behavior, human factors.

### INTRODUCTION

Within the building environment, wayfinding describes the process by which an individual located within a complex enclosure decides on a path or route in order to reach a goal location. Within the building evacuation context, wayfinding describes the process in which the individual attempts to find a path which leads them to relative safety, usually the exterior of the enclosure. In most evacuation modeling tools, the process of wayfinding is either ignored or grossly simplified. In a recent review of 30 evacuation models wayfinding features were only mentioned in the context of two models [1]. On the whole, evacuation models assume that the simulated agents have complete knowledge of the structure and so follow a potential or distance map to their nearest exit – essentially selecting the path of minimum travel distance. Some models may even assume that a proportion of the occupants have partial knowledge of the structure and so are familiar with only some of the exits [2,3]. At least one model incorporates agent interaction with signage allowing agents completely unfamiliar with the structure to follow a signage chain leading to an exit [2,3]. Recently, there has been some effort to incorporate a modified form of urban wayfinding criteria within building evacuation models [4]. However, this may be questionable as the wayfinding process within buildings may be different to that within urban environments. If our computer models are to accurately represent the wayfinding process adopted by humans during building evacuation we must first understand how humans wayfind within such environments. Key to this is developing an understanding of the criteria used by humans in deciding which path to take.

The lack of sophistication in the manner in which wayfinding is treated within building evacuation models is due in part to the general lack of detailed knowledge concerning wayfinding within complex building layouts. While there are numerous wayfinding studies in urban environments [5–8], there is very little wayfinding research performed within complex building environments. Due to the difficulty in conducting wayfinding research, especially research which involves international participants, most of the research that is conducted makes use of surveys, questionnaires or virtual environments.

Colledge's urban wayfinding study [5,6] involved a sample of 32 adults, 16 male and 16 female. The sample was mostly students, with half the population being trained in geography. The participants in Colledge's study were asked to identify the path they would take on a map to get from an identified starting point to an identified end point. The maps used varied from uniform grids, to uniform grids with diagonals and grids with curved paths plus blockages. Participants were then asked to rank the criteria they used in selecting their path using a seven point scale; participants selected the criteria from a list of 10 provided. The criteria selected by the participants, in order of preference (with mean rating shown in brackets) are: shortest distance (4.2), least time (4.1), fewest turns (3.6), most scenic/aesthetic (3.5), first noticed (2.5),





previous ( )  
 ns over the d  
 ariety of urban  
 he geometry was  
 ally walking at an  
 he participants were in  
 opposite bottom cor  
 competition between  
 he desire to maintain  
 e). Conroy goes on to  
 first (i.e. starting the  
 est leg first [5,6] is a result of

make in taking a left or right  
 ticipants who were library patron  
 6 right-handed people. Participants  
 le formed by a shelf of books. The  
 helves and then turn either into the  
 of the right-handed sample preferred  
 o turn right. This indicates that the  
 which the person is likely to turn. In  
 d to turn right while 46.7 % of the  
 at while the side of the road that you  
 more, it appears that handedness and  
 at-handed, right-side driving sample  
 ed, left-driving sample prefer to turn  
 to draw definitive conclusions. This  
 yfinding (handedness) and a cultural

influence wayfinding, the studies  
 ted to wayfinding within buildings  
 Conroy, conducted in the UK, do not  
 y impact this may have on wayfinding  
 iding within building environments, the  
 first survey explored factors associated  
 t (LLF) or shortest leg first (SLF). The  
 factors which influence wayfinding. The  
 e the factors which influence wayfinding  
 the wayfinding algorithm established in

The call for participation to complete the  
 website link, leaflet distribution, online  
 al appeal broadcast on BBC radio, snow  
 e.ac.uk/wayfinding/index.asp, at the time  
 ted from approximately July 2009 to July  
 imately 10–15 min to complete.

the participants were shown five different  
 paths, labeled A and B, leading to an exit  
 that each path was equal in length and that  
 selecting the preferred path, the participant was

asked to rate both paths on a scale of 1 to 6 where 1 is highly undesirable, 2 is very undesirable, 3 is a little undesirable, 4 is a little desirable, 5 is very desirable and 6 is highly desirable. On completing this, the participant was then asked to imagine that they were now in an emergency evacuation situation in the same building and choose their preferred exit path. For the emergency evacuation option, the participant was informed that both routes were considered safe and free of smoke or other fire hazards.

Question 1 is intended to investigate the participant's preference for selecting the left-hand or right-hand path (see Fig. 1a). In the second (see Fig. 1b) and third (see Fig. 1c) questions, the building geometries considered have the LLF path on the left (see Fig. 1b) or right (see Fig. 1c). The LLF path is also the most direct path having the least bearing to the exit. In order to remove 'the most direct path' factor from consideration, Questions 4 (Fig. 1d) and 5 (Fig. 1e) were designed where the start position is in line with the exit, thus both paths have an equal bearing to the exit. Initially the length of the paths in Questions 4 and 5 were kept the same. However a pilot study indicated that people perceived the angled path, Path B in Question 4 and Path A in Question 5 (Fig. 1d and Fig. 1e), to be slightly longer in spite of being reminded that both paths are of the same length. Hence the angled paths were made slightly shorter in order to compensate for this visual illusion.




Fig. 1. Path selection tasks in the questionnaire.

In the second part of the survey the participants were given a list of factors and were asked to choose those that influenced their wayfinding decisions in the first part of the survey. Participants could select more than one option and were also given the opportunity to list other factors that influenced their decision. The list of factors provided was:

- I prefer to take the path with the longest leg first
- I prefer to take the path with the shortest leg first
- I have a preference for paths on my left
- I have a preference for paths on my right
- I have a preference to take the clockwise paths
- I have a preference to take the anticlockwise path
- I choose the path which appeared to be the most direct
- I choose randomly

The third part of the survey involved collecting participant demographic information. Two pilot studies were conducted to check the general level of understanding of the questions. A few modifications were made to the questionnaire based on the pilot studies and this data was not included in the overall questionnaire results.




survey of which 1166  
 st response to the survey  
 Germany, 46 (4 %) and  
 ve on the right-side of the  
 of the road e.g. UK, Austr  
 while 156 (13 %) are left  
 of 10-13 % of the populat  
 : of the road (830), 728 (8  
 ferred to as RHLD). Of th  
 -driving sub-population is  
 (6), 282 (84 %) are right-hand  
 (RD).

ed by the findings from Part 2. The Part  
 he wayfinding questions are examined  
 n under normal conditions were virtually  
 the results under normal conditions an  
 cally significant using the Chi-Square test

ions 1-5 are first summarized. This is the  
 th selection task. The results for each path  
 Question 1 - impact of the participant  
 and 3 - impact of the length of the first leg  
 ing); Questions 4 and 5 - as for Questions  
 tor.

ation (1166) for each of the five questions  
 ions 1-4), the participants clearly have  
 at a 0.001 confidence level.



g Paths A and B in wayfinding tasks.  
 more detail in the following sections.  
 ght preference for right-hand paths. How

In the fifth wayfinding task there is a significant preference for the left-hand path. The reasons for this  
 prominent difference in path selection are examined in the next sections.

*Question 1: The Influence of Handedness on Path Selection*

In the first question, both path options were identical, the only variable that was different was that one path  
 was on the left and the other path was on the right. Taken across the entire sample (1166), 60 % (700)  
 chose the right-hand path and 40 % (466) chose the left-hand path (see Fig. 3). The chi-square goodness of  
 fit test [11] ( $\chi^2 = 42.39$ ) suggests that this distribution is valid at a 0.001 level of significance. Thus people  
 in general are more likely to turn right than left.

In the right-handed sub-population (1010), 64 % (646) chose the right-hand path (see Fig. 3). Considering  
 that 87 % of the entire sample is right-handed, it is not surprising that the increase in the preference for  
 right-hand paths is as small as 4 % compared to the entire sample. In the left-handed sub-population (156),  
 71 % (111) have chosen the left-hand path and 29 % (45) have chosen the right-hand path (see Fig. 3). This  
 distribution is also valid at a 0.001 level of significance ( $\chi^2 = 23.52$ ) which implies that left-handed people  
 have a strong preference for left-hand paths. Thus handedness of people is a strong factor which determines  
 people's preference for right/left-hand paths.

A chi-square test of independence was also performed to check if the right/left-hand paths chosen by  
 people are independent of the handedness of the participants. The null hypothesis is that the path choice of  
 people is independent of their handedness. The paths chosen by the right-handed sub-population and the  
 left-handed sub-population have been considered for this analysis. The chi-square result ( $\chi^2 = 60.69$ )  
 suggests that the null hypothesis can be rejected at a 0.001 significance level. Thus handedness does have a  
 very strong influence on the right/left-hand path choice.




Fig. 3. Percentage of each sub-population choosing right-hand paths.

*Question 1: The Influence of the Driving Side on Path Selection*

In the right-side driving sub-population (336), 71 % (239) have chosen the right-hand path (see Fig. 3).  
 People driving on the right-side of the road have a strong preference to right-hand paths at a 0.001 level of  
 significance ( $\chi^2 = 57.26$ ). In fact, people driving on the right-side of the road have a stronger preference to  
 right-hand paths than the right-handed sub-population where only 64 % chose the right-hand paths (see  
 Fig. 3). This is because the majority (84 %) of the right-side driving sub-population is also right-handed.  
 This suggests that in addition to handedness, the driving side also influences the choice of right-hand paths  
 in a complementary (additive) fashion. In the left-side driving population (830) 55 % (457) have chosen the  
 right-hand path (see Fig. 3). The right-hand path preference has fallen by 5 % compared to the entire  
 sample which suggests that driving on the left-side influences people to choose left-hand paths. However,  
 84 % (730) of the left-side driving sub-population is right-handed which explains why right-hand path is  
 popular. In the case of the left-side driving sub-population, right-handedness and left-side driving are  
 in opposition, reducing the overall number of people who select the right-hand path. This suggests that  
 handedness of people (genetic factor) is a more influential factor than the driving side (cultural factor)  
 when it comes to influencing wayfinding path choices.



A chi-square test of independence was also performed to check if the right/left-hand paths chosen by people are independent of the driving side by considering the right-side driving and left-side driving sub-populations. The chi-square result ( $\chi^2 = 24.31$ ) suggests that the driving side has a strong influence on the right/left-hand paths chosen at 0.001 significance level. It is interesting to note that even though the majority in the right-side drive and left-side drive sub-populations has preferred the right-hand path, the driving side still has a significant influence on the path choice.

#### Question 1: The Influence of the Handedness and Driving Side on Path Selection

Clearly, the handedness and driving side are factors which each have a significant influence on path selection. In this section the influence of a combination of the two factors is considered. Figure 3 shows the percentage of each sub-population choosing right-hand paths in the first question of the questionnaire relating to the geometry in Fig. 1a. The sub-populations are arranged in descending order of preference for right-hand paths from left to right. Thus the sub-populations having a higher preference for right-hand paths are on the left and the sub-populations having a lower preference for right-hand paths are on the right. Clearly, right-handed people driving on the right-side have the strongest preference for right-hand paths and the left-handed people driving on the left-side have the lowest preference for right-hand paths (and the highest preference for left-hand paths). The preference for right-hand paths in the first six sub-populations from the left is statistically significant at the 0.001 confidence limit. The preference for left-hand paths in the last two sub-populations is also statistically significant at the 0.001 confidence limit.

The right-handed sub-population has a strong preference for right-handed paths at 64%. The preference for right-hand paths increases to 75% in the RHRD sub-population. This suggests that the preference for right-hand paths is amplified if one is right-handed and from a country driving on the right side of the road compared to when one is simply right-handed. The left-handed sub-population has little preference for right-handed paths at 29%. The preference for right-hand paths further decreases to 23% for the LHLD sub-population. This suggests that the preference for left-hand paths is amplified if one is left-handed and from a country driving on the left side of the road compared to when one is simply left-handed.

The RHRD sub-population has a 15% greater preference for right-hand paths than the RHL sub-population. Thus if one is right-handed and driving on the left side of the road then the preference for right-hand paths while high is not as high as it is when one is right-handed and driving on the right-side of the road. The LHLD sub-population exhibits a 25% greater preference for left-hand paths than the LHRD sub-population. This suggests that if one is left-handed and driving on the right-side of the road there is a strong preference for left-hand paths, and if one is left-handed and driving on the left side of the road there is a strong preference for left paths. The LHRD sub-population has a 51% preference for left-handed paths, close to a 50-50 preference for right- and left-hand paths. The small preference for left-handed paths in this sub-population may be attributed to the small number of participants in this category, only 54, with the next smallest category having 102 participants (LHLD). It is expected that if the number of participants in the LHRD category were increased, a stronger preference for left-handed paths would emerge for this sub-population. However, according to Cochran [12], the expected and observed frequencies in this sub-population are sufficient to make statistically significant conclusions.

Considering that the RHL sub-population has a strong preference for right-hand paths and the LHRD sub-population has a slight preference for left-hand paths, one can deduce that handedness of people is a stronger factor than the driving side in influencing the right/left-hand path choice. The same deduction can also be made comparing the  $\chi^2$  values for the handedness and driving side analyses. The  $\chi^2$  value for the influence of handedness, 60.69, is greater than the  $\chi^2$  value for the influence of the driving side, 24.31. This supports the conclusion that handedness (a genetic factor) is a more influential factor than the driving side (a cultural factor) in affecting path choice. Furthermore, if the driving side is the same as the handedness, these factors reinforce each other however, if they are opposite, they work in opposition.

#### Questions 2 and 3: Length of the First Leg of the Path

In Questions 2 (Fig. 1b) and 3 (Fig. 1c), the length of the first leg is introduced as a path choice factor. In Question 2 the right-hand path is the shortest leg while in Question 3 the right-hand path is the longest leg. Figure 4 shows the percentage of each sub-population that selected the right-hand paths in Questions 2 and 3.

It is interesting to note that in Question 2, the right-hand path is the shortest leg, and in Question 3, the right-hand path is the longest leg. It is interesting to note that in Question 2, the right-hand path is the shortest leg, and in Question 3, the right-hand path is the longest leg. It is interesting to note that in Question 2, the right-hand path is the shortest leg, and in Question 3, the right-hand path is the longest leg.




Fig. 4. The percentage of each sub-population selecting the right-hand path.

However, for some of the population handedness of the path. Consider the columns of the left of Fig. 4, when the right-hand path is the shortest leg (Fig. 3) it is noted that fewer people select the right-hand path. For example, consider the RHRD sub-population, selecting the SLF or resulting in the proportion of the sub-

It is noted from Questions 1 and 2 that the RHRD sub-population is expected to select the right-hand path. However, in Question 2, this small group, selecting the path v they have selected the left-hand path. This preference for the SLF than the right-hand path in Question 3 will be less than 75%. If the RHRD sub-population selected the SLF in preference to the right-hand path, it is more important than the handedness of the path.

Furthermore, 66% of the RHRD sub-population selected the right-hand path in Question 2) while 56% of the sub-population selected the SLF. This suggests that selecting the SLF is a preference for the SLF than the right-hand path in the LHF path.

Similar trends are found for the sub-populations on the right of Fig. 4. When the left-hand path is the shortest leg (Fig. 3) the preference for selecting the left-hand path is higher than the preference for selecting the right-hand path in Question 2.

It is interesting to note that in Questions 2 and 3, the sub-populations containing a majority of right-handers, which are the first six columns from the left of Fig. 4, have all shown a significant preference for the right-hand path regardless of whether it is the SLF/LLF path. A similar trend is found for the sub-populations consisting of left-handed people, which are the last two columns on the right in Fig. 4, namely a significant preference for the left-hand path regardless of whether it is the SLF/LLF path. The exception to this is the LHRD sub-population who prefer the right-hand path – however, as suggested earlier the sample size may be too small to make meaningful comparisons. The preference for right- or left-hand paths regardless of the length of the first leg suggests that for the majority of the population the handedness of the path is a more influential factor than the length of the first leg in affecting path choice.




Fig. 4. The percentage of each sub-population choosing the right-hand path in Questions 2 and 3.

However, for some of the population, selecting the SLF or the LLF will be more important than the handedness of the path. Consider the sub-populations that prefer the right-hand path i.e. the first six columns of the left of Fig. 4, when the right-hand path preference is compared to that of Question 1 (see Fig. 3) it is noted that fewer people select the right-hand path when the first leg of the path is short or long. For example, consider the RHRD sub-population for which the preference for selecting the right-hand path is strongest with 75 % of the sub-population preferring the right-hand path in Question 1. For some of this sub-population, selecting the SLF or the LLF will be more important than selecting the right-hand path resulting in the proportion of the sub-population falling below 75 % in Questions 2 and 3.

It is noted from Questions 1 and 2 that 9 % (75–66 %) of the RHRD sub-population that would have been expected to select the right-hand path have selected the LLF path (i.e. the left-hand path) in preference. For this small group, selecting the path with the LLF is more important than the handedness of the path and so they have selected the left-hand path. Similarly, as some of this sub-population will have a stronger preference for the SLF than the right-hand path, the percentage of people selecting the right-hand path in Question 3 will be less than 75 %. It is also noted that 19 % (75–56 %) of the RHRD sub-population have selected the SLF in preference to the right-hand path. For this group, selecting the path with the SLF is more important than the handedness of the path and so they have selected the left path.

Furthermore, 66 % of the RHRD sub-population have selected the SLF path when it is the right-hand path (Question 2) while 56 % of the sub-population have selected the LLF when it is the right-hand path. This suggests that selecting the SLF is a more dominant secondary factor than selecting the LLF. Within the RHRD sub-population, more people prefer the right-handed path when it is also the SLF path than when it is the LLF path.

Similar trends are found for the sub-populations that prefer the left-hand path i.e. the last two columns on the right of Fig. 4. When the left-hand path preference is compared to that of Question 1 (derived by taking 100 % – right-hand preference (%)) shown in Fig. 3) it is noted that fewer people select the left-hand path when the first leg of the path is short or long. For example, consider the LHRD sub-population for which the preference for selecting the left-hand path is strongest with 77 % (100–23 %) of the sub-population preferring the left-hand path in Question 1. For some of this sub-population, selecting the SLF or the LLF



will be more important than selecting the left-hand path resulting in the proportion of the sub-population falling below 77 % in Questions 2 and 3.

It is noted that from the 77 % who chose the left-hand path in Question 1 only 63 % (100-37 %) had chosen the left-hand and SLF path in Question 3. Hence 14 % (77-63 %) of the LHL sub-population could normally have been expected to select the left-hand path have selected the LLF path (right-hand path in preference. For this group, selecting the path with the LLF is more important than the handedness of the path and so they have selected the right-hand path. Similarly, as some of this sub-population will have a stronger preference for the SLF than the left-hand path, the percentage of people selecting the left-hand path in Question 3 will be less than 77 %. It is noted that 19 % of the LHL sub-population have selected the SLF in preference to the left-hand path. For this group, selecting the path with the SLF is more important than the handedness of the path and so they have selected the right-hand path.

Furthermore, 63 % of the LHL sub-population have selected the SLF path when it is the left-hand path (Question 3) while 58 % of the sub-population have selected the LLF path when it is the left-hand path (Question 2). This suggests that selecting the SLF is a more dominant secondary factor than selecting the LLF. Within the LHL sub-population, more people prefer the left-handed path when it is also the SLF path than when it is the LLF path. The same trend is also found across the other sub-populations and the entire sample.

From the results of Questions 1-3 we conclude that for the majority of people, the handedness (a genetic factor) is the most important factor in influencing a person's path choice. The handedness however is influenced in turn by the driving side (a cultural factor) - if the driving side is the same as the handedness these factors reinforce each other while if they are opposite, they work in opposition. The next most important factor influencing path selection is the length of the first leg of the path. The preference for SLF paths is greater than the preference for LLF paths. This result is interesting as it contradicts the conclusions of urban wayfinding research which suggests that the preference for LLF is greater than that for the SLF [5-7]. Finally, for a small proportion of the population, selecting the SLF or the LLF will be the most important factor in influencing a person's path choice, with selecting the SLF being more dominant than selecting the LLF.

On completing the Question 2 and 3 path selection tasks, participants were asked to comment on why they selected a particular path (see Fig. 5). This was an open question with no prompts provided. Each of these comments have been analyzed and generalized into certain common factors. For example the following comment was made by a participant, "... this was my first reaction, I tend to turn to my right ...". This was inferred to mean that the participant had a preference for right-handed paths. A comment made by another participant was, "Initial path looks to be shorter". This was inferred to mean that the participant had a preference for the SLF path. From Fig. 5 it is noted that the SLF criterion is identified as being more important to most people than the LLF path.

It is somewhat surprising that the SLF criterion has been mentioned by more people than the right-handed path criterion. However, among the group who claim to have selected paths based on instinct, 64 had selected the right-handed path (and 45 the left-handed path). If these are added to the right-hand path selection, then the right-hand path selection dominates. Furthermore, 18 % and 23 % of the participants who answered Questions 2 and 3 respectively did not provide a reason for their path choice. Here again, at least half of these participants will have selected the right-hand path, but it is not clear if they selected the right-hand path because it was the right-hand path or if it had the SLF. Thus it is not clear whether right-handed paths or SLF paths exert the most influence on path selection based on the results from this question.

In addition, right-handed paths have been mentioned by more participants than left-handed paths which is consistent with the path selection tasks. The number of participants who claim that they made a random path selection is very small, representing only 2 % of the responses to Questions 2 and 3. Finally, the number of participants who suggested that they made a path selection based on the most direct route was only 7 % of the responses to Questions 2 and 3. While it is not clear what the participants meant by this statement, the results suggest that consciously selecting a path on the basis of its directness appears to exert a low influence on path selection.




Fig. 5. Participant path selection.

#### Questions 4 and 5: Removing Directness

Question 4 (Fig. 1d) and Question 5 (Fig. 1e) are exceptions that the LLF path is no longer the most direct path on the exit. Furthermore, the travel distances, the SLF path has acquired a preference over the right-hand path in Questions 4 and 5. The right-hand path which is also the SLF path in Question 4 and the LLF path (Question 5) which is also the SLF path in Question 5. For both sub-populations, even those who are expected to prefer the right-hand path on the right side of Fig. 6.




Fig. 6. The percentage of each path type selected.

A result which is counter to expectations is that the left-handed path (which is the SLF path) is preferred by the majority of people in the sub-population. However, this was simply the case in Question 1. As with Questions 2 and 3, it can be seen that the preference for the LLF paths. However, in Questions 4 and 5, the right-hand path is preferred over the left-hand path in preference.






Fig. 5. Participant path selection comments for Questions 2 and 3.

#### Questions 4 and 5: Removing Directness from Path Selection

Question 4 (Fig. 1d) and Question 5 (Fig. 1e) investigate the same factors as Question 2 and 3 with the exception that the LLF path is no longer the most direct path. By positioning the exit directly opposite the starting point, both the LLF and SLF path are considered equally direct as both paths have the same bearing on the exit. Furthermore, the travel distance associated with each path option is still equal as in the other cases. As a result of removing the path directness from consideration while maintaining equal total travel distances, the SLF path has acquired a sharp angle turn. The percentage of each sub-population selecting the right-hand path in Questions 4 and 5 is shown in Fig. 6. As was found in Questions 2 and 3, the right-hand path which is also the SLF path (Question 4) is preferred by more people than the right-hand path which is also the LLF path (Question 5). Furthermore, the majority of people in Question 4 prefer the right-hand path (which is also the SLF path) however, unlike in Question 2, this trend extends to all of the sub-populations, even those who are expected to have a preference for left-handed paths i.e. the last three sub-populations on the right side of Fig. 6.




Fig. 6. The percentage of each sub-population choosing the right-hand path in Question 4 and 5.

A result which is counter to expectations is that the majority of people in virtually all the sub-populations prefer the left-handed path (which is also the SLF paths) in Question 5. This even includes those sub-populations who are expected to have a preference for right-handed paths. This rejection of the right-hand path by the majority of people in Question 5 may be a result of the strong preference for the SLF path however, if this were simply the case, a similar trend would have been expected in Question 3.

As with Questions 2 and 3, it can again be concluded that the majority of people prefer the SLF paths compared to the LLF paths. However, the preference for SLF paths appears to be more significant in Questions 4 and 5 than in Questions 2 and 3, so much so that in Question 5, the majority of people have selected the left-hand path in preference to the right-hand path. There are two possible explanations for the

increased trend in the preferences for the SLF path over the LLF path. Either the LLF path has become more attractive or the SLF path has become more attractive.

In an attempt to resolve this question, consider the nature of the paths in Questions 2 and 3 and those in Questions 4 and 5. There are two key differences between the paths in Questions 4 and 5 and those in Questions 2 and 3. The first is that the initial leg of each path in Questions 4 and 5 is such that the bearing of each path to the exit is identical. Thus each path appears equally direct, whereas in Questions 2 and 3, the LLF path is the more direct path. By removing the path directness aspect from consideration, between 3% and 13% more people across all the sub-populations have selected the SLF path in Question 4 compared to Question 2. If this reasoning is correct, this would suggest that for between 3% and 13% of the population selecting the most direct path will be the most important factor in influencing a person's path choice in this group of people, when the most direct path option is removed, the LLF path (which corresponds to the most direct path) is no longer considered attractive and so the SLF path is selected.

The second difference is that in Questions 4 and 5, the SLF path has a sharp angle turn. Thus an alternative explanation for the increased popularity of the SLF path is that for between 3% and 13% of the population, selecting a path with a sharp angle turn is the most important factor in influencing a person's path choice. While both these explanations are plausible, neither is particularly convincing. By simply considering the path that was selected it is not possible to convincingly resolve the issue as to why the SLF path appears to be more attractive in Questions 4 and 5 compared to Questions 2 and 3. However, the results of the open questions following Questions 4 and 5 provide some insight into the rationale used by participants in selecting their preferred path (see Fig. 7).




Fig. 7. Participant path selection comments for Questions 4 and 5.

A total of 1671 comments were provided by the participants to Questions 4 (851 comments) and 5 (820 comments). Of these, 19% (315) provided answers that could not be classified or were in groups that consisted of less than 20 responses or were unclear. Of the comments received, 23% (386) identified that they selected what they thought was the shorter path, even though they were informed that both paths were the same length. Furthermore, of these people, almost three times as many (296) selected the path with the sharp angle turn, i.e. the path with the SLF. This explains why there was an increase in the number of people who selected the SLF path in Questions 4 and 5 i.e. a large number of people selected the SLF path because they thought this path also had the shorter total length. The reasons suggested previously concerning the most direct path and the sharp angle, while plausible clearly do not correlate with the reasons provided by the participants for their path selection. This demonstrates that interpreting why people have selected a particular path based only on the paths selected can result in incorrect conclusions being drawn. Furthermore, 6% (103) of the participants have indicated that they selected their particular path because they disliked paths involving sharp angle turns while 5% (86) selected their path because they liked paths involving sharp angles. In addition, 5% (87) claimed that they selected their path because it was the most direct, even though both paths had the same heading relative to the exit. Clearly, the term 'most direct' is open to interpretation and may not mean the same thing as defined earlier in this paper.

The comments also support the observation that in influencing path choice and that right-handed participants in Questions 2 and 3, the SLF path appeared to be the preferred path. In the group that selected their path based on the right-hand path, the group that selected the right-hand path was influenced on path selection to the same level of influence on path selection as the LLF path. This is inflated due to a substantial number of participants selecting a shorter path due to the sharp angled corner.

### Discussion of Part 2 Results

On completion of the wayfinding tasks and their wayfinding decisions. Unlike the other tasks, participants were asked to provide a reason for their path choice. More than one factor could be selected. In Questions 4 and 5, 99% of the participants completed this task. The wayfinding criteria selected 2.0 criteria. The wayfinding criteria being on the left and the least important factor. 'Direct' was selected by 24% (547) of the participants. This is considered surprising as it was mentioned by 7% of the participants in Questions 2 and 3. In Questions 4 and 5, both paths appeared to be equally direct. Within the context of this study, the same understanding of the term 'most direct' is not the same for different people. However, the term 'most direct' is excluded from further consideration.





Fig. 8. Participant identified factors for path selection.

Excluding the responses identifying the 'most direct' path, notably selecting a right-hand path for most people than the SLF path, the right-hand path was two times more influential than the LLF path. The right-hand path was two times more influential than the left-hand path. This preference for left/right path selection is greater than suggested by the findings of the previous study. Also, as only 8% of the returns indicated a preference for 'clockwise' or 'counter-clockwise' path selection, it is significant that 8% of the participants had reasons for their path selection.



h. Either the LLF path has become more influential than the SLF path in Questions 2 and 3 and more influential than the RH path in Questions 4 and 5 and those in 2 and 3 is such that the bearing of each path is considered, between 3% and 13% of the population selected the SLF path in Question 4, compared with between 3% and 13% of the population influencing a person's path choice for the LLF path (which corresponds to the path is selected.

a sharp angle turn. Thus an alternative for between 3% and 13% of the important factor in influencing a person's path choice is particularly convincing. By simply resolving the issue as to why the SLF path was selected in Questions 2 and 3. However the results provide insight into the rationale used by



Questions 4 and 5.

Questions 4 (851 comments) and 5 (820) could not be classified or were in groups that were not identified. Of the responses received, 23% (386) identified that they were informed that both paths were available. Many (296) selected the path with the most direct bearing. There was an increase in the number of people selected the SLF path in Question 4. The reasons suggested previously for path selection do not correlate with the findings of this survey. It demonstrates that interpreting why people selected their particular path can result in incorrect conclusions being drawn. 86% selected their path because they thought it was the most direct relative to the exit. Clearly, the term 'most direct' as defined earlier in this paper.

The comments also support the observation that the SLF criterion is more influential than the LLF criterion in influencing path choice and that right-handed paths are more influential than left-handed paths. As with Questions 2 and 3, the SLF path appears to be more influential than the right-handed paths. However, of the group that selected their path based on instinct, 43 selected the right-hand path. If these are then added to the level of influence on path selection. Furthermore, the number of people who selected the SLF path is inflated due to a substantial number of people selecting this path because they thought the entire path was shorter due to the sharp angled corner.

Discussion of Part 2 Results

On completion of the wayfinding tasks, participants were asked to identify the factors which influenced their wayfinding decisions. Unlike the open questions following each wayfinding task in which participants were asked to provide a reason for their path choice, they were given a list of factors to choose from and more than one factor could be selected. Presented in Fig. 8 are the results from this question. In total (1150) more than one factor was selected. The wayfinding criteria are arranged in descending order with the most popular criteria selected 2.0 criteria. The wayfinding criteria are arranged in descending order with the most popular criteria being on the left and the least important criteria being on the right. It is noted that the criterion 'Most Direct' was selected by 24% (547) of the participants and so is the criterion which most influenced path selection. This is considered surprising as it did not figure highly in Questions 2 to 5, indeed it was only mentioned by 7% of the participants in Questions 2 and 3 and 5% in Questions 4 and 5. Furthermore, as shown in Questions 4 and 5, both paths had the same initial bearing on the exit and so could be considered equally direct. Within the context of this survey, it is suggested that not all the participants had a clear or the same understanding of the term 'most direct'. The term can clearly be interpreted to mean different things to different people. However, the result clearly indicates that participants have a strong preference for paths which appear to them to be the most direct, although it is not clear how they define this term. As the meaning of the term 'most direct' is considered to be ambiguous within the context of this analysis, it is excluded from further consideration.




Fig. 8. Participant identified factors which influenced their path selection decisions.

Including the responses identifying the 'most direct' path, the main results support the findings of the path selection tasks, notably selecting a right-handed path (23%) appears to be a marginally more important criterion for most people than the SLF path criterion (20%). Furthermore, the SLF path criterion is more than two times more influential than the LLF path criterion and the right-handed path criterion is more than two times more influential than the left-handed path criterion. It is noted that the magnitude of the differences between preference for left/right and SLF/LLF paths in this part of the survey is significantly greater than suggested by the findings of the wayfinding tasks. Also, as approximately 5% of the responses indicated a preference for 'clockwise' or 'anticlockwise' paths, these criteria are not considered to be significant. Also, as only 8% of the returns indicate a random path selection, this suggests that the majority of participants had reasons for their path selection.

## RELATIVE IMPORTANCE OF THE WAYFINDING CRITERIA

The results presented in Fig. 8 show the relative importance of the main wayfinding criteria as identified by the participants on completing the wayfinding tasks. The most influential criteria, in order of importance, are selecting; right-handed paths (23%), SLF paths (20%), left-handed paths (11%) and LLF paths (10%). These rankings are based on the opinion of the participants and do not necessarily correlate with the results from actual path selection. To determine the relative importance of the path selection criteria, the results from Questions 2 and 3 are further investigated. The results from Questions 4 and 5 are being left out of this analysis due to uncontrolled factors such as perceived total path length and multiple factors such as dislike/dislike of sharp angle turns impacting the path selection. It is to be noted that these factors were examined in the second survey described earlier. The relative importance of the four path selection criteria is determined as follows: if a participant selected right-hand paths in both Questions 2 and 3 then they clearly prefer right-hand paths over all other criteria (i.e. left-hand paths, SLF, LLF); if a participant selected left-hand paths in both Questions 2 and 3, then they clearly prefer left-hand paths over all other criteria; if a participant selects the SLF paths in both Questions 2 and 3, then they clearly prefer SLF paths; finally, if a participant selects the LLF paths in both Questions 2 and 3, then they clearly prefer the LLF paths. All participants who have answered both Question 2 and 3 must fall into one of these four preference categories. These results for this analysis for various sub-populations are presented in Table 1.

Table 1. Summary of path preference criteria based on wayfinding tasks in Questions 2 and 3.

Sample population	RH path preference (%)	SLF path preference (%)	LLF path preference (%)	LH path preference (%)
Entire sample	31	29	23	17
RH	30	28	23	20
LH	20	28	23	29
RD	33	32	23	12
LD	30	28	23	20
RHRD	33	33	23	11
LHRD	35	25	23	18
RHLD	32	28	23	18
LHLD	15	29	23	33

If we compare the results for the entire sample in Table 1 with those from the Part 2 results (see Fig. 8) we note that there is broad agreement in the trends namely; right-handed paths are significantly more preferential than left-handed paths and right-handed paths are marginally more preferential than SLF paths. There is also agreement in that SLF paths are more preferential than LLF paths however, the results derived from the wayfinding tasks in Questions 2 and 3 suggest that the difference is marginal whereas the difference derived from the Part 2 results is significant. The results from the two analyses contradict each other in that, based on the results derived from Questions 2 and 3, LLF paths are significantly more preferential than left-handed paths (see Table 1) whereas, based on the Part 2 analysis (see Fig. 8), left-handed paths are marginally more significant than LLF paths. Here we adopt the rankings based on the actual wayfinding tasks as being representative of human behavior within buildings as these were the results of actual wayfinding tasks as opposed to opinions.

The ranking of the path preference criteria based on the entire sample presented in Table 1 provide a model for ranking path preference in evacuation models. The results are significantly different from those generated by Golledge's urban wayfinding study [5,6] in that the results from this study suggest that SLF paths are more preferential than LLF paths. These differences may be due to Golledge's results being based on an urban environment or due to the small and selective sample used in his study. This result is different to that of Conroy [7] for similar reasons. Furthermore, the suggestion by Conroy that path directness is a significant path selection criterion [7] is not supported by the results of the wayfinding tasks in Questions 2 to 5 and when participants were asked to suggest why they selected their particular path. However, it was highlighted as the most significant criterion when the participants were asked to rank path finding criteria from a list. Neither of these studies included the concept of handedness as a determinant of path selection. This study has shown it to be the most important factor. These results are

similar to those of Scharine and McB and their sample was much smaller.

The results for the entire sample are population as a whole. It is acknowledged the same type of behavior as suggested by the complex and wayfinding decision making, some of which these influential factors work together while in other groups working by the influential factors that drive the results! However, from a modeling perspective, criteria that can be applied to a population presented in Table 1 shows that there are important sub-populations. For example, those that drive on the left side of the road in the sample population made up of people from each of these populations can be further investigated as people each of which display significant cultural differences may influence our

It is suggested that in situations where a mixed population, the path preference criteria application is primarily catering for right-hand side driving path preference is used in the right e.g. a USA application. These country specific can be further investigated. While it may not be known which side of the road is the international average of 13% of the population, an effect these differences in sub-populations is currently being examined by introducing handedness into the building EXODUS

## CONCLUSION

This work has identified factors which influence path selection conditions. The results are consistent across countries. The survey involved participants in a corridor layouts. It was found that the most influential criteria used in normal circulation are handedness (a genetic factor) and the side of the road. Handedness is an important influential factor in path selection. Handedness, these factors reinforce each other. It is important to consider the handedness of the first leg of the path also had a significant influence. Handedness was found to be more important in wayfinding studies and is thought to be a more selective sample used in the urban environment. Handedness is a significant path selection criterion based on

considering the responses to the wayfinding tasks. Handedness, SLF or LLF paths was determined to be: 31% prefer right-hand paths, 20% prefer left-handed paths. This distribution of preferences will exhibit the same type of behavior as the population will exhibit the same type



LA

ain wayfinding criteria...  
 ential criteria, in orde...  
 ded paths (11 %) and LLF...  
 do not necessarily correlat...  
 path selection criteria, the res...  
 ions 4 and 5 are being left...  
 1 length and multiple factor...  
 is to be noted that these...  
 rs in both Questions 2 and 3...  
 paths, SLF, LLF); if a partic...  
 'er left-hand paths over all other...  
 1 they clearly prefer SLF paths...  
 n they clearly prefer the LLF paths...  
 fall into one of these four prefer...  
 as are presented in Table 1.

inding tasks in Questions 2 and 3.

LLF path preference (%)	LH path preference (%)
23	17
23	20
23	29
23	12
23	20
23	11
23	18
23	18
23	33

lose from the Part 2 results (see Fig. 8).  
 ight-handed paths are significantly  
 arginally more preferential than SLF paths.  
 han LLF paths however, the results dem...  
 at the difference is marginal whereas...  
 sults from the two analyses contradict...  
 and 3, LLF paths are significantly...  
 ed on the Part 2 analysis (see Fig. 8).  
 . Here we adopt the rankings based on...  
 havior within buildings as these were

sample presented in Table 1 provide...  
 ults are significantly different from...  
 the results from this study suggest...  
 may be due to Golledge's results being...  
 sample used in his study. This result...  
 more, the suggestion by Conroy that...  
 ported by the results of the wayfinding...  
 uest why they selected their particular...  
 1 when the participants were asked to...  
 included the concept of handedness...  
 the most important factor. These results

...to those of Scharine and McBeath [9] however, their study did not include the SLF and LLF factors  
 and their sample was much smaller.

The results for the entire sample are intended to represent an average result which can be applied to the  
 population as a whole. It is acknowledged that not every individual within a given population will exhibit  
 the same type of behavior as suggested by the preference distribution for the entire sample. People are  
 complex and wayfinding decision making is multi-faceted with a number of different influential factors  
 driving decision making, some of which reinforce each other while others oppose each other. The nature in  
 which these influential factors work may also be dependent on the nature of the individual, in some groups  
 working together while in other groups working in opposition. Not everyone will be influenced in the same  
 way by the influential factors that determine wayfinding behavior – unfortunately these are not universal  
 traits! However, from a modeling perspective it is desirable to have a global ranking of the wayfinding  
 criteria that can be applied to a population as a whole. Unfortunately, the ranking of path preference criteria  
 presented in Table 1 shows that there are significant differences in the nature of the ranking distributions  
 for important sub-populations. For example, a sample population made up of individuals from countries  
 that drive on the left side of the road will display a significantly different wayfinding preference to a  
 sample population made up of people from countries that drive on the right-side of the road. Furthermore,  
 each of these populations can be further broken down into sub-populations of left-handed and right-handed  
 people each of which display significantly different wayfinding preferences. Thus it is seen that genetic and  
 cultural differences may influence our wayfinding preferences and thus our ability to evacuate efficiently.

It is suggested that in situations where the nature of the population is not clear or there will be a significant  
 mixed population, the path preference ranking for the entire sample is used. If it is known that an  
 application is primarily catering for individuals who drive on the left e.g. a UK application, then the left-  
 side driving path preference is used whereas if the application is primarily catering for individuals who  
 drive on the right e.g. a USA application, then the right-side driving path preference is used. Furthermore,  
 these country specific can be further broken down into left-handed and right-handed sub-populations.  
 While it may not be known which individual within the population is left-handed or right-handed, the  
 international average of 13 % of the population being left-handed can be applied. It is not clear how large  
 an effect these differences in sub-population path preference criteria will have on evacuation analysis. This  
 is currently being examined by introducing these factors into the recently developed wayfinding algorithm  
 introduced into the building EXODUS evacuation model [4].

CONCLUSION

This work has identified factors which influence wayfinding decisions in building evacuation and normal  
 circulation conditions. The results are based on an international survey involving 1166 participants from 36  
 countries. The survey involved participants completing path selection tasks based on five simplified  
 corridor layouts. It was found that there was no significant statistical difference between the path selection  
 criteria used in normal circulation and evacuation. A main result from this study is that the handedness (a  
 genetic factor) and the side of the road that the participants normally drive on (a cultural factor) are  
 important influential factors in path selection. The handedness is considered to be the main influencing  
 factor with the driving side modifying the impact of handedness. Thus, if the driving side is the same as the  
 handedness, these factors reinforce each other however, if they are opposite, they work in opposition. Thus  
 it is important to consider the handedness of an individual and the country from where they come when  
 attempting to predict wayfinding behavior. These results are considered statistically significant. The length  
 of the first leg of the path also had a considerable influence on an individual's path choice. The shortest leg  
 first criterion was found to be more influential than the longest leg first criterion. This contradicts earlier  
 urban wayfinding studies and is thought to be due to both the differences in the environments and the small  
 and selective sample used in the urban studies. Furthermore, the path directness does not appear to be a  
 significant path selection criterion based on the results of the wayfinding tasks.

Considering the responses to the wayfinding tasks, the participant's preference for right-handed, left-  
 handed, SLF or LLF paths was determined. The preferences for these paths for the entire sample were  
 found to be: 31 % prefer right-handed paths, 29 % prefer SLF paths, 23 % prefer LLF paths and 17 %  
 prefer left-handed paths. This distribution provides a means for ranking path preference within evacuation  
 model wayfinding algorithms. However, it is acknowledged that not every individual within a given  
 population will exhibit the same type of behavior as suggested by the average preference distribution for

the entire sample. Furthermore, there are significant differences in the wayfinding preferences of important sub-populations as genetic e.g. handedness, and cultural e.g. driving side, differences influence wayfinding preferences. Thus, the preference distribution for the factors influencing wayfinding was further refined to reflect handedness and driving side. It is not clear how large an effect these sub-population differences in path preference criteria will have on evacuation analysis. This is currently being examined by introducing these factors into a new wayfinding algorithm recently introduced into the building EXODUS evacuation model. Finally, when reviewing these findings it must be noted that the study is a map based questionnaire and so relies on the ability of participants to imagine themselves in the described situation. It is not clear the participants would behave in a similar manner in a real emergency evacuation situation.

## REFERENCES

- [1] Kuligowski, E.D, *The SFPE Handbook of Fire Protection Engineering*, Quincy, MA, 2008, pp. 456-3-478.
- [2] Xie, H., Filippidis, L., Galea, E.R., Blackshields, D. and Lawrence, P.J., "Experimental Study of the Effectiveness of Emergency Signage," *Fourth International Symposium of Human Behaviour in Fire*, Interscience Communications, 2009, pp. 289-300.
- [3] Filippidis, L., Lawrence, P.J., Galea, E.R. and Blackshields, D., (2008) Simulating the Interaction of Occupants with Signage systems, *Fire Safety Science* 9: 389-400  
<http://dx.doi.org/10.3801/IAFSS.FSS.9-389>
- [4] Veeraswamy, A., Lawrence, P.J. and Galea, E.R., "Implementation of Cognitive Mapping, Spatial Representation and Wayfinding Behaviours of People within Evacuation Modelling Tools," *Fourth International Symposium of Human Behaviour in Fire*, Interscience Communications, 2009, pp. 501-512.
- [5] Golledge, R. G., "Path Selection and Route Preference in Human Navigation - A Progress Report," The University of California Transportation Center, UCTC No. 277, Berkeley, 1995, pp. 1-17.
- [6] Golledge, R.G., "Defining the Criteria Used in Path Selection," The University of California Transportation Center, UCTC No.278, Berkeley, 1995, pp. 1-23.
- [7] Conroy, R.D., (2003) The secret is to follow your nose: Route path selection and angularity in the Environment and Behavior 35(1): 107-131, <http://dx.doi.org/10.1177/0013916502238867>
- [8] Ramadier, T. and Moser, G., (1998) Social Legibility, The Cognitive Map and Urban Behaviour, *Journal of Environmental Psychology* 18: 307-319, <http://dx.doi.org/10.1006/jevp.1998.0099>
- [9] Scharine, A. A. and McBeath, M. K., (2002) Right-Handers and Americans Favor Turning to the Right, *Human Factors and Ergonomics Society* 44(1): 248-258  
<http://dx.doi.org/10.1518/0018720024497916>
- [10] Raymond, M., Pontier, D., Dufour, A.B. and Moller, A.P., (1996) Frequency-dependent maintenance of left handedness in humans, *Biological Sciences* 263(1377): 1627-1633  
<http://dx.doi.org/10.1098/rspb.1996.0238>
- [11] Yates, F., (1934) Contingency Tables Involving Small Numbers and the  $\chi^2$  Tests, *Journal of the Royal Statistical Society* 1(B): 217-235, <http://dx.doi.org/10.2307/2983604>
- [12] Cochran, W.G., (1952) The  $\chi^2$  Test of Goodness of Fit, *Annals of Mathematical Statistics* 23: 345, <http://dx.doi.org/10.1214/aoms/1177729380>