

5-15-2015

Development of a Pedestrian Demand Estimation Tool: a Destination Choice Model

Christopher D. Muhs

Portland State University, cdmuhs@gmail.com

Kelly Clifton

Portland State University, kclifton@pdx.edu

Patrick Allen Singleton

Portland State University, singletonpa@gmail.com

Robert J. Schneider

University of Wisconsin - Milwaukee

Let us know how access to this document benefits you.

Follow this and additional works at: http://pdxscholar.library.pdx.edu/cengin_fac

 Part of the [Civil Engineering Commons](#), [Environmental Engineering Commons](#), [Transportation Commons](#), and the [Urban Studies Commons](#)

Citation Details

Muhs, Christopher D.; Clifton, Kelly; Singleton, Patrick Allen; and Schneider, Robert J., "Development of a Pedestrian Demand Estimation Tool: a Destination Choice Model" (2015). *Civil and Environmental Engineering Faculty Publications and Presentations*. Paper 307.

http://pdxscholar.library.pdx.edu/cengin_fac/307

This Presentation is brought to you for free and open access. It has been accepted for inclusion in Civil and Environmental Engineering Faculty Publications and Presentations by an authorized administrator of PDXScholar. For more information, please contact pdxscholar@pdx.edu.



CC Glenn Dettwiler, Flickr

Development of a Pedestrian Demand Estimation Tool: a Destination Choice Model

Kelly J. Clifton, PhD *

Patrick A. Singleton *

* Portland State Univ.

Christopher D. Muhs*

Robert J. Schneider, PhD†

† Univ. Wisconsin–Milwaukee

PSU Friday Transportation Seminar, 15 May 2015



Why model pedestrian travel?



plan for pedestrian investments
& non-motorized facilities



mode shifts



health & safety




greenhouse
gas emissions



new data


Project overview

- Metro: metropolitan planning organization for Portland, OR
- Two research projects



Current method

TAZ = transportation analysis zone




 All Trips


 Pedestrian Trips

 Vehicular Trips

New method



Pedestrian analysis zones




$1/20$ mile = 264 feet \approx 1 minute walk

Metro: $\sim 2,000$ TAZs \rightarrow ~ 1.5 million PAZs

TAZs



PAZs




Home-based work trip productions

Pedestrian Index of the Environment (PIE)

PIE is a 20–100 score total of 6 dimensions, calibrated to observed walking activity:



People and job density



Block size



Transit access




Sidewalk extent



Urban living infrastructure




Comfortable facilities




Visualizing PIE

100 – Downtown core




80 – Major neighborhood centers




Visualizing PIE

70 – Suburban downtowns




60 – Residential inner-city neighborhoods




Visualizing PIE

50 – Suburban shopping malls



40 – Suburban neighborhoods/subdivisions




Visualizing PIE


30 – Isolated business and light industry



20 – Rural, undeveloped, forested



① Walk mode split



***Probability(walk) =
f(traveler characteristics,
pedestrian environment)***

- Data: 2011 OR Household Activity Survey:
(4,000 walk trips) ÷ (50,000 trips) = 8% walk
- Model: binary logistic regression

① Walk Mode Split Results

Household characteristics

+ positively related to walking

number of children

- negatively related to walking

age of household


vehicle ownership

Pedestrian environment


+ positively related to walking

+ 1 point PIE

associated with:



II Destination choice




Prob(dest.) = function of...


- network distance
- size (# of destinations)
- pedestrian environment
- traveler characteristics

- *Data:* 2011 OHAS (4,000 walk trips)
- *Method:* multinomial logit model
random sampling
- *Spatial unit:* super-pedestrian analysis zone
- Models estimated for 6 trip purposes

Example of PIE by PAZs in NE Portland Sub-area



Example of Avg. PIE by SuperPAZs in NE Portland Sub-area



Key variables

Impedance

Network distance btw. zones

Attractiveness

Employment by category (within In)

Add'l variables

Ped
supports

PIE

Ped
barriers

Slope, x-ings, fwy

Traveler
attributes

Destination choice results

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|--------------|------------|------------|-----------|-------------|-------------|-----------|
| Sample size | 305 | 405 | 643 | 1,108 | 732 | 705 |
| Pseudo R^2 | 0.45 | 0.68 | 0.42 | 0.53 | 0.59 | 0.54 |

Results : key variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|---|---------|---------|---------|----------|----------|---------|
| Distance (mi) | | | | -1.94** | -1.43** | -1.45** |
| Distance * Auto (y) | -1.35** | | | | | |
| Distance * Auto (n) | -0.96** | | | | | |
| Distance * Child (y) | | -2.29** | -1.76** | | | |
| Distance * Child (n) | | -1.54** | -1.52** | | | |
| Size terms (ln) | 0.50** | 0.88** | 0.05* | 0.41** | 0.36** | 0.39** |
| (‘ = p < 0.10, * = p < 0.05, ** = p < 0.01) | | | | | | |

Results : key variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|---|------------|------------|-----------|-------------|-------------|-----------|
| Distance (mi) | | | | -1.94** | -1.43** | -1.45** |
| Distance * Auto (y) | -1.35** | | | | | |
| Distance * Auto (n) | -0.96** | | | | | |
| Distance * Child (y) | | -2.29** | -1.76** | | | |
| Distance * Child (n) | | -1.54** | -1.52** | | | |
| Size terms (ln) | 0.50** | 0.88** | 0.05* | 0.41** | 0.36** | 0.39** |
| (‘ = p < 0.10, * = p < 0.05, ** = p < 0.01) | | | | | | |

- Distance has the most influence on destination choices
- Auto ownership and children in HH moderate effects

Results : key variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|----------------------|---------|---------|---------|----------|----------|---------|
| Distance (mi) | | | | -1.94** | -1.43** | -1.45** |
| Distance * Auto (y) | -1.35** | | | | | |
| Distance * Auto (n) | -0.96** | | | | | |
| Distance * Child (y) | | -2.29** | -1.76** | | | |
| Distance * Child (n) | | 1.54** | 1.52** | | | |
| Size terms (ln) | 0.50** | 0.88** | 0.05* | 0.41** | 0.36** | 0.39** |

(† p < 0.10, * p < 0.05, ** p < 0.01)

- No. of destinations inc. odds of choosing particular zone
- # Retail destinations dominates shopping purpose

Results : ped variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PIE (avg) | 0.03** | <i>n.s.</i> | <i>n.s.</i> | 0.03** | 0.02* | 0.02** |
| Avg. slope (°) | <i>n.s.</i> | -0.20* | <i>n.s.</i> | -0.42** | -0.16** | <i>n.s.</i> |
| Major-major xing (y) | <i>n.s.</i> | 0.60** | 0.42' | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> |
| Freeway (y) | <i>n.s.</i> | -0.95** | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> | 0.27' |
| % Industrial jobs | -1.00* | -1.82** | <i>n.s.</i> | -0.40' | -1.66** | <i>n.s.</i> |

(' = $p < 0.10$, * = $p < 0.05$, ** = $p < 0.01$) *n.s.* = not significant

Results : ped variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PIE (avg) | 0.03** | <i>n.s.</i> | <i>n.s.</i> | 0.03** | 0.02* | 0.02** |
| Avg. slope (°) | <i>n.s.</i> | -0.20* | <i>n.s.</i> | -0.42** | -0.16** | <i>n.s.</i> |
| Major-major xing (y) | <i>n.s.</i> | 0.60** | 0.42' | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> |
| Freeway (y) | <i>n.s.</i> | -0.95** | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> | 0.27' |
| % Industrial jobs | -1.00* | -1.82** | <i>n.s.</i> | -0.40' | -1.66** | <i>n.s.</i> |

(' = $p < 0.10$, * = $p < 0.05$, ** = $p < 0.01$) *n.s.* = not significant

Ped supports: PIE increases odds of dest choice for many trip purposes

Results : ped variables

| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PIE (avg) | 0.03** | <i>n.s.</i> | <i>n.s.</i> | 0.03** | 0.02* | 0.02** |
| Avg. slope (°) | <i>n.s.</i> | -0.20* | <i>n.s.</i> | -0.42** | -0.16** | <i>n.s.</i> |
| Major-major xing (y) | <i>n.s.</i> | 0.60** | 0.42' | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> |
| Freeway (y) | <i>n.s.</i> | -0.95** | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> | 0.27' |
| % Industrial jobs | -1.00* | -1.82** | <i>n.s.</i> | -0.40' | -1.66** | <i>n.s.</i> |

(' = $p < 0.10$, * = $p < 0.05$, ** = $p < 0.01$) *n.s.* = not significant

Ped barriers:

Slope, major crossings, and presence of freeways have mixed impacts

Results : ped variables


| | HB Work | HB Shop | HB Rec | HB Other | NHB Work | NHB NW |
|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PIE (avg) | 0.03** | <i>n.s.</i> | <i>n.s.</i> | 0.03** | 0.02* | 0.02** |
| Avg. slope (°) | <i>n.s.</i> | -0.20* | <i>n.s.</i> | -0.42** | -0.16** | <i>n.s.</i> |
| Major-major xing (y) | <i>n.s.</i> | 0.60** | 0.42' | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> |
| Freeway (y) | <i>n.s.</i> | -0.95** | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> | 0.27' |
| % Industrial jobs | -1.00* | -1.82** | <i>n.s.</i> | -0.40' | -1.66** | <i>n.s.</i> |

(' = $p < 0.10$, * = $p < 0.05$, ** = $p < 0.01$) *n.s.* = not significant


Ped barriers:

Ratio of industrial jobs to total jobs suggests industrial uses deter ped destination choices

Some Interpretation




Equivalent distance reductions from
 $2 * (\# \text{ destinations})$



Some Interpretation



Equivalent distance reductions from
PIE + 10



Conclusions

- One of the first studies to examine destination choice of pedestrian trips
- Pedestrian scale analysis w/ pedestrian-relevant variables
- Distance and size have the most influence on ped. dest. choice
- Supports and barriers to walking also influence choice
- Traveler characteristics moderate distance effect

- Model improvements
 - Choice set generation method & sample sizes
 - Explore non-linear effects & other interactions
- Model validation & application
- Predict potential pedestrian paths
- Test method in other region(s)
- Incorporation into Metro trip-based model

Questions?

Project report/info:

<http://otrec.us/project/510>

<http://otrec.us/project/677>



Kelly J. Clifton, PhD

kclifton@pdx.edu

Christopher D. Muhs

muhs@pdx.edu

Patrick A. Singleton

patrick.singleton@pdx.edu

Robert J. Schneider, PhD

rjschnei@uwm.edu

| | HB Work | HB Shop | HB Rec | HB Oth | NHB Work | NHB NW |
|----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Distance (mi) | | | | -1.94** | -1.43** | -1.45** |
| Distance * Auto (y) | -1.35** | | | | | |
| Distance * Auto (n) | -0.96** | | | | | |
| Distance * Child (y) | | -2.29** | -1.76** | | | |
| Distance * Child (n) | | -1.54** | -1.52** | | | |
| Size terms (ln) | 0.50** | 0.88** | 0.05* | 0.41** | 0.36** | 0.39** |
| Retail Jobs (#) | | + | + | | + | + |
| Finance Jobs (#) | | | | | + | |
| Gov't jobs (#) | | | + | | | + |
| Retail + gov't jobs (#) | | | | + | | |
| Ret + fin + gov't jobs (#) | + | | | | | |
| Other jobs (#) | + | + | + | + | + | + |
| Households (#) | | | — | — | | + |
| Park in zone (y) | | | 0.48** | n.s. | | |
| PIE (avg) | 0.03** | <i>n.s.</i> | <i>n.s.</i> | 0.03** | 0.02* | 0.02** |
| Avg. slope (°) | <i>n.s.</i> | -0.20* | <i>n.s.</i> | -0.42** | -0.16** | <i>n.s.</i> |
| Major-major xing (y) | <i>n.s.</i> | 0.60** | 0.42' | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> |
| Freeway (y) | <i>n.s.</i> | -0.95** | <i>n.s.</i> | <i>n.s.</i> | <i>n.s.</i> | 0.27' |
| % Industrial jobs | -1.00* | -1.82** | <i>n.s.</i> | -0.40' | -1.66** | <i>n.s.</i> |
| Sample size | 305 | 405 | 643 | 1,108 | 732 | 705 |
| Pseudo R^2 | 0.45 | 0.68 | 0.42 | 0.53 | 0.59 | 0.54 |

Coefficients with #s are significant (' = $p < 0.10$, * = $p < 0.05$, ** = $p < 0.01$), others are not significant ($p > 0.10$).