Provided by HKU Scholars Hub The HKU Scholars Hub The University of Hong Kong





Title	Dynamic Modeling for Intelligent Transportation System Applications
Author(s)	Szeto, WY
Citation	Journal of Intelligent Transportation Systems, 2014, v. 18 n. 4, p. 323-326
Issued Date	2014
URL	http://hdl.handle.net/10722/188945
Rights	This is an electronic version of an article published in Journal of Intelligent Transportation Systems, 2014, v. 18 n. 4, p. 323-326. The article is available online at: http://www.tandfonline.com/doi/abs/10.1080/15472450.2013.8347 70

EDITORIAL: Special Issue on Dynamic Modeling for Intelligent Transportation System Applications

W.Y. SZETO

Department of Civil Engineering, The University of Hong Kong Hong Kong SAR, China

Tel: (852) 2857-8552; Fax: (852) 2559-5337; E-mail: ceszeto@hku.hk

This special issue is based on articles both chosen from an open call for papers and selected from the 16th International Conference of Hong Kong Society for Transportation Studies. The conference was held on December 17-20, 2011 in Hong Kong and jointly organized by the Hong Kong Society for Transportation Studies, the Institute of Transport Studies and the Department of Civil Engineering at the University of Hong Kong. It aimed to foster excellence in transportation research and practice, stimulate professional interaction and provide a forum for exchanging ideas on transportation developments. The presentations covered numerous aspects of transportation research, including the theme of the conference, "Transportdynamics".

Transportdynamics is the discipline in which transportation system dynamics are studied, covering many aspects of classical transportation system engineering such as transportation planning, design, control, operation, management, policy and travel behavior. It emphasizes capturing the time-varying nature of transportation systems from both the demand and supply perspectives. The discipline includes many traditional research topics, such as dynamic traffic assignment (e.g., Long et al., 2011; Szeto et al., 2011), schedule-based transit assignment (e.g., Hamdouch et al., 2011), dynamic traffic signal control (e.g., Li, 2011), dynamic tolls (e.g., Lo and Szeto, 2005), traffic flow forecasting (e.g., Chiou et al., 2013; Anand et al., 2013; Wei and Liu, 2013; Yuan et al., 2013), activity-based modeling (e.g., Oh et al., 2012), vehicle routing and scheduling (e.g., Rancourt et al., 2013), incident detection and management (e.g., Ghosh and Smith, 2013), time-dependent shortest path problems (e.g., Chen et al., 2013), dynamic transportation network design (e.g., Wismans et al., 2014) and time-dependent delay estimation (e.g., Abbas et al., 2013). The time scales captured vary from one study to another, and further range from second to second (e.g., Lo and Szeto, 2002), day to day (e.g., Parry and Hazelton, 2013) and year to year (e.g., Szeto and Lo, 2005a, 2008; Lo and Szeto, 2009; Szeto et al., 2010) depending on the application. Capturing this time-varying nature is particularly important when modeling and examining transportationrelated problems such as congestion and vehicle emissions in many cities, regions and countries. Moreover, its consideration allows for a more accurate description of these problems, leading to better predictions or estimations of system performance and better engineering of transportation systems. Without considering the time-varying nature, as in the static modeling paradigm, the congestion problem could be ill represented and the transportation policies determined could worsen the problem (Lo and Szeto, 2005).

Although transportdynamics is not a new discipline, it is growing. Szeto and Wong (2012) showed that more than 800 publications on one transportdynamics topic, i.e., dynamic traffic assignment and its applications, were published from 1971 to mid-2012, and that the number of publications is increasing. New studies on this discipline are always arriving and new dynamic models are being developed, probably due to the new intelligent transportation system (ITS) applications (e.g., Siripirote et al., 2013), new insights into current dynamic

problems (e.g., Long et al., 2011), new design methods (e.g., Wismans et al., 2014) and new formulation approaches (e.g., Friesz and Meimanda, 2014) to addressing the limitations of current dynamic models.

Dynamic models are among the key components of an ITS. They have been used to simulate transportation system operations (e.g., Szeto, 2008; Sumalee et al., 2011), evaluate system performance (e.g., Szeto and Lo, 2005b), forecast traffic flow conditions (e.g., Szeto et al., 2009; Ye et al., 2012; Chiou et al., 2013; Anand et al., 2013; Wei and Liu, 2013; Yuan et al., 2013), estimate dynamic origin-destination demand (e.g., Kim et al., 2013; Flötteröd and Liu, 2013; Frederix et al., 2013), provide route guidance (e.g., Guo et al., 2013) and determine traffic control or management strategies for the movement of goods and people (e.g., Espinosa-Aranda and García-Ródenas, 2012; Ghosh and Smith, 2013; Bifulco et al., 2013; Wismans et al., 2013). For over half a century, much effort has been put into developing more realistic, practical and computationally efficient models for ITS applications. This special issue focuses on the recent advances in dynamic modeling, including the new models, algorithms, methodologies, strategies and ITS applications.

The issue consists of eight articles selected through a rigorous review process. The selected articles are representative of recent advances in dynamic modeling for ITS applications. The first article, by Mesa-Arango and Ukkusuri, develops a cell-based dynamic system optimal traffic assignment model that considers the interactions between trucks and cars. This model is derived from hydrodynamic theory and is formulated as a linear program. It offers a benchmark result for advanced traffic management system (ATMS) applications and insights into the decisions made in truck-only lanes. Its traffic flow sub-model will be used for the further development of cell-based, multiclass dynamic user equilibrium models for advanced traveler information system (ATIS) applications.

The second article, by Tian and Chiu, proposes and examines two time-discretization strategies for forming dynamic shortest path algorithms as the core algorithms for solving simulation-based dynamic user equilibrium models. Its results show that the proposed discretization strategies can flexibly and scalably balance the memory use and runtime of simulation-based dynamic traffic assignment models without degrading convergence. This property is rather important when dealing with large, realistic networks with lengthy analysis periods.

The third and fourth articles are related to traffic condition forecasting. The third article, by Chiou, Lan and Tseng, proposes a novel, multi-step time-series forecasting model for predicting traffic features such as traffic flow, travel time, speed and occupancy in a long freeway corridor. Based on rolling self-structured traffic patterns, the model adopts the growing hierarchical self-organizing map model to form a number of traffic pattern clusters, and predicts the traffic features of the clusters by developing a genetic programming model for each of the clusters. The results show that the model performs better than ARIMA, SARIMA and naïve models. It is my belief that their proposed model will be widely applied in various short-term traffic forecasting applications. The fourth article, by Anand, Ramadurai and Vanajakshi, develops a data fusion model for predicting traffic density in traffic conditions that are heterogeneous and lack lane-following behavior. The model relies on the Kalman filter to fuse flow and travel time data and thereby estimates traffic density. According to its calibration and validation, the model predicts density more accurately. The model is expected to be particularly suitable for forecasting traffic density in cites with similar traffic conditions and driving behavior in India.

The fifth article, by Liu and Lam, proposes a time-dependent model to determine mode choice over time under the provision of ATIS. The prospect theory is used to develop this model, which can be used to evaluate the performance of multimodal transportation corridors under ATIS provision. The article's insights into the effect of population density on mode choice will help governments establish transportation policies on mass transit rail development.

The sixth article, by Siripirote, Sumalee, Watling and Shao, proposes a maximum likelihood problem for simultaneously updating activity-based travel behavior model parameters and estimating vehicle trip chains based on information obtained from plate scanning, including vehicle passing times and scanned vehicle sequences along a series of plate scanning locations. The authors adopt a nested logit model to depict the travel behavior in this problem, in which the upper tier considers trip chains and the activity patterns of individuals, and the lower tier considers destinations and route choices. The problem is solved using the expectation-maximization algorithm. The test results demonstrate that the algorithm is able to effectively update the model parameters when the travel time variation level is low or the mean activity duration is high. This article significantly contributes to the literature by providing a new methodology that jointly updates travel behavior model parameters and estimates vehicle trip chains.

The seventh article, by Yushimito, Ban and Holguín-Veras, develops a two-stage optimization model for implementing staggered work hours that can be implemented effectively with the help of ITS. The first stage considers the problem of a firm aiming to reassign its workers to different schedules to minimize costs. The second stage considers the problem of workers aiming to determine the departure times and routes necessary to reach their workplaces on time. The article gives two examples to illustrate how the model could be applied to study the effects of external incentives on a firm and the firm's response, and to determine the type of starting-time arrangements that would achieve a social optimum. These examples are implicative of decision makers who want to implement staggered work hours.

The final article, by Ghosh and Smith, establishes a new and simple strategy that allows the use of current freeway-based automatic incident detection algorithms (AIDA) in signalized urban arterial transportation networks without significantly affecting incident detection effectiveness. This strategy relies on adjusting the traffic information obtained from the arterials to mitigate the effect of traffic signals before inputting the information to existing AIDA. Its performance is tested in three different scenarios using four AIDA. The advantage of the strategy is that the AIDA can be used to detect incidents on urban arterials with higher accuracy and without any instrumentation or operational cost.

In summary, the eight articles published in this special issue provide different, novel methods of building larger models for general ITS applications, along with various methodologies for and insights into specific ITS applications. I hope it will inspire and stimulate researchers, practitioners, transportation authorities and policymakers to arrive at new modeling approaches, methodologies, ideas and insights addressing transportdynamics problems.

ACKNOWLEDGEMENTS

I would like to thank Prof. Asad J. Khattak and Prof. Hong K. Lo for their advice and support for this special issue. I would also like to thank everyone who contributed to the conference and to the articles in the issue, including the presenters, authors and reviewers. Without their invaluable and constructive reviews, this issue would not have been possible.

REFERENCES

- Abbas, M., Rajasekhar, L., Gharat, A., & Dunning, J. P. (2013). Microscopic modeling of control delay at signalized intersections based on bluetooth data, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 17(2), 110-122.
- Anand, A., Ramadurai, G., & Vanajakshi, L. (2014). Data fusion based traffic density estimation and prediction, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*.
- Bifulco, G. N., Cantarella, G. E., & Simonelli, F. (2013). Design of signal setting and Advanced Traveller Information Systems, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.802156.
- Chen, B. Y., Lam, W. H. K., Sumalee, A., Li, Q., & Tam, M. L. (2013). Reliable shortest path problems in stochastic time-dependent networks, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806851.
- Chiou, Y.-C., Lan, L. W., & Tseng, C.-M. (2014). A novel method to predict traffic features based on rolling self-structured traffic patterns, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806764.
- Espinosa-Aranda, J. L. & García-Ródenas, R. (2012). A discrete event-based simulation model for real-time traffic management in railways, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 16(2), 94-107.
- Flötteröd, G. & Liu, R. (2013). Disaggregate path flow estimation in an iterated Dynamic traffic assignment microsimulation, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806854.
- Frederix, R., Viti, F., Himpe, W. W. E., & Tampère, C. M. J. (2013). Dynamic origin-destination matrix estimation on large-scale congested networks using a hierarchical decomposition scheme, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI: 10.1080/15472450.2013.773249.
- Friesz, T. L. & Meimanda, A. (2014). A differential variational inequality formulation of dynamic network user equilibrium with elastic demand, *Transportmetrica A: Transport Science*. DOI:10.1080/18128602.2012.751684.
- Ghosh, B., & Smith, D. P. (2014). Customisation of automatic incident detection algorithms for signalised urban arterials, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806843.
- Guo, L., Huang, S., & Sadek, A. W. (2013). An evaluation of environmental benefits of time-dependent green routing in the Greater Buffalo–Niagara Region, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 17(1), 18-30.

- Hamdouch, Y., Ho, H.W., Sumalee, A., & Wang, G. (2011). Schedule-based transit assignment model with vehicle capacity and seat availability, *Transportation Research Part B-Methodological* 45, 1805-1830.
- Kim, J., Kurauchi, F., Uno, N., Hagihara, T., & Daito, T. (2013). Using electronic toll collection data to understand traffic demand, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806858.
- Li, Z. C. (2011). Modeling arterial signal optimization with enhanced cell transmission formulations, *Journal of Transportation Engineering-ASCE* 137(7), 445-454.
- Liu, D. & Lam, W. H. K. (2014). Modeling the effects of population density on prospect theory based travel mode choice equilibrium, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806745.
- Lo, H. K. & Szeto, W. Y. (2002). A cell-based dynamic traffic assignment model: formulation and properties, *Mathematical and Computer Modelling* 35(7-8), 849-865.
- Lo, H. K. & Szeto, W. Y. (2005). Road pricing modeling for hyper-congestion, *Transportation Research Part A* 39(7-9), 705-722.
- Lo, H. K. & Szeto, W. Y. (2009). Time-dependent transport network design under cost-recovery, *Transportation Research Part B-Methodological* 43(1), 142-158.
- Long, J. C., Gao, Z. Y., & Szeto, W. Y. (2011). Discretised link travel time models based on cumulative flows: formulations and properties, *Transportation Research Part B-Methodological* 45(1), 232-254.
- Mesa-Arango, R. & Ukkusuri, S. V. (2014). Modeling the car-truck interaction in a system optimal dynamic traffic assignment model, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806846.
- Oh, J.-S., Kim, H., & Jayakrishnan, R. (2012). Tourist activity simulation model for assessing real-time tour information systems, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 16(3), 118-131.
- Parry, K. & Hazelton, M. L. (2014). Bayesian inference for day-to-day dynamic traffic models, *Transportation Research Part B-Methodological* 50, 104-115.
- Rancourt, M.-E., Cordeau, J.-F., & Laporte, G. (2013). Long-haul vehicle routing and scheduling with working hour rules, *Transportation Science* 47(1), 81-107.
- Siripirote, T., Sumalee, A., Watling, D. P., & Shao, H. (2014). Updating of travel behavior model parameters and estimation of vehicle trip chain based on plate scanning, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations.* DOI:10.1080/15472450.2013.806761.
- Sumalee, A., Zhong, R. X., Pan, T. L., & Szeto, W. Y. (2011). Stochastic cell transmission model (SCTM): a stochastic dynamic traffic model for traffic state surveillance and assignment, *Transportation Research Part B-Methodological* 45(3), 507-533.
- Szeto, W. Y. & Lo, H. K. (2005a). Strategies for road network design over time: robustness under uncertainty, *Transportmetrica* 1(1), 47-63.
- Szeto, W. Y. & Lo, H. K. (2005b). The impact of Advanced Traveler Information services on travel time and schedule delay costs, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 9(1), 47-55.
- Szeto, W. Y. & Lo, H. K. (2008). Time-dependent transport network improvement and tolling strategies, *Transportation Research Part A* 42(2), 376-391.
- Szeto, W. Y. & Wong, S. C. (2012). Dynamic traffic assignment: model classifications and recent advances in travel choice principles, *Central European Journal of Engineering* 2, 1-18.

- Szeto, W. Y. (2008). The enhanced lagged cell transmission model for dynamic traffic assignment, *Transportation Research Record* 2085, 76-85.
- Szeto, W. Y., Ghosh, B., Basu, B., & O'Mahony, M. (2009). Cell-based short-term traffic flow forecasting using time series modelling, *ASCE Journal of Transportation Engineering* 135(9), 658-667.
- Szeto, W. Y., Jaber, X. Q., & O'Mahony, M. (2010). Time-dependent discrete network design frameworks considering land use, *Computer-Aided Civil and Infrastructure Engineering* 25(6), 411-426.
- Szeto, W. Y., Jiang, Y, & Sumalee, A. (2011). A cell-based model for multi-class doubly stochastic dynamic traffic assignment, *Computer-Aided Civil and Infrastructure Engineering* 26(8), 595-611.
- Tian, Y. & Chiu, Y.-C. (2014). A variable time-discretization strategies-based, time-dependent shortest path algorithm for dynamic traffic assignment, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806753.
- Wei, D. & Liu, H. (2013). An adaptive-margin support vector regression for short-term traffic flow forecast, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.771107.
- Wismans, L., van Berkum, E., & Bliemer, M. (2013). Effects of optimizing externalities using cooperating dynamic traffic management measures on network level, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations* 17(1), 65-77
- Wismans, L., van Berkum, E., & Bliemer, M. (2014). Accelerating solving the dynamic multi-objective network design problem using response surface methods, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.773250.
- Ye, Q., Szeto, W. Y., & Wong, S. C. (2012). Short-term traffic speed forecasting based on data recorded at irregular intervals, *IEEE Transactions on Intelligent Transportation Systems* 13(4), 1727-1737.
- Yuan, Y., van Lint, H., van Wageningen-Kessels, F., & Hoogendoorn, S. (2013). Networkwide traffic state estimation using loop detector and floating car data, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.773225.
- Yushimito, W. F., Ban, X., & Holguín-Veras, J. (2014). A two-stage optimization model for staggered work hours, Forthcoming, *Journal of Intelligent Transportation Systems: Technology, Planning, and Operations*. DOI:10.1080/15472450.2013.806736.