M.K. Monastyrov, T.A. Prikhna, A.G. Mamalis, W. Gawalek, P.M. Talanchuk and R.V. Shekera

## Electroerosion dispersion-prepared nano- and submicrometre-sized aluminium and alumina powders as power-accumulating substances

ABSTRACT. The nano- and submicrometre aluminium powders prepared by electroerosion dispersion (EED, which consists in dispersing a granulated metal by electric discharges) can be used as power-accumulating substances (PAS) able to produce hydrogen using their reaction with water in the presence of caustic alkali. The spherical shape and polydisperse composition of Al powders consisting of nano- and submicrometre particles (from 0.05 to 5  $\mu$ m) allow dense packing of the PAS (1240 kg/m³) and provide the possibility to produce 1.5252 m³ (at 1 atm) of hydrogen from  $10^{-3}$  m³ of PAS. The presence of a nanosized fraction ensures a short induction period of the reaction with water and a high rate of hydrogen release. The polydisperse composition of the powders is responsible for the constant reaction rate. The aluminium oxide (Al<sub>2</sub>O<sub>3</sub>) powders, which are the products of the reaction with water, can be used as polishing powder, for manufacturing ceramic materials, or can be reduced back to aluminium. EED-produced amorphous Al<sub>2</sub>O<sub>3</sub> with grains of size 5–100 nm can be used to store hydrogen (due to occlusion of hydrogen in the alumina) and thus can also be considered as a PAS.

Nanotechnology Perceptions 4 (2008) 179–187

Nonsubscribers: purchase individual article