

2-6-2017

Shovel Test Pit Paperwork of Transect 4 From Lighthouse (8BR234)

Victoria Priola
University of Central Florida

Alexis Russell
University of Central Florida

Maria Meza
University of Central Florida

Find similar works at: <https://stars.library.ucf.edu/lighthouse-surveys>
University of Central Florida Libraries <http://library.ucf.edu>

This STP Paperwork is brought to you for free and open access by the Lighthouse Site (8BR234) at STARS. It has been accepted for inclusion in Lighthouse Site Survey by an authorized administrator of STARS. For more information, please contact STARS@ucf.edu.

Recommended Citation


Priola, Victoria; Russell, Alexis; and Meza, Maria, "Shovel Test Pit Paperwork of Transect 4 From Lighthouse (8BR234)" (2017). *Lighthouse Site Survey*. 6.
<https://stars.library.ucf.edu/lighthouse-surveys/6>

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site JBR234
 ST Number: T4 STPI Size: 50cm x 80cm Date: 2/6/17
 Excavators: VP, MM, EP, AR Recorded by: Jesann Gonzalez

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-29cm	10YR 5/2	grayish brown, loose soil sand.
B	29cm-32cm	10YR 3/1	Very dark gray, silty sand. Dark band
C	32cm-100cm	10YR 6/2	light brownish gray - very loose sand.
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: 15 Total Number of Bags: 1 of 1
 Cultural Zone: Approx. Depth of First Artifact: 1 cmbs Approx. Depth of Last Artifact: 95 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: _____

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: Brick

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES: Shell found at 0cm.

Dark Historic Glass found less than 2cmbs.

Brick fragment found at 74cm.

Brick found at 90cm.

Light Glass shard found at 95cm.

Crew Chief's Review & Approval: ELP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR234
 ST Number: ^{T4} ~~STP 1~~ STP 2 Size: 50cm x 50cm Date: 2/6/17
 Excavators: AR, MM, VP, CP Recorded by: Jesam Gonzalez

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-11cm	5YR 2.5/1	Black, dry, clumpy soil.
B	11cm-76cm	10YR 7/3	very pale brown, coarse grained sand
C	76cm-82cm	10YR 5/1	gray, wet gritty sand.
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: — Total Number of Bags: 0 of 0
 Cultural Zone: Approx. Depth of First Artifact: 0 cmbs Approx. Depth of Last Artifact: 0 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: Sterile

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: _____

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

Dug to 82 cmbs - hit water table and stopped digging.
Found no artifacts. Sterile shovel test pit.

Crew Chief's Review & Approval: ERP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse site - 8BR234
 ST Number: T4 STP3 Size: 50cm x 50cm Date: 2/6/17
 Excavators: VP, MM, AR, EP Recorded by: Jesem Gonzalez

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-47cm	10YR 8/1	white, really fine sand
B	47-100 cm	10YR 7/2	light gray, slightly damp, gritty sand with shell bits.
C			
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: Total Number of Bags: 0 of 0
 Cultural Zone: Approx. Depth of First Artifact: 0 cmbs Approx. Depth of Last Artifact: 0 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: Found no artifacts.

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: _____

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

Dug to 100 cmbs - found no artifacts. Stopped digging.

Crew Chief's Review & Approval: ERP

Principal Investigator's Approval: _____


SHOVEL TEST FORM

Project Name: Old Lighthouse Site CCAMP
 Site Name and #: Old Lighthouse Site 8BR234
 ST Number: T4 STP4 Size: 50cm X 50cm Date: 2/8/17
 Excavators: AR/JCC/MM/VPI/ERP Recorded by: Alexis Russell

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"

PROFILE



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-4 cmbs	2.5Y 2.5/1	Black, grainy soil
B	4-100 cmbs	2.5Y 6/2	Light brownish gray, fine loose sand
C			
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 1
 Cultural Zone: Approx. Depth of First Artifact: 58 cmbs Approx. Depth of Last Artifact: 58 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: One shard of glass found

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: _____

Description: Shard of glass

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

Glass shard 58cm

Crew Chief's Review & Approval: ERP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR234
 ST Number: J45TP5 Size: 50x50cm Date: 2/8/17
 Excavators: AR/VP/JG/IMM/ERP Recorded by: Alexis Russell

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY			
Zone	Depth (cmbs)	Munsell	Description
A	0-22	104R 4/1	Dark gray, grainy & fine soil
B	22-29	104R 2/1	Black, charcoal ring, soft, grainy soil
C	29-43	104R 5/2	Grayish brown; fine gritty soil
D	43-100	104R 7/2	Light gray, beachwash / shell deposit
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 1
 Cultural Zone: Approx. Depth of First Artifact: 0 cmbs Approx. Depth of Last Artifact: 70 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: Most artifacts found from surface to approx. 70cm

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: _____

Description: Brick frag of various sizes, possible modified shell

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

- Charcoal, brick fragments found 5cmb
- Glass shard found, surface
- Large brick pieces, approx. 10cmb - 40cmb
- Possible modified shell
- brick frag until 70cmb

Crew Chief's Review & Approval: ERP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR234
 ST Number: T4STP6 Size: 50x50cmb Date: 2/18/17
 Excavators: AR/MM/VP/SGC/ERP Recorded by: Alexis Russell

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-20	10YR 4/2	Dark grayish brown, gritty sand
B	20-31	10YR 7/2	Light gray, fine sand
C	31-40	10YR 6/2	Light brownish gray, fine & loose sand
D	40-100	10YR 7/3	Very pale brown, gritty loose sand
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: _____
 Cultural Zone: Approx. Depth of First Artifact: _____ cmbs Approx. Depth of Last Artifact: _____ cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: _____

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
- Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
- Bead Coin Bottle Fired Clay/Daub Other: _____

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
- Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
- Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
- Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
- C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

1 small charcoal piece, 100 cmb
Sterile

Crew Chief's Review & Approval: EKP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR#234
 ST Number: T4 STP #7 Size: 50x50cm Date: 218117
 Excavators: ARIVUJGCI MM/ERP Recorded by: Alexis Russell

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-12	10YR 2/1	Black; fertile damp soil
B	12-24	10YR 5/3	Brown; gritty sand
C	24-100	10YR 6/2	Light brownish gray; graining sand
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:


Yes No FS Number: _____ Total Number of Bags: 1
 Cultural Zone: Approx. Depth of First Artifact: 5 cmbs Approx. Depth of Last Artifact: 58 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: Concentrated in middle layer, top of layer C

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR 234
 ST Number: STP8T40 Size: 50x50 cm Date: 2/8/17
 Excavators: AR/MW/VP/SGC/ERP Recorded by: Alexis Russell

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-40	10YR 5/2	Grayish brown; fine soft soil
B	40-49	10YR 2/1	Black; fine soil
C	49-106	10YR 6/3	Pale Brown; fine gritty sand
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 1
 Cultural Zone: Approx. Depth of First Artifact: 35 cmbs Approx. Depth of Last Artifact: 98 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: Prehistoric ceramic, glass, brick all in same layer

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
- Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
- Bead Coin Bottle Fired Clay/Daub Other: _____

Description: Nails

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
- Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
- Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
- Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
- C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

Nail found 35 cmb
 Possible amber gris - 30 cmb
 Prehistoric Ceramic, glass, brick at 51 cmb
 Nail, ceramic at 60 cmb
 Glass at 98 cmb

Crew Chief's Review & Approval: ERP

Principal Investigator's Approval: _____


SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old lighthouse site 8BR234
 ST Number: T4 Stp 9 Size: 50cm x 50cm Date: 2/15/2017
 Excavators: VP, JG, MM, AR, EP Recorded by: Victoria Priola

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"

PROFILE



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-21 cm	10yr 6/2	light brownish grey fine sand
B	21-70 cm	10yr 7/1	light grey grainy sand
C	70-75 cm	10yr 6/4	light yellowish brown cochineal layer
D	75-100 cm	10yr 5/2	greyish brown very fine loose sand
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 1
 Cultural Zone: Approx. Depth of First Artifact: 32 cmbs Approx. Depth of Last Artifact: 90 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: concentrated in B-D

ARTIFACT CONTENT:

- Prehistoric Ceramics
- Lithics
- Shell
- Modified Shell
- Faunal Remains
- Charcoal
- Modified Faunal Remains
- Human Remains
- Metal
- Glass
- Historic Ceramics
- Masonry
- Bead
- Coin
- Bottle
- Fired Clay/daub
- Other: _____

Description: deer or bear tooth

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
- Possible Post Mold
- Hearth
- Burial
- Trash Pit
- Well
- Cistern
- Foundation
- Artifact Concentration
- Living Floor
- Charcoal Concentration
- Midden
- Soil Discoloration
- Other: _____
- Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
- C14
- Flotation
- Pollen
- Sediment/Soil
- Other _____

Description: _____

NOTES:

building debris

Charcoal

Painted large brick (32 cmbs)

glass 41 cmbs

Small glass pieces 49 cmbs

large bricks 63 cmbs

small painted brick pieces

painted brick 68 cmbs

full bricks (painted) around 70 cmbs

coquina shells

rusted ball of metal 78 cmbs

glass pieces 78 cmbs

metal pieces 83 cmbs

Crew Chief's Review & Approval: EHP

black glass (possible neck of a bottle)
85 cmbs

glass + metal 85 cmbs
more painted brick

tooth? 87 cmbs (deer or bear)

metal pieces 87 cmbs

historic square nail 90 cmbs

more painted brick
bone found at 90 cmbs
(possible gator tibia)

- cluster of bricks in the wall 50-70 cmbs


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site, 8BR234
 ST Number: T4-STP10 Size: 50x50cm Date: 2-15-17
 Excavators: AR, MM, JB, VP, EP Recorded by: Victoria Priola

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-10cm	10YR 5/2	greyish brown silty sand
B	10-100 cm	10YR 6/2	light greyish brown grainy sand
C			
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 7
 Cultural Zone: Approx. Depth of First Artifact: 0 cmbs Approx. Depth of Last Artifact: 60 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: most in B 25cm - 60cm

ARTIFACT CONTENT:

- Prehistoric Ceramics
- Lithics
- Shell
- Modified Shell
- Faunal Remains
- Charcoal
- Modified Faunal Remains
- Human Remains
- Metal
- Glass
- Historic Ceramics
- Masonry
- Bead
- Coin
- Bottle
- Fired Clay/Daub
- Other: _____

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
- Possible Post Mold
- Hearth
- Burial
- Trash Pit
- Well
- Cistern
- Foundation
- Artifact Concentration
- Living Floor
- Charcoal Concentration
- Midden
- Soil Discoloration
- Other: _____
- Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
- C14
- Flotation
- Pollen
- Sediment/Soil
- Other _____

Description: _____

NOTES:

- 0-5cm = small bits of brick & building debris

25 cmbs - glass

25 metal?

building debris

little historic glass 34cmbs

small metal peices 34cmbs

- full brick pulled out of the wall with ← (south) ←

concret at 23 cmbs (no makers marks)

more metal

40cmbs huge ~~chunk~~ glass peice + small little peices

Charcoal found

59 cmbs two more large glass peices

more burnt metal

no to to little brick debris besides this
↳ none after

Crew Chief's Review & Approval: ERP


Principal Investigator's Approval: _____

SHOVEL TEST FORM

Project Name: CCAMP
 Site Name and #: Old Lighthouse Site 8BR 234
 ST Number: T4 Stp 11 Size: 50cm x 50cm Date: 2/15/2017
 Excavators: MM, JG, AR, EP, VP Recorded by: Victoria Parola

EXCAVATION METHODS:

Soil Screened? Yes No Screening Method: Water Dry Mesh Size: 1/16" 1/8" 1/4"



STRATIGRAPHY

Zone	Depth (cmbs)	Munsell	Description
A	0-23 cm	10yr 7/2	light grey maleable sand
B	23-100 cm	10yr 8/1	white coarse sand
C			
D			
E			
F			
G			
H			
I			
J			

ARTIFACTS:

Yes No FS Number: _____ Total Number of Bags: 0
 Cultural Zone: Approx. Depth of First Artifact: 0 cmbs Approx. Depth of Last Artifact: 0 cmbs
 Artifacts Density: Increases with depth Decreases with depth Same NA
 Artifacts Distribution: Evenly distributed Concentrated in one of more areas/levels NA
 Description: _____

ARTIFACT CONTENT:

- Prehistoric Ceramics Lithics Shell Modified Shell Faunal Remains Charcoal
 Modified Faunal Remains Human Remains Metal Glass Historic Ceramics Masonry
 Bead Coin Bottle Fired Clay/Daub Other: _____

Description: _____

FEATURES:

- Yes No Depth Below Surface: _____ Size: _____ cm
 Possible Post Mold Hearth Burial Trash Pit Well Cistern Foundation
 Artifact Concentration Living Floor Charcoal Concentration Midden Soil Discoloration
 Other: _____ Unknown at this time

Description: _____

SPECIAL SAMPLES:

- Yes No Special Sample Number: _____
 C14 Flotation Pollen Sediment/Soil Other _____

Description: _____

NOTES:

shell bits
stewal

Crew Chief's Review & Approval: ERP

Principal Investigator's Approval: _____