brought to you by X CORE

HEALTH CARE FOR WOMEN INTERNATIONAL https://doi.org/10.1080/07399332.2020.1758107





Iranian model of decision making to use surrogacy: A grounded theory Study

Farzaneh Golboni^a*, Amir Jalali^b , Mohammadreza Dinmohammadi^c, Ziba Taghizadeh^d, Parichehr Nouri^a, and Mohammad Reza Salahsoor^e

^aDept. of Midwifery, School of Nursing and Midwifery, Kermanshah University of Medical Sciences, Kermanshah, Iran; bSubstance Abuse Prevention research Center, Research Institute for Health, Kermanshah University of Medical Sciences, Kermanshah, Iran; ^cDept. of Nursing, School of Nursing and Midwifery, Zanjan University of Medical Sciences, Zanjan, Iran; dDept. of Midwifery and Reproductive Health, School of Nursing and Midwifery, Tehran University of Medical Sciences, Tehran, Iran; eDept. of Anatomy, School of Medicine, Kermanshah University of Medical Sciences, Kermanshah, Iran

ABSTRACT

Identifying the process of making the decision to use a surrogate mother can create a broad knowledge of this concept. In this grounded theory study, participants were selected through snowball sampling method and obtaining an informed consent, in-depth interviews were conducted face to face and recorded. Then, all the interviews, field notes, and memos were analyzed using Strauss-Corbin 1998 method. Analysis of the statements of the participants boiled down to 487 initial codes, 311 codes, 14 subcategories, and six categories. In the conceptual model of this process, "the hope to have a child" was an influential concept that interacted with other concepts.

ARTICLE HISTORY

Received 10 July 2019 Accepted 16 April 2020

Background

Surrogacy is considered as one of the scientific developments in recent decades for infertility treatment (Soderstrom-Anttila et al., 2016). Surrogacy contract or surrogate mother is one of the infertility treatment methods (Casciano, 2018). In this regard, an assisted human reproductive technique is used, so that a woman accepts to carry the embryo in her uterus and delivers a baby to client parents after childbirth (Raheimi, 2008). Researchers reported that people have a low level of information about surrogacy, which is a reason why it is not common in many countries (Akhondi & Ardakani, 2008). Therefore, the couples who use this method face many problems (Kumar et al., 2013).

Iranian couples who want to use a surrogate mother experience different problems depending on their family culture and customs as well as their

CONTACT Amir Jalali 🔯 jalali_amir@yahoo.com 🗗 Substance Abuse Prevention research Center, Research Institute for Health, Kermanshah University of Medical Sciences, Kermanshah, Iran.

*Social Determinants of Health Research Center, Research Institute for Prevention of Non-Communicable Diseases, Qazvin University of Medical Sciences, Qazvin, Iran.