

Cover Page



Universiteit Leiden



The handle <http://hdl.handle.net/1887/21643> holds various files of this Leiden University dissertation.

Author: Jozwiak, Marta

Title: Induction of labour : Foley catheter revisited

Issue Date: 2013-09-05

INDUCTION OF LABOUR
FOLEY CATHETER REVISITED

Marta Józwiak

© 2013 M. Józwiak , the Netherlands

Induction of labour - Foley catheter revisited

The research described in this thesis was performed within the Dutch Consortium of studies in Women's health and reproductivity.

ISBN: 978-94-6182-304-5

Printed by Offpage.nl

Cover design and layout: Marta Józwiak & Offpage.nl

Financial support for the publication of this thesis was kindly provided by: Abbott BV, Chipsoft, Medical Dynamics, BMA BV (Mosos), Memidis Pharma, Stichting Wetenschappelijk onderzoek Gynaecologie Ikazia ziekenhuis Rotterdam, and the Departement of Obstetrics Leiden University Medical Center

INDUCTION OF LABOUR FOLEY CATHETER REVISITED

Proefschrift
ter verkrijging van
de graad van Doctor aan de Universiteit Leiden,
op gezag van Rector Magnificus prof.mr. C.J.J.M. Stolker,
volgens besluit van het College voor Promoties
te verdedigen op donderdag 5 september 2013
klokke 10:00 uur

Door

Marta Józwiak

geboren te Warschau
in 1983

Promotoren:

Prof.dr. J.M.M. van Lith
Prof.dr. B.W.J. Mol, AMC

Copromotor:

Dr. K.W.M. Bloemenkamp

Overige leden:

Prof.dr. C.J.M. de Groot, VUMC
Prof. J.E. Norman, PhD, MD, University of Edinburgh
Prof.dr. F.M. Helmerhorst

CONTENTS

Chapter 1	General introduction	7
Chapter 2	Cervical ripening in the Netherlands: a survey Induction of labour in women with an unfavourable cervix	21
Chapter 3	Mechanical methods for induction of labour	37
Chapter 4	Foley catheter versus vaginal prostaglandin E2 gel for induction of labour at term (PROBAAT trial): an open-label, randomised controlled trial	71
Chapter 5	Foley catheter versus 25 µg vaginal misoprostol: Randomised controlled trial (PROBAAT-M study) and systematic review and meta-analysis of literature	89
Chapter 6	Foley catheter or PGE2 inserts for induction of labour at term: an open-label Randomised Controlled Trial (PROBAAT-P trial) and systematic review of literature	109
Chapter 7	Cost-effectiveness of induction of labour at term with a Foley catheter compared to vaginal prostaglandin E2 gel (PROBAAT Trial)	127
Chapter 8	The risk of caesarean delivery in term nulliparous women with an unfavourable cervix at start of induction of labour; a clinical prediction model	147
Chapter 9	Methods of term labour induction for women with a previous caesarean section	159
Chapter 10	General discussion	181
Chapter 11	Summary	197
	Nederlandse samenvatting	201
	Members of the PROBAAT study group and participating hospitals	205
	List of Publications	207
	Curriculum Vitae	209
	Dankwoord	211

