

1
2
3 Correction to “Thermo-responsive and covalently cross-linkable
4
5
6 hydrogels for intra-articular drug delivery”
7
8
9

10
11 David Andrew Prince,^a Ian J. Villamagna,^{b,c} Aneta Borecki,^{a,d} Frank Beier,^{c,e} John R. de Bruyn,^{d,f}

12
13 Mark Hurtig,^g and Elizabeth R. Gillies*^{a,b,c,d,h}
14
15
16
17

18 ^aDepartment of Chemistry, The University of Western Ontario, 1151 Richmond St., London,
19
20 Ontario, Canada, N6A 5B7
21
22

23 ^bSchool of Biomedical Engineering, The University of Western Ontario, 1151 Richmond St.,
24
25 London, Ontario, Canada, N6A 5B9
26
27

28 ^cBone and Joint Institute, The University of Western Ontario
29

30 ^dCentre for Advanced Materials and Biomaterials Research, The University of Western Ontario
31

32 ^eDepartment of Physiology and Pharmacology, The University of Western Ontario, 1151
33
34 Richmond St., London, Ontario, Canada, N6A 3B7
35
36

37 ^fDepartment of Physics and Astronomy, The University of Western Ontario, 1151 Richmond St.
38
39 London, Ontario, Canada, N6A 3K7
40

41 ^gOntario Veterinary College, Department of Clinical Studies, University of Guelph, 50 Stone
42
43 Road, Guelph, Ontario, Canada N1G 2W1
44
45

46 ^hDepartment of Chemical and Biochemical Engineering, The University of Western Ontario,
47
48 1151 Richmond St., London, Ontario, Canada, N6A 5B9
49
50

51
52
53 *Author to whom correspondence should be addressed: E-mail: egillie@uwo.ca
54
55
56
57
58
59
60

1
2
3 *ACS Appl. Bio Mater.* **2019**, 2 (8), 3498-3507. DOI: 10.1021/acsabm.9b00410
4
5

6
7 In the course of our ongoing research, we discovered that an error was made in the calculation of
8
9 the compressive moduli of the hydrogels, which resulted in values 10-fold lower than the actual
10
11 values. The corrected values are now provided in updated versions of Table 2 and Figure 5. The
12
13 supporting information has also been updated to reflect the corrected moduli (Table S2 and Figure
14
15 S19). These changes do not significantly alter the scientific conclusions of the paper. We apologize
16
17 for the error.
18
19
20
21
22

23 **Table 2.** G', G'', and compressive moduli of drug-free and CXB-loaded (5 wt%) **1.5k₃₁₅₀-MA**
24
25 hydrogels, measured after 60 min at 37 °C.
26
27

	G' (kPa)	G'' (kPa)	Compressive modulus (kPa)
1.5k₃₁₅₀-MA	7.7 ± 1.2	1.2 ± 0.7	190 ± 10
1.5k₃₁₅₀-MA + 5% CXB	17 ± 8	2.8 ± 1.5	190 ± 10

28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60




Figure 5. Compressive stress versus strain for drug-free and CXB-loaded (5 wt%) **1.5k₃₁₅₀-MA** hydrogels. Error bars correspond to standard deviations (N = 3).