WATER QUALITY ASSESSMENT OF KARST SPRINGWATER AS A PRIVATE WATER SUPPLY SOURCE IN NORTHEAST TENNESSEE

Lukman Fashina

EVALUATION OF KARST SPRING WATER QUALITY USING WATER QUALITY INDICES IN NORTHEAST TENNESSEE

LUKMAN FASHINA
&
Ingrid Luffman, Ph.D.

6-April-2022

DEPARTMENT *of* GEOSCIENCES
College of Arts & Sciences
EAST TENNESSEE STATE UNIVERSITY

Presentation outline

- Background
- Research Objective
- Evaluation of karst spring water quality using water quality indices
- Conclusions
- Limitations of study and Recommendations

Background: Why spring water?

- ❖ Important Private Drinking Water System (PDWS) but **unregulated** and often **untreated**[1, 2]
- ✓ Households' dependence on PDWS[3,4,5]



- ❖ Spatial and temporal variability
- ❖ Vulnerability to contamination,
- ❖ Health-based SDWAct violations:
- ✓ **Microbes**: enteric viruses, fecal indicator bacteria, and cryptosporidiosis:

  Tennessee[6,7,8], central Applachia[9,10], Arkansas[11], Missouri[12]
- ✓ **Nutrients**: Kentucky[13], Illinois[14]
- ✓ **Metals**: central Applachia[15,16]
- ✓ **Radionuclides** (Radon): Tennessee[17]

- ❖ Gap in previous spring/ groundwater research in the study area:
- ✓ spring water discharge[18,19,20]
- ✓ Limited water quality parameters and use of traditional method of reporting[21, 22, 23, 24, 25,26]

Paper Overview

- Objective:

  To determine the overall drinking water quality of the sampled springs through water quality index calculation.

  - To aid the public and policymakers better understand critical water quality information

Geologic Map of Study Area and Sampling Points



Data

Primary Data

- ✓ **Physicochemical**: pH, dissolved oxygen, temperature, turbidity, conductivity, specific conductance, total dissolved solids, and oxidation reduction potential
- ✓ **Microbial**: fecal coliform and *Escherichia coli* (*E. coli*)
- ✓ **Nutrients**: Nitrate and Nitrite
- ✓ **Radionuclide**: Radon

Secondary Data

- ✓ Spring location/sites coordinate data[27]
- ✓ Shape files (US[28], TN County Boundaries[29])
- ✓ TN geologic map[30] and fault map[31] data
- ✓ Land Use Land Cover (2019) data[32]
- ✓ Climate (precipitation) data[33]

Methodology



Water Quality Index (WQI)

WQI: aggregates and summarizes water quality data into a single value or index that characterizes the general health status of water at a given location in an easy-to-understand way

Developed by Horton 1965, with several modifications ever since.

Utilization in karst spring water quality research:

Sïtambuk-Giljanovic 1999, Cristina et al. 2014; Ameen 2019; Hoaghia et al. 2021

Steps in WQI Computation

Step 1

Water quality parameter selection

Step 2

Parameter sub-indices generation

Step 3

Parameter weight values establishment

Step 4

Final WQI aggregation

BWQI & NSFWQI (Delphi-based methods)

Model Parameters	Selected Parameters	USEPA & TDEC standards (S_n)	Unit Weight (W_n)
Temperature (°C)	Temperature (°C)	30.5	0.106231
Dissolved oxygen (mg/L)	Dissolved oxygen (DO: mg/L)	5	0.648011
pH	pH	8.5	0.381183
Nitrate (mg/L)	Nitrate (mg/L)	10	0.324006
Total phosphate (TP) (mg/L)			
Turbidity (NTU)	Turbidity (NTU)	5	0.648011
Biochemical oxygen demand (BOD) (mg/L)			
Total solid content (mg/L)	Total Dissolved Solids (mg/L)	500	0.006480
Fecal coliform (FC) CFU/100mL			
	*Radon (pCi/L)	300	0.010800
	*Conductivity (µs/cm)	800	0.004050
	**E. Coli MPN/100mL	487	0.006653
			1

Brown et al. WQI (9-Parameter Model)

BWQI & NSFWQI (Delphi-based methods)

Original Weight Score		Revised Weight Score	
Parameter	Weight Score	Selected Parameter	Weight Score
Dissolved oxygen saturation (%)	0.17	Dissolved oxygen saturation (%)	0.2057
Fecal coliform (CFU/100mL)	0.16	Fecal coliform (MPN/100mL)	0.1936
pH	0.11	pH	0.1331
Temperature change (°C)	0.10	Temperature change (°C)	0.1210
Nitrates (mg/L)	0.10	Nitrates (mg/L)	0.1210
Turbidity (NTU)	0.08	Turbidity (NTU)	0.0968
Total solids (mg/L)	0.07	Total Dissolved Solids (mg/L)	0.0847
Biochemical oxygen demand (mg/L)	0.11		
Total phosphate (mg/L)	0.10		
Total	1	Total	1

National Sanitation Foundation WQI (7-Parameter Model)

WQIs references for rating water quality

BWQI

WQI	Water Quality Status	Possible Use
0-25	Excellent	Drinking, irrigation, and industrial
26-50	Good	Drinking, irrigation, and industrial
51-75	Poor	Irrigation and industrial
76-100	Very poor	Irrigation
>100	Unfit for drinking	Proper treatment required before use

Source[36]

NSFWQI

NSFWQI Score	Criteria
0-25	Very Bad
26-50	Bad
51-70	Medium
71-90	Good
91-100	Excellent

Source[37]

WQI-based spatial distribution maps of spring water quality

BWQI



"Unfit for drinking" springs = 88%
"Very Poor" = 12 %

NSFWQI



"Good Quality" springs = 4%
"Medium Quality" springs = 92%
"Bad Quality" springs = 4 %

General conclusions

Research Goal	Main Findings
To determine the overall drinking water quality using WQI	✓Water quality ratings were “very poor” to “medium” or “unfit for drinking”, with 4% of springs ranked “good”. ✓Both BWQI & NSFWQI emphasis more on aesthetic WQ issues & less on health-based WQ issues. ✓NSFWQI produced more liberal WQ ranking than BWQI which is consistent with previous studies[34,35,36].

Contrary to many spring water users’ opinion; that it is clean water doesn’t always mean it is safe (drinking) water!

Significance

- ✓ Water treatment procedures for microbial pollution purification are advised before studied springs are used as a drinking water source.
- ✓ Water users in areas of high radon concentration (above MCL) should conduct regular monitoring of radon in their water to ensure that the concentration is below that which contributes to elevated indoor air radon. A reduction in indoor air radon will likely reduce lung cancer risk exposure.
- ✓ Research findings will enhance the work of SafeWatch Program of the Tennessee Department of Health(TDH) and CDC in better understanding the safety of private drinking water systems that include springs.
- ✓ The research data will serve as a historical record and vital information to keep the springs healthy into the future.

Limitations of study and recommendations

Limitations of study:

- ❖ Single sampling approach.
- ❖ Water quality data and the choice of WQI computation methods.

Therefore, for future research:

- ✓ Additional/repeated sampling (e.g., 5 in 30 sampling method) is recommended to develop a spatiotemporal database of water quality in the study area.
- ✓ When more water quality data (metals, organic compounds, etc.) are available, statistical or non-Delphi-based WQI models and specific water use indices should be considered.

Acknowledgement

Dr. Luffman during field sampling

Funding Sources:

- ✓ East Tennessee State University (ETSU) College of Graduate Studies for the 2021 Graduate Research Grant
- ✓ Tennessee Department of Health (TDH) and US Centers for Disease Control and Prevention (USCDC) under the SafeWatch portion of the strengthening Environmental Health Capacity (EHC) initiative; federal award number 6 NUE1EH001436-01-01 for funding the laboratory supplies and analyses.
- ✓ ETSU Department of Geosciences Hydrology Laboratory

Others: Judy Manners, Dr. Susan Burchfield, & Amanda Evans (All of Tennessee Department of Health)

References

1.) Tennessee Department of Environment and Conservation (TDEC) Protection of Potable Water Supplies in Tennessee Watersheds Available online URL
2, 9, 15, 23) Krometis, L.; Patton, H.; Wozniak, A.; Sarver, E. Water scavenging from roadside springs in Appalachia. J. Contemp. Water Res. Educ. 2019, 166, 46–56, DOI.
3). Dieter, C.A., Maupin, M.A., Caldwell, R.R., Harris, M.A., Ivahnenko, T.I., Lovelace, J.K., Barber, N.L., and Linsey, K.S., 2018, Estimated use of water in the United States in 2015: U.S. Geological Survey Circular 1441, 65 p., https://doi.org/10.3133/cir1441.
4) Tennessee Department of Health (2020). Safe Water for Community Health (SafeWatch) Available online at URL
5, 16, 24) Beni, R.; Guha, S.; Hawrami, S. Drinking Water Disparities in Tennessee: The Origins and Effects of Toxic Heavy Metals. *J. Geosci. Environ. Prot.* **2019**, *07*, 135–146, doi:10.4236/gep.2019.76012.
6, 21) Johnson, T.B.; McKay, L.D.; Layton, A.C.; Jones, S.W.; Johnson, G.C.; Cashdollar, J.L.; Dahling, D.R.; Villegas, L.F.; Fout, G.S.; Williams, D.E.; et al. Viruses and Bacteria in Karst and Fractured Rock Aquifers in East Tennessee, USA. Ground Water 2011, 49, 98–110, doi:10.1111/j.1745-6584.2010.00698.x.
7, 22) Luffman, I. and Tran. T (2014). Risk Factors for E. coli O157 and Cryptosporidiosis Infection in Individuals in the Karst Valleys of East Tennessee, USA
8, 25) McCurdy, P.; Luffman, I.; Joyner, T.A.; Maier, K. Storm sampling to assess inclement weather impacts on water quality in a karst watershed: Sinking Creek, Watauga watershed, East Tennessee. J. Environ. Qual. 2020, doi:DOI: 10.1002/jeq2.20196.
10) Hannah Patton, Leigh-Anne Krometis, Emily Sarver (2020): Springing for Safe Water: Drinking Water Quality and Source Selection in Central Appalachian Communities. https://doi.org/10.3390/w12030888
11) Knierim, K.J.; Hays, P.D.; Bowman, D. Quantifying the variability in Escherichia coli (E. coli) throughout storm events at a karst spring in northwestern Arkansas, United States. Env. Earth Sci 2014, doi:DOI 10.1007/s12665-015-4416-5.
12) Hasenmueller, E.A., and Criss, R.E.(2013) Geochemical techniques to discover open cave passage in karst spring systems. Applied Geochemistry 29 (2013) 126–134 http://dx.doi.org/10.1016/j.apgeochem.2012.11.004
13) Tagne, G.V and Florea, L.J (2016). Anthropogenic Nutrient Loading on an Epigenic Karst Aquifer in southeastern Kentucky. In Karst Waters Institute Special Publication 19
14) Panno, S.V., Hackley, K.C., Hwang, H.H., Kelly, W.R., 2001. Determination of the sources of nitrate contamination in karst springs using isotopic and chemical indicators. Chem. Geol. 179, 113–128
17, 26) Luffman I, Manners J, Bailey CN. Radon in Tennessee residential well water. In: Virtual 2021 Tennessee Water Resources Symposium. Burns, Tennessee: Tennessee Section of the American Water Resources Association; 2021.
18) Sun, P.-C.P.; Criner, J.H.; Poole, J.L. Large Springs of East Tennessee; Washington, D.C., 1963
19) Brahana, J.V., Mulderink, D., Macy, J.A, and Bradley, M.W (1986). Preliminary Delineation and Description of the Regional Aquifers of Tennessee- The East Tennessee Aquifer System. USGS Water Resources Investigations 82-4091. Available online at URL
20) Hollyday, E.F., and Smith M.A. (1990). Large springs in the Valley and Ridge Province in Tennessee. USGS Water-Resources Investigations Report 89-4205. URL
27) Spring site/location Coordinate Information: Tennessee Hometown Locator/ United States Geological Survey (USGS) URL, and Tennessee Department of Environment and Conservation (TDEC) database
28) US Shape file: U.S. Census Bureau's Cartographic Boundary Files – Shape file. Available online at URL
29) TNGIS Administrative Boundaries. Available online at URL
30) Tennessee geologic map data. Available online at URL
31) Preliminary integrated geologic map databases for the United States. Available online at URL
32) Multi-Resolution Land Characteristics (MRLC) Consortium. Available online at URL
33) National Climatic Data Center (NOAA National Centers for Environmental Information)


Thank you for listening!
Questions?