



Title	Studies on Copolymers of Vinyl Chloride and Vinyl Acetate with an X-Ray Counter
Author(s)	Nukushina, Yasuhiko; Sakurada, Ichiro
Citation	Bulletin of the Institute for Chemical Research, Kyoto University (1953), 31(6): 426-426
Issue Date	1953-11-30
URL	http://hdl.handle.net/2433/75378
Right	
Туре	Departmental Bulletin Paper
Textversion	publisher

## 8. Studics on Copolymers of Vinyl Chloride and Vinyl Acetate with an X-Ray Counter

Yasuhiko NUKUSHINA and Ichiro SAKURADA

(Sakurada Laboratory)

Copolymers of vinylchloride and vinyl acetate have been prepared and fractionated in this laboratory and several fractions of different compositions have been investigated with an X-ray counter spectrometer mentioned in the above report.

Content of V.C. in polymer. mol %	э. -	Spe Inner halo	ecing (A° O	) uter halo	
100		5.21		3.56	
96.7		5.21		3.56	
61.9		5.37		3.70	
41.3		5.53		3.86	
22.4		5.53		3.86	
0		6.80		3.95	

It has been found that the change of spacings takes place with the change of copolymer composition. The results are given below.

## 9. On the Bulk Volume of Some Clay-Air-Water System

Kaoru UMEYA and Ikutaro SAWAI

(Sawai Laboratory)

The relation between the molding pressure and bulk volume of the clay-airwater system in some clay bodies was studied.

The typical pictures of the bulk volume at the different molding pressures, i.e., 8 and 80 kg./cm<sup>2</sup>. are given in the following figure.

