

Title	The Papers Published by the Staff Members of the Institute from July 1980 to June 1981
Author(s)	
Citation	Bulletin of the Institute for Chemical Research, Kyoto University (1982), 59(5-6): 399-419
Issue Date	1982-03-15
URL	http://hdl.handle.net/2433/76954
Right	
Type	Departmental Bulletin Paper
Textversion	publisher

The Papers Published by the Staff Members of the Institute from July 1980 to June 1981

Nuclear Chemistry

K-Shell Ionization Cross Sections by Low-Energy Charged Particles. T. Mukoyama and L. Sarkadi. *Abst. Intern. Conf. on X-Ray Processes and Inner-Shell Ionization, Stirling*, 12 (1980).

L-Shell Ionization of Gold by Heavy-Ion Impact. L. Sarkadi, D. Berényi, and T. Mukoyama. *Abst. Intern. Conf. on X-Ray Processes and Inner-shell Ionization, Stirling*, 15 (1980).

Positron Annihilation with K-Shell Electrons. T. Mukoyama. *Akad. Wiss. DDR Zentralinst. Isotopen- und Strahlenforschung, ZFI-Mitteilungen*, **33**, 65 (1980), Review.

Electronic Relativistic Effects on K-Shell Ionization by Low-Energy Charged Particles. T. Mukoyama and L. Sarkadi. *Atomic Collision Research in Japan*, **6**, 54 (1980).

Relativistic Hartree-Fock Calculation of K-Shell Ionization Accompanying β^- Decay. T. Mukoyama and T. Kagawa. *Atomic Collision Research in Japan*, **6**, 137 (1980).

On the Electronic Relativistic Corrections for K-Shell Coulomb Ionization. T. Mukoyama and L. Sarkadi. *ATOMKI Közlemények*, **23**, 8 (1981).

Nuclear Excitation by Positron Annihilation. T. Mukoyama. *ATOMKI Közlemények*, **23**, 89 (1981), Review.

A Computer Code to Calculate the Parameters used for Radiation Shielding against γ Rays. T. Mukoyama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 15 (1981).

High Field Mössbauer Study of Dilute Ir-(Fe) Alloys. T. Takabatake, H. Mazaki, and T. Shinjo. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 20 (1981).

Effect of Chemical State on the Decay Rate of ^{51}Cr . S. Kakiuchi and T. Mukoyama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 27 (1981).

Estimation of Superconducting Effect on the Decay Rate of $^{99\text{m}}\text{Tc}$. S. Kakiuchi and H. Mazaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 36 (1981).

Angular Distribution of Slow Positrons from Magnesium Oxide Moderator.

T. Mizogawa, Y. Nakayama, and T. Kawaratani. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 49 (1981).

Laser-Induced Signals from Superconducting Tunnel Junction. M. Kurakado, S. Tachi, R. Katano, and H. Mazaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 160 (1981).

Mössbauer Studies on the Localized Spin-Fluctuation Systems TcFe, RuFe, and IrFe. T. Takabatake, H. Mazaki, and T. Shinjo. *Hyperfine Interactions*, **10**, 845 (1981).

Prevention of Contamination by ^{210}Po α -Ray Sources. M. Kurakado, S. Ito, and Y. Isozumi. *Int. J. Appl. Rad. Isotopes*, **32**, 229 (1981).

Radiation Effects on Superconductors. H. Mazaki. *J. Atomic Energy Soc., Japan*, **23**, 231 (1981), Review in Japanese.

Measurements of L X-Ray Production and Subshell Ionization Cross Sections of Gold by Light- and Heavy-Ion Bombardments in the Energy Range 0.4–3.4 MeV. L. Sarkadi and T. Mukoyama. *J. Phys. B*, **13**, 2255 (1980).

K-Shell X-Ray Production of Eight Elements from Ti to Ge by ^{14}N -Ion Bombardments. T. Mukoyama, L. Sarkadi, D. Berényi, and E. Koltay. *J. Phys. B*, **13**, 2773 (1980).

Possible Rearrangement Process in L-Shell Ionization of Atoms by Heavy Ions. L. Sarkadi and T. Mukoyama. *J. Phys. B*, **14**, L255 (1981).

A New Non-Iterative Method for Fitting Lorentzian to Mössbauer Spectra. T. Mukoyama and J. Véhg. *Nucl. Instr. Methods*, **173**, 345 (1980).

Plane-Wave Born-Approximation Calculations of L-Shell Ionization Cross Sections. L. Sarkadi and T. Mukoyama. *Nucl. Instr. Methods*, **176**, 609 (1980).

A Non-Iterative Method for Fitting of Two-Component Decay Curves. T. Mukoyama. *Nucl. Instr. Methods*, **179**, 357 (1981).

K-Shell Ionization by Protons and α Particles. T. Mukoyama and L. Sarkadi. *Nucl. Instr. Methods*, **179**, 573 (1981).

A Non-Iterative Method for Fitting of Overlapping Gaussian Peaks. T. Mukoyama. *Nucl. Instr. Methods*, **180**, 553 (1981).

Possibility of a High-Resolution Nuclear Radiation Detector Using a Supercon-

ductor. I. Mean Energy Loss per Excess Quasiparticle. M. Kurakado and H. Mazaki. *Nucl. Instr. Methods*, **185**, 141 (1981).

Possibility of a High-Resolution Nuclear Radiation Detector Using a Superconductor. II. Tunnel Junction. M. Kurakado and H. Mazaki. *Nucl. Instr. Methods*, **185**, 149 (1981).

Electronic Relativistic Effect on the Ratios of Deuteron- to Alpha-Particle-Induced K-Shell Ionization Cross Sections. T. Mukoyama and L. Sarkadi. *Phys. Letters*, **82A**, 235 (1981), Letter.

Electronic Relativistic Effects on K-Shell Ionization by Low-Energy Protons. T. Mukoyama and L. Sarkadi. *Phys. Rev. A*, **23**, 375 (1981).

Quasiparticle Excitation in a Superconducting Tunnel Junction by α Particles. M. Kurakado and H. Mazaki. *Phys. Rev. B*, **22**, 168 (1980).

Nuclear Excitation of ^{176}Lu by Positron Annihilation. Y. Watanabe, T. Mukoyama, and R. Katano. *Phys. Rev. C*, **23**, 695 (1981).

Monte-Carlo Calculations of the Energy Distribution of Exoelectrons. Y. Watanabe, Y. Takemoto, T. Kubozoe, and T. Mukoyama. *Phys. Sol. Stat. (a)*, **61**, 221 (1980).

High-Temperature Proportional Counter and its Application to Resonance-Electron Mössbauer Spectroscopy. Y. Isozumi, M. Kurakado, and R. Katano. *Rev. Sci. Instr.*, **52**, 413 (1981).

Effect of Radiations on the Superconducting State. M. Kurakado and H. Mazaki. *Ionizing Radiation*, **7**, 34 (1980), Review in Japanese.

Rf Structure of Superconducting Cyclotron for Therapy Application. H. Takekoshi, S. Matsuki, K. Mashiko, and N. Shikazono. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 1 (1981).

Excited States of ^4He Investigated via the $^4\text{He}(\alpha, ^3\text{p})^9\text{H}$ Reaction at 119 MeV. S. Kakigi, K. Fukunaga, T. Ohsawa, S. Tanaka, A. Okihana, H. Nakamura-Yokota, T. Sekioka, and N. Fujiwara. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 9 (1981).

A 31 cm Model Superconducting Cyclotron Magnet, I. S. Matsuki, H. Takekoshi, Y. Nakayama, and Y. Saito. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 40 (1981).

Quasi-Two Body Scaling in the Inclusive Neutron Spectra from Negative Pion Bombardment on Complex Nuclei. T. Higo, Y. Iwashita, S. Matsuki, T. Sekioka,

T. Yanabu, H. Ito, Y. Maki, A. Yoshimura, H. Yoshinaga, T. Cho, and S. Uehara. *Proc. 1980 RCNP Int. Symposium on Highly Excited States in Nuclear Reactions*, 109 (1980).

A Flexible Solenoid System for the Detection of Quasiatomic Positrons Created in Very HI-Collisions. A. Balanda, K. Bethge, H. Bokemeyer, H. Folger, J. S. Greenberg, H. Grem, A. Gruppe, S. Ito, S. Matsuki, R. Schnle, D. Schwalm, J. Schweppe, P. Vincent, and M. Waldschmit. *Pro. 23 Int. Winter Meeting in Nuclear Physics, Bormis, Italy*, (1980).

Analytical Chemistry

Nonaqueous Extraction of Zinc from Ethylene Glycol Solution of Lithium Perchlorate and/or Chloride. H. Doe, M. Matsui, and T. Shigematsu. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 133 (1980).

EPR Studies of Axial Ligation of Low-Spin Cobalt(II) Schiff Base Complexes with Lewis Bases and CO. M. Sakurada. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 140 (1980).

Estimation of Chemical Effect on the Decay Rate of ^{99m}Tc . T. Mukoyama, H. Mazaki, S. Kakiuchi, and M. Matsui. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 164 (1980).

The Influence of Solvents on the Stability Constants of Some Divalent Cation Compounds. Zinc Chlorides in Methanol-Nitromethane, Methanol-Water and Ethylene Glycol. H. Doe, M. Matsui, and T. Shigematsu. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 154 (1980).

Electronic Spectra of Octahedral Nickel(II) and Cobalt(II) Complexes with 2-(2-Pyridyl)imidazole and 2-(2-Pyridyl)benzimidazole. Y. Sasaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 187 (1980).

Characterization of Iron(II) Octahedral Complexes with α -Dioximes and Possibility of Application of α -Furyldioxime to Chemical Analysis of Iron(II). Y. Sasaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 244 (1980).

Forced-Flow Chromatography of Alkaline Earths Using Spectrofluorometric Detector. T. Kumagai, M. Matsui, and T. Shigematsu. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 269 (1980).

Characterization of Iron(II) Complexes with β -Diketones and Monthio- β -diketone. Y. Sasaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 275 (1980).

On the Sensitivity in Fluorometry of Europium as Naphthoyltrifluoroacetate.

M. Suzuki, M. Matsui, T. Shigematsu, Y. Matsuo, and T. Nagai. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 279 (1980).

Synergistic Extraction and Spectrophotometric Determination of Iron(II) with α -furildioxime and Butylamine. Y. Sasaki. *Bunseki Kagaku (Japan Analyst)*, **30**, 35 (1981), in Japanese.

Physical Chemistry

Transient Kinetics for Ca Uptake by Fragmented Sarcoplasmic Reticulum from Bullfrog Skeletal Muscle with Reference to the Rate of Relaxation of Living Muscle. Y. Ogawa, N. Kurebayashi, A. Irimajiri, and T. Hanai. *Adv. Physiol. Sci.*, **5**, 417 (1980).

Dielectric Analysis of *Escherichia Coli* Suspensions in the Light of the Theory of Interfacial Polarization. K. Asami, T. Hanai, and N. Koizumi. *Biophys. J.*, **31**, 215 (1980).

Dielectric Relaxation Profiles in a Theory of Interfacial Polarization Developed for Concentrated Disperse Systems of Spherical Particles. T. Hanai, Y. Kita, and N. Koizumi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 534 (1980).

Dielectric Properties of Gelatin-Water System in a Megahertz Region. Y. Oka, Y. Kita, T. Hanai and N. Koizumi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 108 (1981).

Phase Separation in Nuclear Waste Glass. M. Tomozawa, G. M. Singer, Y. Oka, and J. T. Warden. *Ceram. in Nuclear Waste Management*, 193 (1979).

Dielectric Behavior of Copolymers of Vinylidene Fluoride and Tetrafluoroethylene. N. Koizumi, J. Hagino, and Y. Murata. *Ferroelectrics*, **34**, 1238 (1981).

Evaluation of Relative Permittivity and Electrical Conductivity of Ion-Exchange Beads by Analysis of High-Frequency Dielectric Relaxations. A. Ishikawa, T. Hanai, and N. Koizumi. *Japanese J. Appl. Phys.*, **20**, 79 (1981).

Calcium Deposition on Glass Surface as an Inhibitor to Alkaline Attack. Y. Oka, K. S. Riker, and M. Tomozawa. *J. Am. Ceram. Soc.*, **62**, 631 (1979).

Glass Surface Cracks Caused by Alkaline Solution Containing Alkaline Earth Elements. M. Tomozawa, Y. Oka, and J. M. Wahl. *J. Am. Ceram. Soc.*, **64**, C-32 (1981).

Effect of Surface Energy on the Mechanical Strength of a High-Silica Glass. Y. Oka, J. M. Wahl, and M. Tomozawa. *J. Am. Ceram. Soc.*, **64**, C-543 (1981).

Swelling and Mechanical Strength of Glass. Y. Oka, J. M. Wahl, and M. Tomozawa. *J. Non-Cryst. Solids*, **38 & 39**, 397 (1980).

Effect of Alkaline Earth Ion as an Inhibitor to Alkaline Attack on Silica Glass. Y. Oka and M. Tomozawa. *J. Non-Cryst. Solids*, **42**, 535 (1980).

NMR of ^{51}V in the Antiferromagnetic State of V_5S_8 . H. Nishihara, H. Yasuoka, Y. Oka, K. Kosuge, and S. Kachi. *J. Phys. Soc. Japan*, **42**, 787 (1977).

Observation of the Antiferromagnetic Order in Metallic Compounds V_3S_4 and V_2Se_4 . Y. Kitaoka, H. Yasuoka, Y. Oka, K. Kosuge, and S. Kachi. *J. Phys. Soc. Japan*, **46**, 1381 (1979).

Magnetic and Dielectric Properties of Fe_3O_4 . K. Iwauchi, Y. Kita and N. Koizumi. *J. Phys. Soc. Japan*, **49**, 1328 (1980).

Order-Disorder Transition of the Metal Vacancies in the Vanadium-Sulfur System I. An Experimental Study. Y. Oka, K. Kosuge, and S. Kachi. *J. Solid State Chem.*, **23**, 11 (1978).

Order-Disorder Transition of the Metal Vacancies in the Vanadium-Sulfur System II. A Statistical Thermodynamic Treatment. Y. Oka, K. Kosuge, and S. Kachi. *J. Solid State Chem.*, **24**, 41 (1978).

Magnetic Properties of $(\text{Fe}_x\text{V}_{1-x})\text{V}_2\text{S}_8$. Y. Oka, K. Kosuge, and S. Kachi. *Mat. Res. Bull.*, **12**, 1117 (1977).

Phase Diagram and Order-Disorder Transition of Vacancies in Fe_xVS_2 (0.20×1.00). Y. Oka, K. Kosuge, and S. Kachi. *Mat. Res. Bull.*, **15**, 521 (1980).

Dielectric Relaxations of Ethylene-Acrylic Acid and Styrene-Methacrylic Acid Copolymers and Their Sodium Salts. S. Yano, Y. Fujiwara, F. Kato, K. Aoki, and N. Koizumi. *Polym. J.*, **13**, 283 (1981).

Magnetic and Dielectric Relaxations in Fe_3O_4 and MnZn Ferrites. K. Iwauchi and N. Koizumi. *Proceedings of the Third International Conference on Ferrites, Kyoto*, 345 (1981).

Dielectric Dispersion of Spherical Macroion Solution. S. Sasaki, A. Ishikawa, and T. Hanai. *Rep. Prog. Polym. Phys. Jpn.*, **23**, 99 (1980).

Dielectric Relaxation of Poly(trifluoroethylene) at Low Temperature. Y. Murata and N. Koizumi. *Rep. Prog. Polym. Phys. Jpn.*, **23**, 465 (1980).

Dielectric Relaxation of Poly(α , β , β -trifluorostyrene). H. Habuka and N. Koizumi. *Rep. Prog. Polym. Phys. Jpn.*, **23**, 467 (1980).

Structure Determination and Atom Identification of Polyhalogenated Molecule. T. Kobayashi, Y. Fujiyoshi, K. Ishizuka, and N. Uyeda. *Electron Microscopy (Proc. 6th Int. Conf. on HVEM)*, **4**, 158 (1980).

Solvent Effects on Crystal Growth and Phase Transformation of Zinc Phthalocyanine. F. Iwatsu, T. Kobayashi, and N. Uyeda. *J. Phys. Chem.*, **84**, 3223 (1980).

A New Method for Optimal-resolution Electron Microscopy of Radiation-sensitive Specimens. Y. Fujiyoshi, T. Kobayashi, K. Ishizuka, and N. Uyeda. *Ultramicroscopy*, **5**, 459 (1980).

Digital Resolution of Bright Field Phase Contrast Images from High Resolution Electron Micrographs. E. Kirkland, B. Siegel, N. Uyeda, and Y. Fujiyoshi. *Ultramicroscopy*, **5**, 479 (1980).

Optical Diffraction. N. Uyeda. *Densikenbikyo (Electron Microscopy)*, **15**, 59 (1980), Review in Japanese.

Packing Structure and Tensile Strength in Powder Bed. M. Arakawa. *Zairyo (J. Soc. Mater. Sci., Japan)*, **29**, 881 (1980), in Japanese.

Polarized Resonance Raman Spectra of Adsorbed Thin Layers at the Glass-Water Interface. T. Takenaka and K. Yamasaki. *J. Colloid Interface Sci.*, **78**, 37 (1980).

A FT-IR Study of Micelle Formation in Aqueous Sodium *n*-Hexanoate Solutions. J. Umemura, D. G. Cameron, and H. H. Mantsch. *J. Phys. Chem.*, **84**, 2272 (1980).

A Fourier Transform Infrared Spectroscopic Study of the Molecular Interaction of Cholesterol with 1, 2-Dipalmitoyl-*sn*-Glycero-3-Phosphocholine. J. Umemura, D. G. Cameron, and H. H. Mantsch. *Biochim. Biophys. Acta*, **602**, 32 (1980).

The Molecular Association of Tetracaine with Ethylpalmitate: An Infrared Spectroscopic Study. J. Umemura and H. H. Mantsch. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 548 (1980).

Infrared Studies on Molecular Orientation in Nematic Films of MBBA with Two Free Surfaces. N. Kimura, S. Hayashi, and T. Takenaka. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 559 (1980), Note.

Linear Concentration Dependence of Vibrational Width and Vibrational Dephasing Paths in Aqueous Nitrate Solutions. T. Kato. *Molecular Phys.*, **39**, 559 (1980).

Vibrational Dephasing by Bonding Interaction in Liquids. T. Kato. *Molecular Phys.*, **43**, 161 (1981).

Infrared Spectra of Tetracyanothiophene Anion Radicals. J. Nakanishi, J. Umemura, and T. Takenaka. *Spectrochim. Acta*, **36A**, 109 (1980), Letter.

Stable Molecular Configuration in Crystalline Carboxylic Acids. S. Hayashi, J. Umemura, and R. Nakamura. *J. Mol. Struct.*, **69**, 123 (1980).

A Study of the Proton Transfer in the Benzioc Acid Dimer by ^{13}C High-Resolution Solid-State NMR and Proton T_1 Measurements. S. Nagaoka, T. Terao, F. Imashiro, A. Saika, N. Hirota, and S. Hayashi. *Chem. Phys. Letters*, **80**, 580 (1981).

The Estimation of Hamaker Constants of Alcohols and Interfacial Tension at Alcohol-Mercury Interfaces. M. Matsumoto, A. G. Gaonkar, and T. Takenaka. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 523 (1980).

Electron Transport across Liquid Membranes with an Asymmetrically Located Electron Mediator. T. Sugimoto, J. Miyazaki, T. Kokubo, S. Tanimoto, M. Okano, and M. Matsumoto. *Tetrahedron Lett.*, **22**, 1119 (1981).

Photosensitized Electron Transport across a Liquid Membrane Containing Photosensitizer, Electron Mediator, and Carrier. T. Sugimoto, J. Miyazaki, T. Kokubo, S. Tanimoto, M. Okano, and M. Matsumoto. *J. Chem. Soc. Chem. Comm.*, 210, (1981).

Unimolecular Decomposition of Chemically Activated Propylene. T. Ibuki and Y. Takezaki. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 511 (1980).

Inorganic Chemistry

Preparation of $\text{CaO-P}_2\text{O}_5$ Oriented Polycrystalline Ceramics by Unidirectional Solidification. T. Kokubo, Y. Nagashima, S. Ito, and M. Tashiro. *Asahigarasukoogyo-Gijutsushoreikai-Kenkyuhokoku (Rep. Asahi Glass Found. Ind. Technol.)*, **37**, 313 (1980), in Japanese.

An Experimental Study on $\text{CaO-P}_2\text{O}_5$ Ceramics for Bone Replacement Material. — 1st Report: Bone Reaction to $\text{CaO-P}_2\text{O}_5$ Ceramics — T. Nakamura, T. Yamamuro, S. Higashi, S. Ito, T. Kokubo, and M. Tashiro. *Chubunihon-Seikeigeka-Saigaikekagakkai-Zasshi (The Central Japan Journal of Orthopaedic and Traumatic Surgery)*, **23**, 1799 (1980), in Japanese.

An Experimental Study of Ceramic Implant Materials and Wollastonite-Oxyapatite Glassceramics. T. Nakamura, T. Yamamuro, S. Higashi, and T. Kokubo. *Proceedings of the Colloquium for Orthopaedic Ceramic Implants in 1980*, 69, (1980), in Japanese.

In situ Observation of Corrosion of ZrO_2 -Containing Silicate Glass by Aqueous Solutions with Various pH. H. Takagi, T. Kokubo, and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 243 (1981), in Japanese.

Fabrication of Transparent Polycrystalline γ - $6Bi_2O_3 \cdot SiO_2$ Ceramic by Temperature-gradient Furnace Technique. H. Kim, S. Ito, T. Kokubo, and M. Tashiro. *Yogyo-Kyokai-Shi (Journal of the Ceramic Society of Japan)*, **89**, 323 (1981), in Japanese.

Reaction at Fe-Sn Interface Studied by Mössbauer Spectroscopy. T. Shinjo, N. Hosoito, S. Hine, and T. Takada. *Japanese J. Appl. Phys.*, **19**, L531 (1980), Letter.

Epitaxial Growth of Magnetite on Rock Salt by Reactive Evaporation. T. Shigematsu, H. Ushigome, Y. Bando, and T. Takada. *J. Cryst. Growth*, **50**, 801 (1980).

Magnetism of Fe Interface in Contact with Pd by Mössbauer Spectroscopy. N. Hosoito, T. Shinjo, and T. Takada. *J. Phys. Soc. Japan*, **50**, 1903 (1981).

Studies on the Compounds in the Ba-Fe-S System. 1. Linear Chain Antiferromagnetism of Ba_2FeS_2 and Related Compounds Ba_2CoS_3 and Ba_2MnS_3 . N. Nakayama, K. Kosuge, S. Kachi, T. Shinjo, and T. Takada. *J. Solid State Chem.*, **33**, 351 (1980).

Depth-Selective Conversion-Electron Mössbauer Spectroscopy. T. Shigematsu, H.-D. Pfannes, and W. Keune. *Phys. Rev. Lett.*, **45**, 1206 (1980), Letter.

Topics on Magnetic Materials Prepared by the Use of Topotaxy. T. Takada. *Kobutsugaku Zasshi (J. Mineral. Soc. Japan)*, **14**, 396 (1980), Review in Japanese.

Chemical Transport Reaction of Niobium Oxides. Y. Kobayashi, S. Muranaka, Y. Bando, and T. Takada. *Bull. Inst. Chem. Res., Kyoto Univ.*, **59**, 248 (1981).

Epitaxial Growth of Magnetite on Rock Salt by Reaction Evaporation. T. Shigematsu, H. Ushigome, Y. Bando, and T. Takada. *J. Crystal Growth*, **50**, 801 (1980).

Crystal Growth of Ti_nO_{2n-1} with Large n by Chemical Transport Reaction. Y. Bando, S. Muranaka, Y. Shimada, M. Kyoto, and T. Takada. *J. Crystal Growth*,

53, 443 (1981).

Fine Ceramics. Y. Bando. *Kagaku (Chemistry)*, **36**, 53 (1981), Review in Japanese.

Organic Chemistry

Asymmetric Reduction of Ketones with Sodium Borohydride in the Presence of Phase Transfer Catalysts. R. Kinishi, N. Uchida, Y. Yamamoto, J. Oda, and Y. Inouye. *Agric. Biol. Chem.*, **44**, 643 (1980).

Asymmetric Photocyclization of Nitron at Chiral Binding Site of Cyclodextrin in the Presence of Amino Acid. I. Nakamura, T. Sugimoto, J. Oda, and Y. Inouye. *Agric. Biol. Chem.*, **45**, 309 (1980), Note.

Synthesis and Complexation Stereochemistry of Crown Ethers. N. Ando, S. Ohi, Y. Yamamoto, J. Oda, and Y. Inouye. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 293 (1980).

Asymmetric Reduction of α -Keto-esters and Trifluoroacetophenone with *N*-Anionized Hantzsch Ester. M. Fushimi, N. Baba, J. Oda, and Y. Inouye. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 357 (1980).

NADH Model Studies: 1, 4-Dihydronicotinamide Covalently Bonded to a Cyclic Peptide, Bacitracin. N. Baba, J. Oda, and Y. Inouye. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 378 (1980), Communication.

A Note on the Difference in reactivity of Dihydronicotinamide β -D-glucopyranoside and its Acetylated Form. N. Baba, T. Makino, J. Oda, and Y. Inouye. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 382 (1980), Note.

1-D-Glucopyranosyl-1, 4-dihydronicotinamide as Chiral NADH Model and their Asymmetric Reactions with Prochiral Substrates. N. Baba, T. Makino, J. Oda, and Y. Inouye. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 386 (1980), Note.

Enantioselective Aldol Reactions with High Threo or Erythro Selectivity Using Boron Azaenolates. A. I. Meyers and Y. Yamamoto. *J. Amer. Chem. Soc.*, **103**, 4278 (1981), Short communication.

Asymmetric Reduction with L-Proline Amide Derivatives of 1, 4-Dihydronicotinamide. B. Baba, J. Oda, and Y. Inouye. *J. Chem. Soc., Chem. Commun.*, 815 (1980), Communication.

Asymmetric Synthesis of 2-Substituted Butyrolactones and Valerolactones. A. I. Meyers, Y. Yamamoto, E. D. Mihelich, and R. A. Bell. *J. Org. Chem.*, **45**, 2792 (1980).

Can the Higher Stereoselectivity in Enzymic Reactions be Realized? Y. Inouye and J. Oda. *Kagaku to Seibutsu (Chemistry and Biology)*, **17**, 634 (1979), Review in Japanese.

Organic Chemistry in Life. Y. Inouye. *Kagaku to Seibutsu (Chemistry and Biology)*, **18**, 422 (1980), Review in Japanese.

Studies for Exploitation of the Biologically Active Components in "Enmei-so" (*Rabdosia japonica* Hara and *R. trichocarpa* Kudo) and Related Plants. Y. Nagao and E. Fujita. *Proc. Symp. Wakan-Yaku*, **13**, 79 (1980), Review in Japanese.

The Chemistry on Diterpenoids in 1979. Part-I E. Fujita, K. Fuji, Y. Nagao, and M. Ochiai. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 484 (1980), Review.

3-(*p*-Bromobenzoyl)-1, 3-thiazolidine-2-thione. R. F. Bryan, P. Hartley, S. Peckler, E. Fujita, Y. Nagao, and K. Seno. *Acta Cyst.*, **B36**, 1709 (1980).

Utilisation of Sulphur-containing Leaving Groups. Part 2. Monitored Reduction of Carboxylic Acids into Alcohols or Aldehydes via 3-Acylthiazolidine-2-thiones by Sodium Borohydride or Di-isobutylaluminium Hydride. Y. Nagao, K. Kawabata, K. Seno, and E. Fujita. *Chem. Soc. J. C. S. Perkin Trans. I*, 2470 (1980).

Hard Acid and Soft Nucleophile System. 2. Demethylation of Methyl Ethers of Alcohol and Phenol with an Aluminum Halide-Thiol System. M. Node, K. Nishide, K. Fuji, and E. Fujita. *J. Org. Chem.*, **45**, 4275 (1980).

Reaction of 3-Chloroallyltrimethylsilane with Acid Chloride and Exploitation of a New Regioselective Synthesis of $\alpha\beta$ -Unsaturated Epoxide. M. Ochiai and E. Fujita. *Tetrahedron Lett.*, **21**, 4369 (1980), Letter.

Total Synthesis of a Macrocyclic Spermidine Alkaloid, Codonocarpine. Y. Nagao, K. Seno, and E. Fujita. *Tetrahedron Lett.*, **21**, 4931 (1980), Letter.

Structures of Croverin (X-Ray Analysis) and Dihydrocroverin, Two New Diterpene Lactones from *Croton verreauxii* Baill. E. Fujita, M. Node, K. Nishide, M. Sai, and K. Fuji. *J. C. S. Chem. Comm.*, 920 (1980), Letter.

3-Chloroallyltrimethylsilane: Its Novel Reaction with Aldehydes. M. Ochiai and E. Fujita. *J. C. S. Chem. Comm.*, 1118 (1980), Letter.

New Synthesis Utilizing Sulfur-containing Leaving Groups. E. Fujita and Y. Nagao. *Yuki Gosei Kagaku Kyokaiishi (J. Synth. Org. Chem. (Japan))*, **38**, 1176 (1980), Review in Japanese.

Hard Acid and Soft Nucleophile System. IV. Removal of Benzyl Protecting Group with Boron Trifluoride Etherate and Dimethyl Sulfide. K. Fuji, T. Kawabata, and E. Fujita. *Chem. Pharm. Bull.*, **28**, 3662 (1980).

Conversion of Lactone into Lactone Hemithioacetal and Synthesis of Enol Lactone. M. Ochiai, K. Nishide, M. Node, and E. Fujita. *Chemistry Lett.*, 283 (1981), Letter.

Monitored Aminolysis of 3-Acyl-1, 3-Thiazolidine-2-Thione with Amino Acid and its Derivative: Peptide Bond Formation, Chemoselective Acylation, and Bridging Reaction. Y. Nagao, T. Miyasaka, K. Seno, M. Yagi, and E. Fujita. *Chemistry Lett.*, 463 (1981), Letter.

Carbon-Carbon Double Bond Cleavage with a Hard Lewis Acid and Ethane-thiol. K. Fuji, T. Kawabata, M. Node, and E. Fujita. *Tetrahedron Lett.*, **22**, 875 (1981), Letter.

Reaction of Allylsilane with α -Nitro Olefin and its Development to Synthesis of Cyclopentenone. M. Ochiai, M. Arimoto, and E. Fujita. *Tetrahedron Lett.*, **22**, 1115 (1981), Letter.

Synthesis of 2-Heterosubstituted 1, 3-Oxathianes and their Reaction with *sec*-Butyllithium. K. Fuji, M. Ueda, K. Sumi, and E. Fujita. *Tetrahedron Lett.*, **22**, 2005 (1981), Letter.

Total Synthesis of the Macrocyclic Spermidine Alkaloids (\pm)-Lunarine and (\pm)-Lunaridine. Y. Nagao, S. Takao, T. Miyasaka, and E. Fujita. *J. C. S. Chem. Comm.*, 286 (1981), Letter.

Photocyclisation between Allyltrimethylsilane and 1, 4-Naphthoquinone and Ring Cleavage of the Resulting Cyclobutane Assisted by the Trimethylsilyl Group. M. Ochiai, M. Arimoto, and E. Fujita. *J. C. S. Chem. Comm.*, 460 (1981), Letter.

X-Ray Crystal Structure and Conformational Analysis of 6-*epi*-Teucvin (Teuffin), a Minor 19-Norclerodane Diterpenoid from *Teucrium viscidum* var. *Miquelianum*. M. Node, M. Sai, E. Fujita, and A. T. Mcphail. *J. Chem. Research (S)*, 32 (1981), Note.

Aminolysis of 3-Acylthiazolidine-2-thione: A Synthesis of Macrolactam Containing Aromatic Ring(s). Y. Nagao, T. Miyasaka, K. Seno, and E. Fujita. *Heterocycles*, **15**, 1037 (1981), Letter.

Studies on the Structure of Some Derivatives of 1, 3-Thiazolidine-2-thione and β -1, 3-Thiazoline-2-thiol. E. Fujita, Y. Nagao, K. Seno, S. Takao, T. Miyasaka, M. Kimura, and W. H. Watson. *J. C. S. Perkin I*, 914 (1981).

2-Ethylthio-1, 3-benzodithiole: A Methoxycarbonyl Anion Equivalent. A General Synthesis of α -Hydroxy Esters. K. Fuji, M. Ueda, K. Sumi, and E. Fujita. *Synthetic Comm.*, **11**, 209 (1981), Note.

Hard Acid and Soft Nucleophile System. 3. Dealkylation of Esters with Aluminum Halide-Thiol and Aluminum Halide-Sulfide Systems. M. Node, K. Nishide, M. Sai, K. Fuji, and E. Fujita. *J. Org. Chem.*, **46**, 1991 (1981).

A New Efficient Aminolysis and its Application to Synthesis of Macrolactam Alkaloids. E. Fujita. *Pure Appl. Chem.*, **53**, 1141 (1981), Review.

Isolation of the Diterpenoid Teuflin (6-Epiteucvin) from *Teucrium Viscidum* var. *Miquelianum*. M. Node, M. Sai, and E. Fujita. *Phytochemistry*, **20**, 757 (1981).

Reduction by a Model of NAD(P)H. 27. Role of Bivalent Metal Ion in the Reduction of 2-Acylpyridines and 1-Acylisoquinolines. A. Ohno, S. Yasui, and S. Oka. *Bull. Chem. Soc. Japan*, **53**, 2651 (1980).

Reduction by a Model of NAD(P)H. 28. Reduction of an α -Diketone in the Presence of Zinc Ion. A. Ohno, S. Yasui, and S. Oka. *Bull. Chem. Soc. Japan*, **53**, 3244 (1980).

Transition-metal Catalyzed Dehalogenation of Aromatic Halides by NaOH-Alcohols. A Facile Method of Destroying Aromatic Polyhalides. T. Okamoto and S. Oka. *Bull. Chem. Soc. Japan*, **54**, 1265 (1981), Note.

A Mild and Convenient Procedure for Conversion of Aromatic Compounds into Their Iodides Using Ammonium Hexanitratocerate (IV). T. Sugiyama. *Bull. Chem. Soc. Japan*, **54**, 2847 (1981), Note.

Alkali Metal-Ion Catalysis of the Electron-Transfer Reaction between 4-Propyl-3-carbamoyl-1, 4-dihydropyridine and Hexacyanoferrate(III). A Linear Relationship Involving Catalytic Activity. T. Okamoto, A. Ohno, and S. Oka. *Inorg. Chem.*, **19**, 3176 (1980), Note.

Kinetics and Mechanism of Iodination of *p*-Substituted Benzyl-bis(dimethylglyoximate)pyridinecobalt(III). High Reactivity of Base-off Form. T. Okamoto, M. Goto, and S. Oka. *Inorg. Chem.*, **20**, 899 (1981).

Reduction by a Model of NAD(P)H. 29. Kinetics and Isotope Effects for the Reduction of Substituted Trifluoroacetophenone. A. Ohno, H. Yamamoto, and S. Oka. *J. Am. Chem. Soc.*, **103**, 2041 (1981).

Reduction by a Model of NAD(P)H. 30. Proof for the Electron-Proton-Electron

Transfer Mechanism. A. Ohno, T. Shio, H. Yamamoto, and S. Oka. *J. Am. Chem. Soc.*, **103**, 2045 (1981).

Cobalt-Catalyzed Regiospecific Conversion of Aryl-Substituted Olefins into Alcohols using Molecular Oxygen and Tetrahydroborate. The Reaction of Oxygen with Activated Substrates. T. Okamoto and S. Oka. *Tetrahedron Lett.*, **22**, 2191 (1981), Letter.

Asymmetric Reduction of Alkyl Aryl Ketones in the Binding Domain of Bovine Serum Albumin. T. Sugimoto, T. Kokubo, Y. Matsumura, J. Miyazaki, S. Tanimoto, and M. Okano. *Bioorg. Chem.*, **10**, 104 (1981).

The Reaction of 2-Ethoxy-1, 3-dithiolane with Carbonyl Compounds. S. Jo, S. Tanimoto, T. Oida, and M. Okano. *Bull. Chem. Soc. Japan*, **54**, 1434 (1981).

Photolytic α -Elimination of Organic Halides from Organotellurium(IV) Halides. S. Uemura and S. Fukuzawa. *Chemistry Lett.*, 943 (1980), Letter.

Peroxide-induced α -Elimination of Organic Halides from Organotellurium(IV) Halides. S. Uemura and S. Fukuzawa. *J. Chem. Soc., Chem. Commun.*, 1033 (1980), Letter.

Simple Procedure for the Aminoselemination of Olefins. A. Toshimitsu, T. Aoai, S. Uemura, and M. Okano. *J. Chem. Soc., Chem. Commun.*, 1041 (1980), Letter.

Photosensitized Electron Transport across a Liquid Membrane Containing Photosensitizer, Electron Mediator, and Carrier. T. Sugimoto, J. Miyazaki, T. Kokubo, S. Tanimoto, M. Okano, and M. Matsumoto. *J. Chem. Soc., Chem. Commun.*, 211 (1981), Letter.

Selenoxide Fragmentation Leading to Allylic Amides. A. Toshimitsu, H. Owada, T. Aoai, S. Uemura, and M. Okano. *J. Chem. Soc. Chem. Commun.*, 546 (1981), Letter.

Oxythallation Adduct Intermediate in Hydration of Terminal Acetylenes by Thallium(III) Salt Catalyst. S. Uemura, H. Miyoshi, M. Okano, and K. Ichikawa. *J. Chem. Soc. Perkin I*, 991 (1981).

Carbodetelluration of Aryltellurium(IV) Compounds: Olefin Arylation and Aromatic Coupling. S. Uemura, M. Wakasugi, and M. Okano. *J. Organometal. Chem.*, **194**, 277 (1980).

Halogenodetelluration of Aryltellurium(IV) Compounds. S. Uemura, S. Fukuzawa, M. Wakasugi, and M. Okano. *J. Organometal. Chem.*, **214**, 319 (1981).

A Molecular Orbital Study of the Orienting Effect in Homoconjugated Systems. H. Fujimoto, S. Uemura, and H. Miyoshi. *Tetrahedron*, **37**, 55 (1981).

Diacetoxylation of Conjugated Dienes with Thallium(III) Acetate in Acetic Acid. S. Uemura, H. Miyoshi, A. Tabata, and M. Okano, *Tetrahedron*, **37**, 291 (1981).

An Improved Method for Olefin Synthesis using Pyridylseleno Group as a Leaving Group. A. Toshimitsu, H. Owada, S. Uemura, and M. Okano. *Tetrahedron Lett.*, **21**, 5037 (1980), Letter.

Generation of 1, 2-Ethanebis(trithiocarbonic acid) Dianion from 2, 2'-[1, 2-Ethanediybis(thio)]-bis-1, 3-dithiolane and its Reaction with Alkyl Halides. S. Tanimoto, T. Oida, K. Hatanaka, and T. Sugimoto. *Tetrahedron Lett.*, **22**, 655 (1981), Letter.

Electron Transport across Liquid Membranes with an Asymmetrically Located Electron Mediator. T. Sugimoto, J. Miyazaki, T. Kokubo, S. Tanimoto, M. Okano, and M. Matsumoto. *Tetrahedron Lett.*, **22**, 1119 (1981), Letter.

Organic Synthesis by Tellurium Salts and Tellurium Compounds. S. Uemura. *Kagaku (Chemistry)*, **36**, 381 (1981), Review in Japanese.

Polymer Chemistry

Gel Filtration Studies of Methylene Blue-Heparin Interactions in Aqueous Solution. S. Kadokura, T. Miyamoto and H. Inagaki. *Biopolymers*, **20**, 1113 (1981).

Thin Layer Chromatographic Estimation of a Small Amount of Chlorine in Polymer. S. Kohjiya, K. Iwata, S. Yamashita, T. Miyamoto, and H. Inagaki. *Colloid & Polymer Sci.*, **258**, 1192 (1980), Letter.

Isotropic and Anisotropic Scattering from Polyethylene during Crystallization: Light Scattering Characterization of Polymers. V. H. Suzuki, Y. Muraoka, and K. Kajiwara. *Europ. Polym. J.*, **17**, 491 (1981).

New Utilization of Wool Keratin Derivatives. T. Miyamoto. *High Polymers*, **29**, 694 (1980), Note in Japanese.

Polymer Characterization with Special Emphasis on Molecular Characterization. H. Inagaki. *High Polymers*, **30**, 273 (1981), Review in Japanese.

Synthesis of Cationic Cyclo-oligo(ethyleneadeninyl). T. Shimidzu, T. Kanou,

A. Murakami, K. Yamana, H. Inagaki, and N. Donkai. *J. Chem. Res. (S)*, 376, (1980).

Composition and Molecular Weight Distribution of Block Copolymers. T. Tanaka, M. Omoto, N. Donkai, and H. Inagaki. *J. Macromol. Sci.-Phys.*, **B17**, 211 (1980).

Conformation of Isolated Block Copolymer Molecules. T. Tanaka, M. Omoto, and H. Inagaki. *J. Macromol. Sci.-Phys.*, **B17**, 229 (1980).

Conformation of Linear Polyethylene in 1-Chloronaphthalene: Light Scattering Characterization of Polymers. IV. H. Suzuki, Y. Muraoka, and H. Inagaki. *J. Polym. Sci., Polym. Phys. Ed.*, **19**, 189 (1981).

Thin-Layer Chromatographic Comparison between Deuterated and Hydrogenous Polystyrenes. T. Tanaka, N. Donkai, and H. Inagaki. *Macromolecules*, **13**, 1021 (1980), Note.

Gel Filtration Studies of the Binding of Cu(II) by Component Proteins from Wool Keratin. S. Kadokura, H. Ito, T. Miyamoto, and H. Inagaki. *Kobunshi Ronbunshu*, **38**, 419 (1981), in Japanese.

Critical Solution Temperatures in Cellulose Diacetate-Acetone Solutions. H. Suzuki, K. Ohno, K. Kamide, and Y. Miyazaki. *Netsusokutei (Calorimetry and Thermal Analysis)*, **8**, 67 (1981).

Ordered Structure of High-Glycine Proteins from Reduced Merino Wool. T. Amiya, A. Kawaguchi, T. Miyamoto, and H. Inagaki. *Sen-i Gakkaishi (Journal of the Soc. of Fiber Science and Technology, Japan)*, **36**, 479 (1980), in Japanese.

Structural Changes in Cast Films of the Low-Sulfur Proteins from Wool on Stretching and Heating. H. Sakabe, T. Miyamoto, and H. Inagaki. *Sen-i Gakkaishi (Journal of the Soc. of Fiber Science and Technology, Japan)*, **37**, 273 (1981), in Japanese.

Transport and Solution of Gases and Vapors in Styrene-Butadiene Block Copolymers: Absorption and Desorption of *n*-Hexane Vapor. H. Odani, M. Uchikura, K. Taira, and M. Kurata. *J. Macromol. Sci.-Phys.*, **B17**, 337 (1980).

Upper Bound of Stress for Stress Relaxation in Entangled Polymeric Systems. K. Osaki and M. Kurata. *J. Polym. Sci., Polym. Phys. Ed.*, **18**, 2421 (1980), Note.

Stress Relaxation of Polybutadiene at Large Deformation. Measurements of Stress and Birefringence in Shear and Elongation. S. Kimura, K. Osaki, and M. Kurata. *J. Polym. Sci., Polym. Phys. Ed.*, **19**, 151 (1981).

Relaxation of Shear and Normal Stresses in Step-Shear Deformation of a Polystyrene Solution. Comparison with the Predictions of the Doi-Edwards Theory. K. Osaki, S. Kimura, and M. Kurata. *J. Polym. Sci., Polym. Phys. Ed.*, **19**, 517 (1981).

Stress Measurements at the Start of Shear Flow: Comparison of Data from a Modified Weissenberg Rheogoniometer and from Flow Birefringence. M. Takahashi, T. Masuda, N. Bessho, and K. Osaki. *J. Rheol.*, **24**, 517 (1980), Note.

Experimental Appraisal of the Doi-Edwards Theory for Polymer Rheology Based on the Data for Polystyrene Solutions. K. Osaki and M. Kurata. *Macromolecules*, **13**, 671 (1980).

On the Material Time Constant Characterizing the Nonlinear Viscoelasticity of Entangled Polymeric Systems. K. Osaki, S. Kimura, K. Nishizawa, and M. Kurata. *Macromolecules*, **14**, 455 (1981), Letter.

Diffusion and Permeation in Plastics and Rubbers. H. Odani. *Kagaku Kagaku (J. Soc. Chem. Eng., Japan)*, **44**, 533 (1980), Review in Japanese.

Transport and Solution of Gases and Vapors in Styrene-Butadiene Block Copolymers. H. Odani. *Nihon Reoroji Gakkaishi (J. Soc. Rheol., Japan)*, **8**, 89 (1980), in Japanese.

Transport in Polymer Alloys. H. Odani. "Porima Aroi (Polymer Alloys)," pp. 253-264 edited by the Society of Polymer Science, Japan, Tokyo Kagaku Dojin, Tokyo (1981), in Japanese.

Lattice Distortion of Polyethylene at Low Temperatures. A. Kawaguchi, R. Matsui, and K. Katayama. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 470 (1980).

Application of the Optical Transform to the Electron Diffraction Pattern of Polyethylene Single Crystal. A. Kawaguchi. *Polymer*, **22**, 753 (1981).

Crystal Growth of Polymers. K. Katayama. *Nihon Kesho Seichogau Kaishi (J. Soc. Cryst. Growth, Japan)*, **7**, 15 (1980), Review in Japanese.

Surface Modifications of Cellulose and Polyvinyl Alcohol and Determination of the Surface Density of the Hydroxyl Group. T. Matsunaga and Y. Ikada. *ACS Symposium Series*, **121**, 391 (1980).

Water in Mucopolysaccharides. Y. Ikada, M. Suzuki, and H. Iwata. *ACS Symposium Series*, **127**, 287 (1980).

Structure and Properties of Lightly Crosslinked Isotactic Polypropylene, Crystal-

lized from the Melt Under Uniaxial Compression. S.-H. Hyon and R. Kitamaru. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 457 (1980).

Phase Structure of Native and Regenerated Celluloses as Revealed by Proton NMR Analysis. A. Hirai, R. Kitamaru, F. Horii, and I. Sakurada. *Cellulose Chem. Technol.*, **14**, 611 (1980).

Monolayers of Graft and Block Copolymers. Y. Ikada, H. Iwata, S. Nagaoka, F. Horii, and M. Hatada. *J. Macromol. Sci. Phys. Ed.*, **B17**, 191 (1980).

Structure of Native and Regenerated Cellulose as Revealed by Proton NMR Analysis. A. Hirai, F. Horii, and R. Kitamaru. *J. Polym. Sci. Polym. Phys. Ed.*, **18**, 1801 (1980).

Component Analysis of Proton NMR Spectra of Linear Polyethylene in the α -Transition Temperature Range and Phase Distribution. F. Horii and R. Kitamaru. *J. Polym. Sci. Polym. Phys. Ed.*, **19**, 109 (1981).

Interaction of Tissues with Foreign Bodies. Y. Ikada. *Kagaku (Chemistry)*, **35**, 754 (1980), Review in Japanese.

Biomedical Engineering in West Germany. F. Horii. *Kobunshikako (Polymer Processing)*, **29**, 231 (1980), in Japanese.

Biodegradable Polymer(I). Y. Ikada. *Kobunshi Kako (Polymer Processing)*, **30**, 208 (1981), Review in Japanese.

Biodegradable Polymer(II). Y. Ikada. *Kobunshi Kako (Polymer Processing)*, **30**, 255 (1981), Review in Japanese.

Phase Structure and Molecular Mobilities of Terephthalic-Acid Polyesters. R. Kitamaru, F. Horii, A. Hirai, and T. Suzuki. *Nippon Kagaku Sen-i Kenkyusho Koenshu (Annual Report of the Research Institute for Chemical Fibers, Japan)*, **37**, 85 (1980), in Japanese.

Measurements of Normal Frequency Distribution of Polymer Solids. R. Kitamaru and K. Kaji. *Reports for "Physical Experiments with Long-wave Neutrons"*, *KUR*, **54-2**, 1 (1980), in Japanese.

Biochemistry

A Novel Purification Procedure of L-Lysine 6-Aminotransferase from *Flavobacterium lutescens*. T. Yagi, T. Yamamoto, and K. Soda. *Biochim. Biophys. Acta*, **614**, 63 (1980), Letter.

Recent Advances in Enzymatic Synthesis of Amino Acids. N. Esaki, K. Soda, H. Tanaka, and H. Tanaka. *Biotechnol. Bioeng.*, **22**, 127 (1980), Review.

Determination of *meso*- α , ϵ -Diaminopimelate with *meso*- α , ϵ -Diaminopimelate D-Dehydrogenase. H. Misono and K. Soda. *Agric. Biol. Chem.*, **44**, 2125 (1980), Letter.

Purification and Properties of L-Methionine Decarboxylase of *Streptomyces* sp. H. Misono, Y. Kawabata, M. Toyosato, T. Yamamoto, and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 323 (1980), Letter.

Purification and Crystallization of L-Ornithine: α -Ketoglutarate δ -Aminotransferase from *Corynebacterium sepedocum*. M. Yasuda, S. Toyama, K. Yonaha, and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 366 (1980), Letter.

Mechanism of Lysine Overproduction by a Yeast Mutant Resistant to a Lysine Sulfur Analog. E. Takenouchi, D. K. Nikolova, H. Tanaka, T. Yamamoto, and K. Soda. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 371 (1980), Letter.

Regulation Mechanism of Kynureninases. K. Soda and K. Tanizawa. *Biochemical and Medical Aspects of Tryptophan Metabolism*, 127 (1980), Monograph.

Properties of *meso*- α , ϵ -Diaminopimelate D-Dehydrogenase from *Bacillus sphaericus*. H. Misono and K. Soda. *J. Biol. Chem.*, **255**, 10599 (1980), Letter.

Irreversible Inactivation of L-Ornithine: α -Ketoglutarate δ -Aminotransferase by Gabaculine. M. Yasuda, S. Toyama, R. R. Rando, N. Esaki, K. Tanizawa, and K. Soda. *Agric. Biol. Chem.*, **44**, 3005 (1980), Note.

Enzymatic Microdetermination of Nitroalkanes. K. Tanizawa, T. Hirasawa, and K. Soda. *Anal. Lett.*, **13(B8)**, 645 (1980), Letter.

Bacterial S-Alkyl-L-cysteine Lyase. H. Tanaka, H. Imahara, N. Esaki, and K. Soda. *Ganryu Aminosan (Sulfur-containing Amino Acids)*, **3**, 275 (1980), Review in Japanese.

Selenium Amino Acids Metabolism in Rat Liver. T. Nakamura, N. Esaki, K. Soda, and H. Tanaka. *Ganryu Aminosan (Sulfur-containing Amino Acids)*, **3**, 285 (1980), Letter in Japanese.

Enzymatic Microdetermination of L-Ornithine and L-Lysine. M. Yasuda, K. Tanizawa, S. Toyama, and K. Soda. *J. Appl. Biochem.*, **2**, 510 (1980), Letter.

Lysine Production by Yeasts and its Mechanism. K. Soda, E. Takenouchi, and

H. Tanaka. *Hakko-kogaku (J. Fermentation Technology)*, **59**, 59 (1981), Review in Japanese.

Stereochemistry of the Urocanase Reaction: Hydrogen Exchange at C-4' of Urocanate. S. Sawada, K. Endo, M. Ushida, N. Esaki, and K. Soda. *Bull. Kyoto Univ., Education*, **58B**, (1981), Letter.

Determination of L-Cysteine with L-Methionine γ -Lyase. H. Tanaka, H. Imahara, N. Esaki, and K. Soda. *Agric. Biol. Chem.*, **45**, 1021 (1981), Letter.

meso- α , ϵ -Diaminopimelate D-Dehydrogenase: Sulfhydryl Group Modification. H. Misono, S. Nagasaki, and K. Soda. *Agric. Biol. Chem.*, **45**, 1455 (1981), Letter.

Purification and Properties of *meso*- α , ϵ -Diaminopimelate Decarboxylase from *Bacillus sphaericus*. Y. Asada, K. Tanizawa, Y. Kawabata, H. Misono, and K. Soda. *Agric. Biol. Chem.*, **45**, 1513 (1981), Note.

A Novel Dehydrogenase Working on of Amino Group with D-Configuration. K. Soda. *Kagaku (Chemistry)*, **36**, 80 (1981), Review in Japanese.

Enzymatic Synthesis of Selenocysteine in Rat Liver. N. Esaki, T. Nakamura, H. Tanaka, T. Suzuki, Y. Morino, and K. Soda. *Biochemistry*, **20**, 4492 (1981), Letter.

Structure and Gene Organization in the Transforming *Hind*III-G Fragment of Ad12. H. Sugisaki, K. Sugimoto, M. Takanami, K. Shiroki, I. Saito, H. Shimojo, Y. Sawada, and K. Fujinaga. *Cell*, **20**, 777 (1980), Letter.

Nucleotide Sequences, Integration, and Transcription of the Adenovirus-12 Transforming Genes. K. Fujinaga, Y. Uemizu, T. Yamashita, H. Shimojo, K. Shiroki, H. Sugisaki, K. Sugimoto, and M. Takanami. *Cold Spring Harbor Symp. Quant. Biol.*, **44**, 519 (1980), Letter.

Structure of the 5-S Ribosomal RNA Gene and its Adjacent Regions in *Torulopsis utilis*. S. Tabata. *Eur. J. Biochem.*, **110**, 107 (1980), Letter.

A Study of the Interaction between Promoter DNA and *T. thermophilus* DNA-Dependent RNA Polymerase. S. Tsuji, K. Imahori, and M. Takanami. *J. Biochem.*, **88**, 715 (1980), Letter.

Nucleotide Sequence of the Kanamycin Resistance Transposon Tn903. A. Oka, H. Sugisaki, and M. Takanami. *J. Mol. Biol.*, **147**, 217 (1981).

The DNA Replication Origin of *Escherichia coli*: Structure and Function of the

ori-Containing DNA Fragment. Y. Hirota, M. Yamada, A. Nishimura, A. Oka, K. Sugimoto, K. Asada, and M. Takanami. *Progress Nucleic Acid Res. Molec. Biol.*, **26**, 33 (1981), Letter.

Replication Origin of the *Escherichia coli* K12 Chromosome: The Size and Structure of the Minimum DNA Segment Carrying the Information for Autonomous Replication. A. Oka, K. Sugimoto, M. Takanami, and Y. Hirota. *Molec. Gen. Genet.*, **178**, 9 (1980), Letter.

Radii of Gyration and Scattering Curves of Hollow Bodies of Homogeneous Electron Density. Y. Hiragi and S. Ihara. *Acta Cryst.*, **A37**, 378 (1981).

Analysis of Adipimidate-crosslinked Lysine. O. Ohara and S. Takahashi. *Anal. Biochem.*, **107**, 314 (1980).

Fixation of Skeletal Muscle Actin in F-state by Chemical Cross-linking with Bis-imidoesters. O. Ohara, S. Takahashi, T. Ooi, and Y. Fujiyoshi. *Biochem. Biophys. Res. Commun.*, **100**, 988 (1981), Communication.

Regeneration of Ribonuclease: A from the Reduced Protein. Isolation and Identification of Intermediates, and Equilibrium Treatment. Y. Konishi, T. Ooi, and H. A. Scheraga. *Biochemistry*, **20**, 3945 (1981).

Method for Energy Computation of Protein Structures. A Set of Amino Acid Geometries and Energy Parameters. K. Nishikawa, M. Oobatake, and T. Ooi. *Bull. Inst. Chem. Res., Kyoto Univ.*, **58**, 308 (1980).

Ordered Structure in Dilute Solution of Ionic Biopolymers. 2. Small-angle X-ray Scattering Study of Sodium Polyacrylate in Solution. N. Ise, T. Okubo, K. Yamamoto, H. Kawai, T. Hashimoto, M. Fujimura and Y. Hiragi. *J. Am. Chem. Soc.*, **102**, 7901 (1980).

Residue-Residue Potential Function for Conformational Analysis of Proteins. M. Oobatake and G. M. Crippen. *J. of Phys. Chem.*, **85**, 1187 (1981).

Energy Surface of Protein Molecule in the Conformational Phase Space. T. Ooi and K. Nishikawa. *J. Phys. Soc. Japan*, **50**, 261 (1981).

A Study on Troponin-T and Troponin-C Interaction by Cross-linking Reagents. O. Ohara, S. Takahashi, and T. Ooi. "Muscle Contraction: Its Regulatory Mechanisms" ed. by S. Ebashi, K. Maruyama, & M. Endo, pp. 259-265, *Japan Sci. Soc. Press*, 1980, Monograph.