

Accepted for publication in the Journal of Community and Applied Social Psychology

The mental health benefits of community helping during crisis: Coordinated helping, community identification, and sense of unity during the COVID-19 pandemic

Short title: *Community helping, unity, and mental health during COVID-19*

Mhairi Bowe^{1*}
Juliet R. H. Wakefield¹
Blerina Kellezi¹
Clifford Stevenson¹
Niamh McNamara¹
Bethany A. Jones¹
Alex Sumich¹
Nadja Heym¹

¹ *Department of Psychology, Nottingham Trent University, England, UK*

*Corresponding author information:

Dr Mhairi Bowe,
Department of Psychology,
Nottingham Trent University,
50 Shakespeare Street,
Nottingham, NG1 4FQ.
Email: mhairi.bowe@ntu.ac.uk
Tel: +44 (0) 1158 482654

Keywords:

COVID-19, Community, Social Identity, Helping, Unity, Well-being, Mental Health

Data availability statement:

The materials and data supporting this study have been archived on a secure server at Nottingham Trent University. Access to the data used in this study are accessible on the Open Science Framework at: https://osf.io/vtseb/?view_only=bc1eca351a1645b39ce38f03be6c188b

Acknowledgements:

This study has been supported by funds granted by Nottingham Trent University. The authors have no conflicts of interests to state.

Abstract

Communities are vital sources of support during crisis, providing collective contexts for shared identity and solidarity that predict supportive, prosocial responses. The COVID-19 pandemic has presented a global health crisis capable of exerting a heavy toll on the mental health of community members while inducing unwelcome levels of social disconnection. Simultaneously, lockdown restrictions have forced vulnerable community members to depend upon the support of fellow residents. Fortunately, voluntary helping can be beneficial to the well-being of the helper as well as the recipient, offering beneficial collective solutions. Using insights from social identity approaches to volunteering and disaster responses, this study explored whether the opportunity to engage in helping fellow community members may be both unifying and beneficial for those engaging in coordinated community helping. Survey data collected in the UK during June 2020 showed that coordinated community helping predicted the psychological bonding of community members by building a sense of community identification and unity during the pandemic, which predicted increased well-being and reduced depression and anxiety. Implications for the promotion and support of voluntary helping initiatives in the context of longer-term responses to the COVID-19 pandemic are provided. Please refer to the Supplementary Material section to find this article's Community and Social Impact Statement.

Keywords:

COVID-19, Community, Social Identity, Helping, Volunteering, Well-being, Mental Health

Introduction

COVID-19 constitutes an unparalleled 'social threat' (Banerjee & Rai, 2020). Global government restrictions to limit viral spread have disrupted communities and exacerbated loneliness, especially among the socially, economically, and medically vulnerable (UN, 2020) whilst also restricting access to vital community-based social support. Research that helps identify methods of protecting community members' mental health and well-being whilst maintaining social cohesion is thus imperative (O'Connor et al., 2020; Van Bavel et al., 2020). However, whilst the pandemic has created an urgent need for people to find opportunities for social connection to support their mental health, it has also created demand for community members to volunteer time to support others. We contend that these parallel processes may themselves offer a solution.

Despite the potentially corrosive effects of the pandemic on community life, communities have typically responded by aiding their most vulnerable members giving rise to a global proliferation of community-based mutual-aid groups and an influx of volunteers to formal roles (Drury & Tekin Guven, 2020; Monbiot, 2020; Tiratelli & Kaye, 2020). This response has provided essential assistance and supplemented governmental attempts to support citizens. It has been suggested that capitalising on these offers of help benefits the community at the expense of volunteers, and concerns remain about the long-term well-being-related costs of volunteering (Gilbert, 2020). However, this neglects the inherently social and beneficial dimensions of helping. For example, the upsurge in collective helping accords with emerging understanding of the benefits of volunteering for building community identity and support, which in turn enhances well-being (Bowe et al., 2020; Gray & Stevenson, 2020). It also accords with research pointing to the pivotal role of strong social relationships and collective support provision in effective long-term responses to emergencies (Drury et al., 2016).

In this article we provide an overview of the negative impacts of the pandemic on the mental health of local communities and the observed community responses. We outline a key theoretical framework (the Social Identity Approach to Health; Haslam et al., 2018), which has demonstrated the health benefits of community identification and resilience in disasters, then detail more recent work on the effects of volunteering on local community identity and well-being. Inspired by this theoretical framework, we report novel work exploring the relationships between help-giving, community relationships, and unity during the pandemic, and illustrate the pathways through which help-giving may predict residents' mental health and well-being.

COVID-19's Impact on Community Mental Health/Well-being

The COVID-19 pandemic has significant implications for mental health and well-being, to the extent that these outcomes have been labelled a 'second pandemic' (Choi et al., 2020). The social and economic consequences of COVID-19 constitute a stressor capable of causing chronic anxiety (Holmes, et al, 2020), particularly in communities where death-rates are high (Lima et al., 2020), and for populations with pre-existing health issues (Brooks et al., 2020). Recent data link fear of COVID-19 with both health-related and generalised anxiety (Lee et al., 2020), but its impact may also be more nuanced. For instance, widespread financial insecurity and established relationships between financial stress and mental health (Frasquilho et al., 2016) suggest the pandemic's economic consequences will also impact well-being (Brooks et al., 2020). Other stressors such as home-schooling and increases in domestic violence are also likely to elevate mental ill-health (Social Care Institute for Excellence, 2020). The impact of COVID-19 on depression has already been demonstrated in China, especially for those with mental health issues (Wang et al., 2020). However, the pandemic is also likely to affect mental health for those without pre-existing conditions. Fear of COVID-19 has been found to predict depression beyond the impact of pre-existing vulnerabilities and socio-demographics factors (Lee et al., 2020) and those who come in to contact with COVID-19 are also at risk of pandemic-related vicarious traumatisation (Li et al., 2020).

The impact of the pandemic on social life is likely to exacerbate these effects. Limited access to community activities, changes in living circumstances, and social isolation are likely to be detrimental to mental health (O'Connor et al., 2020; Thompson et al., 2017). Stress appraisal and emotion regulation are also likely to be weakened due to reduced access to fellow social group members (Haslam et al., 2018; Williams et al., 2018), whilst distancing and reduced contact encourages loneliness and its mental health consequences (Holmes et al., 2020; Cacioppo et al., 2006). Around one third of UK survey respondents report experiencing negative emotional consequences of pandemic-related disconnection, and this is particularly anxiety-inducing for those with challenging living circumstances, lack of support networks, and existing conditions (Li & Wang, 2020). A series of studies exploring 'Corona-related loneliness' highlight the need for psychologically-meaningful sources of social connection and suggest this should be central to interventions aimed at protecting mental health (Hoffart et al., 2020; Horesh et al., 2020, particularly as typical sources of formal mental health support may be less accessible (O'Connor et al., 2020). For these reasons, identifying alternative routes to promoting community health and well-being must also be prioritised (Holmes et al., 2020).

Community Helping as a Pathway to Mental Health/Well-being

Among those most affected by the pandemic lockdown were older and medically vulnerable adults who required urgent assistance to meet their needs for food and medical supplies. In the pandemic's early stages these needs often went unmet by local services. In most areas across the UK, residents associations, often under the umbrella of 'COVID-19 Mutual-Aid Groups', stepped in to provide practical and emotional support to vulnerable residents (Booth, 2020, Stansfield et al., 2020) and engagement with mutual aid groups involved both existing volunteers and community members who had never volunteered before (Tiratelli & Kaye, 2020). Engagement in the UK exemplified a global upsurge in volunteering activity, whereby individuals engaged in unprecedented levels of locale-based organised helping activities via community-based mutual aid groups (Monbiot, 2020).

The role of communities in providing social and psychological resources to residents is well-established in social psychology. The Social Identity Approach to Health demonstrates that a range of physical and mental health outcomes result from identification with social groups, constituting a ‘social cure’ (Haslam et al., 2018). Social relationships characterised by belonging, trust, and support are therefore likely to be vital resources in the pandemic response (Jetten et al., 2020). Cohesive residential community groups are known to be a particularly important source of identity and belonging, valuable for the generation and sharing of support, and for residents’ health and well-being (Ehsan et al., 2019; Fong et al., 2019; McNamara et al., 2013). Meanwhile, neighbour proximity affords opportunities for shared interests, common fate, and interactions, thus potentially resulting in meaningful social bonds (Easterbrook & Vignoles, 2015). Neighbourhoods also provide collective resilience to shared challenge. In areas of deprivation, community identification has been shown to predict residents’ well-being via feelings of collective efficacy (McNamara et al., 2013). While, neighbourhood identification has also been linked with increased support, well-being, and resilience during regeneration (Heath et al., 2017), and moderates the negative relationship between low socioeconomic status and residents’ health (Fong et al., 2019). In sum, during the mundane interactions of everyday life, residential community identification serves to enhance and protect residents’ mental health and well-being.

These community relationships are also critical during disasters because they motivate cohesive, prosocial responses and coalesce around a sense of solidarity and support (Drury et al., 2016). In effect, the shared identity that emerges from perceptions of common fate during disasters leads to an enhanced and beneficial experience of unity among communities thus allowing for the development of collective efficacy during times of stress (Drury et al., 2009; Ntontis et al., 2018). The COVID-19 pandemic has aroused these feelings of shared fate and solidarity, expressed in the form of community-based support and coordinated action (Drury & Tekin Guven, 2020). As well as feelings of unity and solidarity, previous research has found community-based responses to disaster can protect the mental health of those involved, buffering them from trauma (Muldoon et al., 2017). Importantly, this process has also been linked with spontaneous engagement in acts of helping and

solidarity during chronic stress and disaster (Alfadhli et al., 2019; Vezzali et al., 2016). The decisive prosocial responses needed to bolster support delivery for the vulnerable are therefore vital for effective pandemic management (Drury et al., 2020; Elcheroth & Drury, 2020), but may also constitute a psychological resource to protect community members' mental health and well-being. Clearly these explanatory frameworks promise much in the way of interpreting and supporting effective inclusive community responses to COVID-19 (Templeton et al., 2020), however the precise pathways linking voluntary helping within community settings to potential health/well-being outcomes during crisis are currently undetermined.

Volunteering and Community Identity

A range of evidence suggests that helping behaviours have a positive impact on health and well-being. Longitudinal and cross-cultural studies show volunteering results in increased happiness (Lawton et al., 2020), reduced depression and better well-being (Jenkinson et al., 2013; Thoits & Hewitt, 2001), as well as being valuable for vulnerable groups, such as refugees (Carlton, 2015). Prosocial behaviour also offers benefits that are known to reduce depression. For example, helping others encourages perspective-taking and reappraisal (Davis & Maitner, 2010), provides social approval via the enactment of social norms (Oarga et al., 2013), increases self-esteem and efficacy (Ellemers & Boezeman, 2010), and improves emotion regulation (Doré et al., 2017).

Prosocial behaviour has also been shown to reduce loneliness (Joloza, 2013), and is linked with the building of health-enhancing social capital and trust (Pilkington et al., 2012; Poortinga, 2006): collective resources capable of reducing threat and uncertainty (Siegrist et al., 2005). Moreover, it is these social aspects that appear to influence the relationships between helping behaviours and depression (Creaven et al., 2018), through the generation of a sense of meaning (Thoits, 2012), of 'mattering' to others (Piliavin, 2010), and social connectedness (Musick & Wilson, 2003). This is especially true for those who lacked social integration before volunteering (Piliavin, 2010).

Shared social identification is a well-known predictor of help-giving (e.g., Levine et al., 2005). However, beneficial social connectedness can also be driven by help-giving. Indeed, ingroup helping and the solidarity it fosters are considered crucial social bonding mechanisms (Reicher & Haslam, 2010), and research has demonstrated that volunteering can enhance a sense of community (Casiday et al., 2008; Omoto et al., 2010). From this perspective, community belonging and its ‘social cure’ resources may be generated by help-giving. Indeed, interviews with volunteers revealed that their work resulted in an enhanced sense of community and belonging (Gray & Stevenson, 2020). Moreover, the strong relationships with the community built by volunteering also predicts increased personal well-being through community identification and elevated perceptions of social support (Bowe et al., 2020). In other words, volunteering serves to build community identification, thereby unlocking enhanced ‘social cure’ effects.

The Present Study

Taken together, prior research indicates that cohesive communities positively impact upon the health of residents and, in times of crisis, form the basis for solidarity, unity, and coordinated collective action. Helping behaviour does not merely arise from community belonging but plays an important role in building community identification and togetherness thus influencing mental health and well-being through the resultant sharing of social and psychological resources (in addition to the direct benefits accrued by the help recipients). In terms of responding to the challenges of COVID-19, we expect this theoretical framework to reveal the pathways through which participation in the globally observed community aid phenomena may predict the mental health and well-being of residents engaged in those crucial community support behaviours. Specifically, we predict that taking part in organised helping in the context of COVID-19 will predict better well-being (H1) and reduced levels of the negative mental health outcomes most associated with COVID-19’s social threats: depression and anxiety (H2). Finally, as well-being has been found to be influenced by community belonging and togetherness during disaster, we expect these relationships will be mediated by increases in community identification and feelings of unity in response to the pandemic (H3).

Method

Participants and Procedure

Two-hundred-and-five adults living in England (60 males, 145 females; $M_{\text{age}} = 35.44$ years, $SD = 11.44$, $\text{range} = 18-72$) were recruited through Prolific Academic, and paid £3.75 to complete an online survey on June 1st 2020. The survey contained several modules exploring various psychological phenomena. Sample size was deemed suitable for the analysis of these variables¹. Means of items were obtained for scales.

Measures

Coordinated community help during the COVID-19 pandemic was measured with an adaptation of the Provided and Received Coordinated Social Support Scale (Drury et al., 2016)². Participants were asked the following: “Since the start of the Coronavirus pandemic, to what extent have you done each of the following in response to the Coronavirus pandemic?”, and then rated their agreement with six items that asked about their engagement in COVID-19 related helping (e.g., “I have participated in one or more groups that were created in order to support members of my local community”) on a 1 (“Not at all”) to 5 (“To a very great extent”) scale. Higher values indicated more participation in coordinated helping since the start of the pandemic. Reliability was good ($\alpha = .82$).

Community identification was measured with a single-item Group Identification Measure (Postmes et al., 2013), “I identify as a member of my local community”, using a 1 (“I strongly disagree”) to 7 (“I strongly agree”) scale.

Sense of unity during the COVID-19 pandemic (hereafter *unity*) was measured with an adaptation of the Sense of Unity After Disaster scale (Kaniasty, 2012). Participants rated their agreement with each of the four items (e.g., “Since the start of the Coronavirus pandemic, I have felt as part of a united community of people who experienced a shared misfortune”) using a 1 (“I strongly

¹ An a priori sample size of 103 was calculated for a mediation model containing seven variables (one predictor, two mediators, one outcome, three control variables), assuming 0.80 power and a medium-sized f^2 of 0.15.

² Adapted measures are provided in full in Supplementary Materials.

disagree”) to 7 (“I strongly agree”) scale. Although Cronbach’ alpha was relatively low ($\alpha = .61$), removing any item reduced the value, so all items were retained.

Well-being was measured with the four-item Personal Well-being Score (Benson et al., 2019). Participants rated their agreement with each item (e.g., “Overall, how satisfied are you with your life nowadays?”) on a 0 (“Not at all”) to 10 (“Completely”) scale. Higher values indicated better well-being. Reliability was good ($\alpha = .80$).

Depression was measured with the nine-item Patient Health Questionnaire (PHQ-9) scale (Kroenke & Spitzer, 2002). Participants rated the frequency of symptoms experienced over the past two weeks (e.g., “Little interest or pleasure in doing things”) on a 1 (“Not at all”) to 4 (“Nearly every day”) scale. Items were summed, with higher values indicating higher depression ($\alpha = .89$).

Anxiety was measured with the seven-item General Anxiety Disorder (GAD-7) scale (Spitzer, Kroenke, Williams & Löwe, 2006). Participants rated the frequency of symptoms experienced over the past two weeks (e.g., “Feeling nervous, anxious, or on edge”) on a 1 (“Not at all”) to 4 (“Nearly every day”) scale. Items were summed, with higher values indicating higher anxiety ($\alpha = .91$).

Demographic information was then gathered, including age, gender, and whether the participant was in a romantic relationship.

Results

Descriptive Statistics and Correlations

Descriptive statistics and partial correlations (controlling for age, gender, and relationship status) are provided in Table 1. Coordinated Community Helping During COVID-19 Scale scores reveal that whilst few people selected ‘to a very great extent’ to indicate the extent of their participation in pandemic-related coordinated helping (between 1% and 4.9% of respondents selected this option across the six items; Mean = 2.83%), greater numbers of participants were engaged in lower level coordinated helping (between 6.3% and 26.3% selected ‘to a small extent’ across all six items; Mean = 17.38%). Scores across the items on the scale also revealed that more people in our sample tended to help by working together with neighbours than leading or organising groups

themselves³. As expected, correlational analyses revealed that coordinated help-giving correlated positively with community identification, unity, and well-being. Community identification also correlated positively with unity, and well-being, and negatively with depression and anxiety, while unity correlated positively with well-being, and negatively with depression and anxiety.

TABLE 1

Indirect Effects Analyses

Three indirect effects analyses were conducted to explore the extent to which coordinated help-giving predicted well-being/mental health through two serial mediators representing community identity and connectedness during the pandemic: community identification and unity. Model six in version 3.4 of Hayes' (2017) PROCESS macro was used, with the analyses involving 10,000 bootstrapping samples with 95% confidence intervals (LLCI/ULCI), using the percentile method⁴. Gender, age, and relationship status were controlled for. See Table 2 for a numerical summary of each model. For completeness, all analyses were re-run with the positions of the mediators reversed (i.e., unity before community identification). These alternative models were non-significant, indicating that the hypothesised ordering of mediators produced stronger models.

TABLE 2

Giving Coordinated Help Predicts Well-being via Community Identification and Unity

As predicted, there was a significant indirect effect of giving of coordinated help on well-being through community identification and unity. Coordinated help-giving was a positive predictor of community identification, while community identification was a positive predictor of unity, and unity was a positive predictor of well-being. The total effect of coordinated help-giving on well-being was significant and became non-significant when both mediators were accounted for (i.e., the direct effect), indicating full mediation (see Figure 1).

³ Distribution of scores across all items of this measure are provided in Supplementary Materials.

⁴ The bootstrapping re-sampling procedure involves no assumptions regarding the distribution of the data (Preacher et al., 2007), making it particularly suitable for use with small or skewed samples.

Giving Coordinated Help Predicts Depression via Community Identification and Unity

As predicted, there was a significant indirect effect of coordinated help-giving on depression through community identification and unity. Coordinated help-giving was a positive predictor of community identification, while community identification was a positive predictor of unity, and unity was a negative predictor of depression. The total effect of coordinated help-giving on depression was non-significant, and this remained non-significant when the mediators were accounted for (i.e., the direct effect; see Figure 2)⁵

Giving Coordinated Help Predicts Anxiety via Community Identification and Unity

As predicted, a significant indirect effect of coordinated help-giving on anxiety through community identification and unity was found. Coordinated help-giving was a positive predictor of community identification, while community identification was a positive predictor of unity, and unity was a negative predictor of anxiety. The total effect of coordinated help-giving on anxiety was non-significant, and this remained non-significant when the mediators were accounted for (i.e., the direct effect; see Figure 3).

Discussion

Despite dominant media narratives of panic and self-centred behaviour, historical analyses reveal humans' great capacity to overcome emergencies with positive, coordinated, and altruistic action (e.g., Solnit, 2009). These responses, and those exhibited in response to the COVID-19 pandemic, cannot be explained with reference to the sum of individual actions and tendencies, but instead must be explained in social psychological terms at the group level (Ntontis & Rocha, 2020). The local community is one such group. Community responses have a critical role to play during times of crisis, reinforcing a sense of common fate, shared identity, and community support (Nontis et al., 2018). During times of challenge, these unifying group experiences also bring about a valuable resource in the form of prosocial behaviours (Alfadhli et al., 2019; Vezzali et al., 2016). This was

⁵ Note that it is still appropriate to explore indirect effects models when the total effect is non-significant (this is known as indirect-only mediation; Zhao, Lynch, & Chen, 2010).

especially evident during the COVID-19 pandemic's early stages, when there was an upsurge in the delivery of mutual aid via community-based volunteering (Drury & Tekin Guven, 2020; Monbiot, 2020). While the benefits of this response are clear for recipients, the current study shifts focus to illustrate potential health benefits for volunteers themselves.

In doing so, the findings contribute to a growing body of work demonstrating the utility of the Social Cure approach (Haslam et al., 2018) for identifying specific pathways through which community-based helping benefits volunteers' well-being (Bowe et al., 2020; Gray & Stevenson, 2019). Thus, although correlational, the current data corroborates other mixed methods work in this relatively understudied area of the social cure tradition (Bowe et al., 2020) showing how specific behaviours not only result from shared social relationships but can also actively contribute to the maintenance and building of social identities. Going further, the present findings further extend this literature by synthesising insights from the social psychology of disaster responses (e.g., Drury et al., 2016) to show how these pathways between prosocial behaviour, community relationships, and well-being operate during the current global health crisis and by revealing the role of community unity. While these relationships have, to date, been extensively theorised, our work is the first (to our knowledge) to demonstrate how community help-giving during the pandemic predicts better mental health via increased social identification.

As discussed, the pandemic poses threats to global social cohesion (Banerjee & Rai, 2020; O'Connor et al., 2020): a feature known to be fundamental to health (Haslam et al., 2018). It is thus vital to consider how to alleviate pandemic-related social disconnection. During disasters, unifying community responses can buffer against distress, and even boost mental well-being (Drury et al., 2009; Drury et al., 2020), and this is partially linked to solidarity and help-giving (Vezzali et al., 2016). However, recent literature exploring such strategies focuses primarily on community identities that emerge in response to emergencies or disasters (e.g., Ntontis et al., 2018). This literature has effectively demonstrated how shared experiences and common fate can lead to solidarity and coordinated community responses. Whilst our research does not explore the potential impact of common fate on identification and helping, and thus cannot speak to these processes, we show instead

how communities may bond further by actively helping and supporting vulnerable residents. In doing so, we demonstrate that these behaviours are not only closely linked with strength of community identification and a sense of unity during these stressful events, but they also predict the mental health and well-being of the help-givers. Furthermore, while previous research has illustrated that community identification enhances residents' well-being through psychological resource provision (e.g., collective efficacy; McNamara et al., 2013), the current study suggests a novel pathway through sense of unity during the pandemic. This unity is considered essential, given the physical distancing and restricted movement required to manage the pandemic, and the risks associated with physical isolation (Elcheroth & Drury, 2020). Our results suggest that, for those able to participate, community-based helping may help overcome at least some of the pandemic-associated threats of social disconnection. However, further work is needed to determine the causal processes within these relationships.

As well as offering a route to unity and community belongingness, our study responds to the need to support community members' health/well-being using scientific investigation (Holmes, et al., 2020; Van Bavel et al., 2020). Acknowledging concerns about the strain placed on volunteers/voluntary services as they bolster governmental responses (Gilbert, 2020), we explored whether the well-established positive outcomes of volunteering persisted during these extraordinary times. Our study demonstrates that, at least in the short-term, there are benefits associated with community help-giving, supporting previous work on the benefits of informal help-giving (Thoits & Hewitt, 2001). As well as demonstrating strong connections between well-being and help-giving, our findings are promising in terms of suggesting that help-giving may be a way to reduce pandemic-related mental distress (Lee et al., 2020; Wang et al., 2020).

The findings of this study suggest that supporting community members to engage in community-based volunteering and mutual aid that allows them to connect with other community members is vital for multiple reasons. Given the value and situated nature of coordinated community helping resources, and the observed relationships between participation, connection, and health/well-being, targeted support to enable and resource such community initiatives to function cohesively over

the longer term represents a valuable investment. Existing research on health initiatives such as Social Prescribing have already evidenced the value inherent in investments in community-based participation for individuals experiencing the health-related effects of social isolation (Kellezi et al., 2019; Wakefield et al., 2020). These findings contribute to this growing body of literature revealing the psychological assets embedded within local social groups: assets which have become even more important during this period of unanticipated distress, and which can be observed in the form of unifying community helping responses that benefit both the helped and helper.

References

- Alfadhli, K., Cakal, H., & Drury, J. (2019). The role of emergent shared identity in psychosocial support among refugees of conflict in developing countries. *International Review of Social Psychology, 32*(1): 2, 1–16. Doi: <https://doi.org/10.5334/irsp.176>
- Banerjee, D., & Rai, M. (2020). Social isolation in Covid-19: The impact of loneliness. *International Journal of Social Psychiatry, 66*(6), 525-527. Doi: 10.1177/0020764020922269
- Benson, T., Sladen, J., Liles, A., & Potts, H. W. (2019). Personal Well-being Score (PWS)—a short version of ONS4: development and validation in social prescribing. *BMJ open quality, 8*(2), e000394. Doi: 10.1136/bmjoq-2018-000394
- Bowe, M., Gray, D., Stevenson, C., McNamara, N., Wakefield, J. R., Kellezi, B., ... & Costa, S. (2020). A Social Cure in the Community: A mixed-method exploration of the role of social identity in the experiences and well-being of community volunteers. *European Journal of Social Psychology, 50* (7), 1523-1539. Doi: 10.1002/ejsp.2706
- Booth, R. (2020, March 22nd). Community aid groups set up across UK amid coronavirus crisis. The Guardian. Retrieved from <https://www.theguardian.com/society/2020/mar/16/community-aid-groups-set-up-across-uk-amid-coronavirus-crisis> (Accessed 21/8/2020).
- Brooks, S. K., Webster, R. K., Smith, L. E., Woodland, L., Wessely, S., Greenberg, N., & Rubin, G. J. (2020). The psychological impact of quarantine and how to reduce it: rapid review of the evidence. *The Lancet, 395*(10227), 14-20. Doi: 10.1016/S0140-6736(20)30460-8

- Carlton, S. (2015). Connecting, belonging: volunteering, well-being and leadership among refugee youth. *International Journal of Disaster Risk Reduction*, *13*, 342-349. Doi: 10.1016/j.ijdrr.2015.07.006
- Casiday, R., Kinsman, E., Fisher, C., & Bambra, C. (2008). Volunteering and health: What impact does it really have? *London: Volunteering England*, *9*(3), 1-13.
- Cacioppo, J. T., Hughes, M. E., Waite, L. J., Hawkley, L. C., & Thisted, R. A. (2006). Loneliness as a specific risk factor for depressive symptoms: cross-sectional and longitudinal analyses. *Psychology and Aging*, *21*(1), 140. Doi: 10.1037/0882-7974.21.1.140
- Choi, K. R., Heilemann, M. V., Fauer, A., & Mead, M. (2020). A second pandemic: Mental health spillover from the novel coronavirus (COVID-19). *Journal of the American Psychiatric Nurses Association*. Advance online early. Doi: 1078390320919803.
- Creaven, A. M., Healy, A., & Howard, S. (2018). Social connectedness and depression: Is there added value in volunteering? *Journal of Social and Personal Relationships*, *35*(10), 1400-1417. Doi: 10.1177/0265407517716786
- Davis, M. H., & Maitner, A. T. (2010). Perspective taking and intergroup helping. In S. Stürmer & M. Snyder (Eds.), *The psychology of prosocial behavior: Group processes, intergroup relations, and helping* (p. 175–190). Wiley-Blackwell. <https://doi.org/10.1002/9781444307948.ch9>
- Drury, J., Brown, R., González, R., & Miranda, D. (2016). Emergent social identity and observing social support predict social support provided by survivors in a disaster: Solidarity in the 2010 Chile earthquake. *European Journal of Social Psychology*, *46*(2), 209-223. Doi: 10.1002/ejsp.2146
- Drury, J., Cocking, C., & Reicher, S. (2009). Everyone for themselves? A comparative study of crowd solidarity among emergency survivors. *British Journal of Social Psychology*, *48*(3), 487-506. Doi: 10.1348/014466608X357893
- Drury, J. & Tekin Guven, S. (2020) Emergencies and disasters. In Together Apart: The Psychology of COVID-19. In J. Jetten, S. D. Reicher, S. A. Haslam, & T. Cruwys (Eds.) *Together Apart: The Psychology of COVID-19* (pp 80-83). London: Sage.

- Drury, J., Reicher, S., & Stott, C. (2020). COVID-19 in context: Why do people die in emergencies? It's probably not because of collective psychology. *British Journal of Social Psychology*, 59(3), 686-693. <https://doi.org/10.1111/bjso.12393>
- Doré, B. P., Morris, R. R., Burr, D. A., Picard, R. W., & Ochsner, K. N. (2017). Helping others regulate emotion predicts increased regulation of one's own emotions and decreased symptoms of depression. *Personality and Social Psychology Bulletin*, 43(5), 729-739. Doi: 10.1177/0146167217695558
- Ehsan, A., Klaas, H. S., Bastianen, A., & Spini, D. (2019). Social capital and health: A systematic review of systematic reviews. *SSM-population health*, 8, 100425. Doi: 10.1016/j.ssmph.2019.100425
- Easterbrook, M. J., & Vignoles, V. L. (2015). When friendship formation goes down the toilet: Design features of shared accommodation influence interpersonal bonds and well-being. *British Journal of Social Psychology*, 54(1), 125-139. Doi: 10.1111/bjso.12062
- Elcheroth, G., & Drury, J. (2020). Collective resilience in times of crisis: Lessons from the literature for socially effective responses to the pandemic. *British Journal of Social Psychology*, 59(3), 703-713. Doi: 10.1111/bjso.12403
- Ellemers, N., & Boezeman, E. J. (2010). Empowering the volunteer organization: What volunteer organizations can do to recruit, content, and retain volunteers. In S. Stürmer & M. Snyder (Eds.), *The psychology of prosocial behavior: Group processes, intergroup relations, and helping* (p. 245–266). Wiley-Blackwell.
- Frasquilho, D., de Matos, M. G., Gaspar, T., & de Almeida, J. C. (2016). Young people's well-being and the economic crisis: How does parental unemployment and family wealth affect the downturn experience? *Children and Youth Services Review*, 69, 219-222. Doi: 10.1016/j.chilyouth.2016.08.018
- Fong, P., Cruwys, T., Haslam, C., & Haslam, S. A. (2019). Neighbourhood identification and mental health: How social identification moderates the relationship between socioeconomic

disadvantage and health. *Journal of Environmental Psychology*, 61, 101-114. Doi: 10.1016/j.jenvp.2018.12.006

Gilbert, H. (2020) Capitalising on the offer of help. Retrieved from:

<https://www.kingsfund.org.uk/blog/2020/04/volunteering-covid-19-crisis> (Accessed 17/6/2020).

Gray, D., & Stevenson, C. (2020). How can 'we' help? Exploring the role of shared social identity in the experiences and benefits of volunteering. *Journal of Community & Applied Social Psychology*, 30(4), 341-353. Doi: 10.1002/casp.2448

Hayes, A. F. (2017). *Introduction to mediation, moderation, and conditional process analysis: A regression-based approach*. London: Guilford Press.

Haslam, C., Jetten, J., Cruwys, T., Dingle, G., & Haslam, S. A. (2018). *The new psychology of health: Unlocking the social cure*. Routledge.

Haslam, S. A., O'Brien, A., Jetten, J., Vormedal, K., & Penna, S. (2005). Taking the strain: Social identity, social support, and the experience of stress. *British Journal of Social Psychology*, 44(3), 355-370. Doi: 10.1348/014466605X37468

Holmes, E. A., O'Connor, R. C., Perry, V. H., Tracey, I., Wessely, S., Arseneault, L., ... & Ford, T. (2020). Multidisciplinary research priorities for the COVID-19 pandemic: A call for action for mental health science. *The Lancet Psychiatry*, 7(6), 547-560. Doi: 10.1016/S2215-0366(20)30168-1

Hoffart, A., Johnson, S. U., & Ebrahimi, O. V. (2020, June 6). Loneliness and social distancing during the COVID-19 pandemic: Risk factors and associations with psychopathology. Retrieved from psyarxiv.com/j9e4q. Doi: 10.31234/osf.io/j9e4q

Horesh, D., Kapel Lev-Ari, R., & Hasson-Ohayon, I. (2020). Risk factors for psychological distress during the COVID-19 pandemic in Israel: Loneliness, age, gender, and health status play an important role. *British Journal of Health Psychology*. Advance online early. Retrieved from: <https://onlinelibrary.wiley.com/doi/full/10.1111/bjhp.12455>

- Heath, S. C., Rabinovich, A., & Barreto, M. (2017). Putting identity into the community: exploring the social dynamics of urban regeneration. *European Journal of Social Psychology*, 47(7), 855-866. Doi:10.1002/ejsp.2296
- Joloza, T. (2013). *Review of available sources and measures for children and young people's well-being*. Newport, NSW: Office for National Statistics, UK Statistics Authority.
- Jenkinson, C. E., Dickens, A. P., Jones, K., Thompson-Coon, J., Taylor, R. S., Rogers, M., ... & Richards, S. H. (2013). Is volunteering a public health intervention? A systematic review and meta-analysis of the health and survival of volunteers. *BMC Public Health*, 13(1), 773. <https://doi.org/10.1186/1471-2458-13-773>
- Jetten, J., Reicher, S., Haslam, A., & Cruwys, T. (2020). A social identity analysis of COVID-19. *Together Apart*, (pp. 13-22) London: Sage.
- Kaniasty, K. (2012). Predicting social psychological well-being following trauma: The role of post disaster social support. *Psychological Trauma: Theory, Research, Practice, and Policy*, 4(1), 22-33. Doi: 10.1037/a0021412
- Kellezi, B., Wakefield, J. R. H., Stevenson, C., McNamara, N., Mair, E., Bowe, M., ... & Halder, M. M. (2019). The social cure of social prescribing: a mixed-methods study on the benefits of social connectedness on quality and effectiveness of care provision. *BMJ Open*, 9(11). Doi: 10.1136/bmjopen-2019-033137
- Kroenke, K., & Spitzer, R. L. (2002). The PHQ-9: A new depression diagnostic and severity measure. *Psychiatric Annals*, 32(9), 509-515. Doi: 10.3928/0048-5713-20020901-06
- Lawton, R. N., Gramatki, I., Watt, W., & Fujiwara, D. (2020). Does Volunteering Make Us Happier, or Are Happier People More Likely to Volunteer? Addressing the Problem of Reverse Causality When Estimating the Well-being Impacts of Volunteering. *Journal of Happiness Studies*, 1-26. Doi: 10.1007/s10902-020-00242-8
- Lee, S. A., Jobe, M. C., Mathis, A. A., & Gibbons, J. A. (2020). Incremental validity of Coronaphobia: Coronavirus anxiety explains depression, generalized anxiety, and death

anxiety. *Journal of Anxiety Disorders*, 74, 102268.

<https://doi.org/10.1016/j.janxdis.2020.102268>

Levine, M., Prosser, A., Evans, D., & Reicher, S. (2005). Identity and emergency intervention: How social group membership and inclusiveness of group boundaries shape helping behavior.

Personality and Social Psychology Bulletin, 31(4), 443-453. Doi: 10.1177/0146167204271651.

Lima, C. K. T., de Medeiros Carvalho, P. M., Lima, I. D. A. S., de Oliveira Nunes, J. V. A., Saraiva, J. S., de Souza, R. I., ... & Neto, M. L. R. (2020). The emotional impact of Coronavirus 2019-nCoV (new Coronavirus disease). *Psychiatry Research*, 287; 112915. Doi:

10.1016/j.psychres.2020.112915

Li, Z., Ge, J., Yang, M., Feng, J., Qiao, M., Jiang, R., ... & Zhou, Q. (2020). Vicarious traumatization in the general public, members, and non-members of medical teams aiding in COVID-19 control. *Brain, Behavior, and Immunity*, 88, 916-919. Doi: 10.1016/j.bbi.2020.03.007

Li, L. Z., & Wang, S. (2020). Prevalence and predictors of general psychiatric disorders and loneliness during COVID-19 in the United Kingdom. *Psychiatry Research*, 291, 113267. Doi: 10.1016/j.psychres.2020.113267

McNamara, N., Stevenson, C., & Muldoon, O. T. (2013). Community identity as resource and context: A mixed method investigation of coping and collective action in a disadvantaged community. *European Journal of Social Psychology*, 43(5), 393-403. Doi: 10.1002/ejsp.1953

Monbiot, G. (2020). Our politics isn't designed to protect the public from covid-19. *The Guardian*.

Retrieved from: <https://www.theguardian.com/commentisfree/2020/mar/18/politics-public-covid-19-tobacco-johnson> (Accessed 10/6/2020).

Muldoon, O. T., Acharya, K., Jay, S., Adhikari, K., Pettigrew, J., & Lowe, R. D. (2017). Community identity and collective efficacy: A social cure for traumatic stress in post-earthquake Nepal.

European Journal of Social Psychology, 47(7), 904-915. <https://doi.org/10.1002/ejsp.2330>

Musick, M. A., & Wilson, J. (2003). Volunteering and depression: The role of psychological and social resources in different age groups. *Social Science & Medicine*, 56(2), 259-269.

[https://doi.org/10.1016/S0277-9536\(02\)00025-4](https://doi.org/10.1016/S0277-9536(02)00025-4)

- Ntontis, E., Drury, J., Amlôt, R., Rubin, G. J., & Williams, R. (2018). Emergent social identities in a flood: Implications for community psychosocial resilience. *Journal of Community & Applied Social Psychology*, 28(1), 3-14. Doi: 10.1002/casp.2329
- Ntontis, E. & Rocha, C. (2020) Solidarity. In Jetten, J., Reicher, S.D., Haslam, S.A. & Cruwys, T. (Eds.), *Together apart: The psychology of COVID-19*, (pp. 102-106). London: Sage.
- Oarga, C., Stavrova, O., & Fetchenhauer, D. (2015). When and why is helping others good for well-being? The role of belief in reciprocity and conformity to society's expectations. *European Journal of Social Psychology*, 45(2), 242-254. Doi: 10.1002/ejsp.2092
- O'Connor, D. B., Aggleton, J. P., Chakrabarti, B., Cooper, C. L., Creswell, C., Dunsmuir, S., ... & Jones, M. V. (2020). Research priorities for the COVID-19 pandemic and beyond: A call to action for psychological science. *British Journal of Psychology*, e12468.
<https://doi.org/10.1111/bjop.12468>
- Omoto, A. M., Snyder, M., & Hackett, J. D. (2010). Personality and motivational antecedents of activism and civic engagement. *Journal of Personality*, 78(6), 1703–1734.
<https://doi.org/10.1111/j.1467-6494.2010.00667.x>
- Pilkington, P. D., Windsor, T. D., & Crisp, D. A. (2012). Volunteering and subjective well-being in midlife and older adults: The role of supportive social networks. *Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 67(2), 249-260. Doi: 10.1093/geronb/gbr154
- Piliavin, J. A. (2010). Volunteering across the life span. *The psychology of prosocial behavior: Group processes, intergroup relations, and helping*, 157-172. Doi:10.1002/9781444307948
- Poortinga, W. (2006). Social relations or social capital? Individual and community health effects of bonding social capital. *Social science & medicine*, 63(1), 255-270. Doi: 10.1016/j.socscimed.2005.11.039
- Postmes, T., Haslam, S.A., & Jans, L. (2013). A single-item measure of social identification: Reliability, validity and utility. *British Journal of Social Psychology*, 52(4), 597-617. Doi: 10.1111/bjso.12006.

- Reicher, S., & Haslam, S. A. (2010). Beyond help. *The psychology of prosocial behavior: Group processes, intergroup relations, and helping*, 289-309.
- Siegrist, M., Gutscher, H., & Earle, T. C. (2005). Perception of risk: the influence of general trust, and general confidence. *Journal of Risk Research*, 8(2), 145-156. Doi: 10.1080/1366987032000105315
- Social Care Institute for Excellence (2020). Domestic violence and abuse: Safeguarding during the COVID-19 crisis. Retrieved from <https://www.scie.org.uk/care-providers/coronavirus-covid-19/safeguarding/domestic-violence-abuse> (Accessed 10/6/2020).
- Solnit, R. (2010). *A paradise built in hell: The extraordinary communities that arise in disaster*. New York: Penguin.
- Spitzer, R. L., Kroenke, K., Williams, J. B., & Löwe, B. (2006). A brief measure for assessing generalized anxiety disorder: the GAD-7. *Archives of Internal Medicine*, 166(10), 1092-1097. Doi:10.1001/archinte.166.10.1092
- Stansfield, J., Mapplethorpe, T., & South, J. (2020, June 1st). The community response to coronavirus (COVID-19). Public health matters. <https://publichealthmatters.blog.gov.uk/2020/06/01/the-community-response-to-coronavirus-COVID-19/> (Accessed 22/6/20)
- Templeton, A., Guven, S. T., Hoerst, C., Vestergren, S., Davidson, L., Ballentyne, S., ... Choudhury, S. (2020). Inequalities and identity processes in crises: Recommendations for facilitating safe response to the COVID-19 pandemic. *The British Journal of Social Psychology*. <https://doi.org/10.1111/bjso.12400>
- Thoits, P. A. (2012). Role-identity salience, purpose and meaning in life, and well-being among volunteers. *Social Psychology Quarterly*, 75(4), 360-384. <https://doi.org/10.1177%2F0190272512459662>
- Thoits, P. A., & Hewitt, L. N. (2001). Volunteer work and well-being. *Journal of Health and Social Behavior*, 42(2); 115-131. Doi: 10.2307/3090173

- Thompson, R. R., Garfin, D. R., Holman, E. A., & Silver, R. C. (2017). Distress, worry, and functioning following a global health crisis: A national study of Americans' responses to Ebola. *Clinical psychological science*, 5(3), 513-521. Doi: 10.1177/2167702617692030
- Tiratelli, L., & Kaye, S. (2020). Communities vs. coronavirus: The rise of mutual aid. Retrieved from https://www.newlocal.org.uk/wp-content/uploads/2020/12/Communities-vs-Coronavirus_New-Local.pdf (Accessed 2/09/20)
- United Nations. (2020). Department of Economic and Social Affairs – Everyone Included: Social Impact of COVID-19. Retrieved from: <https://www.un.org/development/desa/dspd/everyone-included-covid-19.html> (Accessed 2/09/20)
- Van Bavel, J. J., Baicker, K., Boggio, P. S., Capraro, V., Cichocka, A., Cikara, M., ... & Drury, J. (2020). Using social and behavioural science to support COVID-19 pandemic response. *Nature Human Behaviour*, 4, 460-471. Doi: 10.1038/s41562-020-0884-z
- Vezzali, L., Drury, J., Versari, A., & Cadamuro, A. (2016). Sharing distress increases helping and contact intentions via social identification and inclusion of the other in the self: Children's prosocial behaviour after an earthquake. *Group Processes & Intergroup Relations*, 19(3), 314-327. Doi: 10.1177/1368430215590492
- Wakefield, J. R. H., Kellezi, B., Stevenson, C., McNamara, N., Bowe, M., Wilson, I., ... & Mair, E. (2020). Social Prescribing as 'Social Cure': A longitudinal study of the health benefits of social connectedness within a Social Prescribing pathway. *Journal of Health Psychology*. Doi: 1359105320944991.
- Williams, W. C., Morelli, S. A., Ong, D. C., & Zaki, J. (2018). Interpersonal emotion regulation: Implications for affiliation, perceived support, relationships, and well-being. *Journal of Personality and Social Psychology*, 115(2), 224. Doi: 10.1037/pspi0000132
- Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., Ho, C. S., & Ho, R. C. (2020). Immediate psychological responses and associated factors during the initial stage of the 2019 coronavirus disease (COVID-19) epidemic among the general population in China. *International Journal of Environmental Research and Public Health*, 17(5), 1729.

Zhao, X., Lynch Jr, J. G., & Chen, Q. (2010). Reconsidering Baron and Kenny: Myths and truths about mediation analysis. *Journal of Consumer Research*, 37(2), 197-206. Doi: 10.1086/651257.

Table 1

Descriptive Statistics and Partial Correlations (controlling for age, gender, and relationship status)

	1	2	3	4	5	6
1. Giving Coordinated Help	-					
2. Community Identification	.35***	-				
3. Unity During Pandemic	.18**	.24**	-			
4. Well-being	.16**	.18**	.34***	-		
5. Depression	-.05	-.17*	-.29***	-.68***	-	
6. Anxiety	-.02	-.15*	-.37***	-.64***	.76***	-
<i>M</i>	1.73	4.63	4.49	6.25	17.20	14.27
<i>SD</i>	0.81	1.47	1.02	1.97	6.03	5.22

*** $p \leq .001$, ** $p \leq .01$, * $p < .05$. Variable response ranges: Giving Coordinated Help: 1-5,

Community Identification: 1-7, Unity During Pandemic: 1-7, Well-Being: 0-10, Depression: 9-36,

Anxiety: 7-28. At the bottom of each column, the first value is the variable's mean and the second value is the variable's standard deviation.

Table 2

Summary of the serial mediation analyses

Giving Coordinated Help Predicts Well-Being via Community Identification and Unity	
Indirect Effect	<i>Effect = .05, Boot SE = .03, Boot LLCI = .007, Boot ULCI = .13</i>
Path from Coordinated Help-Giving to Community Identification	<i>b = .62, SE = .12, t = 5.22, p < .001, LLCI = .39, ULCI = .86</i>
Path from Community Identification to Unity During Pandemic	<i>b = .14, SE = .05, t = 2.71, p = .007, LLCI = .04, ULCI = .24</i>
Path from Unity During Pandemic to Well-Being	<i>b = .59, SE = .13, t = 4.47, p < .001, LLCI = .33, ULCI = .85</i>
Total Effect	<i>Effect = .39, SE = .17, t = 2.27, p = .02, LLCI = .05, ULCI = .72</i>
Direct Effect	<i>Effect = .18, SE = .17, t = 1.03, p = .30, LLCI = -.16, ULCI = .52.</i>
Giving Coordinated Help Predicts Depression via Community Identification and Unity	
Indirect Effect	<i>Effect = -.14, Boot SE = .09, Boot LLCI = -.36, Boot ULCI = -.01</i>
Path from Coordinated Help-Giving to Community Identification	<i>b = .62, SE = .12, t = 5.22, p < .001, LLCI = .39, ULCI = .86</i>
Path from Community Identification to Unity During Pandemic	<i>b = .14, SE = .05, t = 2.71, p = .007, LLCI = .04, ULCI = .24</i>
Path from Unity During Pandemic to Depression	<i>b = -1.57, SE = .41, t = -3.84, p = .0002, LLCI = -2.38, ULCI = -.76</i>
Total Effect	<i>Effect = -.38, SE = .52, t = -.74, p = .46, LLCI = -1.41, ULCI = .64</i>
Direct Effect	<i>Effect = .29, SE = .53, t = .54, p = .59, LLCI = -.76, ULCI = 1.34</i>
Giving Coordinated Help Predicts Anxiety via Community Identification and Unity	
Indirect Effect	<i>Effect = -.16, Boot SE = .10, Boot LLCI = -.42, Boot ULCI = -.02</i>
Path from Coordinated Help-Giving to Community Identification	<i>b = .62, SE = .12, t = 5.22, p < .001, LLCI = .39, ULCI = .86</i>
Path from Community Identification to Unity During Pandemic	<i>b = .14, SE = .05, t = 2.71, p = .007, LLCI = .04, ULCI = .24</i>
Path from Unity During Pandemic to Anxiety	<i>b = -1.84, SE = .34, t = -5.36, p < .001, LLCI = -2.51, ULCI = -1.16</i>
Total Effect	<i>Effect = -.13, SE = .45, t = -.29, p = .77, LLCI = -1.02, ULCI = .76</i>
Direct effect	<i>Effect = .51, SE = .45, t = 1.13, p = .26, LLCI = -.38, ULCI = 1.39</i>




Figure 1. Model depicting the significant indirect effect of giving coordinated help on wellbeing via community identification and sense of unity during the pandemic. Gender, age, and relationship status were controlled for in the analysis, but are not shown. Bracketed coefficient is the direct effect. Note: $***p < .001$, $**p < .01$, $*p < .05$.




Figure 2. Model depicting the significant indirect effect of giving coordinated help on depression via community identification and sense of unity during the pandemic. Gender, age, and relationship status

were controlled for in the analysis, but are not shown. Bracketed coefficient is the direct effect. *Note:*

*** $p < .001$, ** $p < .01$, * $p < .05$.




Figure 3. Model depicting the significant indirect effect of giving coordinated help on anxiety via community identification and sense of unity during the pandemic. Gender, age, and relationship status were controlled for in the analysis, but are not shown. Bracketed coefficient is the direct effect. *Note:*

*** $p < .001$, ** $p < .01$, * $p < .05$.