University of New Hampshire

University of New Hampshire Scholars' Repository

NHAES Bulletin

New Hampshire Agricultural Experiment Station

9-1-1917

Results of seed tests for 1917, Bulletin, no. 186

Taylor, F. W.

Prince, F. S.

New Hampshire Agricultural Experiment Station

Follow this and additional works at: https://scholars.unh.edu/agbulletin

Recommended Citation

Taylor, F. W.; Prince, F. S.; and New Hampshire Agricultural Experiment Station, "Results of seed tests for 1917, Bulletin, no. 186" (1917). *NHAES Bulletin*. 149. https://scholars.unh.edu/agbulletin/149

This Text is brought to you for free and open access by the New Hampshire Agricultural Experiment Station at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in NHAES Bulletin by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact nicole.hentz@unh.edu.



Katho 171-208 01. - 835. 4/0/42

192 - 30th Ann. Rpt. 1918
198 - 31/32 Ann. Rpts 1919/1920
203 - 33d Ann. Rpt 1921
208 - 34th Ann. Rpt. 1922
208

SAPIENTIA UNIVERSALIS EX LIBRIS. UNIVERSITY OF NEWHAMPSHIRE



EXPERIMENT STATION LIBRARY

CLASS 639.73

NUMBER N53 179-208

ACCESSION 4798

NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION

DEPARTMENT OF AGRONOMY

Results of Seed Tests

For 1917

MADE FOR THE
STATE DEPARTMENT OF AGRICULTURE



By F. W. TAYLOR and F. S. PRINCE

NEW HAMPSHIRE COLLEGE

OF

AGRICULTURE AND THE MECHANIC ARTS

DURHAM, N. H.

NEW HAMPSHIRE COLLEGE OF AGRICULTURE AND THE MECHANIC ARTS.

NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION, DURHAM, N. H.

BOARD OF CONTROL.

Pres. R. D. Hetzel, A. B., LL. B., ex-officio, Durham Hon. E. H. Wason, B. S., Nashua Hon. W. H. Caldwell, B. S., Peterborough

THE STATION STAFF.

R. D. Hetzel, A. B., LL. B., President, ex-officio. John C. Kendall, B. S., Director. Frederick W. Taylor, B. Sc. (Agr.), Agronomist. B. E. Curry, A. B., Chemist. W. C. O'Kane, A. M., Entomologist. J. H. Gourley, M. S., Horticulturist. O. R. Butler, Ph. D., Botanist.

K. W. Woodward, A. B., M. F., Forester. E. G. Ritzman, B. S., Animal Husbandman.

J. M. Fuller, B. S., Dairyman.

W. H. Wolff, M. S., Assistant Horticulturist.

T. O. SMITH, M. S., Assistant Chemist.

FORD S. PRINCE, B. S., Assistant Agronomist. HARRY P. YOUNG, B. S., Assistant Agronomist. C. R. CLEVELAND, B. S., Assistant Entomologist.

W. L. DORAN, M. S., Assistant Botanist.

J. R. Hepler, B. S., Assistant in Vegetable Gardening.

C. W. Stone, A. M., Farm Superintendent.

James Macfarlane, Florist.

ALBERT D. LITTLEHALE, Shepherd.

MARTHA S. EMERSON, Librarian.

ASSISTANTS TO THE STAFF.

O. V. Henderson, Purchasing Agent.
Beatrice M. Richmond, Bookkeeper.
Laura B. Bickford, Stenographer.
Elizabeth E. Mehaffey, Assist. Librarian and Mailing Clerk.

SEED TESTS.

MADE SEPTEMBER 1, 1916, TO SEPTEMBER 1, 1917.

The provisions of the Pure Seed Law enacted by the General Court in 1909 require the publication annually of a bulletin showing the results of all seed tests made officially during the previous year. The administration of this law is in the hands of the State Commissioner of Agriculture, who has appointed the writer, Agronomist of the Experiment Station, as his regular

agent for making all tests and analyses in this state.

During the year ending September 1, 1917, one hundred and three samples of seed were collected and sent in for analysis by an authorized representative of the Commissioner of Agriculture. These samples were secured from twenty-eight dealers in twenty-one different towns, representing each of the ten counties of the state. The samples included 7 of alsike clover, 13 of red clover, 4 of white clover, 4 of barley, 8 of corn, 14 of millet, 3 of oats, 12 of redtop, 26 of timothy, and 9 of miscellaneous seeds.

In the testing and analyzing of seeds, just as in the chemical analysis of fertilizers, it should be remembered that there are certain factors which make exact duplication of results impossible. There are always slight variations in drawing a sample of seed, in sampling the sample, in weighing small fractional parts of it, in the counting and identification of numerous seeds, etc.; there may be also fluctuations in the temperature and humidity of the germinating chamber which may affect the percentage of germination. Methods of analysis may also vary somewhat. For these reasons a slight variation from the guarantee or standard, or from a previous analysis, should not be considered of consequence.

In publishing the results of this year's samples we have again made use of a table of "tolerance of variation" for purity which has been prepared by one of the leading seed laboratories of the country, and which seems to afford a very satisfactory method of allowing or tolerating a reasonable variation in purity tests. The percentage variation for any given sample is determined by the following formula:

 $T = \frac{2(.1+100-P)}{10}$

in which "T" is the variation tolerated and "P" is the percentage of purity found. This formula applies only to seed having a purity of 50% or greater.

After applying the variations found by the above formula to the results of our tests we have simply used the following terms instead of stating the actual figures in the tabulations:

"Satisfactory," meaning that the difference between our test and the guarantee is within the variation allowed; "Above," meaning that our test, after allowing for the variation, is above the guarantee; "Below," meaning that our test, after allowing for the variation, is below the guarantee.

In the matter of germination a variation of 5% has been allowed in the statement of results and the same terms used as

described above for purity.

The writers desire to acknowledge their appreciation of the careful and efficient work of Miss Alice Fletcher, who assisted in making the tests and examinations of the samples herewith reported.

| Sam- | Kind of Seed, Sender, and Kind and | Pur | ity. | Germin | nation. |
|------------|--|-----|-----------------|--------|-----------------|
| ple No. | Number of Foreign Seeds Found in One Pound. | | Guar- anteed | F'ound | Guar- anteed |
| 922 | TIMOTHY (Jersey) A. L. Turcotte, Newmarket, N. H. Alsike, 4,450; Red Top, 1,125; Plantain, 450; Peppergrass, | S | 98.8 | S | 97 |
| 923 | 225; Sheep Sorrel, 225. TIMOTHY (Jersey) A. L. Turcotte, Newmarket, N. H. White Clover, 450; Alsike, 2,475; Kentucky Blue Grass, | S | 93 | | |
| 924 | 450; Pale Smartweeds, 223. RED TOP (T9210) A. L. Turcotte, Newmarket, N. H. Rush, few; Yarrow, 63,900; Chickweed, 1,800; Scirpus sp., 1,350; Verbascum sp., 450; Erigeron sp., 450; Mountainmint, 450; Peppergrass, 450; | s | 90 | s | 86 |
| 925 | Timothy 4 950: Alfalfa 450 | s | 99.5 | S | 95 |
| 926 | TIMOTHY (Pan American) J. H. Griffin, Newmarket, N. H. Unknown, 450; Alsike, 2,925; Red Top, 450. RED CLOVER (Pan American) | S | 98 | A | 92 |
| 927 | RED CLOVER (Pan American) J. H. Griffin, Newmarket, N. H. Curled dock, 360; Sheep Sorrel, 4,230; White Clover, 540; Alsike, 1,890; Timothy, 900; Buckhorn, 180. | A | 98 | s | 80 |
| 000 | J. H. Griffin, Newmarket, N. H. Smartweeds, | 97 | | | |
| 928 929 | CORN (Eureka) Augustus Young, Exeter, N. H. | A | 98 | s | 80 |
| 930 | S. A. Schurman & Son, Portsmouth, N. H. Smartweed, 90; Timothy, 90. | S | 98 | A | 90 |
| 931 | S. A. Schurman & Son, Portsmouth, N. H. Oats, 210; Buckwheat, 45; Sunflower, 15. RED CLOVER (Imperator) | В | 97 | В | 90 |
| | Oats, 210; Buckwheat, 45; Sunflower, 15. RED CLOVER (Imperator) S. A. Schurman & Son, Portsmouth, N. H. Curled dock, 540; Alfalfa, 90; Kentucky Blue Grass, 180; Buckhorn, 1,620; Foxtail, 7,380; Lamb's Quarters, 450; Pigweed, 540; Plantain, 450; White Clover, 180; Alsike, 3,870; Timothy, 2,610; Smartweed, 540; Miscellaneous, 630. | | | | |
| 932 | TIMOTHY (Imperator) S. A. Schurman & Son, Portsmouth, N. H. Plantain, 1,575; Alsike, 225; Curled dock, | A | 98 | A | 90 |
| 933 | RED TOP (Pan American) S. A. Schurman & Son, Portsmouth, N. H. Yarrow, 21,150; Woolly Panicum, 900; B. S. Plantain, 450; Lechea sp., 450; Rush, numerous: Timethy 4050 | A | 90 | S | 90 |
| 934 | OATS (Swedish Select) | A | 98 | 95 | • • |
| 935 | TIMOTHY (Pan American) S. A. Schurman & Son, Portsmouth, N. H. Cinquefoil, 450; Alsike, 2,250; Plantain, 225; Kentucky Blue Grass, 1,350; Talynom, 207 | S | 99.5 | A | 90 |
| 936 | R. L. Costello, Portsmouth, N. H. Ragweed, | S | 98 | S | 92 |
| 937 | RED CLOVER (Ace) R. L. Costello, Portsmouth, N. H. Yellow Foxtail, 1,260; Lamb's Quarter, 270; Buckhorn, 360; Alsike, 90; Timothy, 180; Sheep Sorrel, 90; Yellow Clover, 90. | A | 98 | s | 90 |
| | G G-4: A . | - 1 | 1 | | |

S—Satisfactory.
A—Above.
B—Below.

| Sam- | Kind of Seed Sender and Kind and | Kind of Seed, Sender, and Kind and | | | nation. |
|------------|--|------------------------------------|-----------------|-------|------------|
| ple No. | Number of Foreign Seeds Found in One Pound. | | Guar- anteed | Found | Guaranteed |
| 938 | Hungarian (H. 80242) | A | 98 | В | 90 |
| 939 | RED TOP (Ace) R. L. Costello, Portsmouth, N. H. Yarrow, 5,850; Scirpus sp., 4,500; Erigeron sp., 3,150; Cinquefoil, 900; Plantain, 900; Chickweed, 900; Cyperus sp., 450; Brown-eyed Susan, 450; Seedbox, 450; Slender fimbristytis, 450; Rush, numerous. | В | 93 | | |
| 940 | CANADA FIELD PEAS | A | 88 | A | 81 |
| 941 | R. L. Costello, Portsmouth, N. H. Sheep Sorrel, 14,625; Timothy, 33,750; Unknown, 900; Al- sike, 19,350; Red Clover, 225; Kentucky Blue Grass, 225; Old Witch Grass, 225; Lamb's Ouarters, 2,475. | 88 | s | 70 | |
| 942 | TIMOTHY (Bison) R. L. Costello, Portsmouth, N. H. Kentucky Blue Grass, 2,700; Plantain, 450; Alsike, 2,250. | В | 94 | | |
| 943 | TIMOTHY (Pine Tree) | S | 99.5 | S | 95 |
| 944 | TIMOTHY (Bay State) | 98.6 | | 94 | |
| 945 | O. B. Tilton, Nashua, N. H. Rush, few; Cinquefoil, 56,700; Yarrow, 24,300; Plantain, 9,900; Blackseeded Plantain, 4,050; Tumbling mustard, 4,050; Shepherd's Purse, 900; Peppergrass, 900; Scircus sp., 900; Mouse ear chickweed, 450; Arabis sp., 450; Woolly Panicated St., Friedrich 450, Francisco | 87.3 | | 85.5 | • • |
| 946 | Poa sp., 1,350; Timothy, 3,3%. RED CLOVER (Pine Tree) O. B. Tilton, Nashua, N. H. Buckhorn, 270: Alfalfa, 180; Curled Dock, 90; Foxtail, 90: Timothy, 90; Miscellaneous, 90. | 99.4 | •• | 85.5 | |
| 947 | JAPANESE BUCKWHEAT | 99.3 | ••) | 53 | |
| 948 | O. B. Tilton, Nashua, N. H. Wheat, 30; Bar- | 99.2 | | | • • |
| 949 | ley, 30; Oats, 15. BARLEY | eat, 225; Oats, 95.9 | | 75 | |
| 950 | CORN (Southern White) | 100 | | 94 | |
| 951 | WHITE CLOVER | A | 97 | S | 94 |

S—Satisfactory. A—Above. B—Below.

| Sam- | Kind of Seed, Sender, and Kind and | Pur | ity. | Germination. | | |
|------------|--|-----|-------------------------|--------------|-----------------|--|
| ple No. | Kind of Seed, Sender, and Kind and Number of Foreign Seeds Found in One Pound. | | Guar- anteed | Found | Guar- anteed | |
| 952 | Thompson & Hoague, Concord, N. H. Timothy, 19,980; Alsike, 11,700; Sheep Sorel, 19,440; Foxtail, 1,800; Wild Buckwheat, 450; Smartweeds, 1,350; Pole Smartweeds, 540; Blackseeded Plantain, 1,620; Lamb's Quarters, 1,620; Cinquefoil, 630; Alfalfa, 90; White Clover, 720; Miscellaneous, 1,800. | В | 92 | S | 90 | |
| 953 | HUNGARIAN Thompson & Hoague, Concord, N. H. Mallow, 270; Smartweed, 90; Green Foxtail, 810; Ragweed, 90. | A | 98 | S | 92 | |
| 954 | RED Top Thompson & Hoague, Concord, N. H. Cinquefoil, 27,900; Yarrow, 26,100; Blackseeded Plantain, 13,500; Erigeron sp., 5,400; Scirpus sp., 3,150; Sleepy Catchfly, 1,350; Evening Primrose, 450; Venus' looking-glass, 450; Brown-eyed Susan, 450; Rush, numerous; Timothy, 13.09%; Poa sp., 6,750; Canada Blue Grass, 4,500; Kentucky Blue Grass, 900; Red Clover, 450. | | 91.2 | •• | | |
| 955 | Thompson & Hoague, Concord, N. H. Alsike, A 3,600; Red Top, 450; Plantain, 1,125; Sheep Sorrel, 225. | | S | 96 | | |
| 956 | ALSIKE Thompson & Hoague, Concord, N. H. Buck-horn, 4,050; Sheep Sorrel, 3,600; Timo.hy, 46,125; White Clover, 3,600; Red Clover, 2,050; Yellow Foxtail, 225; Miscellaneous, 675. | S | 91 | S | 90 | |
| 957 | CORN (Eureka) | 100 | | 90 | | |
| 958 | CORN (Improved Leaming) | A | 98.5 | S | 97 | |
| 960 | JAPANESE MILLET Thompson & Hoague, Concord, N. H. Barnyard Grass, 1,260; Ragweed, 2,430; Smartweeds, 180. | . s | 96.5 | 8 | 90 | |
| 961 | ALFALFA Thompson & Hoague, Concord, N. H. Lamb's Quarters, 270; Kentucky Blue Grass, 270; Timothy, 2.160; Yellow Foxtail, 270; Pigweed, 90; Barnyard Grass, 450; Red Clover, 90; Alsike, 540; Unknown, 90. | | 8 | 90 | | |
| 962 | John B. Varick, Manchester, N. H. Rush, numerous; Sorrel, 3,600; Erigeron sp., 1,800; Yarrow, 1,800; Wood sorrel, 900; Bracted Plantain, 900; Venus' looking-glass, 1,350; Woolly Panicum, 450; Mountainmint, 450; Timothy, 2,250; Slender fescue grass, 450; | В | 90 | 8 | 88 | |
| 963 | John B. Varick, Manchester, N. H. | S | 99.5 | S | 96 | |
| 964 | TIMOTHY (Durham) John B. Varick, Manchester, N. H. White Clover, 450; Kentucky Blue Grass, 225. | S | 99.5 | S | 95 | |

S—Satisfactory. A—Above. B—Below.

| Cam | Viud of Cood Condon and Vind and | Pur | ity. | Germination. | | |
|--------------------|--|-----|-----------------|--------------|-----------------|--|
| Sam- ple No. | Number of Foreign Seeds Found | | Guar- anteed | Found | Guar- anteed | |
| 965 | ALSIKE John B. Varick, Manchester, N. H. White Clover, 24,750; Timothy, 9,000; Sheep Sor- | S | 94.7 | В | 91 | |
| 966 | rel, 3,150; Red Clover, 675; Night flowering Catchfly, 225; Red Top, 450. Corn (Longfellow Flint) | A | 91 | В | 96 | |
| 967 | John B. Varick, Manchester, N. H. MAMMOTH CLOVER (Ace) | A | 97.6 | S | 92 | |
| 967 | John B. Varick, Manchester, N. H. Sheep Sor- rel, 1,125; Buckhorn, 3,150; Lamb's Quarter, 225; Alsike, 450; Crab Grass, 225; Smart- weeds, 225; Blackseeded Plantain, 225. | В | 99 | В | 95 | |
| 968 | RYE John B. Varick, Manchester, N. H. Oats, 105; | В | 30 | | | |
| 969 | Wheat, 15; Buckwheat, 30. CORN (Sanford White) | A | 92 | В | 93 | |
| 970 | John B. Varick, Manchester, N. H. | S | 98 | A | 90 | |
| | John B. Varick, Manchester, N. H. | C | 01.2 | 19 5 | | |
| 971 | WHITE CLOVER John B. Varick Co., Manchester, N. H. Alsike, 17,550; Timothy, 20,250; Sheep Sorrel, 9,450; Buckhorn, 1,350; Unknown, 450. | S | 91.3 | 48.5 | | |
| 972 | John B. Varick, Manchester, N. H. Smart- | A | 97 | S | 81 | |
| 973 | weeds, 360; Red Clover, 90. RED TOP John B. Variek, Manchester, N. H. Rush, numerous; Yarrow, 60,750; Mouse ear chickweed, 4,050; Venus' looking-glass, 2,250; Erigeron sp., 1,350; Narrow leaved Mountainmint, 900; Blackse | S | 90 | S | 86 | |
| 974 | othy, 4.500. TIMOTHY (Pine Tree) Manchester Hardware Co., Manchester, N. H. | S | 99.5 | S | 95 | |
| 975 | Alsike, 675. Corn (Leaming) | 100 | | 95 | | |
| 976 | Manchester Hardware Co., Manchester, N. H. CORN (Eureka) | 100 | | 92.5 | | |
| 977 | Manchester Hardware Co., Manchester, N. H. WHITE CLOVER (88692) Manchester Hardware Co., Manchester, N. H. Sheep Sorrel, 24,300; Timothy, 11,475; Alsike, 22,500; Plantain, 4,050; Buckhorn, 900; Red Clover, 225; Kentucky Blue Grass, | S | 91 | S | 85 | |
| 978 | 450. JAPANESE MILLET (81656) | A | 98 | S | 92 | |
| | Manchester Hardware Co., Manchester, N. H. Green Foxtail, 1,080; Barnyard Grass, 90; Lamb's Quarters, 90. | | 98 | s | 80 | |
| 979 | HUNGARIAN (H.80242) Manchester Hardware Co., Manchester, N. H. Smartywoda, 180, Ped Clever, O. Green, Fox | | 30 | D | | |
| 980 | tail, 360. CLOVER (Ace) | A | 98 | S | 90 | |
| | CLOVER (Ace) Manchester Hardware Co., Manchester, N. H Lamb's Quarters, 180; Buckhorn, 270; Tri folium agrarium, 90; Smar weed, 180; Hungarian Millet, 90; Alsike, 90; Sheep Sorrel, 90. | , | | | | |

S—Satisfactory.
A—Above.
B—Below.

| Sam- | Kind of Seed, Sender, and Kind and | Pur | ity. | Germination. | | |
|------------|--|-----|-----------------|--------------|-----------------|--|
| ple No. | Kind of Seed, Sender, and Kind and Number of Foreign Seeds Found in One Pound. | | Guar- anteed | Found | Guar- anteed | |
| 981 | Walter S. Cass, Suncook, N. H. Yarrow, 26,550; Chickweed, 1,350; Blackseeded Plantain, 900; Mountainmint, 450; Woolly Panicum, 450; Scirpus sp., 450; Corn Speedwell, 450; Venus' looking-glass, 450; Timothy, 900. | A | 95 | 8 | 90 | |
| 982 | ALSIKE CLOVER (White Mountain) | S | 98 | S | 92 | |
| 983 | Timothy (White Mountain) Walter S. Cass, Suncook, N. H. Alsike, 900; Kentucky Blue Grass, 1,125; Red Top, 450. | S | 99.7 | В | 97 | |
| 984 | OATS (White Mountain) Walter S. Cass, Suncook, N. H. | A | 99 | В | 95 | |
| 985 | Farmington Cash Store, Farmington, N. H. | S | 99.5 | S | 98 | |
| 986 | Oats, 45. TIMOTHY (Pan American) E. T. Willson, Farmington, N. H. Kentucky Blue Grass, 1,350; Alsike, 2,475; Plantain, 2,025. | S | 99.5 | S | 95 | |
| 987 | HUNGARIAN E. T. Willson, Farmington, N. H. Lamb's Quarters, 2,660; Green Foxtail, 1,800: Smartweeds, 2,270; Ragweed, 360; Crab Grass, 180; Juncus sp., 2,700; Pigweed, 90; | A | 97 | S | 90 | |
| 988 | Unknown, 90. JAPANESE MILLET E. T. Willsou, Farming on, N. H. Barnyard, 1,170; Green Foxtail, 1,080; Wheat, 90: Buckwheat, 90; Smartweed, 1,260; Ragweed, 360. | S | 97 | S | 90 | |
| 989 | RED TOP E. T. Willson, Farmington, N. H. Yarrow, 35,100; Chickweed, 5,850; Blackseeded Plantain, 1,800; Scirpus sp., 900; Narrow leaved Mountainmint, 900; St. John'swort, 450; Blunt spike rush, 450; Woolly panicum, 450; Venus' looking-glass, 450; Rush, numerous; | | 90 | В | 90 | |
| 990 | RED CLOVER (White Mountain) | S | 99.5 | S | 94 | |
| 991 | H. C. Sanborn, Laconia, N. H. Timothy, 900: Red Clover, 225; White Clover, 450; Sheep Sorrel, 900; Foxtail, 225. TIMOTHY (Durham) J. P. Putnam & Co., Laconia, N. H. Red Clover, 225; Catnip, 225. RED Clover, 225; Catnip, 225. RED Clover, Page American) | A | 98.5 | S | 92 | |
| 992 | Sorrel, 900; Foxtail, 225. TIMOTHY (Durham) | S | 99.5 | S | 96 | |
| 993 | Clover, 225; Catnip, 225. RED CLOVER (Pan American). C. S Collins, Bristol, N. H. Buckhorn, 2,790; Crab Grass, 1,710; Docks, 180; Alsike, 180; Miscellaneous, 720. | S | 98 | S | 92 | |
| 994 | TIMOTHY (Gold Medal) C. N. Merrill, Bristol, N. H. Kentucky Blue Grass, 675. | s | 99.7 | S | 92 | |
| - | | | | | | |

S—Satisfactory.
A—Above.
B—Below.

| Com | Wind of Said Sandan and Vind and | Pur | ity. | Germination. | | |
|--------------------|---|------|-----------------|--------------|-----------------|--|
| Sam- ple No. | Kind of Seed, Sender, and Kind and Number of Foreign Seeds Found in One Pound. | | Guar- anteed | Found | Guar- anteed | |
| 995 | TIMOTHY (Pan American). C. N. Merrill, Bristol, N. H. Red Top, 675; Kentucky Blue Grass, 225; Alsike, 450. | S | 99.5 | S | 95 | |
| 9 96 | J. D. Willey, Milton, N. H. Alsike, 450; | s | 99.5 | S | 95 | |
| 997 | Lamb's Quarters, 225. TIMOTHY (60455) | | 98 | 92 | | |
| 998 | CLOVER (Ace) O. L. & C. A. White, Mountainview, N. H. Timo'hy, 360; Alsike, 180; Alfalfa, 90; Buckhorn, 1,080; Lamb's Quarters, 180; Pigweed, 90; Smartweed, 90; Plantain, 180; Sheep Sorrel, 270; Yellow Foxtail, 540; | A | 98 | 86 | | |
| 999 | Green Foxtail, 90; Crab grass, 180. JAPANESE MILLET C. E. Hodgdon, North Conway, N. H. Ragweed, 540; Smartweed, 90; Green Foxtail, 1,260; Barnyard Grass, 180. | A | 98 | В | 98 | |
| 1000 | OATS D. Whiting & Sons, Wilton, N. H. Barley, 30; Mustard, 30; Smartweed, 60; Wild Buck- | 99.2 | | 91.5 | | |
| 1001 | wheat, 75. TIMOTHY (Frontier) O. P. Prescott, Greenville, N. H. Alsike, 2,250; White Clover, 450; Plantain, 225; Kentucky | S | 97 | S | 92 | |
| 1002 | Blue Grass, 450; Vervain, 450. ALSIKE (Pan American) O. P. Prescott, Greenville, N. H. Timothy, 4,275; Red Clover, 2,475; Sheep Sorrel, 225; | A | 97 | S | 90 | |
| 1003 | Foxtail, 225; Miscellaneous. WHEAT (White Mountain) Goodnow Bros. & Co., East Jaffrey, N. H. Oats, | , A | 99 | S | 90 | |
| 1004 | 15. CLOVER (Old Home) | 1 3 | 94 | g | 85 | |
| 1005 | RED TOP (Mastiff) Abbott Grocery Co., Keene, N. H. Rush, few Cinquefoil, 10.350; Yarrow, 6,300; Scirpus sp., 4,500; Blackseeded Plantain, 2,250; Erigeron sp., 900; Chickweed, 900; Venus looking-glass, 900; Verbascum sp., 450; Brown-eyed Susan, 450; Tumbling mustard 450; Timothy, 1,07%; Kentucky Blue Grass | | 90 | S | 89 | |
| 1006 | 450; White Clover, 450. TIMOTHY (Old Home) | | 98 | В | 94 | |
| 1007 | Plantain, 2.025. TIMOTHY (Maskif) | S | 99.5 | S | 96 | |

S—Satisfactory. A—Above. B—Below.

| Sain- | Kind of Seed, Sender, and Kind and Number of Foreign Seeds Found | Pur | ity. | Germin | nation. |
|------------|---|-------|-----------------|--------|-----------------|
| ple No. | Number of Foreign Seeds Found in One Pound. | Found | Guar- anteed | Found | Guar- anteed |
| 1008 | CLOVER (Masliff) | A | 95 | S | 88 |
| 1009 | cellaneous, 270. GERMAN MILLET Abbott Grocery Co., Keene, N. H. Old Witch Grass, 1,080; Lamb's Quarters, 90; Green Foxtail, 180. | A | 98.5 | В | 90 |
| 1010 | TIMOTHY (X) Holbrook Grocery Co., Keene, N. H. Red Top, 56,250; Kentucky Blue Grass, 5,625; Plantain, 6,975; Cinquefoil, 51,075; Alsike, 900; White Clover, 450; Unknown, 4,950. | S | 93 | s | 85 |
| 1011 | Holbrook Grocery Co., Keene, N. H. Alsike, 1,575; Red Clover, 1,125; Plantain, 1,125; | | 99.5 | В | 96 |
| 1012 | JAPANESE BUCKWHEAT. Holbrook Grocery Co., Keene, N. H. Oats, 60: Wheat. 30: Bayweed 15 | A | 98 | 8 | 92 |
| 1013 | Peppergrass, 225. JAPANESE BUCKWHEAT. Holbrook Grocery Co., Keene, N. H. Oats, 60; Wheat, 30; Ragweed, 15. MAMMOTH CLOVER (XXX). Holbrook Grocery Co., Keene, N. H. Timothy, 1,350; Alfalfa, 180; Plantain, 450; Alsike, 1,080; Sheep Sorrel; 1,440; White Clover, 270; Crab Grass, 540; Lamb's Quarters, 270; Smartweed, 540; Buckhorn, 630; Bracted Plantain, 90; Foxtail, 2,250; Miscellaneous, 270. | S | 96.5 | S | 90 |
| 1014 | RED TOP (XX) Holbrook Grocery Co., Keene, N. H. Cinquefoil, 88,200; Yarrow, 45,000; Plantain, 12,150; Blackseeded Plantain, 4,950; Roripa sp., 2,700; Lobelia sp., 2,250; Erigeron sp., 1,350; Brown-eyed Susan, 900; Narrow Leaved Mountainmint, 900; Evening Primrose, 450; Shepherd's Purse, 450; Venus' looking-glass, 450; Compositae, 450; Rush, numerous; Poa, sp., 19,350; Woodmeadow, | 8 | 75 | 8 | 83 |
| 1015 | Holbrook Grocery Co., Keene, N. H. Rush, few; Cinquefoil, 29,250: Yarrow, 24,750; Plantain, 5,400; Blackseeded Plantain, 3,600; Brown-eyed Susan, 450: Timothy, 3.55%; | A | 86 | s | 86 |
| 1016 | CLOVER (XX) Holbrook Grocery Co., Keene, N. H. Alsike, 6,210; Timothy, 2,250; Foxfail, 1,350; Millet, 5,220; Lamb's Quarters, 270: Night flowering Catchfly, 360; Sheep Sorrel, 900; Curled dock, 1,080; White Clover, 1,170; Buckhorn, 540: Blackseeded Plantain, 270: | A | 90 | S | 85 |
| 1017 | CLOVER (X) Holbrook Grocery Co., Keene, N. H. Alfalfa, 270; Ragweed, 90; Alsike, 13,410; Sheep Sorrel, 2,880; Smartweed, 450; Night flowering Catchfly, 1,260; Timothy, 6,120; White Clover, 1,170; Foxiai, 12,420; Lamb's Quarters, 2,160; Blackseeded Plantain, 1,530; 1,530; Buckhorn, 630; Miscellaneous, 1,800. | A | 80 | 8 | 75 |

S—Satisfactory.
A—Above.
B—Below.

| Sam- ple | Kind of Seed, Sender, and Kind and Number of Foreign Seeds Found | Pur | ity. | Germination. | |
|-------------|--|-----|-----------------|--------------|-----------------|
| No. | in One Pound. | | Guar- anteed | Found | anteed Guar- |
| 1018 | HUNGARIAN (X) Holbrook Grocery Co., Keene, N. H. Smart- | A | 95 | В | 75 |
| 1019 | weeds, 270; Ragweed, 90; Green Foxtail, 90. TIMOTHY (XXX) Holbrook Grocery Co., Keene, N. H. Alsike, 1,350; Kentucky Blue Grass, 225; Red Top, 225; Sheep Sorrel, 225; Cinquefoil, 225; Red | A | 98.5 | S | 90 |
| 1020 | Clover, 225. BARLEY (Monadnock) | s | 97 | S | 95 |
| 1022 | 720. ALFALFA (Honor Brand) | S | 99.5 | S | 85 |
| 1023 | Rand, Ball & King Co., Claremont, N. H. ALSIKE (A. R. C.) Rand, Ball & King Co., Claremont, N. H. Yellow Trefoil, 675; White Clover, 13,275; Timothy, 10,575; Sheep Sorrel, 675; Red Clover, 225; Buckhorn, 225. | | 95.8 | S | 88.5 |
| 1024 | | | 96 | .82 | •• |
| 1025 | WHEAT | В | 99 | 99.5 | |
| 1026 | TIMOTHY (XX) Edson & Kinne, Littleton, N. H. Plantain, 225; Alsike, 225. | A | 98 | В | 81 |

S—Satisfactory. A—Above. B—Below.

SUMMARY TABLE SHOWING THE KINDS OF FOREIGN SEEDS FOUND IN SAMPLES EXAMINED IN 1917, AND THE NUMBER OF SAMPLES IN WHICH THEY WERE FOUND.

| Names of Samples Examined. | | | | | | | | | | |
|---|--------------|--------|---------|-------|-------------|--|------|----------|---------------|---------------|
| Names of Foreign Seed. | Alsike | Barley | Millet. | Oats. | Red Clover. | Red-Top. | Rye. | Timothy. | White Clover. | Missollenoons |
| o. of samples examined. Ifalfa Isike rabis sp. arnyard grass arley lack Bindweed lack-eyed Susan racted Plantain uckwheat atchfly atnip hickweed inquefoil ockle rabgrass orn Speedwell ooks ragrostis sp. rigeron sp. reen Foxtail entucky Bluegrass echea sp. amb's Quarters Iountainmint uustards ats ld Witchgrass eppergrass igweed agweed ed Clover ed Top ibgrass ugel's Plantain insh cirpus sp. hepherd's Purse orrell martweeds imothy liscellaneous erbascum sp. Joolly Panicum Theat Clover ellow Clover ellow Clover ellow Clover ellow Clover ellow Foxtail ellow Trefoil | 6 1 3 16 7 3 | 4 | 14 | 3 3 | 13 6 11 | 12 1 1 5 1 6 2 1 8 6 1 1 6 2 2 1 1 1 1 2 8 8 2 2 1 1 1 1 1 1 2 5 5 2 1 1 2 1 1 1 1 2 5 2 1 1 2 1 1 1 1 2 5 2 1 1 2 1 1 1 1 2 5 1 1 1 2 5 1 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 1 1 2 5 . | 3 3 | 26 21 | 4 | |

TABLE SHOWING RESULTS OF TESTS AND EXAMINATION OF SAMPLES OF SEEDS SUBMITTED BY THE COMMISSIONER OF AGRICULTURE FROM SEPTEMBER 1, 1916, TO SEPTEMBER 1, 1917.

| | SST. | Standard per cent. | 88 80 90 90 90 90 90 90 90 90 90 90 90 90 90 |
|--------------|-------------------|-----------------------|---|
| | NON TH | Average Jnso req. | 885.0 985.0 881.3 881.3 87.4 87.4 690.6 64.0 |
| | Germination Test. | Lowest per cent. | 688888484 00.0000000000000000000000000000 |
| | Ď į | Highest per cent. | 99999999999999999999999999999999999999 |
| | ter. | Average per cent. | |
| | Inert Matter | Lowest per cent. | |
| | Ir | Highest per cent. | 1.00.00 23.55.00 1.77.1.00 |
| | ed. | Атегадө дет сепі. | 01 08 70 - 00 80 80 74 9 |
| PURITY TEST. | Foreign Seed. | Lowest, | 4201002004 |
| Purity | Fo | Highest per cent. | F. 60 0 4 6 8 8 7 8 9 5 6 7 8 9 5 7 8 9 5 7 8 9 9 7 8 9 9 7 8 9 9 7 8 9 9 7 8 9 9 9 7 8 9 9 9 9 |
| | | Standard per cent. | 000000000000000000000000000000000000000 |
| | Seed. | Average per cent. | 90 90 90 90 90 90 90 90 90 90 90 90 90 9 |
| | Pure | Lowest per cent. | 91.3 95.9 997.2 896.7 893.7 893.7 |
| | | Highest per cent. | 99.5 99.2 99.8 99.8 99.8 99.8 99.8 |
| | | Total Number | 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| | | Kind of Seed. | Alsike Barley Corn Millett Oats Red Clover Red Top Rimothy White Clover Miscellaneous Total |

SUMMARY.

From the tables on the preceding pages it will be noted that 90 of the 103 samples collected were guaranteed for purity and 84 for germination. In other words, 87 per cent of the seed represented by the samples was sold according to the law as regards purity and 81 per cent as regards germination. These percentages are higher than last year, when they stood at 82 and 66 respectively.

Of the total 90 samples which were guaranteed for purity, 85 of them, or 94 per cent, were found to be up to or above the

guarantee.

Of the 84 samples which were guaranteed for germination, 67 of them, or 80 per cent, were found up to or above the guarantee. This is a somewhat better showing than last year.

Among the seeds tested this year alsike clover, millet, oats and timothy were on the average above the standard per cent of purity; while red clover, white clover and redtop were below the standard per cent. As regards germination, the average per cent was up to standard for all kinds of seed except millet, rye and white clover. This would indicate that a considerable quantity of old seed of these kinds is carried over from year to year.

A few samples of redtop were apparently adulterated with timothy. Since timothy costs less per pound than redtop, such a practice would prove profitable for the seedsman. Timothy seeds having much the same shape and color as redtop are difficult to detect, except by the experienced observer. While this adulteration is not particularly objectionable, it is nevertheless unfair because of the difference in price.

AMENDED TEXT OF NEW HAMPSHIRE SEED LAW.

STATE OF NEW HAMPSHIRE.

IN THE YEAR OF OUR LORD ONE THOUSAND NINE HUNDRED AND NINE.

HOUSE BILL No. 396

AN ACT

To Regulate the Sale of Agricultural Seeds.

Be it enacted by the Senate and House of Representatives in General Court convened:

SECT. 1. Every lot of agricultural seeds, including seeds of cereals, grasses, forage plants, vegetables, garden plants, and white pine trees, but not including those of other trees, shrubs, and ornamental plants, which is sold, offered, or exposed for sale for seed in bulk or package of one pound or more, within this state, shall be accompanied by a plainly written or printed guarantee, stating first its percentage of purity from foreign seeds and other matter, and second, its percentage of vitality.

Sect. 2. Sellers or dealers in seeds may base their guarantees upon tests or analyses conducted by themselves, their agents, or by the commissioner of agriculture or his agents, provided that such tests or analyses shall be made in such a manner and under such conditions as the said commissioner may

prescribe.

Sect. 3. The results of all tests or analyses of seeds made by the said commissioner, together with the names and addresses of the persons from whom the samples of seed were obtained, shall be published in reports of bulletins by the commissioner of agriculture or the New Hampshire College experiment station, as the governor and council may determine. The report may contain equitable standards of purity and vitality, together with such information concerning agricultural seeds as may

be of public benefit.

Sect. 4. Whoever sells, offers or exposes for sale or for distribution, within this state, any agricultural seeds heretofore named in this act, without complying with the requirements of sections one and two, or whoever, with intention to deceive, wrongly marks or labels any lot of agricultural seeds, including the seeds of cereals, grasses, forage plants, vegetables, garden plants, and white pine trees, but not including those of other trees, shrubs and ornamental plants, as pertains to their percentage of purity and vitality, shall be punished by a fine not exceeding one hundred dollars for the first offense, and not exceeding two hundred dollars for each subsequent offense.

Sect. 5. The provisions of the four preceding sections shall not apply to any person growing, selling, offering or exposing

for sale cereals and other agricultural seeds for food.

Sect. 6. The commissioner of agriculture shall diligently enforce the provisions of sections one and four of this act, and in his discretion prosecute offenses against the same.

LABELING.

The law does not apply to the common five and ten-cent packages of garden and flower seeds. Only seeds sold in bulk or in packages of one pound or more are subject to the provisions of the law and are required to be accompanied by a guarantee stating their percentage of purity and vitality.

The guarantee or label may be of any form desired by the seller of the seeds. as a tag, sticker or direct brand upon the container. It must, however, be plainly written or printed, and placed distinctly visible to the purchaser. Each dealer

will provide his own labels.

TAKING OF SAMPLES.

To secure a fair average sample of a lot or bulk, take small quantities from all of the bags or from different parts of any particular bulk. Mix thoroughly and take out the sample to be inspected. When the seeds are in bags or large bins, the use of a grain sampler is most convenient, since this will insure getting seeds from the top, middle and bottom alike. Since the report of the analysis is based upon the nature of the sample inspected, it is important that the sample be carefully taken.

SIZE AND AMOUNTS OF SAMPLES.

The size and amount of the samples necessary for a test will depend upon the size and weight of the seeds. About one half ounce or a tablespoonful of the smaller grass and vegetable seeds, like alsike and white clover, redtop, lettuce, onions, radish, turnip etc.; about one ounce or two tablespoonfuls of the larger seeds, like timothy, millet, red clover, alfalfa, rape, etc.; and about four ounces or a small cupful of the cereal grains or vegetable seeds, like oats, barley, corn, peas, beans, etc., should be sent.

TESTS AND EXAMINATIONS.

Section 2 of the law states the provisions under which the tests and analyses shall be made. The Commissioner of Agriculture has appointed F. W. Taylor, Agronomist of the Experiment Station, as the regular agent for making all tests and analyses in this state. The sellers or dealers who desire to base their guarantees upon tests made by themselves or their agents must first secure the approval of the Commissioner of Agriculture of the methods to be used in making the tests, and of the person who is to conduct them.

Although the law makes no provision for the expenses of the seed tests, the Department of Agriculture has arranged with the Experiment Station to have the tests made *free of charge* to all dealers and farmers resident in the state.

SENDING OF SAMPLES.

Samples sent to the Experiment Station for testing should be enclosed in a strong paper envelope and securely fastened. They should not be sent in bottles or glass jars, owing to the danger of breakage. When a number of samples are to be sent they should be put up securely in a single package and forwarded either by parcel post or by express. Each sample sent in should be marked as follows:

Name and address of sender.

Date of sending. Kind of seed.

Brand name (if any), and number of package. Purity or germination test desired (one or both).

Write a letter stating the number and kind of samples sent so that their receipt may be promptly acknowledged.

Address all samples and communications regarding the same to F. W. Taylor, Experiment Station, Durham, N. H.

OTHER INFORMATION.

Other publications on the subject of seed testing are as follows:

Circulars Nos. 34 and 35, U. S. Department of Agriculture, Washington, D. C.

Bulletin No. S-I, Canadian Department of Agriculture, Ottawa, Can.

Bulletin No. 146, Vermont Experiment Station, Burlington,

Circular No. 4, Wisconsin Experiment Station, Madison, Wis.

Bulletin No. 115, Iowa Experiment Station, Ames, Iowa. Bulletin No. 110, Nebraska Experiment Station, Lincoln, Neb.

Seed Bulletin No. 1, North Dakota Experiment Station, Fargo, N. D.

Bulletin No. 83, Bureau of Plant Industry, Washington, D. C.

Bulletin No. 270, Michigan Experiment Station, East Lansing, Mich.

Bulletin No. 394, New York Experiment Station, Geneva, N. Y.

Bulletin No. 198, Kentucky Experiment Station, Lexington, Ky.

Bulletin No. 111, Bureau of Plant Industry, Washington, D. C.

Farmers' Bulletin No. 260, Division of Publications, Washington, D. C.

Bulletin No. 203, Maryland Experiment Station, College Park, Md.

Bulletin No. 159, Minnesota Experiment Station, St. Paul, Minn.

Bulletin No. 312, Cornell University, Ithaca, N. Y.

Extension Bulletins Nos. 24 and 39, University of Minnesota, St. Paul, Minn.

Official Inspection No. 46, Maine Experiment Station. Orono, Me.

Circular No. 59, New Jersey Experiment Station, New Brunswick, N. J.

Twenty-fourth Annual Report, Massachusetts Experiment Station, January, 1912, Amherst, Mass.

Twenty-fifth Annual Report, North Dakota Experiment Station, February, 1915, Fargo, N. D.

Bulletin September, 1916, North Carolina Department of Agriculture, Raleigh, N. C.





