### University of New Hampshire

## University of New Hampshire Scholars' Repository

**NHAES Bulletin** 

New Hampshire Agricultural Experiment Station

7-1-1958

## Inspection of commercial feeedingstuffs, Station Bulletin, no.450

Davis, H. A.

Fowler, Ruth S.

New Hampshire Agricultural Experiment Station


Follow this and additional works at: https://scholars.unh.edu/agbulletin

#### **Recommended Citation**

Davis, H. A.; Fowler, Ruth S.; and New Hampshire Agricultural Experiment Station, "Inspection of commercial feeedingstuffs, Station Bulletin, no.450" (1958). *NHAES Bulletin*. 412. https://scholars.unh.edu/agbulletin/412

This Text is brought to you for free and open access by the New Hampshire Agricultural Experiment Station at University of New Hampshire Scholars' Repository. It has been accepted for inclusion in NHAES Bulletin by an authorized administrator of University of New Hampshire Scholars' Repository. For more information, please contact nicole.hentz@unh.edu.







The University of New Kampshire









## THE UNIVERSITY OF NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION

Department of Biochemistry

# INSPECTION OF COMMERCIAL FEEDINGSTUFFS

Made for the State Department of Agriculture



By H. A. DAVIS and RUTH S. FOWLER

The University of New Hampshire Durham, N. H.



## THE UNIVERSITY OF NEW HAMPSHIRE AGRICULTURAL EXPERIMENT STATION

Department of Biochemistry

# INSPECTION OF COMMERCIAL FEEDINGSTUFFS

Made for the
State Department of Agriculture



By H. A. DAVIS and RUTH S. FOWLER

The University of New Hampshire Durham, N. H.



#### INSPECTION OF COMMERCIAL FEEDINGSTUFFS

#### Made for the

#### STATE DEPARTMENT OF AGRICULTURE

This bulletin reports the analysis of the official samples of Feedingstuffs submitted by the office of the Commissioner of Agriculture. Certain requirements of the Feedingstuff Law are pointed out or briefly described. The New Hampshire Commercial Feedingstuffs Law is administered by the Commissioner of Agriculture. All inquiries concerning the law and the registration of feedingstuffs should be addressed to the attention of the Feed Control Supervisor, Department of Agriculture, State House, Concord, New Hampshire. A booklet, "New Hampshire Commercial Feed Law and Rules and Regulations," is available at the above address. A copy should be obtained by each individual or firm expecting to sell feed products in New Hampshire.

In carrying out the provisions of the law during the fiscal year ending June 30, 1958, 703 official samples were collected under the direction of Honorable Perley I. Fitts, Commissioner of Agriculture. The samples were collected by the Control Supervisor, Mr. George H. Laramie and Mr. Daniel Graham. All inquiries relating to methods of analysis should be directed to this laboratory.

#### EXCERPTS FROM THE LAW

and

#### COMMENTS RELATING TO IT

The New Hampshire Commercial Feed Law, Chapter 226 of the Laws of the State of New Hampshire, conforms closely to the Uniform Feed Bill proposed by the Association of American Feed Control Officials. All persons concerned with the manufacture or use of feedingstuffs should become familiar with the requirements of the law.

Registration: Each brand of commercial feed offered for sale in the state must be registered with the Feed Control Supervisor. Forms are provided for that

purpose by his office in Concord, New Hampshire.

The term "commercial feed" refers to "all materials which are distributed for use as feed for animals, other than man, and for wild birds kept in captivity, except (1) unmixed whole seeds, and meals made directly from the entire seeds, (2) unground hay, and (3) whole or ground straw, stover, silage, cobs and hulls when not mixed with other materials."

The feedingstuff is usually registered by the manufacturer or jobber, whether he is located within or outside the state. Feedingstuffs manufactured in other states are frequently handled by several middle-men before they reach the local distributor. Under the provisions of the law, if the manufacturer or jobber fails to make registration, the dealer is responsible. Dealers who purchase feed for resale should assure themselves that the brands they purchase are properly registered and the license fee paid, otherwise, they must assume that responsibility.

Labeling: The law requires that any commercial feed offered for sale, or sold in this state shall furnish on each package a clearly printed statement certifying:

the number of net pounds in the package
the name and principal address of the person
guaranteeing the commercial feed
the name or brand under which the commercial
feed is sold
the guaranteed analysis, stating:
the minimum percentage of crude protein
the minimum percentage of crude fat
the maximum percentage of crude fiber
the name of each ingredient contained in the feed.

In special cases, as in mineral feeds and vitamin supplements, requirements as listed in the law must be met. In the case of bulk deliveries, a written or

printed statement of the above information shall accompany delivery.

The Association of American Feed Control Officials is an organization of control officials of the various states. At annual meetings mutual problems are discussed and problems worked out so that the requirements of labeling and guarantees among the states may be as uniform as possible. The feed manufacturer attends these meetings and through sincere cooperation the feed consumer will obtain the best feed possible for his livestock. The Association publishes a booklet which is revised each year containing definitions, regulations and other information important to the dealer as well as the consumer of feedingstuffs. The use of this booklet by a manufacturer will enable him to use the correct name of the ingredients in his feed on the tag. An alert purchaser will observe that correct labeling is a mark of a reliable manufacturer. There are no conflicts between the New Hampshire Law and the Model bill recommended by this Association.

#### THE PURPOSE OF THE FEEDINGSTUFFS LAW

The chief purpose of the feedingstuffs law is to protect the consumer against the inferior products which doubtless would soon appear on the market if the trade were not under state control. The law is primarily a correct-labeling act. It must not be assumed by the purchaser that every brand which meets the manufacturer's guarantee is a high-grade feed. The Commercial Feed Law does not prevent the sale of a low-grade feed if it is properly licensed and tagged, and is offered for sale in compliance with the law. It would not be in the public interest to legislate against the sale of the lower-grade by-products. They can be fed profitably if bought at a price adjusted to their feeding value. The law does prevent an inferior feed being offered for sale as a high-grade product.

The dealer, in purchasing feed from the manufacturer, and the consumer in purchasing feed from the dealer, should make the specification that the feed delivered must comply with the New Hampshire Commercial Feed Law. If the feed is not registered; if the protein, fat and crude fiber are not guaranteed; and if the ingredients of which the feed is composed are not plainly stated on the bag or on a tag attached thereto, the purchaser is not protected by the law. He has no recourse under the commercial feed law if the feed he purchases is of inferior quality. If the buyer fails to assure himself that the legal require-

ments have been met, he accepts the feedingstuffs at his own risk.

The analysis of all samples collected is reported since in this way the public is informed of all results and not just those that do not make the guarantees. The State collects a registration fee for each brand of feed sold. These funds pay for the inspection service. The manufacturer is assured of an unbiased inspection of his product and the consumer knows that he has recourse under the law if he is not satisfied with results obtained by feeding a particular product in case it is shown that trouble is due to a feed deficiency. The cost of the inspection is very small, a fraction of a cent on a per bag sold basis.

#### TERMS USED IN REPORTING ANALYSIS

The terms, PROTEIN, FAT and CRUDE FIBER appear on the label of a feedingstuff and the percentage shown following each term is the minimum amount of protein and fat and the maximum amount of crude fiber in the feed as guaranteed. These are determined by chemical analysis. In addition it may be desirable to determine the "moisture" and "ash" content of a feed. The sum of these five determinations subtracted from 100 gives a value called the "nitrogen free extract" "NFE." The "NFE" plus the "crude fiber" gives the "carbohydrate" content.

Brief definitions of these terms follow.

PROTEIN: A group of complex compounds, all containing nitrogen, carbon and oxygen. In certain cases sulfur, phosphorus or iron are also present. Proteins are essential for life. A variety of protein is insured in a feed when the feed contains both plant and animal products. Extensive research has shown that by a proper combination of ingredients a feed containing the proper proteins for growth and production can be supplied. The usual analysis simply determines the total protein present. To determine the type of protein present or its particular effectiveness involves complex and expensive analytical procedures. Simply stated, the protein content of a feed is found by determining the total nitrogen and multiplying that value by the factor 6.25.

FAT: Fat is determined by extracting a dried sample of finely ground feed with ether. The extract contains not only the true fat but other ether soluble substances such as carotene and chlorophyll. These other ether soluble materials are present in very small amounts in most cases and so have little effect on the actual fat content as reported.

CRUDE FIBER: This includes the cellulose and other carbohydrates that are resistant to digestion by the animal. For this reason we are interested in the maximum amount that is in a feed. It has little or no value to the animal eating the material.

MOISTURE: Moisture is the "water" that is in a feed. It is determined by simply drying a portion of the ground sample in an oven at a constant, controlled temperature.

ASH: Ash is the "mineral matter" present in a feed and is found by burning a portion of the sample at a temperature high enough to burn all the carbon out. For comparable results this must be done under controlled conditions.

NITROGEN-FREE EXTRACT: This result includes the more soluble carbohydrates such as sugars, and these materials are valuable in animal nutrition.

The use of drugs, growth stimulants and other special purpose additives in

feeds continues to increase. These materials are under very careful control by the Food and Drug Administration and are thoroughly tested before release for general use. Feeds containing these substances must be properly labeled showing what the additive is and the amount. Chemical methods have been developed for the analysis of these materials but in general they are time consuming and may not be as accurate as would be desired when such small amounts as a few tenthousandths of a percent are involved. An increase in staff available for inspection work would make it possible to check the drug guarantees on some of the "medicated" feedingstuffs.

#### USE OF FEEDINGSTUFFS

The use of bulk feed deliveries continues to increase. This is a way of cutting feed costs when proper facilities are available for delivery and storage of the feed.

It is not within the scope of this bulletin to make recommendations regarding the use of commercial feedingstuffs. The Department of Dairy Husbandry and the Department of Poultry Husbandry are continually studying feeding problems. The following publications which discuss feeds and feeding from one viewpoint or another are available free of charge to residents of New Hampshire. Requests should be addressed to: Mail Service, University of New Hampshire, Durham.

- Ext. Bull. 67 Turkey Production in New Hampshire.
- Ext. Bull. 114 Feeding Dairy Cattle.
- Ext. Cir. 282 Dairy Calves.
- Ext. Cir. 312 Brooding and Rearing Chickens.
- Sta. Bull. 401 Feed Standards for N. H. Broilers.
- Sta. Bull. 411 Cobalt Defficiency in N. H. Cattle, Sheep and Goats.
- Sta. Bull. 419 Effect of Texture on the Nutritive Value of Concentrates for Dairy Cattle.
- Sta. Bull. 426 Distributing and Handling Grain-Feeds in New Hampshire.

  I. Characteristics of Milling and Distributing Firms.
- Sta. Bull. 427 Distributing and Handling Grain-Feeds in New Hampshire.

  II. Problems in Retail Distribution
- Sta. Bull. 431 Distributing and Handling Grain-Feeds in New Hampshire.

  III. Improving the Efficiency of the Grain Feeding Operation on Poultry and Dairy Farms.
- Sta. Bull. 438 The Nutritive Value of Dried Citrus Pulp for Dairy Cattle.

Inquiries occasionally are made regarding a method of calculating the protein, fat, or fiber content of a home-mixed feed. There are tables available, such as those in Morrison's book "Feeds and Feeding," which give the average chemical analysis of feed concentrates, roughage and silages. It should be pointed out that the chemical analysis of a particular lot of an ingredient may be somewhat above or below the average figure shown in the table. This fact must be taken into consideration in fixing guarantees. The following example shows how the protein content of a feed mixture may be calculated:

Ingredients	pounds used	×	per cent protein in ingredient	=	lbs. protein furnished by ingredient
Ground Oats Ground Corn	200 400		12.0		24
Gluten Feed	300		$\frac{8.0}{25.0}$		32 75
Wheat Bran Linseed Oil Meal	400 100		15.0 34.0		60 34
Salt	10				
Total Mix	1410 lbs.		contains		225 lbs. protein

The mixture contains 
$$\frac{225}{1410} \times 100 = 15.95\%$$
 Protein.

The percentage of fat or fiber may be calculated in a like manner by substituting the fat or fiber figures for those of the protein.

#### CONFORMITY TO GUARANTEES

The chemical analyses reported in this bulletin were made by methods ap-

proved by the Association of Official Agricultural Chemists.

A total of 703 official samples were submitted for analysis. Samples were drawn at retail outlets or at the farm after delivery. Bulk delivery of feed is steadily increasing and a considerable number of bulk lots were sampled. While in most cases only one sample of a brand was drawn, in several instances a brand was sampled two or more times during the year, often at different locations if possible.

Table I shows the percentage of samples analyzed each year since 1926 that did not conform to guarantees. Table II lists the analyses of official samples of feed ingredients and mixed feeds. Table III lists the analyses of official samples of dry and canned pet foods. Of the 627 samples reported in Table II 4.3% were deficient less than 0.5% and 5.4% were deficient more than 0.5% in protein; 2.1% were deficient less than 0.25% and 3.7% were deficient more than 0.25% in fat; and 8.0% exceeded the guarantee in crude fiber. Of 76 pet food samples 7.9% were deficient less than 0.25% and 10.5% were deficient 0.5% or more in protein; 1.3% were deficient less than 0.25% and 10.5% were deficient more than 0.25% in fat. No sample contained excessive crude fiber.

75 samples were drawn from bulk deliveries and 120 samples were drawn at the farm.

83 samples of mixed feed or ingredients represented brands not registered at time of sampling.

30 samples of pet food represented brands not registered at time of sampling. Samples of lots drawn from bulk deliveries, drawn at farms or not registered at time of sampling are so identified in Tables 11 and III.

Bold face type and underline are used when a deficiency of more than 0.5% below guarantee in protein, of more than 0.25% below guarantee in fat or an excess of more than 1.00% above the guarantee in crude fiber occurs.

It will be noted in Table I that the percent deficiencies for 1958 are higher in every case than last year. This trend is influenced by the fact that if a brand was found deficient that particular brand was in many cases resampled and per-

haps was still deficient. This sampling procedure was carried out by the Supervisor in an effort to have those manufacturers who were deficient improve their products and have that fact shown by data in the bulletin.

TABLE I
PERCENTAGE OF SAMPLES ANALYZED IN YEARS
1926-1958 NOT CONFORMING TO GUARANTEES

Year		t Below in Protein		Per cent below guarantee in Fat				
icai	Less than 0.5 per cent	0.5 per cent or more	Less than 0.25 per cent	0.25 per cent or more	in Crude Fiber			
1926	8.0	16.0	4.0	10.0	6.0			
1927	8.3	16.4	5.8	13.6	5.9			
1928	9.1	20.7	4.3	9.3	7.9			
1929	9.5	20.2	2.8	9.3	6.5			
1930	4.8	13.1	4.0	8.0	3.9			
1931	1.8	7.2	5.9	9.7	5.3			
1932	1.8	1.4	5.0	8.1	2.8			
1933	1.3	3.6	7.5	9.8	3.6			
1934	3.0	3.4	3.9	7.1	9.8			
1935	2.4	3.0	4.2	8.5	9.9			
1936	2.9	5.2	5.5	8.3	12.2			
1937	2.8	4.2	3.0	6.0	11.0			
1938	2.9	8.1	9.8	10.8	11.5			
1939	1.9	3.3	6.8	9.3	8.7			
1940	2.9	4.0	6.2	6.7	7.5			
1941	1.1	2.6	4.7	6.7	5.6			
1942	2.6	3.5	3.7	4.5	7.4			
1943	3.7	2.7	7.7	8.6	7.4			
1944	8.2	9.0	10.7	19.7	6.9			
1945	2.1	6.1	2.9	7.5	7.1			
1946	8.6	17.5	2.3	8.9	14.6			
1947	4.1	10.2	1.7	4.0	24.7			
1948	3.6	3.8	2.3	3.5	13.6			
1949	3.5	5.8	2.7	2.8	7.2			
1950	4.9	7.3	4.9	5.1	3.2			
1951	4.4	7.5	2.7	4.9	4.0			
1952	4.3	8.4	3.0	5.8	4.3			
1953	4.3	12.7	3.4	6.8	4.4			
1954	2.7	6.1	1.7	3.5	3.8			
1955	2.8	7.5	2.4	4.5	5.9			
1956	3.9	3.9	2.4	6.1	4.0			
1957	3.6	4.8	1.2	3.7	3.7			
1958	4.7	5.7	1.8	4.1	7.1			

## REQUESTS BY INDIVIDUALS FOR THE ANALYSIS OF FEEDINGSTUFFS

In addition to the official samples of feedingstuffs submitted by the Feed Control Supervisors, the Agricultural Experiment Station each year analyzes some samples drawn by individuals to aid in solving a particular problem. Chemical analysis can aid in certain cases but it should not be expected to answer all questions. A close study of management practices will often answer many problems when the first thing to do seems to be to blame the feed for difficulties in growth or production of livestock. It is suggested that in the case of a difficulty involving feeding that you call in your County Agent, your veterinarian, or the fieldman of your feed supplier to consider your problem. They will then obtain the facts in the case and will determine whether an analysis of the feed will be of help or not.

If a feed sample is mailed or brought to the laboratory, it is essential that the sample drawn, about one pint, put in a clean, tight container, adequately represents the large lot from which it is drawn and that full information concerning the case accompany the sample. If this is not done, it must be supplied before analysis can be made. Because of the cost of laboratory work and materials, the necessity for an analysis is decided upon the basis of information submitted and an opinion obtained as to whether or not an analysis is necessary in the particular case involved. Since this is a state experiment station, this service is available only to residents of the state and no charge is made for occasional work. Many questions that are raised may be satisfactorily answered by correspondence

without laboratory work.

Forty-eight samples of feed, hay or silage were examined for residents of the state because of some special problem involving the particular case during the

fiscal year.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS

Manufacturor		I	Pounds	in 100 lb	s. of Fe	edingstuf	f
Manufacturer		Prot	tein	F	at	Crude	Fiber
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found
The Agro Co. of Canada Ltd.							
450 Budge St., Montreal, Que., Canada	631	1400	15.1	0.50	4.	11.50	11.0
+Agro Pure Bran	Colebrook	14.00	15.1	3.50	4.4	11.50	11.0
Allied Mills Inc.							
Chicago, Ill. Pork Maker	W. Lebanon	14.00	18.4	3.00	4.5	8.00	5.8
†Pure Corn and Oats Chop		9.00	10.0	3.50	4.1	10.00	6.7
+Sucrene 16% Dairy "E"	W. Lebanon	16.00	19.1	3.00	4.4	15.00	11.0
Wayne 16% Dairy	W. Lebanon	16.00	18.4	3.00	3.6	9.00	8.0
Wayne 16% Dairy	W. Lebanon	20.00	20.9	3.00	3.3	9.00	7.6
Wayne Breeder	W. Lebanon	22.00	23.3	4.00	5.0	4.50	4.8
Wayne Egg	W. Lebanon	22.00	21.9	4.00	5.0	4.50	4.9
Wayne Fattening Pellets (161) Medi-							
cated	W. Lebanon	18.00	20.4	3.00	4.1	6.00	4.7
Wayne Fitting Ration		13.00	16.1	3.00	4.1	8.50	7.2
†Wayne Game Bird Grower		22.00	23.2	3.50	4.7	7.00	4.7
Wayne Horse Feed		9.00	10.4	2.50	3.2	12.00	8.0
Wayne Medicated H-A-D (170)	W. Lebanon	20.00	21.4	5.00	5.0	4.00	3.3
Wayne Rocket Broiler Finisher (196)	W Lobonon	19.00	21.4	5.00	5.1	2.50	2.7
Medicated Project Starter (186)	W. Lebanon	19.00	41.4	3.00	3.1	4.50	4.1
Wayne Rocket Broiler Starter (186) Medicated	W Lebanon	23.00	22.7	5.00	5.3	2.50	2.8
Wayne Sweet Bulky Feed "E"		12.00	14.4	1.50	3.5	15.00	13.3
Wayne Test Cow Ration		16.00	18.6	4.00	5.1	9.00	8.2
Wayne Universal Breeder		18.00	18.2	4.00	4.8	4.00	3.4
Wayne Universal Egg		18.00	18.3	4.00	5.2	4.00	4.1
Archer-Daniels-Midland Co. Minn. 2, Minn.							
Archer Quality 34% Protein Linseed							
Oil Meal	Potter Place	34.00	34.4	0.50	4.0	10.00	9.0
OII IICUI	rotter rince	31.00	31.1	0.50	1.0	10.00	5.0
Atlantic Processing Co.							
Amagansett, N. Y.							
Smith's Life Line Fish Meal	Manchester	55.00	66.3	4.00	7.5	3.00	0.2
P. Conning Co. Inc.							
B & W Canning Co., Inc.							
B 'n W Brand Dried Citrus Pulp	Dover	6.00	5.7	3.00	3.4	13.00	10.5
B if W Bland Bried Citrus I dip	Dover	0.00	5.7	3.00	3.1	13.00	10.5
E. W. Bailey & Co., Inc.							
Montpelier, Vt.							
(F)Bailey's Feeds Calf Ration	Woodsville	15.00	13.8	3.00	3.6	7.00	7.4
Bailey's Feeds Complete Egg Ration				'			
(Pellets)	Colebrook	16.00	19.5	3.50	3.5	7.00	4.9
Bailey's Feeds — Corn Gluten Feed		21.00	22.8	1.00	1.8	10.00	8.0
Bailey's Feeds — 16% Dairy Ration	N. Haverhill	16.00	16.3	3.00	3.5	9.00	7.5
(F)Bailey's Feeds — 16% Dairy Ration (F)Bailey's Feeds — 16% Dairy Ration	Woodsville	16.00	17.5	3.00	4.5	9.00	7.8
(F)Bailey's Feeds — 16% Dairy Ration	Concord	16.00	15.6	3.00	2.8	9.00	6.9
Balley's Feeds — 18% Dairy Ration	N. Haverhill	18.00	20.2	3.00	2.6	9.00	7.4
Bailey's Feeds — 20% Dairy Ration		20.00	20.9	3.00	3.0	9.00	7.2
Bailey's Feeds Fitting Ration		14.00	14.3	3.00	3.7	11.00	8.6
Bailey's Feeds Grow-N-Lay		20.00	21.0	3.50	3.6	6.00	5.7
Bailey's Feeds — Horse Feed		10.00	12.4	3.00	3.7	9.00	7.4
*Protein and fat not less than, crude fiber n	ot more than.						

<sup>†</sup>Not registered when sampled. (F)Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

Manufacturer		I	ounds	in 100 lb	s. of Fe	edingstuf	f
		Prot	tein	F	at	Crude	Fiber
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found
E M. Poiles & Co. Inc. (Continued)							
E. W. Bailey & Co., Inc. (Continued) Bailey's Feeds Mo-Bulk	Colebrook	10.50	12.4	1.00	2.2	15.00	14.4
Bailey's Feeds New Englander 14	Colebrook	14.00	15.6	3.00	3.3	14.00	13.3
Bailey's Feeds New Englander 18		18.00	17.4	3.00	3.5	14.00	11.2
Bailey's Feeds New Englander 18		18.00	16.4	3.00	3.1	14.00	8.9
+Bailey's Feeds Soybean Meal		44.00	44.1	0.50	1.1	7.00	6.2
Bailey's Feeds Special 16% Dairy Ra-	Colcolook						
tion	Colebrook	16.00	19.2	3.00	3.6	10.00	7.1
Bailey's Gro-Egg Mix		16.00	17.1	4.00	4.8	4.50	4.6
Bailey's Pig Grower	Colebrook	15.00	15.2	3.50	4.9	6.50	5.8
+Bailey's Rocket 17	Colebrook	17.00	17.9	2.00	2.0	15.00	13.6
Beacon Milling Co. Cayuga, N. Y.							
Auburn "16" Dairy Ration	Dover	16.00	16.8	3.00	3.7	10.00	8.4
Be-Co-Breeder	Dover	16.00	16.3	3.00	4.2	6.00	4.2
Be-Co-Grower	Dover	15.00	16.7	3.00	4.6	6.75	6.1
Be-Co-Lass		11.00	10.5	2.00	2.4	13.00	10.9
Be-Co-Layer		16.00	17.0	3.00	4.1	6.00	5.1
Beacon Balancer Pellets		20.00 17.00	$\frac{21.2}{17.4}$	$\frac{3.00}{4.75}$	4.1 4.8	$\frac{6.00}{4.50}$	$\frac{5.0}{3.7}$
Beacon Breeder All-Mash		22.00	22.6	4.75	5.6	5.00	3.5
Beacon Breeders Mash Beacon Broiler Finisher GYA Medi-	Dover	44.00	44.0		010	0100	010
cated	Dover	20.00	20.1	5.00	6.6	3.50	2.6
Beacon Cape-Roaster Finisher GY		00.00	00.1	1 50	C 1	4.00	0.0
Medicated		20.00	20.1 14.7	4.50 3.25	$\frac{6.1}{3.5}$	4.00 9.00	2.8 7.6
Beacon Dairy Fitting		14.00 16.00	17.4	3.50	4.1	9.00	7.1
Beacon "16" Dairy Ration(F)Beacon "16" Dairy Ration		16.00	18.0	3.50	4.1	9.00	7.5
(F)Beacon "16" Dairy Ration	Grasmere	16.00	16.2	3.50	3.9	9.00	7.2
Beacon "20" Dairy Ration		20.00	21.0	3.25	3.4	9.00	7.2
Beacon "22" Egg Mash		22.00	22.2	4.75	5.2	5.00	4.2
Beacon Grower All Mash Gy Medi-				4 20	4.0	C 00	- 1
cated	Dover	16.00	17.1	4.50	4.9	6.00	5.I 3.3
Beacon Market Egg All-Mash	Dover	17.00	17.7	4.75	5.5	4.50	3.3
Beacon Nicarbazin Arsanilic Acid Mix in Beacon Broiler-Finisher	Dover	20.00	20.5	5.00	5.7	3.50	2.5
Beacon Nicarbazin Arsanalic Acid	Dover	40100		• • • • • • • • • • • • • • • • • • • •			
Mix in Beacon Starter-Broiler	Dover	23.00	23.8	5.00	6.0	4.00	2.8
Beacon Nicarbazin Mixed with Bea-							
con Poultry Gro-Finisher	Nashua	20.00	21.4	4.50	6.1	4.00	2.8
Beacon Poultry Fitting	Dover	11.00	11.6	2.50	3.2	7.50	4.6
Beacon Sodium Propionate Mixture	Donos	14.00	14.6	3.00	3.2	9.00	7.8
in Beacon Dairy Fitting Ration	Dover	9.00	9.5	2.00	2.9	5.00	3.2
Beacon Special Scratch Grains Beacon Starter-Broiler GYA Medi-	Dover	3.00	0.0		4.0		
cated	Dover	23.00	23.7	5.00	7.3	4.00	2.7
Beacon "18" Test Cow Ration		18.00	19.1	4.00	4.0	9.00	7.3
Beacon Turkey and Game Bird Fit-		10.00	10.0	0.50	0.4	0.00	r 0
ting	Dover	10.00	10.2	2.50	3.4	9.00	5.2
The Best Foods, Inc.							
Ruffalo, N. V.							
†Pulverized White Oats	Manchester	10.00	12.3	4.50	5.·I	10.00	8.1
1 01							

<sup>\*</sup>Protein and fat not less than, crude fiber not more than, †Not registered when sampled.

(F) Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff						
		Prot	ein	Fa	ıt	Crude	Fiber	
Brand	Sampled in	Guar- auteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found	
Bremco Alfalfa Mills, Inc. New Bremen, Ohio †Medogren Alfalfa Meal	Concord	17.00	16.7	1.50	2.8	27.00	24.6	
The Brode Corp. Memphis, Tenn. †Owl Brand 41% Prime Cottonseed Meal	Lancaster	41.00	39.8	3.00	2.5	14.00	15.1	
Brown Forman Dist. Corp. Louisville, Kentucky BF Corn Distillers Dried Grains	Concord	23.00	25.0	7.00	7.4	15.00	14.1	
Buckeye Cellulose Corp. Cinn., Ohio **Buckeye 44% Protein Sol. Ext. Soy- bean Oil Meal	Claremont	44.00	48.4	0.50	1.1	7.00	5.0	
Calvert Milling Co. Hoytville, Ohio †17% Dehydrated Alfalfa Meal	Manchester	17.00	20.2	1.50	3.1	27.00	20.1	
Cargill, Inc. Minneapolis, Minnesota †Cargill, Inc. 34% Protein Solvent Extracted Linseed Oil Meal Cargill 44% Protein Solvent Soybean Oil Meal		31.00 44.00	35.0 45.4	0.50	2.4	10.00 7.00	9.6 5.3	
A. B. Caple Co. Toledo, Ohio †Alfalfa Crumbles Alfalfa Crumbles Alfalfa Meal Capex 17% Dehydrated Alfalfa Meal	Lisbon Keene	13.00 13.00 13.00 17.00	11.8 13.0 15.9 16.4	1.00 1.00 1.00 2.00	1.0 1.1 1.4 2.2	33.00 33.00 33.00 27.00	$\frac{45.9}{39.1}$ $\frac{31.7}{26.5}$	
Central Soya Co., Inc. Fort Wayne, Ind. Thrifty-Fifty 50% Soybean Oil Meal	Manchester	50.00	50.4	0.50	0.8	3.00	3.0	
S. J. Cherry & Sons Preston, Canada †Wheat Bran	Manchester	14.00	15.2	3.50	4.4	11.50	11.3	
Citrus Feed Co. Lakeland, Fla. Fosgate's Ace High All Sweet Dried Citrus Pulp (F)Fosgate's Ace High All Sweet Dried Citrus Pulp	Woodsville Woodsville	6.00 6.00	6.7 5.5	2.50 3.00	2.5	11.00 11.00	10.5	
Clinton Foods Clinton, Iowa Clinton Corn Gluten Feed	Colebrook	21.00	20.1	1.00	1.5	10.00	8.6	

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F)Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

ı	Manufacturer		1	Pounds	in 100 lb	s. of Fe	edingstuf	Ī .
l	Brand	e	Pro	tein	Fa	ı t	Crude	Fiber
	Drand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found
	Consolidated Rendering Co.							
ľ	Boston, Mass.							
ı	Corenco 47% Meat & Bone Scrap	Keene	47.00	46.7	6.00	9.6	2.00	1.7
l	Corenco 470 Meat & Bone Scrap	Claremont	47.00	16.5	6.00	8.2	2.00	1.6
ı	Corenco 47% Meat & Bone Scrap	Concord	47.00	47.8	6.00	9.5	2.00	2.4
ı	Corenco 47% Meat & Bone Scrap	Potter Place	47.00	49.2	6.00	10.1	2.00	2.5
l	Corenco 47% Meat & Bone Scrap		47.00	48.7	6.00	8.0	2.00	1.9
ı	†Corenco Poultry By-Product Meal	Manchester	56.00	54.6	6.00	14.6	2.00	1.6
	Corn Products Refining Co.							
I	N. Y., N. Y.							
ı	Buffalo Brand 21% Protein Corn	0 1	01.00	00.1	1.00		10.00	0.0
ı	Gluten Feed		21.00	22.1	1.00	2.0	10.00	9.2
ı	Diamond Brand Corn Gluten Meal	Concord	41.00	43.5	1.00	2.0	6.00	5.4
K	Chas. M. Cox Co.							
I	Boston, Mass.							
ı	Big W 16% Dairy	Lisbon	16.00	17.5	2.50	2.8	11.00	9.0
L	+Big W 16% Dairy Feed	Lisbon	16.00	16.9	2.50	2.7	11.00	10.0
ľ	**Wirthmore Calving Feed	Amherst	14.00	16.1	3.50	3.8	10.00	8.4
ı	Wirthmore Chick Starter 400 (Medi-	Plymouth	20.00	20.8	4.00	4.6	5.00	4.8
ı	twirthmore Chick Starter 401 (Medi-	Trymouth	40.00	40.0	1.00	1.0	3.00	1.0
ı	cated)	Plymouth	20.00	21.4	4.00	5.6	5.00	4.6
ı	Wirthmore Coarse Test Dairy Feed		16.00	18.8	4.00	4.7	9.00	7.6
L	Wirthmore Coccidiosis Treatment							
ı	Ration 411	Plymouth	22.00	21.8	5.50	5.5	4.00	3.0
ı	Wirthmore Complete Breeder Ration		15.00	17.1	3.50	4.7	6.00	4.6
ı	Wirthmore Complete Egg Ration		16.00	17.1	3.50	3.9	5.00	4.8
ı	Wirthmore Complete Egg Ration	Dover	16.00	16.8	3.50	3.6	5.00	3.9
ı	Wirthmore Complete Growing Ra-		* 0 * 0		0.00	4.1	= 00	٠,
1	tion	Lisbon	13.50	14.4	3.00	4.1	7.00	5.1
1	Wirthmore Complete Turkey Grow-	Dlamanala	12.00	18.3	4.00	5.7	5.50	5.4
L	ing Ration		18.00 16.00	18.0	3.50	3.5	9.00	8.5
I,	Wirthmore 16 Dairy Feed*******************************		16.00	18.3	3.50	3.5	9.00	7.9
ľ	Wirthmore 14 Dairy Fitting Feed		14.00	15.6	3.50	4.3	8.50	6.3
ı	Wirthmore 14 Dairy Fitting Feed		14.00	14.0	3.50	3.6	8.50	7.0
l	Wirthmore 16 Dairy Record Feed		16.00	18.5	3.50	4.1	8.50	7.5
l	(F)Wirthmore 16 Dairy Record Feed	Tilton	16.00	17.3	3.50	3.8	8.50	7.2
P	**(F)Wirthmore 16 Dairy Record Feed	Mt. Vernon	16.00	18.1	3.50	3.5	8.50	8.0
	**(F)Wirthmore 16 Dairy Record Feed		16.00	19.7	3.50	3.8	8.50	7.9
ı	Wirthmore 18 Dairy Record Feed		18.00	20.3	3.50	3.8	8.50	7.5
ı	Wirthmore 32 Dairy Supplement		32.00	32.5	2.50	2.5	9.00	8.3
ı	Wirthmore Fattening Pellets		17.50	19.1 13.4	4.00 2.00	4.6 2.1	4.50 18.00	4.2 16.6
Ł	Wirthmore Fodder Greens		9.00 14.00	15.4	3.25	3.7	10.00	8.0
ı	Wirthmore Green Mountain 14	Dover Londonderry	16.00	15.6	3.25	4.0	10.00	7.8
1	Wirthmore Green Mountain 16** **(F)Wirthmore Green Mountain 16	Londonderry Nashua	16.00	16.9	3.25	3.4	10.00	8.0
ľ	Wirthmore Green Mountain 10	Dover	20.00	20.1	3.25	3.3	10.00	7.6
1	Wirthmore Grow & Egg Mash	Dover	20.00	20.5	4.00	4.6	5.00	5.2
ı	Wirthmore Hi-Ener-G 16	Londonderry	16.00	17.6	4.00	0.1	4.50	3.9
1	Wirthmore Hi-Ener-G 16		16.00	18.5	4.00	5.0	4.50	3.6
1	**(F)Wirthmore Hi-Ener-G 16	Brookline	16.00	17.2	4.00	1.6	4.50	4.0
1	Wirthmore Hi-Ener-G Breeder	Dover	16.00	19.1	3.50	4.5	4.50	3.9
ŀ	*Protein and fat not less than, crude fiber r	ot more than.						

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

		Pounds in 100 lbs. of Feedingstuff						
Manufacturer		Prot	tein	Fa	at	Crude	Fiber	
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found	
Chas M. Cox Co. (Continued)								
**(F)Wirthmore Hi-Ener-G 16 Pellets	Brookline	16.00	18.1	4.00	4.8	4.50	4.3	
Wirthmore Hog Grower	Lisbon	15.00	20.0	4.00	4.I	6.00	5.4	
Wirthmore Horse Feed	Dover	10.00	10.5	3.50	3.7	9.00	6.3	
**(F)Wirthmore Improved Hi Energy		00.00	20.0	0	C 0	0 = 0	9.0	
Broiler Ration Medicated	Laconia	22.00	22.2	5.50	6.2	3.50	3.0	
Wirthmore Improved Hi-Ener-G								
Broiler Ration 404 (Medicated) Nicar, & Sod. Arsan.	Londonderry	22.00	24.2	5.50	6.2	3.50	3.1	
Wirthmore Medicated Broiler Perk	Donatonacing	44.00					011	
406	Plymouth	22.00	22.8	5.50	5.5	4.00	3.4	
Wirthmore Medicated Quickies	Plymouth	20.00	19.3	3.50	5.0	4.50	4.2	
Wirthmore Pig and Sow Feed	Plymouth	17.00	19.2	3.50	3.9	6.00	5.1	
Wirthmore Poultry Wormer	Londonderry	17.50	19.4	4.00	5.0	4.50	4.9	
Wirthmore Production Scratch	Dover	9.50	10.2	2.50	3.0	4.00	3.5	
Wirthmore Roaster Finisher 425	I am Jam James	16.00	18.2	4.50	5.2	4.00	3.1	
Medicated	Londonderry	$\frac{16.00}{23.00}$	24.4	3.50	4.5	5.50	5.2	
Wirthmore Super Pellets Wirthmore Turkey Growing Ration	Dover	23.00	23.6	3.50	4.9	6.00	5.9	
Wirthmore Turkey Growing Ration	20101	40100	4010		- 10		0.0	
441 Medicated	Dover	23.00	25.0	3.50	3.6	6.00	5.7	
Wirthmore Turkey Starter (Medi-								
cated)	Dover	28.00	28.2	-4.00	4.8	5.50	4.5	
Dean & Lee								
Horseheads, N. Y.								
†Pathfinder Hi-Energy Jumbo Starter								
Broiler Medicated	Derry	24.00	25.1	7.00	5.3	3.00	2.6	
Delaware Mills Inc.								
Deposit, N. Y.								
Delamycin Medicated	Milford	20.00	21.3	3.00	4.5	5.50	4.8	
†Delaware Broiler Finisher Crumbles	Milford	18.00	24.3	3.00	4.6	5.00	3.4	
†Delaware Broiler Finisher (Medi-	F	00.00	00.4	0	~ =	9.50	0.1	
cated)	Farmington Farmington	20.00 15.00	20.4 16.6	$\frac{5.50}{3.00}$	$\frac{5.7}{4.3}$	$\frac{3.50}{6.50}$	3.1 5.9	
Delaware Complete Layer †Delaware Dienestrol Diacetate and	raillington	13.00	10.0	3.00	4.3	0.30	3.9	
Nicarbazin Mix in Delaware Broil-								
er Finisher	Milford	18.00	19.3	3.00	5.0	5.00	3.4	
Delaware Egg Mash	Milford	20.00	21.6	3.00	5.0	6.00	5.4	
Delaware Fitting Ration		14.00	16.7	3.00	4.4	11.00	8.2	
Delaware H-E Breeder	Milford	16.50	18.8	3.00	3.7	5.00	4.4	
Delaware H-E Broiler Mash (Medi-	Farmington	22.00	23.4	4.00	6.1	4.00	9.0	
cated) Delaware H-E Broiler Mash (Medi-	rannington	44.00	43.4	1.00	0.1	4.00	3.2	
cated)	Milford	24.00	23.5	5.50	5.0	3.50	3.0	
Delaware H-E Layer	Milford	16.50	18.3	3.00	3.5	4.50	4.3	
Delaware H-E Layer (Medicated)	Milford	16.50	17.8	3.00	3.9	4.50	5.I	
Delaware Horse Feed	Farmington	12.00	10.7	3.00	3.8	10.00	7.0	
†Delaware 4-Nitrophenylarsonic Acid								
Mix Inc. in Delaware Turkey De-								
veloper	Farmington	20.00	20.3	3.00	5.0	6.50	5.6	
†Delaware 4-Nitrophenylarsonic Acid								
Mix Inc. in Delaware Turkey Fin- isher Pellets	Farmington	16.00	21.6	3.00	4.0	5.00	5.4	
*Protein and fat not less than, crude fiber n	O	10.00	41.0	-0.00		0.00	5.1	
"Frotein and fat not less than, crude fiber in	ot more than.							

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F) Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff									
		Prot	tein	Fa	ıt	Crude	Fiber				
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found				
Delaware Mills Inc. (Continued)											
†Delaware Poultry Fitting Ration	Farmington	10.00	11.7	2.50	3.4	7.00	6.3				
Delaware Sweet 16% Dairy Feed	Farmington	16.00	16.9	3.50	3.8	11.00	8.5				
Delaware 18% Test Ration	Farmington	18.00	18.2	3.50	4.4	10.00	8.2				
†Delaware Worming Crumbles	Milford	16.00	17.4	2.50	1.1	6.50	1.5				
Indian Sweet 16% Dairy Feed	Farmington	16.00	16.6	3.00	3.3	15.00	8.6				
†Indian Sweet 18% Dairy Feed	Farmington	18.00	19.2	3.00	3.3	13.00	8.3				
Delphos Grain & Soya Products Co.											
Delphos, Ohio 44% Protein Soybean Oil Meal (Sol-											
vent Extracted)	Lancaster	44.00	44.6	0.50	1.5	7.00	7.7				
	Zaneaster	11100									
Dietrich & Gambrill, Inc. Frederick, Md.											
D & G All Mash Grower		15.00	16.6	1.00	4.7	1.00	3.9				
D & G All Mash Laying Ration		16.00	16.2	1.00	4.9	4.00	2.9				
†D & G Nicarbazin Mixture Inc. in	Laconia	15.00	16.1	4.00	4.8	4.00	3.6				
All Mash Grower D & G Nicarbazin Mixture in Gam-	Lacoma	15.00	10.1	1100	440	1100					
brill's Chick Starter	Derry	20.00	23.1	4.00	5.0	4.00	3.8				
D & G Pasture Ration	Laconia	12.00	12.8	3.00	3.8	11.00	10.0				
Utility Scratch Feed	Laconia	9.00	10.1	2.50	3.4	5.00	3.4				
Dow Brewery Ltd											
Montreal, Canada							100				
Brewers Dried Grains	N. Haverhill	22.00	20.3	7.00	7.3	15.00	16.0				
Dominion Malting Ltd.											
Toronto, Canada			00.1	0.00	0.0	90.00	13.8				
+Dried Brewers' Grains	Keene	22.00	23.1	6.00	8.9	20.00	13.0				
Eastern States Farmers Exch. Inc.											
W. Springfield, Mass.				0.00	0.0	15.00	10.0				
DFE (Drouth Forage Extender)	Woodsville	12.00	14.3	2.00	3.6	15.00	10.8				
Eastern States All Mash Breeder		10.00	17 9	4.00	4.7	4.00	3.8				
(Medicated)	Woodsville	16.00	17.3	4.00	1.7	1.00	3.0				
(F)Eastern States All Mash Breeder (Medicated)	Manchester	16.00	17.1	4.00	5.0	4.00	4.2				
Eastern States All Mash Breeder					4.0	4.00	0.7				
(Medicated)	Manchester	16.00	17.8	4.00	4.9	4.00	2.7 4.6				
Eastern States Calf Starter	Laconia	20.00	19.8	3.00	3.4	6.00	12.1				
Eastern States Calving Ration	Dover	9.50	11.9	1.50	2.4	15.00	14.1				
Eastern States Cashmaker (Medi-	Dover	16.00	18.6	4.00	4.9	4.00	4.2				
cated) Eastern States Cashmaker (Medi-	Dover	20.00					0.0				
cated\	Concord	16.00	24.1	4.00	4.1	4.00	3.9				
Eastern States Champion	Woodsville	14.00	14.3	2.50	2.8	7.00	5.4				
Fastern States Class Leader	Dover	14.00	15.8	3.50	5.0	9.00	6.9				
Eastern States Finisher (Medicated)	Dover	17.00	17.6	5.00	6.1	4.00	$\frac{3.6}{7.4}$				
Eastern States Fulpail	Woodsville	20.00	21.8	3.00	3.9	8.00	7.4				
Eastern States Goalmaker (Medi-	Dover	16.00	17.2	4.00	4.8	4.00	3.5				
cated)State Medicated Sentinel	Dover	20.00	20.7	4.00	4.9	4.50	1.0				
Fasiern State Medicated Schemer	Dover	16.00	17.7	3.50	4.2	9.00	7.0				
Eastern States Milkmore											
*Protein and fat not less than, crude fiber	not more than.										

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled. (F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

		Pounds in 100 lbs. of Feedingstuff							
Manufacturer									
Brand	Sampled in	Prot	iein	F	at	Crude	Fiber		
Diand	- Sampicu iii	Guar-     anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found		
F. C. C. France Fresh Inc. (Con.	inuad)								
Eastern States Farmers Exch., Inc. (Com (F)Eastern States Milkmore Eastern States Pacemaker (Medi-	Woodsville	16.00	17.2	3.50	3.7	9.00	7.7		
cated) Eastern States Pig Primer (Medi-	Manchester	20.00	21.3	5.00	5.5	4.50	3.4		
cated)	Concord	16.00	16.0	3.00	4.0	5.50	4.8		
Eastern States Pork Builder	Woodsville	14.00	15.8	3.00	3.8	4.00	3.3		
Eastern States Sweepstakes	Dover	16.00	17.2	3.00	4.0	8.00	4.9		
Eastern States Turkey Finisher Eastern States Turkey Grower	Concord Dover	16.00 20.00	18.0 21.2	$\frac{3.00}{3.00}$	4.1 4.2	$\frac{4.00}{5.00}$	3.7 4.4		
Elam Grain Co.									
St. Louis, Mo. †Elam's Dried Brewers' Grain	Manchester	26.00	28.5	5.00	7.1	17.00	14.7		
Elm City Grain Co. Keene, N. H.									
Elm Tree All Mash Grower	Keene	16.00	16.6	3.50	3.9	4.50	4.5		
Elm Tree All Mash Laying		16.00	16.6	3.50	3.8	4.50	4.6		
Elm Tree Chick Starter		20.00	21.2	4.00	4.2	4.50	4.5		
Elm Tree Dairy Feed		18.00	20.2	2.50	3.0	10.00	8.2		
†**(F)Elm Tree 16% Dairy Feed		16.00	16.8	3.50	4.1	9.00	7.8		
†Elm Tree 16% Dairy Feed	Keene	$\frac{16.00}{20.00}$	17.0 20.5	3.50 3.50	4.9 3.8	9.00	9.0 5.2		
Elm Tree Growing Mash	Keene	14.00	14.4	3.00	4.4	5.00 8.00	8.8		
Elm Tree Markitop 14% Dairy Feed †Elm Tree Markitop 20% Dairy Feed	Keene	20.00	21.1	3.00	3.4	8.50	7.1		
Elm Tree 14% Fitting Ration(F)**Elm Tree Markitop Hi-Efficiency	Keene	14.00	14.9	3.00	3.2	10.00	9.8		
Layer	Antrim	16.00	16.0	4.00	5.2	5.50	5.2		
(F)**Elm Tree Markitop Hi-Efficiency Layer (F)**Elm Tree Markitop High Effi-	Antrim	16.00	16.5	4.00	4.3	5.50	5.2		
ciency Layer	Peterboro	16.00	17.0	4.00	4.3	5.50	5.4		
Elm Tree Pig & Hog Feed		14.00	17.5	3.50	4.2	8.00	5.3		
(F)**†Markitop Hi-Efficiency Layer	Antrim	16.00	17.2	4.00	4.6	5.50	4.9		
Elmore Milling Co., Inc. Oneonta, N. Y.									
†Elmore Complete Turkey Growing	Derry	20.00	22.5	3.50	4.7	6.00	5.5		
Ration Elmore Medicated High Antibiotic	Derry	17.00	15.4	3.00	5.6	5.00	4.5		
Picker-Upper Mash (2A) Elmore Pacemaker Fitting Ration	Derry	20.00	21.3	3.00	3.8	6.00	5.4		
Elmore Picker-Upper Mash (2A)	Derry	14.00	15.8	3.00	3.4	9.00	7.8		
Medicated Elmore Super Broiler Ration (1N)	Derry	20.00	22.9	3.00	4.2	6.00	5.1		
Medicated	Derry	22.00	21.5	4.50	5.6	4.00	4.4		
†Elmore Test Ration 14% Elmore Turkey Finisher (Fattener)	Derry Derry	14.00 16.00	14.2 17.5	$\frac{3.50}{4.00}$	$\frac{4.6}{5.0}$	8.00 5.00	7.4 4.3		
Eshelman & Sons, J. W.									
Lancaster, Penna.									
Eshelman Pennsy Laying Mash	Keene	20.00	16.9	3.50	4.7	8.00	4.2		
Eshelman Red Rose Calf Grower	Keene	14.00	16.6	3.00	4.1	8.50	7.9		
*Protein and fat not less than, crude fiber n †Not registered when sampled.  **Sampled from Pull, Shimes	ot more than.								

<sup>\*\*</sup>Sampled from Bulk Shipments.
(F) Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

Manufacturer		F	Pounds	in 100 lb	s. of Fee	dingstuf	ſ
		Prot	tein	Fa	at	Crude	Fiber
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found
Eshelman & Sons, J. W. (Continued)							
Eshelman Red Rose Calf Starter	Keene	18.00	16.8	3.00	3.7	8.00	7.6
Eshelman Red Rose Fitting Ration	Keene	12.00	12.8	3.50	4.0	7.00	6.9
Eshelman Red Rose Rabbit Pellets		18.00	20.0	3.00	1.4	12.00	10.3
Red Rose Calf Grower	Keene	14.00	16.4	3.00	1.4	8.50	7.8
†Red Rose 16 Dairy Feed		16.00	17.7	3.50	3.9	9.50	8.3
Red Rose Horse Feed	Keene	9.00	9.4	3.00	3.4	10.00	61
Farm Bureau Brand Feeds, Farm Bureau Assoc. Waltham, Mass.							
(F)Farm Bureau Brand Complete Mar- ket Egg Mash	Milford	16.00	17.1	4.50	5.8	4.50	0.1
(F)Farm Bureau Brand 16% Dairy Ra- tion "Fine"	Mt. Vernon	16.00	17.3	3.50	1.7	8.50	6.5
(F)+**Nicarbazin Mixture in Farm Bu-	Mt. vernon	10.00	17.0	5.50	,	0.00	010
reau Brand Chick Starter Mash	Milford	20.00	20.8	4.00	5.3	4.50	3.9
Farm Bureau Coop. Assn., Inc.							
Columbus, Ohio Dehydrated Alfalfa Meal	Claremont	17.00	16.4	1.50	2.5	27.00	27.0
Florida Citrus Canners Coop. Lake Wales, Florida	n r	C 00	c h	9.00	5.5	16.00	11.3
Lake Wales Brand Citrus Pulp	Berlin	6.00	6.7	2.00	5.5	10.00	11.5
Fowler Brothers, Inc.							
Sun Valley Dairy Ration	Suncook	16.00	17.8	3.50	3.8	9.00	9.3
Sun Valley Hi-Energy All Mash	ouncoon						
Breeder	Suncook	15.00	16.7	3.00	4.4	4.50	4.1
General Foods Corp., Corn Mill Div. Kankakee, Ill.							
Burt's Hominy Feed	Concord	9.00	10.7	5.00	7.5	6.00	5.1
General Mills Store							
Minn., Minn. †Larro Antibiotic Mix in Surelift	Exeter	16.00	19.0	3.00	2.5	3.50	3.1
Larro Chick Grains		9.00	10.2	2.00	2.5	4.00	1.3
Larro Medicated Poultry Surelift	Exeter	27.50	29.2	5.50	5.8	3.00	2.7
Larro Medicated Surelift		16.00	20.6	3.00	3.0	3.50	3.7
Larro Poultry Surehatch Complete						w 0.0	1.0
"H-E"	Exeter	16.00	17.8	3.50	3.9	5.00	4.8
Larro Scratch Grains	Exeter	9.00	9.5	2.00	2.7	5.00	2.6
Larro Surebroiler Finisher 23 (NCB-AGS) Medicated	Exeter	23.00	25.6	6.50	6.3	2.50	3.0
Larro Surebroiler Starter 26 (NCB-		00.00	00.0	0.50		2.50	2.5
AGS) Medicated	Exeter	26.00	26.0	6.50	$7.5 \\ 4.7$	5.50	4.3
Larro Surelay "H-F"	Exeter	20.00	21.4 16.3	3.50 3.00	3.2	9.00	7.6
I arro Suremilk 14	LACTEI	14.00 16.00	18.9	3.00	3.5	9.00	6.3
Larro Suremilk 16	Lancaster	20.00	21.6	3.00	3.2	9.00	7.6
Larro Suremilk 20 †Larro Sureroaster Complete (NCB)		20.00					0
Medicated	Exeter	18.00	18.3	4.00	-1.3	3.00	2.8
*Protein and fat not less than, crude fiber i							

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.

\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F) Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

Manufacturer		Pounds in 100 lbs. of Feedin					
		Prot	tein	F	at	Crude	Fiber
Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found
General Mills Store (Continued)							
Purity Pulverized White Oats	Manchester	12.00	12.0	4.50	4.7	13.00	15.1
+Surechick (0.175 SQ) Medicated Meal		20.00	22.1	3.50	4.0	5.00	3.9
Washburn's Gold Medal Wheat							
Bran & Ground Wheat Screenings	0.1. 10	1400	10.5	9 50		10.00	11.0
n.e. Mill Run	Salem Depot	14.00	16.5	3.50	4.3	12.00	11.2
Gloucester By-Products Inc.							
Gloucester, Mass.	f	00.00	CY 4	0.00	= 0	1.00	0.9
Globpro Brand 60% Fish Meal	Potter Place	60.00	61.4	8.00	7.0	1.00	0.3
D. H. Grandin Milling Co.							
Jamestown, N. Y.		***	10.0	0.00	9.0	10.00	0.4
†(F)Grandin's 16 Test Ration	Millord	16.00	18.2	3.00	3.0	10.00	6.4
The Great Western Sugar Co.							
Denver, Colo.	Tilter	7.00	0.9	0.90	0.4	22.50	90.7
†GW Dried Beet Pulp	THION	7.00	8.3	0.30	0.4	44.50	20.7
Hales & Hunter Co.							
Chicago, III.	T -1	16.00	10.4	9.00	9.0	0.00	C 4
Pioneer Dairy Production 16 Pioneer Dairy Production 18		16.00 18.00	18.4 18.6	$\frac{3.00}{3.00}$	$\frac{3.0}{3.4}$	8.00 8.00	6.4 7.2
Pioneer Dry and Freshening		12.00	14.6	2.50	3.4	8.00	6.4
Red Comb Egg Mash		20.00	21.2	3.50	4.8	6.50	4.5
Red Comb Growing Mash		18.00	19.9	3.00	5.1	7.00	6.4
Red Comb Growing Mash Z Medi-							
cated	Lebanon	18.00	18.2	3.00	4.9	7.00	6.0
Harper Feed Mills							
Washington, Pa.							
Harco Breeder Mash		22.00	24.8	4.00	4.1	5.00	4.0
Harco Chick Starting Mash-3N-MEG		22.00 18.00	$\frac{24.0}{24.7}$	$\frac{3.50}{3.50}$	4.8 4.0	4.50	3.4
Harco Growing Mash Harco Hi-Energy Broiler Mash 3-N-	Derry	16.00	44.7	3.30	4.0	5.50	4.5
NC Medicated	Derry	20.00	23.4	4.00	4.8	4.00	2.5
†Harco Hi-Energy Complete Grow-							
ing Ration	Derry	16.00	19.2	3.50	4.6	4.50	4.2
Harco Hi-Energy Complete Laying Ration	Derry	16.00	19.3	3.50	4.6	4.50	4.8
†Harco Hi-Energy Finisher Mash 3N-	Derry	10.00	13.3	5.50	1.0	1.00	7.0
NC Medicated	Derry	20.00	20.4	5.50	4.7	3.00	4.3
Harco Horse Feed	Derry	9.00	11.1	2.00	3.5	9.00	5.I
†Harco Medicated Furatone	Derry	20.00	22.7	3.00	3.3	4.50	3.3
†Harco Medicated Furatone	Derry	20.00	22.9	3.00	3.2	4.50	3.6
Harco Short Feed	Derry	15.00	17.7	3.00	4.2	5.00	5.0
†Harco Station Fattener Pellets Top Profit Scratch Grains	Derry Derry	16.00 9.00	18.9 12.2	$\frac{3.00}{2.00}$	4.3 4.5	5.00 5.00	5.0 <b>6.9</b>
	,		,			00	
H. P. Hood & Co. Boston, Mass.							
(F)Hood's Calf Starter	W. Stewartst'n	28.00	31.0	3.00	3.4	4.00	2.8
Hood Citrus Pulp	Londonderry	6.00	6.6	2.75	4.3	15.00	11.4
Powdered Skim Milk	Concord	32.00	34.5	0.50	0.6	0.00	0.0
*Protein and fat not less than crude fiber r							

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled. (F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

	N. C.		Pounds in 100 lbs. of Feedingstuff										
	Manufacturer		Prot	ein	Fa	ıt	Crude	Fiber					
	Brand	Sampled in	Guar- anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found					
E	. C. & W. L. Hopkins												
	Greenfield, N. H.												
(	F)**Chlortetracycline Mix. in Granite State Booster	Amherst	20.00	21.4	3.00	4.5	4.00	3.8					
	Granite State Complete Mash		15.00	18.2	3.00	4.6	7.00	5.0					
	Granite State 20% Dairy Feed	Keene	20.00	21.4	3.50	3.5	10.00	6.0					
	Granite State Egg Mash	Greenfield	20.00	21.4	4.00	4.1	7.50	5.6					
	F)Granite State Fitting Ration	Peterboro	14.00	15.0	3.00	4.5	8.00	6.1					
(	F)Granite State Hi Energy Breeder	Manchester	16.00	16.5	3.00	5.1	4.00	3.0					
1	Mash F)**Granite State High Energy	Manchester	10.00	10.5	3.00	3.1	1.00	3.0					
1	Breeder Mash	Amherst	16.00	17.6	3.00	5.7	4.00	3.3					
(	F)**Granite State High Energy												
	Grower	Peterboro	16.00	18.1	3.00	5.1	1.00	2.9					
(	F)**Granite State Hi Energy Grow-	D	10.00	10.77	9.00	F 0	1.00	9.0					
,	ing Mash	Deering	16.00	18.7	3.00	5.2	1.00	3.0					
(	F)**Granite State High Energy Lay- ing Mash	Peterboro	16.00	18.3	3.00	5.2	4.50	3.0					
1	F)Granite State High Energy Laying	1 eternore	10100	2010	0100	0.14	1100	0.10					
'	Mash	Peterboro	16.00	18.3	3.00	5.6	4.50	3.1					
	Granite State Scratch Grains	Dover	10.00	10.3	2.50	2.7	5.00	3.0					
	†Standard Sheep Mixture	Greenfield	13.00	14.4	3.00	4.1	8.50	7.6					
1	Hubinger Company												
	Keokuk, Iowa												
	*Keokuk 21% Protein Corn Gluten												
	Feed	Claremont	21.00	26.0	1.00	3.8	10.00	7.2					
	Keokuk Brand 21% Protein Corn	**	01.00	040	1.00	1.0	10.00	6.3					
	Gluten Feed	Keene	21.00	24.2	1.00	1.8	10.00	0.0					
L	Humphreys-Godwin Co.												
	Memphis, Tenn.				0.00	0.0	* 4 00	** 4					
	†Dixie Brand 41% Cottonseed Meal	Keene	41.00	38.6	3.00	3.8	14.00	11.4					
١,	Huss Alfalfa Mills, Inc.												
	Martin, Ohio												
1	+17% Dehydrated Alfalfa Meal	Colebrook	17.00	20.8	1.50	2.8	27.00	21.6					
١.													
	Industrial Molasses Corp.												
ľ	Minn., Minn. †Dried Molasses — Beet Pulp	Lisbon	7.00	8.1	0.30	0.6	20.00	18.3					
L	Dict Monasses												
	International Milling Co.												
1	Minneapolis 1, Minn.												
	Blackhawk Wheat Bran with Ground Mixed Screenings not exceeding												
ı	8%	Colebrook	13.50	17.5	2.50	1.0	12.00	11.9					
L	(F)†Target Wheat Red Dog	W. Stewartst'n	15.00	17.4	2.00	3.1	4.00	3.7					
1	,,,												
	R. P. Johnson & Son												
1	Potter Place, N. H.  Johnson's Complete Laying Mash	Potter Place	15.00	15.6	3.00	3.8	8.00	5.4					
	(F) Johnson's Dairy Feed		16.00	19.2	3.00	3.8	9.00	7.3					
1	Johnson's Dairy Feed	rotter Frace	16.00	20.3	3.00	3.3	9.00 8.50	7.0 6.5					
1	Johnson's 14% Fitting Ration	Potter Place	14.00	15.8	2.50	3.1	0.00	0.3					
	*Protein and fat not less than, crude fiber	not more than.											

<sup>\*</sup>Protein and fat not less than, c \*\*Sampled from Bulk Shipments. †Not registered when sampled. (F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff					
		Protein		Fat		Crude	Fiber
Brand	Sampled in	Guar- anteed*	Found	Guar- anteed*	Found	Guar- anteed*	Found
R. P. Johnson & Son (Continued)							
Johnson's Growing Mash	Potter Place	14.00	17.3	3.00	3.8	7.00	5.2
Johnson's Laying Mash	Potter Place	18.00	20.3	4.00	4.0	8.00	5.0
Johnson's Laying Mash		18.00	18.0	4.00	4.3	8.00	5.5
Johnson's Pig & Hog Feed	Potter Place	15.00	17.6	2.00	3.9	7.00	5.7
Kuder Pulp Sales Co.							
Lake Alfred, Fla. Kuder Dried Citrus Pulp	Colebrook	6.00	6.3	5.00	3.9	13.00	10.8
Kuder Dried Citrus Pulp High	Colebtook	0.00	0.3	3.00	3.9	13.00	10.8
Sugar (Late Production)	Colebrook	6.00	6.7	3.00	3.1	13.00	10.7
Laurie-Massey Citrus Prods. Inc.							
Lakeland, Fla.							
†L-M Brand Dried Citrus Pulp	Laconia	6.00	6.7	3.00	2.8	16.00	11.3
L. B. Lovitt & Co.							
Memphis, Tenn.							
"Lovit Brand" 41% Protein Cotton-		1 1 0 0					
seed Meal	Concord	41.00	41.4	3.00	4.0	14.00	9.6
Maine Marine Products, Inc.							
Portland, Maine	Consond	FO 00	FC 9	10.00	14.0	1.00	0.0
Maine Sea Horse Fish Concentrate	Concord	50.00 60.00	$56.3 \\ 63.4$	12.00 8.00	14.6 11.2	1.00 1.00	0.3 0.2
†Maine Vitaproil "A"		55.00	62.1	12.00	14.3	1.00	0.2
Maine Reduction Co., Inc.							
Brooks, Maine							
Hydrolized Feather Meal with							
Blood Added	Manchester	85.00	87.6	1.00	2.2	3.00	0.8
Maple Leaf Milling Co.							
Canada Pey Wheat Middlings	Coursel	15.00	15 5	4.00	4.0	0.50	0.0
Rex Wheat Middlings	Concord	15.00	15.7	4.00	4.9	9.50	6.8
Maritime Milling Co., Inc.							
Buffalo, N. Y. B-B MaCo Broiler Ration (Medi-							
cated)	Haverhill	22.00	22.8	4.50	4.6	3.00	2.6
Bull Brand 16% Special Dairy Ra-							
tion Bull Brand 18% Special Dairy Ra-	Colebrook	16.00	21.4	4.00	4.4	10.00	8.8
tion	Colebrook	18.00	22.0	4.00	4.5	10.00	8,4
Bull Brand 20% Special Dairy Ra-							
tion =	Colebrook	20.00	22.2	4.00	4.1	10.00	8.4
Merrimack Farmers Exch., Inc.							
Concord, N. H.  (F)**Merrimack All Mash	In Chan	15.00	16.6	9.50	1.0	7.00	0.0
(F)**Merrimack All Mash	Jaffrey Concord	15.00 15.00	16.6 16.7	$\frac{3.50}{3.50}$	4.3 4.0	7.00 7.00	6.2 5.8
Merrimack Blue Ribbon 16% Dairy		10.00	10.7	0.00	1.0	7.00	J.0
Kation		16.00	16.2	3.50	3.6	9.00	5.8
(F)**Merrimack Breeder Mash Merrimack Calf Growing Ration	Nashua	20.00	20.0	3.00	4.4	4.50	3.5
Merrimack Calving Ration	Keene Milford	12.00 12.00	13.7 13.6	$\frac{2.75}{2.75}$	4.4 3.0	12.00 15.00	8.7 12.3
*Protein and fat not less than, crude fiber n			10.0			-0.00	

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. \*\*Sampled from Bulk Shipments, †Not registered when sampled. (F) Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff							
	6 1 1 2	Protein		F	ıt	Crude Fiber			
Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar- anteed*	Found		
Merrimack Farmers Exch., Inc. (Continued)									
Merrimack Chick Starter (Medi-	,								
cated)	Keene	20.00	20.2	2.50	4.1	6.00	1.2		
(F)Merrimack Complete Grower Layer		16.00	16.1	3.00	4.1	7.00	5.3		
(F)**Merrimack Complete Grower									
Layer Pellets	Concord	16.00	15.4	3.00	3.8	7.00	5.8		
(F)**Merrimack Complete Grower				•					
Layer Pellets	Mt. Vernon	16.00	16.1	3.00	3.9	7.00	1.9		
(F)**Merrimack Complete Grower									
Laver Pellets	New London	16.00	20.9	3.00	4.2	7.00	3.1		
(F)**Merrimack 20% Dairy Feed	Henniker	20.00	22.2	3.50	3.8	8.50	7.3		
Merrimack 16% Dairy Ration	Derry	16.00	17.3	3.50	1.1	9.00	7.6		
(F)Merrimack 16% Dairy Ration	Glencliff	16.00	17.2	3.50	3.6	9.00	8.4		
(F)**Merrimack 20% Dairy Ration	Holderness	20.00	21.8	3.50	4.1	8.50	7.0		
Merrimack Extra Production Super									
Mash Medicated	Keene	16.00	16.5	2.50	3.7	4.50	4.0		
Merrimack Fast-Gro Starter & Broil-									
er Medicated (AN)	Keene	20.00	19.5	3.00	3.1	4.50	4.0		
(F)**Merrimack 16% Fine Dairy Ra-									
tion	Claremont	16.00	16.8	2.75	3.3	10.00	6.8		
(F)**Merrimack 16% (Fine) Dairy Ra-									
' tion	Peterboro	16.00	18.8	2.75	3.7	10.00	7.3		
(F)Merrimack 14% Fitting Ration	Laconia	14.00	17.7	3.50	3.8	9.00	7.4		
(F)**Merrimack 14% Fitting Ration	Laconia	14.00	15.6	3.50	3.8	9.00	7.6		
(F)**Merrimack 14% Fitting Ration (F)Merrimack 14% Fitting Ration	Boscawen	14.00	16.8	3.50	3.8	9.00	6.9		
(F)**Merrimack 14% Fitting Ration	Peterboro	14.00	19.0	3.50	1.2	9.00	7.1		
(F)**Merrimack 14% Fitting Ration	Bradford	14.00	17.0	3.50	3.8	9.00	6.2		
(F)**Merrimack 14% Fitting Ration (F)**Merrimack 14% Fitting Ration	Holderness	14.00	16.1	3.50	1.0	9.00	8.5 7.1		
(F)**Merrimack 14% Fitting Ration	Plymouth	14.00	16.6 15.6	3.50 3.50	4.0 1.0	9.00 9.00	7.9		
(F)Merrimack 14% Fitting Ration (F)Merrimack 14% Fitting Ration	Concord	14.00	15.3	3.50	1.1	9.00	6.8		
(F) Merrimack 14% Fitting Ration	Manchester	14.00	13.7	1.50	2.6	20.00	16.1		
Merrimack Fodder Ration		12.00	21.1	3.00	1.2	4.50	4.2		
(F)**Merrimack Grower Layer		20.00 20.00	21.1	3.00	1.6	1.50	3.9		
Merrimack Grower-Layer Pelleted		16.00	16.3	2.50	3.5	1.50	3.6		
(F)Merrimack Hi-F Grower-Layer		16.00	16.0	2.50	3.3	1.50	3.5		
(F)**Merrimack Hi-F Grower-Layer		16.00	17.4	2.50	3.5	4.50	3.4		
(F)**Merrimack Hi-F Grower-Layer (F)**Merrimack Hi-F Grower-Layer		16.00	17.5	2.50	3.5	4.50	3.1		
(F) Merrimack Hi-F Grower-Layer		16.00	18.4	2.50	3.7	1.50	3.8		
Merrimack Hi-Pro-Vite Pellets		25.00	25.5	2.50	4.2	5.50	3.6		
Merrimack Medicated High-Level	Millord								
Antibiotic Mash	Derry	20.00	20.8	2.50	3.6	4.50	3.5		
(F)Merrimack Pig Feed		17.00	19.0	3.00	4.1	7.00	6.1		
(F)Merrimack Pig Feed	Concord	17.00	18.1	3.00	4.7	7.00	6.8		
(F)Merrimack Pig Feed	Manchester	17.00	18.5	3.00	4.7	7.00	6.5		
(F)Merrimack Pig Feed	Brentwood	17.00	17.7	3.00	4.0	7.00	6.3		
Merrimack Sheep & Goat Ration	Keene	14.00	15.8	2.50	3.0	9.00	6.0		
Merrimack 18% Special Dairy Ration	Keene	18.00	18.6	3.50	3.9	8.50	7.1		
Merrimack Stock Feed	Derry	9.00	11.7	2.50	3.7	12.00	$\frac{9.3}{3.7}$		
Merrimack Super Mash	Derry	16.00	17.6	2.50	3.4 2.9	4.50 1.50	1.5		
(F)**Merrimack Super Mash	Concord	16.00	16.9	2.50	3.7	4.50	4.2		
(F)**Merrimack Super Mash	Concord	16.00	16.3	2.50	.5.7	1.,70	1.44		
Type I for more laws them, amude fiber t									

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
(F) Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

		Pounds in 100 lbs. of Feedingstuff						
Manufacturer		Protein		F	at	Crude Fiber		
Brand	Sampled in	Guar-	Found	Guar-		Guar-		
	I	anteed*	round	anteed*	Found	anteed*	Found	
Merrimack Farmers Exch., Inc. (Contin (F)Merrimack Super Mash		16.00	17.7	2.50	3.8	4.50	4.4	
Merrimack White Mountain Dairy		16.00	16.6	3.00	2.8	10.00	8.9	
(F)**Merrimack White M'T'W Dairy		16.00	19.1	3.00	2.7	10.00	8.5	
(F)Merrimack White Mountain Dairy (F)**Merrimack White Mountain Dairy		16.00 16.00	16.7 18.8	3.00 3.00	3.0 <b>2.6</b>	10.00 10.00	8.6	
(F)**Merrimack White Mountain Dairy	Goffstown	16.00	17.1	3.00	2.7	10.00	8.7 8.3	
(F)**Merrimack White Mountain Dairy	Plymouth	16.00	16.8	3.00	2.8	10.00	9.8	
(F)**Merrimack White Mountain Dairy	Claremont	16.00	15.4	3.00	3.3	10.00	9.1	
(F)**Merrimack White Mountain Dairy		16.00	15.4	3.00	2.8	10.00	8.8	
Merrimack Worm Control Mixture	Keene	15.00	15.7	3.00	4.2	5.75	4.2	
Minute Maid Corp.								
Orlando, Fla. Golden Isle Citrus Pulp	Eveter	5.50	6.0	2.75	5.I	15.00	11.2	
Golden Isle Citrus Pulp		5.50	6.3	2.75	3.2	15.00	10.5	
Mowat, Wilson Co.								
Chicago, Ill.								
Dominion Dried Beet Pulp	Lebanon	7.00	8.8	0.30	0.5	22.50	18.5	
National Alfalfa Dehydrating & Mill-								
ing Co.								
Lamar, Colo.  Jack Rabbit 17% Dehydrated Alfalfa								
Meal	Keene	17.00	16.7	1.50	2.6	27.00	30.4	
Jack Rabbit 15% Protein Dehy-	Concord	15.00	18.3	1.50	9 0	90.00	09.4	
drated Alfalfa Meal †National Dehydrated Alfalfa		15.00 17.00	17.2	1.50	3.8 3.2	30.00 27.00	23.4 28.4	
National Distillers Prods. Co.								
99 Park Ave., N. Y., N. Y.								
Corn Distillers Dried Grains	Keene	25.00	22.9	7.00	9.6	15.00	15.2	
Nadrisol Brand Corn Distillers Dried	Mancheston	95.00	9.1.7	8 00	13.2	4.00	1.0	
Solubles	Manchester	25.00	34.7	8.00	13.4	4.00	4.3	
Northern Ohio Sugar Co. Findlay, Ohio								
(F)Dried Beet Pulp	Woodsville	8.00	8.4	0.00	0.0	22.50	19.0	
Ogden Grain Co.								
Utica, New York								
Ogden Hi-Energy Laying Mash	Salem Depot	16.00	16.4	4.50	5.3	4.00	4.0	
Ogden U-T-K Sweet 14% Ogden U-T-K Sweet 16%	Salem Depot	14.00 16.00	15.6 17.1	$\frac{3.00}{3.00}$	3.9 4.5	11.00 11.00	8.8 8.8	
Park & Pollard Co., Inc.	1						0.0	
Buffalo, N. Y.								
Corn & Oats Half & Half		10.00	10.0	3.00	3.9	8.00	6.2	
Green Acres 14% Hi-Prime Complete Turkey Finisher	Colebrook Berlin	$14.00 \\ 14.00$	$14.7 \\ 15.3$	$\frac{3.00}{3.50}$	$\frac{5.0}{4.5}$	$\frac{12.00}{4.50}$	10.I 5.7	
†Hi-Prime Turkey Starter (Medi-								
cated) Lay or Bust All Mash Breeder	Plymouth	28.00	28.6	3.50	4.3	4.00	4.0	
Lay or Bust All Mash Breeder	Lebanon	16.00 16.00	$\frac{28.5}{17.0}$	$\frac{3.50}{3.50}$	$\frac{3.3}{3.5}$	$\frac{4.50}{4.50}$	$\frac{3.5}{4.5}$	
*Protein and fat not less than, crude fiber n								

<sup>\*\*</sup>Sampled from Bulk Shipments.

†Not registered when sampled.

(F) Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

=										
	Manufacturer		Pounds in 100 lbs. of Feedingstuff							
	Brand		Prot	Protein		Fat		Fiber		
Diand	Sampled in	Guar- anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found			
D.	als 8 Dalland Co. I. (C. d. D.									
	rk & Pollard Co., Inc. (Continued) Lay or Bust All Mash Grower	N. Haverbill	15.00	90.1	9 50	2.0	4 =0	0.0		
		N. Haverhill	15.00	20.1	3.50	3.2	4.50	3.9		
	Lay or Bust All-Mash Grower Medi- cated	Lancaster	15.00	17.1	3.50	-1.0	150	r 1		
	Lay or Bust All Mash Grower Medi-	Latteaster	13.00	17.1	3.30	1.0	4.50	5.1		
	cated	N. Haverhill	15.00	17.5	3.50	3.5	4.50	4.4		
	Lay or Bust All Mash Layer	Lebanon	16.00	16.6	3.50	3.6	4.50	4.1		
	Lay or Bust All Mash Layer	Newport	16.00	17.1	3.50	3.9	4.50	4.4		
	Lay or Bust All Mash LayerLay or Bust Breeder Mash	Lebanon Lebanon	16.00 20.00	$\frac{16.9}{21.4}$	$\frac{3.50}{3.50}$	4.1	4.50	4.8		
	Lay or Bust Chick Starter Medicated	Lebanon	40.00	41.7	3.30	3.8	5.00	4.4		
	-Nitrof, & Furazol	Colebrook	21.00	22.5	3.50	3.7	4.00	3.7		
	Lay or Bust Egg Mash	Salem	20.00	22.4	3.50	3.8	5.00	4.9		
	Lay or Bust Growing Feed	Berlin	18.00	22.0	3.50	3.6	5.00	5.0		
	Lay or Bust Growing & Laying	NT	00.00	01.5	9.00	0.0	0.00			
	Mash Lay or Bust Hi-Valu Pellets	Newport Lebanon	20.00 12.00	21.5 15.5	3.00 3.00	$\frac{3.6}{3.8}$	6.00 6.00	4.7		
	Lay or Bust Poultry Fitting Ration	Berlin	11.00	11.6	3.50	3.1	4.00	6.0 4.1		
	Medicated Lay or Bust T.N.T.			1110	0100		1.00	1.1		
	(Crumbles)	Berlin	22.00	22.0	3.00	4.0	3.00	2.8		
	Milk Maid Calf Starter	N. Haverhill	19.00	18.5	3.00	3.3	8.00	1.6		
	Milk Maid 16% Dairy Ration  Milk Maid 20% Dairy Ration	Lebanon	16.00	17.5	4.00	5.1	9.00	8.8		
	Milk Maid 20% Dairy Ration	Berlin	20.00	21.2	4.00	5.2	9.00	8.1		
	Milk Maid Dri Fresh Ration	Lebanon Colebrook	13.00 14.00	18.8 15.8	4.00 3.00	4.8 4.4	10.00	8.6		
	Milk Maid Fitting Ration	Lebanon	14.00	17.6	3.00	3.9	9.00 9.00	8.9 9.2		
+	Milk Maid Sheep & Goat Feed	Berlin	16.00	20.6	3.00	3.4	9.00	6.0		
1	Milk Maid 14% Test Ration Milk Maid 18% Test Ration Park & Pollard Complete Grower	N. Haverhill	14.00	17.1	5.00	5.2	9.00	8.2		
	Milk Maid 18% Test Ration	Lancaster	18.00	19.3	5.00	5.0	9.00	7.2		
	Park & Pollard Complete Grower	Lebanon	15.00	16.6	3.00	3.5	5.50	5.5		
	Park & Pollard Complete Grower Medicated	Lebanon	15.00	18.8	3.00	3.8	5.50	5.4		
	Park & Pollard Complete Layer	Lebanon	15.00	16.8	3.00	4.0	5.50	6.3		
	Park and Pollard Complete Layer	Lebanon	15.00	15.3	3.00	4.8	5.50	6.9		
	P & P 16% Dairy	Salem Depot	16.00	18.7	4.00	5.4	10.00	8.1		
+	P & P 18% Dairy	Lancaster	18.00	19.2	4.00	4.8	10.00	8.8		
	P & P 20% Dairy	Lancaster	20.00	21.9	4.00	5.6	10.00	7.8		
	P & P Fitting Ration	N. Haverhill	14.00	14.0	3.00	3.6	11.00	10.0		
	Park & Pollard Go-Tu-It Pig Grow-	Colebrook	14.00	14.8	3.50	3.2	7.00	4.5		
1.	er Pellets	Colebrook	16.00	19.4	3.00	4.5	6.00	1.3		
	Park & Pollard Growing Feed	Plymouth	18.00	17.3	3.00	4.3	6.00	5.8		
	Park & Pollard Hi-Speed Horse	,								
	Feed	Plymouth	12.00	11.5	3.00	3.6	9.00	6.5		
+	P & P Histostat Mixture in Hi-	· '								
	Prime Turkey Grower	Plymouth	22.00	22.9	3.50	3.1	3.50	3.6		
	Park & Pollard Laying Mash	Newport	20.00	20.0	3.00	4.0	6.00	4.9		
	Park & Pollard Laying Mash	Newport	20.00	19.6	3.00	3.5	6.00	4.6		
	Park & Pollard Laying Mash	Newport	20.00	18.2	3.00	3.8	6.00	5.5		
	Park & Pollard Laying Mash	Newport	20.00 20.00	20.9 20.4	3.00 3.00	4.1 3.5	6.00 6.00	5.9 5.3		
	Park & Pollard Laying Mash Park & Pollard Laying Mash	Newport Newport	20.00	20.4	3.00	3.6	6.00	5.3		
	Red Ribbon 16% Dairy Ration	Lancaster	16.00	18.1	3.00	3.0	12.00	11.4		
	Super Hi-Power 22% Broiler Ration					× 6	2.61			
	Medicated	N. Haverhill	22.00	20.0	4.50	5.3	3.00	2.5		

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled. (F) Sampled at a Farm.

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

Manufacturar		Pounds in 100 lbs. of Feedingstuff									
Manufacturer		Protein		Fat		Crude Fiber					
Brand	Sampled in	Guar-   anteed*	Found	Guar- anteed*	Found	Guar-   anteed*	Found				
George H. Parker Grain Co. Danvers, Mass. Bill McHugh's Horse Feed with Vitamins & Minerals Added	Salem Depot	12.00	12.0	3,00	3.5	10.00	8.3				
Parrish & Heimbecker Ltd. Ontario, Canada †Brewers Dried Grains	Concord	24.00	25.2	7.00	6.6	18.50	14.9				
Pasco Packing Co. Dade City, Fla. Sugar-Sweet Citrus Pulp	W. Lebanon	6.00	6.7	3.00	2.6	13.50	10.4				
Penick & Ford Ltd. Cedar Rapids, Iowa Douglas Corn Gluten Meal	Manchester	41.00	49.6	1.50	1.7	6.00	3.7				
Pierce Grain Corp. Buffalo, N. Y. (F)Pierce Special 16% Dairy Feed (F)Reliance Coarse Calf Meal (F)16 Reliance Dairy Ration (F)20 Reliance Dairy Ration (F)20 Reliance Dairy Ration (F)Superior Complete Laying Mash (F)Superior Fitting Ration	Colebrook Colebrook	16.00 20.00 16.00 20.00 16.00 14.00	16.8 21.7 17.5 20.7 19.3 16.00	3.50 3.00 3.50 3.00 3.50 3.50	3.5 3.2 3.6 3.0 3.3 3.5	8.50 8.00 9.00 9.00 8.25 9.00	7.8 7.0 7.9 7.6 3.0 8.3				
R. C. Pratt & Co. Ltd. Toronto, Canada †Ruler Brand Pure Wheat Shorts	Manchester	15.00	17.3	3.50	6.0	10.50	8.5				
Post Div. General Foods Corp. Battle Creek, Mich. Mixed Cereal Feed	Manchester	10.00	8.3	1.50	1.6	i.00	2.8				
Presto Grain Co., Inc. Claremont, N. H.	Claremont	90.00	17.0	2.00	9.0						
Presto 20% Dairy Feed Presto 16% Dairy Ration Presto 16% Dairy Ration Presto 16% Dairy Ration Presto 16% Dairy Ration Presto 20% Dairy Ration Presto 20% Dairy Ration Presto 20% Dairy Ration	Claremont Claremont Claremont	20.00 16.00 16.00 16.00 16.00 16.00 20.00 20.00	17.8 14.6 16.6 18.4 17.2 16.8 19.1 23.4	3.00 3.00 3.00 3.00 3.00 3.00 3.00 3.00	3.0 3.2 3.0 4.3 3.4 4.4 3.1 4.0	9.00 9.00 9.00 9.00 9.00 9.00 9.00 9.00	6.4 7.2 6.9 6.5 6.8 6.8 6.3 6.4				
Presto 20% Dairy Ration Presto 20% Dairy Ration Presto 20% Dairy Ration Presto Fitting Ration Presto Fitting Ration Presto Fitting Ration Presto Fitting Ration	Claremont Claremont Claremont Claremont Claremont Claremont	20.00 20.00 14.00 14.00 14.00 14.00	20.9¢ 19.1 14.0 17.4 17.1 16.0	3.00 3.00 3.00 3.00 3.00 3.00 3.00	3.4 3.9 3.1 2.8 4.7 4.0	9.00 9.00 9.00 9.00 9.00 9.00	6.7 7.4 7.1 7.0 6.0 6.1				
Presto High Energy All Mash Grower †Presto High Energy All Mash Grower Presto High Energy All Mash Laver	Claremont	16.00 16.00 16.00	17.0 17.4 17.7	3.50 3.50 3.50	3.8 4.0 4.0	4.50 4.50 4.50	4.3 4.7 4.3				
	Presto High Energy All Mash Layer Claremont 16.00 17.7 3.50 4.0 4.50 4.3  *Protein and fat not less than, crude fiber not more than.										

<sup>\*\*</sup>Sampled from Bulk Shipments †Not registered when sampled, (F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff						
Brand	Complet in	Protein		Fat		Crude Fiber		
	Sampled in	Guar-   antced*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found	
Presto Grain Co. (Continued)								
(F)**Presto High Energy All Mash								
Layer	Claremont	16.00	17.1	3.50	4.0	4.50	4.1	
(F)**Presto High Energy All Mash								
Layer	Claremont	16.00	16.9	3.50	3.7	4.50	4.6	
Presto Pig Grower	Claremont	14.00	14.0	3.50	3.5	7.00	7.0	
Presto Pig Grower	Claremont	14.00	14.8	3.50	3.8	7.00	7.0	
Ouaker Oats Co.								
Peterborough, Ontario, Canada								
†Bell Cow Wheat Bran	Keene	15.00	15.7	3.50	1.6	11.50	11.0	
Peterborough Oat Mill By-Product	Claremont	2.50	3.4	00.1	1.3	32.00	32.0	
Ouches Sugar Definery								
Quebec Sugar Refinery St. Hilaire, P.Q., Canada								
†Dried Beet Pulp with Molasses	Lisbon	7.00	8.9	0.30	0.7	22.50	18,5	
Dried Beet Turp with Molasses	Elsbon	7.00	0.5	0.00	0.7	44,00	10,0	
Ralston Purina Co.								
St. Louis, Mo.		10.00	200	0.40				
Purina B & M Cow Chow	Concord	16.00	16.0	2.50	2.7	10.00	5.7	
Purina Broiler Chow Finisher (E)	Nachus	90.00	90.4	150	F 0	9.00	0.0	
3 NC (Medicated)	Nashua	20.00	20.4	4.50	5.8	3.00	2.8	
Purina Broiler Chow Finisher (E) 3 NC No. 2 Medicated	Nashua	23.00	23.0	8.00	9.5	3.00	2.4	
Purina Broiler Chow Starter (E)	1 144.011444	40.00	4010	0.00	5.0	0.00	44.1	
3 NC	Concord	26.00	26.9	8.00	9.6	4.00	3.8	
Purina Bulky Las	Lebanon	10.00	10.0	1.50	1.3	15.00	14.9	
Purina Chick Growena E	Concord	17.00	19.1	3.00	-1.7	7.00	4.9	
Purina Chick Growena NC Medi-		1 M 00	150	0.00	4.0	= 00		
cated	Nashua	17.00	17.2	3.00	4.0	7.00	4.9	
Purina Chicken Fatena Checkers E	Nashua	14.00 16.00	14.0 17.0	$\frac{3.00}{2.50}$	3.1 3.8	$7.00 \\ 8.00$	4.0 6.6	
Purina Cow Chow D 16%	Nashua Nashua	12.50	12.2	2.50	3.9	11.00	5.1	
Purina D & F Chow			17.3					
Purina Layena (Complete Ration) E	Lancaster	16.50	17.3	3.50	5.4	4.50	3.7	
(F)**Purina Layena (Complete Ration)	Concord	16.50	17.6	3.50	5.0	4.50	4.0	
Purina Medicated Chek-R-Aid E	Nashua	20.00	20.7	4.50	5.7	4.50	3.9	
Purina Milk Chow D 16%	Nashua	16.00	17.1	2.50	4.3	10.00	4.7	
Purina Omolene	Salem Depot	10.00	10.1	3.00	3.8	9.00	7.2	
Purina Poultry Booster Chow E	Nashua	24.00	25.6	2.50	3.9	8.00	5.6	
Purina Pullet Developer E	Lebanon	13.00	14.8	2.50	4.6	8.00	6.0	
Purina Pullet Developer (E) NC								
Medicated	Nashua	13.00	13.5	2.50	1.1	8.00	5.8	
Purina Rabbit Chow Checkers (Com-		15.00	14.0	0.00	0.0	10.00	15.1	
plete Ration) E	Nashua	15.00	14.9 17.6	2.00 1.00	2.8 5.5	18.00 6.50	15.1 3.8	
Purina Roaster Chow E	Nashua	17.00	17.0	1,00	5.5	0.50	0.0	
Purina Roaster Chow NC No. 2	Nashua	17.00	17.2	1.00	5.6	6.50	3.8	
Medicated Purina Super Chick Startena 3 NC	ivasiida	17,00	1714		010	0100	010	
Medicated	Nashua	23.00	23.3	1.50	5.3	1.00	3.0	
Purina Trout Chow	Nashua	25.00	29.4	1.00	3.8	3.50	2.8	
Purina Turkey Breeder Layena (E)								
HS (Medicated)	Nashua	18.00	18.0	3.00	5.1	6.50	2.7	
Purina Turkey Fatena (E) HS Med-	C1	15.50	146	150	5.0	5.00	3.6	
icated	Concord	15.50	14.6	4.50	5.6	5.00	9.0	

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

1	т т		· 100 11.	- C T-	- 1° 0	c
Sampled in					Crude Fibe	
1	auteed*	Found	anteed*	Found	anteed*	Found
Manchester Lebanon Nashua	12.50 12.50 20.00	12.9 13.8 20.8	4.50 4.50 4.50	6.0 5.8 5.3	4.50 4.50 6.00	3.5 3.5 4.8
Concord	45.00	44.4	8.00	11.2	0.00	0.0
Derry	14.00	14.4	3.50	3.8	8.00	4.0
Colebrook	14.00	15.8	3.50	4.4	11.50	11.4
Salem Depot Lancaster	14.50 15.00	18.0 16.2	4.00 4.00	4.7 5.0	11.00 9.50	10.7 8.1
Keene	9.50	10.8	2.00	2.2	14.00	11.9
Keene	26.00	27.0	6.00	7.5	15.00	12.9
Colebrook	6.00	6.7	3.00	5.3	15.00	14.7
Concord	13.00	16.7	2.00	3.2	15.00	12.7
Manchester	16.00	18.3	3.00	4.7	4.50	3.7 3.4 3.9
						16.5
Claremont	6.00	6.1	3.50	4.4	17.00	16.4
Lancaster	16.00	16.9	3.00	2.6	9.00	7.4
	Lebanon Nashua  Concord  Derry  Colebrook  Salem Depot Lancaster  Keene  Colebrook  Concord  Manchester Manchester Manchester Lebanon Claremont	Nampled in   Protect	Nampled in   Protein   Guar- anteed*   Found	Protein   Fa   Guar- auteed*   Found   Found	Protein   Fat   Guar- anteed*   Found   Found   Guar- anteed*   Found   Guar- anteed*   Found   Sampled in   Found   Guar- anteed*   Found   Found   Guar- anteed*   Found   Guar- anteed*   Found   Guar- anteed*   Found   Found	Sampled in anteed*         Guar- anteed*         Found anteed*         Guar- anteed*         Found anteed*         Guar- anteed*         Guar- anteed*           Manchester Lebanon 12.50 13.8 4.50 5.8 4.50 Nashua         12.50 13.8 4.50 5.8 4.50 5.3 6.00           Concord 45.00 44.4 8.00 11.2 0.00           Derry 14.00 14.4 3.50 3.8 8.00           Colebrook 14.00 15.8 3.50 4.4 11.50           Salem Depot Lancaster 15.00 16.2 4.00 5.0 9.50           Keene 9.50 10.8 2.00 2.2 14.00           Keene 26.00 27.0 6.00 7.5 15.00           Colebrook 13.00 16.7 2.00 3.2 15.00           Manchester 16.00 18.3 3.00 4.7 4.50 Manchester 16.00 17.3 3.00 3.8 4.50           Lebanon 6.00 6.3 3.50 3.9 17.00 Claremont 6.00 6.1 3.50 4.4 17.00           Lancaster 16.00 16.9 3.00 2.6 9.00

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

	Manufacturum		Pounds in 100 lbs. of Feeding					agstuff		
	Manufacturer		Protein		Fat		Crude	Fiber		
	Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar- anteed*	Found		
F	B. Spaulding Co. (Continued)									
-	Pilot 18% Dairy Ration	Lancaster	18.00	17.0	3.00	2.5	9.00	7.6		
	Provender	Lancaster	10.00	10.1	3.50	3.8	9.00	5.8		
	"Real" Hog Grower & Fattener	Lancaster	14.00	14.9	3.50	3.6	5.50	3.9		
	Spaulding's 16% Dairy Ration	Lancaster	16.00	16.6	3.00	3.6	9.00	8.0		
	Spualding's 20% Dairy Ration	Lancaster	20.00 12.00	21.0	2.75 3.25	$\frac{3.6}{3.7}$	9.00 9.00	8.1 7.6		
	Spaulding's Fitting Ration Spaulding's Horse Feed	Lancaster Lancaster	10.00	12.0	3.25	3.9	9.00	7.0		
	. E. Staley Manufacturing Co. ecatur, Ill.									
-	"Staley's" 21% Corn Gluten Feed	Potter Place	21.00	22.3	1.50	2.3	8.00	8.9		
	"Staley's" 21% Corn Gluten Feed Staley's 44% Protein Solvent Ex-									
	tracted Sovbean Oil Meal	Potter Place	44.00	47.4	0.50	0.6	7.00	4.7		
	"Sweetone" Feeding Cane Molasses	Datter Dlace	E E0	6.0	0.15	0.2	14.00	14.0		
	Dried on Soybean Millfeed	Potter Place	5.50	0.0	0.13	0.4	11.00	11.0		
	ındale Dairy, Inc.									
	linesburg, Vt.	Keene	12.00	13.3	0.00	0.0	0.50	0.1		
	Sweet-Whey-Powder Sweet-Whey-Powder	Manchester	12.00	11.1	0.00	0.0	0.50	0.1		
١.	Sweet-Whey-Powder	Manchester	12.00	11.1	0.00	0.0	0.50	0.1		
		***************************************			-					
	uni Citrus Prods. Co. Iaines City, Fla.									
ľ	Suni-Citrolas Pellets	Manchester	6.25	6.8	2.50	1.7	15.75	13.2		
							•			
	wift & Co. hicago, Ill.									
ľ	Swifts 44% Soybean Oil Meal	Concord	44.00	45.3	0.50	0.7	7.00	5.8		
	**									
	oledo Alfalfa Mills ast Toledo									
	Vit-A-Green Supreme	Manchester	17.00	19.2	1.75	2.4	27.00	23.3		
1										
	Trico Feed Mills Linden, Nebraska									
	Trico Dehydrated Alfalfa Meal	Manchester	17.00	19.0	1.50	3.3	27.00	23.7		
II.	Inited Coop Formers Inc									
F	Inited Coop. Farmers, Inc. itchburg, Mass.									
l	F)**(Hi-NRG) All Mash Grower and			** 0	F 00	5.4	5.00	4.1		
ı.	Laver	New Ipswich	15.50	15.8 17.0	$\frac{5.00}{3.50}$	4.0	9.00	6.9		
(	F)UCF 16% Dairy	New Ipswich	16.00 11.00	12.9	2.50	3.3	12.00	12.7		
(.	F)UCF Dry & Freshening Ration F)UCF Fitting Ration		14.00	14.2	3.50	4.0	9.00	7.1		
II.	·									
	Juity Grist Mill									
	. Manchester F)**Breeder Mash	Derry	20.00	20.8	3.00	3.8	6.00	5.2		
1	Broiler Maker Medicated	Manchester	20.00	21.5	4.00	6.4	3.50	2.6 2.4		
1	Broiler Maker Medicated	Manchester	22.00	21.4	_	6.0	3.50	9.0		
1	Complete Rabbit Pellets	Manchester	16.00	17.6		3.9 4.1	20.00 6.00	9.0 5.5		
1	Growing and Laying Mash	Manchester	20.00 16.00	20.1 17.2	3.00 3.00	5.2	1.00	4.2		
1	F)**Hi Energy Breeder Mash	Derry	10.00	17.4	5.00	0.4				
1	*Protein and fat not less than, crude fiber 1 **Sampled from Bulk Shipments. †Not registered when sampled.	not more than.								
1	(F)Sampled at a Farm.									

TABLE II - ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS - Continued

	1	1 1	Pounde	in 100 lb	e of Fo	odinostufi	:	
Manufacturer				s in 100 lbs. of Feedingstuff				
Brand	Sampled in	Pro	tein	Fa		Crude	Fiber	
	1	Guar-   anteed*	Found	Guar- anteed*	Found	Guar-   anteed*	Found	
Unity Grist Mill (Continued)								
(F)**Hi Energy Growing & Laying								
Mash	New Ipswich	15.00	15.8	4.00	4.2	4.00	4.0	
High Energy Growing and Laying		1 4 00	100	4.00		4.00	4.0	
Mash	Manchester	15.00	16.8 16.6	4.00 4.50	5.4 5.1	4.00	4.2 2.8	
†Roaster Maker Pellets, Medicated Trim Medicated	Manchester Manchester	15.00 15.50	16.1	3.00	4.6	3.50 6.0 <b>0</b>	5.2	
(F)Turkey and Game Bird Growing	Manchester	10.00	1011	0.00	1.0	0.00	0.4	
Mash	Brentwood	20.00	21.0	3.00	4.2	5.00	5.0	
Unity Booster-Etts Oxytetracycline								
Mixture		15.00	16.4	2.00	4.9	4.00	4.2	
**Unity 16% Dairy		16.00	19.1 17.4	3.50 3.50	3.8	9.00	7.4	
(F)**Unity 16% Dairy (F)**Unity 20% Dairy		16.00 20.00	18.1	3.50	$\frac{3.6}{3.5}$	9.00 9.00	7.7 8.4	
(F)**Unity 20% Dairy Feed		20.00	22.2	3.50	3.4	9.00	7.6	
**Unity Feed, Dairy & Fitting Ration	Contoccook	14.00	19.1	3.50	3.6	9.00	6.3	
(F)**Unity Feeds 16% Dairy Ration	Hillsboro	16.00	17.8	3.50	3.8	9.00	7.6	
(F)**Unity Feeds 16% Dairy Ration	Concord	16.00	16.5	3.50	3.2	9.00	6.8	
(F)**Unity Feeds 16% Dairy Ration	Deerfield	16.00	17.5	3.50	3.6	9.00	7.0	
(F)**Unity Feed 20% Dairy Ration	Brentwood	20.00	22.3	3.50	2.8	9.00	7.4	
(F)**Unity Feeds Super Starter Medi-								
cated		20.00	20.1	3.00	4.0	4.00	3.9	
Unity Grist Mill, 4-Way Mash		15.00	15.0	3.50	4.2	7.00	6.2	
(F)Unity Improved Calf Ration (F)Unity Super Starter, Medicated		20.00 20.00	19.6 20.6	$\frac{3.50}{3.00}$	3.9 3.8	6.00 4.00	5.9	
(F)Unity Turkey & Game Bird Super	Manchester	40.00	40.0	5.00	3.0	4.00	3.5	
	Brentwood	28.00	28.0	3.00	4.2	4.00	4.6	
Universal Cusin Co. of N. Y.								
Universal Grain Co. of N. J. Newark, N. J.								
†Superior Cow Brand Dried Brewers								
Grains	Concord	26.00	31.1	6.00	5.5	17.00	12.1	
H. K. Webster Co. Lawrence, Mass.								
Blue Seal Advance Broiler Medi-								
cated	Goffstown	22.00	23.6	5.00	5.3	3.50	3.2	
(F)**Blue Seal All Mash Breeders Ra-								
Plus Cool All Mark For Davis	Epsom	16.00	16.4	3.50	3.8	3.50	2.4	
Blue Seal All-Mash Egg Ration Blue Seal All-Mash Grow & Lay	Laconia	16.00	17.0	3.00	3.7	3.50	3.0	
Blue Seal All-Mash Growing Ration	Goffstown Nashua	16.00 16.00	16.6 16.9	$\frac{3.00}{3.00}$	4.2 3.8	4.50 3.50	4.3 3.1	
Blue Seal All-Mash Growing Ration	Concord	16.00	15.8	3.00	4.0	4.00	3.0	
Blue Seal Coarse 16 Dairy Ration	Laconia	16.00	17.2	3.50	4.4	9.00	8.5	
Blue Seal Coarse 20 Dairy Ration		20.00	20.0	3.50	4.2	9.00	7.7	
(F)**Blue Seal 16% Dairy Ration	Bedford	16.00	16.8	3.50	4.3	9.00	8.2	
Blue Seal Economizer "16" Dairy Ration	Colebrook	16.00	16.4	9.50	9 9	15.00	191	
Blue Seal Egg Mash	Pittsfield	$\frac{16.00}{20.00}$	16.4 20.5	$\frac{2.50}{3.50}$	3.3 3.7	15.00 6.00	13.1 3.9	
Blue Seal Fitting Ration	Laconia	14.00	14.7	3.50	4.5	9.00	8.0	
(F)Blue Seal Fitting Ration	Grasmere	14.00	15.0	3.50	4.1	9.00	8.1	
(F)Blue Seal Flaked 15	Stewartstown	15.00	15.4	3.00	3.6	9.00	7.2	
Blue Seal Flaked 15		15.00	16.8	3.00	3.7	9.00	7.0	
*Protein and fat not less than crude fiber n	ot more than							

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. \*\*Sampled from Bulk Shipments. †Not registered when sampled. (F) Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

ŀ					. 100 "	6.5	11	
	Manufacturer		P	ounds	in 100 lb:	s. of Fe	edingstull	
	Door d	Protein		ein	Fa	ıt	Crude	Fiber
L	Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found
Į	H. K. Webster Co. (Continued)							
*	Blue Seal Furazolidone Chlortetra-							
ı	cycine Mixture in NFA	Concord	20.00	20.7	3.00	3.8	4.00	3.2
ı	Blue Seal Growing Mash		18.00	18.4	3.50	3.8	6.00	3.7
١.	Blue Seal Horse Feed	Concord	10.00	10.3	3.00	3.5	9.00	5.9
1	Blue Seal Nicarbazin Mixture Incor-		00.00	00.0	4.00	4.0	0 50	0 =
ı	porated in Chick Starter	Concord	20.00	20.9 16.4	$\frac{4.00}{4.00}$	4.2 4.7	3.50 6.00	$\frac{3.5}{4.5}$
ı	Blue Seal Pig Feed (Pollets)		15.00 15.00	17.1	4.00	5.0	6.00	4.8
ı	Blue Seal Pig Feed (Pellets) Blue Seal Standard 16 Dairy Ration		16.00	17.3	3.50	4.0	9.00	8.4
ı	Blue Seal Standard 20 Dairy Ration	Pittsfield	20.00	21.1	3.50	4.2	9.00	8.0
ı	Blue Scal Standard 14 Dry Cow Fit-							
ı	ting Ration	Lisbon	14.00	16.5	3.50	4.3	9.00	8.4
(	F)Blue Seal Succulent Feed and Calv-						1000	1
	ing Ration	Stewartstown	12.00	14.3	2.00	2.2	16.00	15.6
ı	Blue Seal Succulent Feed and Calv-		10.00	10.5	0.00	0.0	10.00	15.0
ı	ing Ration	Lisbon	12.00	12.5 20.7	2.00 3.00	2.0 3.3	16.00 4.00	15.2 3.2
N.	+Blue Seal Sulfaquinoxaline Mixture	Concord	20.00 20.00	19.6	4.00	4.3	3.50	2.9
(	F)Blue Seal Super Breeders Mash	Manchester Goffstown	18.00	18.6	3.50	4.5	9.00	7.8
ı	Blue Seal Test Ration	Nashua	20.00	21.0	4.50	4.8	4.00	3.3
ı	Bille Scal Turkey Growing	1 141011444	40.00					
ľ	Weston Mills, Inc.							
	Weston, Ohio							
ı	†Westco 17% Dehydrated Alfalfa	C 1	17.00	16.7	1.50	2.6	27.00	24.6
ı	Meal	Concora	17.00	10.7	1.50	4.0	47.00	41.0
ŀ	Г. E. White Co.							
	Fort Wayne, Indiana							0.1.0
۱	+Dehydrated Alfalfa Meal	Manchester	17.00	17.4	2.00	3.0	27.00	24.8
I.								
	Sherwin Williams Cleveland, Ohio							
ľ	Sherwin Williams 34% Linseed Oil							
1	Meal Meal	Concord	34.00	36.1	0.50	0.9	10.00	9.3
ı								
	Winslow Feed Co. Inc.							
ľ	Concord, N. H.	Concord	22.00	23.1	3.50	5.2	6.00	5.3
ı	Big W Breeder Big W Fore-Runner (Medicated)		20.00	21.4	3.50	4.5	4.50	4.5
1	Big W Grower-Layer		20.00	22.8	3.50	5.1	7.00	5.7
1	Big W Hi-Efficiency Breeder		16.00	17.0	3.50	4.6	4.00	4.I
ı	Big W Hi-Ef Grower Layer		16.00	17.0	3.50	4.7	4.50	1.3
ı	Big W S-F Mash	Concord	15.00	17.6	3.00	4.7	6.00	5.1
ı	Winslows Coarse 18 Dairy		18.00	17.1	3.50	3.8	10.00	7.2
1								
	Wirthmore Feed Co. Concord, N. H.							
1	High Energy Grower & Layer	Concord	16.00	16.2	3.00	4.4	1.50	4.0
1	Hygrade Chick Starter (Medicated)		20.00	21.1	3.00	4.8	6.50	5.7
1	(F)**Hygrade Complete Breeder	Concord	16.00	16.6	3.50	5.2	6.50	1.9
н	F)**Hygrade Complete Grower Layer	Concord	16.00	17.2	3.50	4.1	6.50	4.8 8.8
	F)**Hygrade 16% Dairy F)Hygrade 16% Dairy	Contoocook	16.00	16.6		4.3 3.6	9.00 9.00	7.0
1	(F)Hygrade 16% Dairy	Manchester	16.00 16.00	16.3 18.3		4.4	9.00	7.9
	Hygrade 16% Dairy	Concord	10.00	10.0	2.50	1.1	5100	
Ш	*D and for not less than crude fiber a	not more than.						

<sup>\*</sup>Protein and fat not less than, crude fiber not more than.
\*\*Sampled from Bulk Shipments.
†Not registered when sampled.
(F)Sampled at a Farm.

TABLE II — ANALYSIS OF MIXED FEEDS AND FEED INGREDIENTS — Continued

Manufacturer		Pounds in 100 lbs. of Feedingstuff							
		Protein		Fat		Crude Fiber			
Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found		
Wirthmore Feed Co. (Continued)									
(F)**Hygrade 14% Fitting Ration	Laconia	14.00	14.7	3.50	4.5	9.00	8.0		
(F)**Hygrade 14% Fitting Ration		14.00	14.6	3.50	4.0	9.00	7.3		
Hygrade 14% Fitting Ration	Concord	14.00	15.0	3.50	3.8	9.00	7.7		
Hygrade 14% Fitting Ration	Concord	14.00	14.9	3.50	3.9	9.00	7.1		
Hygrade 14% Fitting Ration	Concord	14.00	14.9	3.50	3.9	9.00	7.2		
(F)**Hygrade High Energy Grower									
and Layer	Claremont	16.00	17.2	3.00	4.6	4.50	3.2		
Hygrade High Energy Grower &									
Layer	Manchester	16.00	17.6	3.00	4.3	4.50	3.8		
Hygrade Pig Feed	Concord	17.00	18.3	3.50	4.3	6.50	5.4		
Hygrade Pig & Sow Feed	Manchester	17.00	17.8	3.50	4.6	6.50	5.0		
Hygrade Pig and Sow Feed	Concord	17.00	17.1	3.50	4.7	6.50	5.6		
Yieldmor Feeds Inc. Piqua, Ohio †Yieldmor 23% Finishing Feed Medi-									
tyieldmor 24% Super Broiler Medi-	Derry	23.00	25.7	7.50	7.6	3.50	4.0		
cated B-34	Milford	24.00	24.4	6.50	7.3	4.00	3.1		
†Yieldmor 20% Super Finisher Medicated F-2	Milford	20.00	21.8	8.00	7.7	3.50	2.7		

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. \*\*Sampled from Bulk Shipments. †Not registered when sampled. (F) Sampled at a Farm.

## TABLE III — CAT AND DOG FOODS

1						-				
	Maunfacturer		Pounds in 100 lbs. of Feedingstuff							
	Brand	Sampled in	Prot	ein	Fa	t	Crude	Fiber		
I	Brand	Sampled III	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found		
	Albers Milling Co. Los Angeles, Calif. †Friskies Dog Food	Manchester	10.00	10.3	2.50	3.5	1.00	0.6		
	Allen Products Co. Allentown, Pa. Al-Po Dog Food—Beef & Beef By- Products	Meredith	13.50	14.8	5.00	19.3	1.50	0.4		
١	Al-Po Dog Food Horsemeat & Horsemeat By Products	New London	14.50	16.2	2.00	5.8	1.50	0.2		
	Armour & Co. Chicago, Ill. Armour Dash Dog Food	Keene	10.00	10.9	2.50	3.0	1.00	0.6		
	Calo Dog Food Co. Oakland, Calif. Calo Cat Food Calo Dog Food Calo Horsemeat for Dogs & Cats	Bristol New London Concord	10.00 10.00 15.00	10.0 9.8 15.5	3.00 3.00 6.00	3.3 5.0 8.4	1.00 1.00 1.00	0.7 0.7 0.2		
	Consolidated Foods Inc. Nashua, N. H. †Friendly Dog & Cat Food Spunky Cat Food Spunky Dog Food	New London	8.00 15.00 10.00	7.9 17.6 10.6	1.00 0.25 2.00	1.3 1.3 1.7	2.00 1.00 1.50	1.1 0.1 1.5		
	Corn Products Sales Co. N. Y. 4, N. Y. Kasco Complete Dog Food	Plymouth	25.00	26.8	8.00	12.5	4.00	2.4		
	Deep Run Packing Co. Dublin, Pa. Big Bet Dog Food Big Bet Ration Dog Food	Nashua Barrington	15.00 10.00	13.8	- 6.00 3.00	10.2	1.50 1.50	0.2 1.3		
	Delham Food Products Co. Brighton, Mass. Kims 100% Horsemeat Dog Food	Manchester	16.00	16.8	5.00	7.9	0.05	0.2		
The Person Name of Street, or other Person Name of Street, or	Dog Food Assoc., Div. Thrivo Co. Inc. Phila. 23, Pa. Scamp Dog Food	Hopkinton	8.00	7.8	1.50	0.8	1.50	1.1		
The second lives in which the real	Doyle Packing Co. Los Angeles, Calif. Strongheart Dog Food		8.00	8.8	2.00	2.6	1.50	1.2		
	Horsemeat	Newport	15.00	15.6	4.00	12.3	1.50	0.3		
1000	Eastern States Farmers Exchange, Inc. W. Springfield, Mass. Eastern States Dog Feed	Woodsville	24,00	24.1	6.00	7.2	3.50	3.2		
	Evans Industries Marion, Ind. †Better Bite Dog Food (Horsemeat) Bostonian Dog Food	Tilton Concord	14.00 10.00	13.7 <b>9.5</b>	4.00 2.00	6.7	0.50 1.50	0.4 0.7		

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled.

TABLE III — CAT AND DOG FOODS — Continued

Manufacturer		Pounds in 100 lbs. of Feeding					f
		Protein		Fa	ıt	Crude Fiber	
Brand	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found
Evans Industries (Continued) +Greyhound 100% Horsemeat & Gravy Dog Food +Prime Pet Food	Newport Manchester	15.00 8.00	15.7 8.9	3.50 2.00	7.4 2.8	1.00 1.50	0.4 0.6
Food Product Co. of America Chicago, Ill. Captain Dog Food—Horsemeat Dog House Dog & Cat Food	Newport Henniker	17.00 10.00	17.1 10.6	3.50 2.00	20.1 2.4	1.00 5.00	0.4 1.8
Foodland Inc. Cleveland, Ohio Mrs. Lanes Cat Food †Mrs. Lanes Cat Food †Mrs. Lanes Dog Food †Mrs. Lanes Dog and Cat Food	Nashua Canaan	13.00 17.00 8.00 14.00	17.2 17.0 10.6 16.5	0.50 0.50 2.00 2.00	0.5 0.9 3.3 4.7	0.10 1.00 1.50 0.70	0.04 0.1 1.5 0.4
Foster Canning Co. Napoleon, Ohio Snappy Dog Food	Dover	9.00	9.2	1.00	1.0	1.50	1.4
French Sardine Co. Terminal Island, Calif. †Nine Lives Pet Food	Manchester	22.50	24.8	3.00	2.7	1.00	0.1
General Foods Corp. Kankakee, Ill. Gaines Dog Menu AA Jack & Jill Cat Food New Jack & Jill Cat Food	Manchester	10.50 17.00 12.00	11.9 16.3 12.3	2.50 0.25 2.00	2.9 0.4 3.7	1.00 0.25 0.70	0.6 0.1 0.3
Hill Packing Co. Topeka, Kansas Hill's Special Pack 16% Protein		16.00	13.4	4.00	8.3	0.50	0.5
Hill's Dog Food Hill's Horsemeat & Meat By Products	Keene Rochester	12.00 16.00	12.0 17.6	5.00 4.00	6.6 5.6	1.00	0.6
†Hill's Special Pack 16% Protein for Dogs & Cats	Keene	16.00	13.8	4.00	5.0	0.50	0.5
Household Products Evanston, Ill. †Beau Dog Food	Woodsville	8.00	9.7	2.00	2.0	1.50	1.4
Irving Canning Co. Boston, Mass. Cop-E-Cat	Canaan	12.00	14.7	2.00	2.0	1.00	0.4
Kasco Mills Inc. Toledo, Ohio †Kasco Dog Ration (Canned)	Nashua	10.00	10.6	2.00	2.3	1.50	1.1
Laddieboy Dog Food Co. Glendale, L. I., N. Y. Laddieboy Dog Food — All Chicken Laddieboy Dog & Cat Food	Keene	10.00 8.00	12.6 8.6	3.00 2.00	13.9 2.6	1.50 1.50	0.4 1.0

TABLE III — CAT AND DOG FOODS — Continued

Protein

Manufacturer

Pounds in 100 lbs. of Feedingstuff

Fat

Crude Fiber

	Brand	Camulad in	Protein		Fat		Crude Fiber	
N	4	Sampled in	Guar-   anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found
	Marnat Packing Co.							
ı	Bennetsville, S. C.							
	†Big Time Dog Food Chopped Chick- en Parts	Nashua	10.00	19.8	5.00	19.4	1.00	0.2
ı	Massachusetts Canning Co.							01111
ı	Brighton, Mass.							
ı	Imp Cat Food	Boscawen	14.00	16.8	0.50	3.5	1.00	0.1
	Dog & Cat Food	Manchester	14.00	18.4	6.00	7.8	0.70	0.4
ı	Mr. Melody D.V.M. Assoc.							
H	Dublin, Bucks County, Pa.							
ı	†Dr. Melody Dog Food—Beef and	Canaan	10.00	11.6	4.00	4.6	1.00	1.3
1	Beef By-Product with Gravy	Canaan	12.00	11.5	6.00	12.1	1.50	0.3
ı	†Dr. Melody Dog Food — Horsemeat and Meat By-Products with Gravy	Canaan	12.00	14.0	6.00	9.5	1.50	0.3
ı	Dr. Melody Meat, Vegetable Kibbled	Cathan	14.00	11.0	0.00	5.0	1.50	0.3
l	Biscuit with Beef Liver and Beef Broth Dog Food	Canaan	10.00	11.4	6.00	3.7	1.50	1.1
ı		Canaan	10.00	11.1	0.00		1.50	1.1
١	S. E. Mighton Co. Bedford, Ohio							
ı	+Valor Cat Food	Nashua	10.00	11.2	3.00	5.6	1.00	1.0
ı	†Valor Dog Food	Lakeport	10.00	11.1	2.00	2.8	1.00	1.0
	John Morrell & Co. Chicago, Ill.							
ı	+Morrell Red Heart Dog Food-Beef							
ı	†Morrell Red Hunt Dog Food—Fish	Meredith	10.50	10.8	2.50	3.6	1.00	0.7
ı	Flavor	Sunapee	10.50	11.3	2.50	3.2	1.00	0.7
ł	National Packing Co.							
l	Boston, Mass.	m 111	10.00	10.0	0.00	4.0	* 00	0 #
ı	Kitty Snicker Cat Food	Franklin	10.00	10.2	2.00	4.8	1.00	0.5
ı	National Pet Foods Buffalo, N. Y.							
ı	†Kalico Kat Cat Food	Newport	12.00	12.5	4.00	2.0	1.00	0.7
ı	N. E. Store Service Corp.							
l	Worcester, Mass.	**	0.00	0.1	1.00	1.0	1 50	1.4
ı	Jumbo Dog Food	Keene	9.00	9.1	1.00	1.6	1.50	1.4
ı	Old Mother Hubbard Co.							
ı	Gloucester, Mass. Original Old Mother Hubbard Fish							
ı		Rochester	15.50	18.2	0.25	1.8	1.00	0.1
I	Orleans Canning Co.							
ı	Chicago, Ill. Orleans Dog Food	Lebanon	15.00	15.6	3.00	8.2	1.50	0.2
ı	*Protein and fat not less than, crude fiber n							
I	†Not registered when sampled.	0						
H								

## TABLE III — CAT AND DOG FOODS — Continued

Manufacturor		Pounds in 100 lbs. of Feedings					f
Manufacturer		Protein		Fat		Crude Fiber	
Brand	Sampled in	Guar- anteed*	Found	Guar-   anteed*	Found	Guar-   anteed*	Found
Perk Foods Co. Chicago 10, Ill. †Vets Dog Food	Manchester	10.00	10.1	2.00	2.3	1.50	1.1
S. S. Pierce Co. Boston, Mass. †S. S. Pierce Speak For It Cooked Pet Food	Concord	18.00	18.5	5.00	12.5	2.00	0.3
Quaker City Packing Co. Allentown, Pa. Quaker City Dog Food — Beef	Nashua	13.00	14.7	9.00	17.7	1.00	0.3
Quaker Oats Co. Chicago, III. Ken-L-Ration Puss'N Boots		10.00 12.00	11.1 12.5	4.00 2.00	6.0 7.6	1.00 1.50	0.5 0.8
Radio Foods Corp. Lawrence, Mass. †Radio Dog & Cat Food †Radio Dog & Cat Food		9.00 9.00	9.4 9.9	1.50 1.50	1.5 1.0	1.00 1.00	1.0 1.0
Re-Dan Packing Co. Ozone Park, L.I., N.Y. Cadet Dog Food	Bristol	8.00	9.3	2.00	3.8	1.50	1,1
Rival Packing Co. Chicago 32, ill. New Improved Rival Dog Food Rival Cat Food	,	11.50 12.00	11.1	2.50 2.00	2.5 1.9	1.00 1.50	1.0 1.1
Standard Brands Inc. N. Y. 32, N. Y. †Walter Kendall Hunt Club Dog Biscuit (five flavors) Walter Kendall Hunt Club Kennel		20.00	21.4	4.20	6.3	3.50	3.2
Pack Dog Biscuit	·	22.00	28.8	2.00	4.0	3.00	2.2
†Pard Beef Flavor Dog Food Timerson Canning Co. Fair Haven, New York		10.50	10.6	2.50	6.2	1.00	0.4
Flip Dog & Cat Food Timco Dog & Cat Food Timco Horsemeat Dog Food	Lebanon	8.00 12.00 16.00	11.0 13.1 16.6	2.50 2.50 2.50	2.7 4.8 6.5	1.50 1.25 0.50	1.4 1.0 0.5
Usen Canning Co. Boston, Mass. Tabby Cat Food	Rochester	16.00	17.6	0.30	0.6	0.30	0.1
Vimpex Foods Inc. Cambridge, Md. †Nice Kitty Cat Food †Smarty Dog Food  *Protein and fat not less than, crude fiber of the food t	Concord	10.00 10.00	15.0 11.2	2.00 2.00	7.0 2.9	1.00 1.50	0.2

## TABLE III - CAT AND DOG FOODS - Concluded

Manufacturer		Pounds in 100 lbs. of Feedingstuff						
	Sampled in	Protein		Fat		Crude Fiber		
Brand		Guar- anteed*	Found	Guar-   anteed*	Found	Guar- anteed*	Found	
Whiz Pet Food Co.								
Seattle, Wash. Kitty 100% Salmon Pet Food	Concord	15.00	11.0	2.00	8.3	0.25	0.1	
†Kitty 100% Salmon Pet Food	Manchester	15.00	11.2	2.00	8.1	0.25	0.1	
Wilson & Co. Chicago, Ill.								
Ideal Dog Food	Keene	10.00	11.9	2.00	3 ()	1.00	0.8	

<sup>\*</sup>Protein and fat not less than, crude fiber not more than. †Not registered when sampled.

The following products were unregistered with the New Hampshire Department of Agriculture at the time they were found exposed for sale, but samples were not drawn. (List supplied by the Feed Control Supervisor).

ALLIED MILLS, INC. Wayne Cage Layer

ARCHER-DANIELS-MIDLAND CO. 32% Protein Fat Fortified Linseed Oil Meal

BATTLE CREEK DOG FOOD CO. Millers Stew for Dogs & Cats Millers New Minute Meal

BEST FEED & FARM SUPPLIES Joy Dog Food

DEAN & LEE Pioneer Scratch Grains

Pathfinder Finishing Mash Pathfinder Complete Laying

ELMORE MILLING CO.
Elmore Complete Breeder Ration Medicated

FERNEAU GRAIN CO. Corn Distillers Dried Grains

HARPER FEED MILLS, INC.
Harco Dairy Dee Ration
Harco Milk Replacer
Harco Pork Ration
Harco Hi-Energy Complete Growing Ration

HOLLY SUGAR CORP.

Holly Dried Beet Pulp & Feeding Beet Molasses

LIFE DOG FOOD CO.
Life Dog Food

MARIANA SALES CO. White Mule Brand 41% Protein Solvent Extracted Cottonseed Meal

NORTHERN OHIO SUGAR CO. GW Dried Beet Pulp

PARK & POLLARD CO., INC. Lay or Bust Hi-Power Broiler Finisher

SHERWIN-WILLIAMS COMPANY Sherwin-Williams Screw Press 33% Linseed Oil Cake Meal CHICAGO, ILLINOIS 18-6-4

MINNEAPOLIS, MINN. 32-3.5-10

BATTLE CREEK, MICH. 8-2-1 24-4-3

WASHINGTON, PENNA. 26-7-5

HORSEHEADS, NEW YORK 10-2.5-4 18-3-7 17-3-6

ONEONTA, NEW YORK 16-3-5

BLANCHESTER, OHIO 26-8-14

WASHINGTON, PENNA. 12-3-15 25-3.5-2 14-3-7 16-3.5-4.5

COLORADO SPRINGS, COL. 8-.3-20

FALL RIVER, MASS. 14-6-4

MEMPHIS, TENN.


41-2-14

DENVER, COL. 8-0-22.5

BUFFALO, NEW YORK 18-3,5-3,5

CLEVELAND, OHIO

33-5.5-9











630.72 N532 no.426-450 DATE DUE

NOV 4 '64	
MAY 1 9 185	
Sept 29	
Sept 29	
	F32a

X \* . . .

.

e e

