



دانشگاه علوم پزشکی کرمان

دانشکده دندانپزشکی

پایان نامه:

جهت دریافت درجه دکترای دندانپزشکی

عنوان:

تعیین میزان سازگاری با سرطان در بیماران مبتلا به سرطان سرو گردن با استفاده از
پرسشنامه Cancer Coping Questionnaire (کرمان ۱۳۹۸-۱۳۹۹)

به راهنمایی اساتید ارجمند:

سرکار خانم دکترالهام عباس زاده

سرکار خانم دکتر مریم السادات هاشمی پور

پژوهش و نگارش:

نازنین رهباریان

شماره پایان نامه: ۱۲۱۳

سال تحصیلی: ۱۳۹۸-۱۳۹۹



Kerman University of Medical Sciences

Dental School

**A Thesis Submitted in Partial Fulfilment of the
Requirement for the Specialist Degree in General
Dentistry**

Title:

**Determining the degree of compatibility with treatment in patients
with head and neck cancers using cancer coping questionnaire
(kerman 2019-2020)**

Supervisors:

**Dr. Elham Abass Zadeh
Dr. Marymm Sadat Hashemi Pour**

**Submitted By:
Nazanin Rahbarian**

Thesis No:1213

Year: 2020

چکیده

هدف: در حال حاضر ابتلا به سرطان یکی از مسائل مهم در ایران و تمام دنیا می‌باشد در این بین سرطان‌های سر و گردن جزو شایع ترین سرطان‌ها در جهان می‌باشند. سازگاری با درمان سرطان فرآیندی مداوم و زمان بر است. میزان سازگاری در افراد مختلف یکسان نیست و در تمام موارد بر کیفیت زندگی بیماران تاثیر می‌گذارد. هدف از این مطالعه بررسی میزان سازگاری با درمان در بیماران مبتلا به سرطان‌های سر و گردن است.

مواد و روش کار: این مطالعه از نوع توصیفی تحلیلی بود. جامعه مورد مطالعه بیماران مراجعه کننده به بخش انکولوژی بیمارستان شفا و باهنر کرمان و بیمارستان امید اصفهان در سال ۱۳۹۸- ۱۳۹۹ بودند. جمع آوری داده‌ها به کمک پرسشنامه Cancer coping questionnaire انجام شد و به کمک نرم افزار آماری SPSS21 و ANOVA و T-test مورد تجزیه و تحلیل قرار گرفت.

یافته‌ها: میزان سازگاری افراد شرکت کننده در مطالعه برابر با $99/37 \pm 2/12$ بdst آمد. میزان سازگاری افراد به شکل معنی‌داری به نوع درمان و میزان درآمد آنها وابسته بود (به ترتیب $p=0.045$ و $p=0.032$). علاوه بر این نتایج نشان داد افزایش سن باعث کاهش میزان سازگاری فردی ($P=0.001$ و $B1=-0.112$ ، $B2=-0.049$) و بین فردی می‌شود ($P=0.001$ ، $B=0.161$) و بین فردی می‌شود ($P=0.001$ ، $B2=0.150$).

نتیجه‌گیری: با توجه به نتایج حاصله به نظر می‌رسد میزان سازگاری با درمان در افراد مبتلا به سرطان‌های سر و گردن در سطح پایینی قرار دارد. احتمالات‌های اقتصادی از سوی دولت و انجام

اقداماتی در جهت تشخیص بیماری در مراحل اولیه در ارتقاء کیفیت زندگی و سازگاری با درمان بیماران می‌تواند مؤثر باشد.

کلید واژه‌ها: سرطان‌های سر و گردن، سازگاری با درمان، کیفیت زندگی.

Abstract:

Introduction and goal: Currently, cancer is one of the most important issues in Iran and around the world. Among these, head and neck cancers are among the most common cancers in the world. Adaptation to cancer treatment is a continuous and time consuming process. The degree of adaptation is not the same in different people and in all cases affects the quality of life of patients. The aim of this study was to evaluate the extent of compatibility with treatment among patients with head and neck cancers.

Materials and methods: This study was a descriptive-analytical study. The study population was patients referred to the oncology ward of Shafa Hospital and Bahonar Hospital in Kerman and Omid Isfahan hospital in 2016-2017. Data collection using a questionnaire Cancer coping questionnaire was performed and analyzed using SPSS21, T-test and ANOVA statistical software

Results: The adjustment rate of the participants in the study was 2.99 ± 2.37 . The degree of adjustment was significantly dependent on the type of treatment and their income ($p = 0.032$ and $p = 0.045$, respectively) In addition, the results showed that increasing age reduces the rate of individual adjustment ($B1 = -0.112$ and $P = 0.001$) and interpersonal ($B2 = -0.049$ and $P = 0.001$) Increasing the duration of the disease also increases individual ($B = 0.161$, $P = 0.001$) and interpersonal adaptation ($P = 0.001$ $B2 = 0.150$)

Conclusion: According to the results, it seems that the level of adaptation to treatment in patients with head and neck cancers is low. Government financial support and measures to diagnose the disease in the early stages can be effective in improving the quality of life and adaptation to treatment of patients.

Keywords: Head and neck cancers, Adaptation to treatment, Quality of life.

فهرست مطالب

صفحه عنوان

۳ چکیده

۵ ABSTRACT:

فصل اول: مقدمه و اهداف

ERROR! BOOKMARK NOT DEFINED. ۱-۱- مقدمه

ERROR! BOOKMARK NOT DEFINED. ۱-۲- اهمیت تحقیق

ERROR! BOOKMARK NOT DEFINED. ۱-۳- هدف اصلی طرح

ERROR! BOOKMARK NOT DEFINED. ۱-۴- اهداف فرعی

ERROR! BOOKMARK NOT DEFINED. ۱-۵- هدف کاربردی

ERROR! BOOKMARK NOT DEFINED. ۱-۶- فرضیات

فصل دوم: مروری بر کتب و مقالات

ERROR! BOOKMARK NOT DEFINED. ۲-۱- سلطان‌های سر و گردن

ERROR! BOOKMARK NOT DEFINED. ۲-۲- اتیولوژی

ERROR! BOOKMARK NOT DEFINED. ۲-۳- علائم و نشانه‌ها

ERROR! BOOKMARK NOT DEFINED. ۲-۴- تشخیص

ERROR! BOOKMARK NOT DEFINED. ۲-۵- درمان

ERROR! BOOKMARK NOT DEFINED. ۲-۶- عوارض جانبی درمان

فصل سوم: روش اجرا

ERROR! BOOKMARK NOT DEFINED. ۱-۳- روش اجرا

فصل چهارم: یافته‌ها

ERROR! BOOKMARK NOT DEFINED. ۱-۴- یافته‌ها

فصل پنجم: بحث و نتیجه گیری

ERROR! BOOKMARK NOT DEFINED. ۱-۵- بحث

ERROR! BOOKMARK NOT DEFINED. ۲-۵- نتیجه گیری

منابع

پیوست ها

1. Simard E. P, Torre L. A, Jemal A. International trends in head and neck cancer incidence rates: Differences by country, sex and anatomic site. *Oral oncology*. 2014;50:387–403.
2. Elango J. K, Gangadharan P, Sumithra S, Kuriakose M. Trends of head and neck cancers in urban and rural India. *Asian Pacific Journal of Cancer Prevention*. 2006; 7:108.
3. Siegel R, Naishadham D, Jemal A. Cancer statistics, 2013. *CA: A cancer journal for clinicians*. 2013; 63:11–30.
4. Jayaraj R, Singh J, Baxi S, Ramamoorthi R, Thomas M. Trends in Incidence of Head and Neck Cancer in the Northern Territory, Australia, between 2007 and 2010. *APJCP*. 2014; 15:7753.
5. Douglas E, Peterson JA, Ambrosis D. Non surgical management of head and neck cancers patients. *Dent Clin of North Am* 1994; 38: 425-445.
6. Wood NK, Goaz PW. Differential diagnosis of oral and maxillofacial lesions. 5th ed, Mosby Com.1997; p. 587-593.
7. Lewelyn J, Mitchell R. Smoking, alcohol and oral cancer in south east Scotland: a 10 years Experience. *B J Oral Maxillofac Surg* 1998; 32: 146-152.
8. Richard CK, Jorada DM, Tom D. Oral squamous cell carcinoma: new insights. *Oral Pathol* 1997; 63:517-525.
- 9.Tesseroli de Siqueira JT, Nemr K, Rapaport A. Pain complaint as the first symptom of oral cancer: A descriptive study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006;102:56-61.
10. Vidhubala E, Latha, Ravikannan R, Mani CS, Karthikesh M. Coping preferences

of head and neck cancer patients – Indian context. Indian J Cancer 2006; 43:6-11.

11. Arunachalam D, Thirumoorthy A, Devi S, Thennarasu. Quality of life in cancer patients with disfigurement due to cancer and its treatments. Indian J Palliat Care 2011; 17:184-90.
12. Koopman CH, Angell K, Turner C, Kreshka MA, Donnelly P. Distress, coping, and social support among rural women recently diagnosed with primary breast cancer. Breast J 2001; 1: 25-33.
13. Kneier A, Rosenbaum E, Rosenbaum IR. Cancer coping strategies. www.Cancersupportivecare.com.
14. Kyngas H, Mikkon R, Nousiainen EN. Coping With the onset of cancer: coping strategies and resources of young people with cancer. European J cancer care 2000; 10: 6-11.
15. Hack TF, Degner LF. Coping responses following breast cancer diagnosis predict psychological adjustment three years later. Psychooncology. 2004;13:235-47.
16. Piko B. Gender differences and similarities in adolescents' ways of coping. The Psychological Record. 2001; 51:223-35.
17. Atef-Vahid MK, Nasr-Esfahani M, Esfeedvajani MS, Naji-Isfahani H, Shojaei MR, Masoumeh YM, et al. Quality of life, religious attitude and cancer coping in a sample of Iranian patients with cancer. J Res Med Sci. 2011; 1:928-37.
18. Gerami H, Kousha A, Aghajanpour S, Kazem Nejad E. A Report of relative frequency of head and neck tumors and respective factors in Guilan province. JOUR Guilan Uni Med Sci. 2015; 24 (93) :1-9.
19. Oropharyngeal Cancer Treatment (Adult) . National Cancer Institute. 22 Nov 2019. Retrieved 28 November 2019.

20. World Cancer Report 2014. World Health Organization. 2014. pp. Chapter 5.8. ISBN 978-9283204299.
21. Disease and Injury Incidence and Prevalence Collaborators (October 2016). Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study. *Lancet* 2015; 388: 1545–1602.
22. Mortality and Causes of Death Collaborators. Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015". *Lancet*. 2016;388 (10053): 1459–1544.
23. Head and Neck Cancers. NCI. March 29, 2017. Retrieved 17 September 2017.
24. Vigneswaran N, Williams MD. Epidemiologic trends in head and neck cancer and aids in diagnosis. *Oral Maxillofacial Surgery Clinics North America* 2014; 26:123–41.
25. SEER Stat Fact Sheets: Oral Cavity and Pharynx Cancer. SEER. April 2016. Archived from the original on 15 November 2016. Retrieved 29 September 2016.
26. Beyzadeoglu M, Ozyigit G, Selek U. Radiation Therapy for Head and Neck Cancers: A Case-Based Review. Springer. 2014; p. 18.
27. Andre K, Schraub S, Mercier M, Bontemps P. Role of alcohol and tobacco in the aetiology of head and neck cancer: a case-control study in the Doubs region of France. *European Journal of Cancer. Part B, Oral Oncology*. 1995; 31: 301–9.
28. Winn D. Smokeless tobacco and aerodigestive tract cancers: recent research directions. *The Biology and Prevention of Aerodigestive Tract Cancers. Adv Exp Med Biol.* Adv Exper Med Biol. 1992; 320. pp. 39–46.

29. Iribarren C, Tekawa IS, Sidney S, Friedman GD. Effect of cigar smoking on the risk of cardiovascular disease, chronic obstructive pulmonary disease, and cancer in men. *The New England Journal of Medicine*. 1999;340: 1773–80.
30. Suzuki T, Harashima H, Kamiya H. Effects of base excision repair proteins on mutagenesis by 8-oxo-7,8-dihydroguanine (8-hydroxyguanine) paired with cytosine and adenine. *DNA Repair*. 2010;9: 542–50.
31. Zhang ZF, Morgenstern H, Spitz MR, Tashkin DP, Yu GP, Marshall JR, et al. Marijuana use and increased risk of squamous cell carcinoma of the head and neck. *Cancer Epidemiol Bio Prev*. 1999;8: 1071–8.
32. Levi F, Pasche C, La Vecchia C, Lucchini F, Franceschi S, Monnier P. Food groups and risk of oral and pharyngeal cancer. *Inter J Cancer*. 1998; 77: 705–9.
- 33 . Risks and causes Nasopharyngeal cancer. Cancer Research UK. www. Cancer research uk.org. Retrieved4 December 2019.
34. Elad S, Zadik Y, Zeevi I, Miyazaki A, de Figueiredo MA. Oral cancer in patients after hematopoietic stem-cell transplantation: long-term follow-up suggests an increased risk for recurrence. *Transplantation*.2010;90: 1243–4.
35. Head and neck cancer : emerging perspectives. Ensley, John F. Amsterdam: Academic Press. 2003. ISBN 978-0-08-053384-1. OCLC 180905431.
36. Routine HPV Testing in Head and Neck Squamous Cell Carcinoma. EBS 5-9. May 2013. Archived from the original on 30 September 2016. Retrieved 22 May 2017.
37. Maxwell JH, Thompson LD, Brandwein-Gensler MS, Weiss BG, Canis M, Purgina B, et al. Early Oral Tongue Squamous Cell Carcinoma: Sampling of Margins From Tumor Bed and Worse Local Control. *JAMA* 2015;141: 1104–10.

38. Mahmood SS, Nohria A. Cardiovascular Complications of Cranial and Neck Radiation. *Current Treatment Options in Cardiovascular Medicine*. 2016; 18: 45.
39. Yan J, Yuan L, Wang J, Li S, Yao M, Wang K, et al. Mepitel film is superior to biafine cream in managing acute radiation-induced skin reactions in head and neck cancer patients: a randomised intra-patient controlled clinical trial. *J Med Rad Sci* 2020; 12:15-22.
40. FDA Approval for Docetaxel - National Cancer Institute. *Cancer.gov*. Archived from the original on 2014-09-01. Retrieved 2014-08-07.
41. Al-Azri M, Al-Awisi H, Al-Moundhri M. Coping with a diagnosis of breast cancer literature review and implications for developing countries. *Breast Journal* 2009; 15: 615-22.
42. Mirzaei M, Hosseini SA, Ghoncheh M, Soheilipour F, Soltani S, Soheilipour F, et al. Epidemiology and trend of head and neck cancers in Iran. *Glob J Health Sci*. 2015;8:189-93.
42. Taziki MH, Fazel A, Salamat F, Sedaghat SM, Ashaari M, Poustchi H, et al. Epidemiology of head and neck cancers in northern Iran: a 10-year trend study from Golestan province. *Arch Iran Med*. 2018; 21:406-411.
43. Gellrich NC, Handschel J, Holtmann H, Kruskemper G. Oral cancer malnutrition impacts weight and quality of life. *Nutrients* 2015; 7:2145-60.
44. Dropkin MJ. Anxiety, coping strategies, and coping behaviors in patients undergoing head and neck cancer surgery. *Cancer Nurs* 2001; 24:143-8.
45. Wu YS, Lin PY, Chien CY, Fang FM, Chiu NM, Hung CF, et al. Anxiety and depression in patients with head and neck cancer: 6-month follow-up study. *Neuropsychiatr Dis Treat* 2016; 12:1029-36.

46. Indian Council of Medical Research. Consolidated report of hospital based cancer registries an assessment of the burden and care of cancer patients: 2012;14; 2013.
47. Wissinger E, Griebsch I, Lungershausen J, Foster T, Pashos CL. The economic burden of head and neck cancer: A systematic literature review. *Pharmacoecon* 2014; 32:865-82.
48. Shankaran V. The Financial impact of cancer care :Implications and potential solutions. *Am J Manag Care* 2015; 21:SP547-SP550.
49. Chakrabarty J, Pai MS, Ranjith VK, Fernandes D. Economic burden of cancer in India. *Indian J Public Health Res Dev* 2017; 8:137.
50. Goswami S, Gupta SS. How patients of oral cancer cope up with impact of the disease? A qualitative study in central India. *Indian J Palliat Care*.2019 ;25:103-109.
51. Lazarus RS. Coping theory and research: past, present, and future. *Psychomatic Medicine* 1993; 55: 234-47.
53. Boehmke MM, Dickerson SS. The diagnosis of breast cancer. Transition from health to illness. *Oncol Nurs Forum* 2006; 33: 1121-7.
54. Al-Azri M, Al-Awisi H, Al-Moundhri M. Coping with a diagnosis of breast cancer literature review and implications for developing countries. *Breast J*2009; 15: 615-22.
- 55.Cuffari L, Tesseroli de Siqueira JT, Nemr K, Rapaport A. Pain complaint as the first symptom of oral cancer: A descriptive study. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2006; 102:56-61.

56. Goswami S, Gupta SS, Raut A. Understanding the psychosocial impact of oral cancer on the family caregivers and their coping up mechanism: a qualitative study in rural wardha, centralindia. Indian J Palliat Care. 2019; 25:421-427.
57. Moghaddam Tabrizi F, Alizadeh S, Barjasteh S. The Investigation of the Relationship Between Cancer Coping and Symptom Management Self-Efficacy, Perceived Social Support, Uncertainty and Life Orientation in Breast Cancer Female Survivors. Sci J Hamadan Nurs Midwifery Fac. 2018; 26 :1-10.
58. Khodapanahi MK, Asghari A, Sedghpoor BS, Katebaii J. Preparing and investigating the reliability and validation of the family social support questionnaire (FSSQ). J Fam Res. 2010; 5:423-39.
59. Luszczynska A, Mohamed NE, Schwarzer R. Self-efficacy and social support predict benefit finding 12 months after cancer surgery: The mediating role of coping strategies. Psychol Health Med. 2005;10:365-75.
60. Moradi N AF, Rahmani A ,Zamanzadeh V, Asvadi I, Ghaleban K. Effects of husband's education on meting supportive care needs of breast cancer patients: A clinical trial. Sci J Hamadan Nurs Midwifery Fac. 2013; 21:40-50.
61. Sajadian A, Haghigat S, Montazari A, Kazemnezhad A, Alavi A. Post diagnosis coping strategies patients with breast cancer. IJBD. 2011; 4:52-58.
62. 9. Boehmke MM, Dickerson SS. The diagnosis of breast cancer. Transition from health to illness. Oncol Nurs Forum 2006; 33: 1121-7.
64. Tan M. Social support and coping in Turkish patients with cancer. Cancer Nursing.2007; 30: 498-504.
65. Dregeset S, Lindstrom T. Coping with a possible breast cancer diagnosis;

- demographic factors and social support. *J Adv Nurs* 2005; 51; 3: 217-26.
66. Vidhubala E, Latha, Ravikannan R, Mani CS, Karthikesh M. Coping preferences of head and neck cancer patients – Indian context. *Indian J Cancer* 2006;43:6-11.
65. Arunachalam D, Thirumoorthy A, Devi S, Thennarasu. Quality of life in cancer patients with disfigurement due to cancer and its treatments. *Indian J Palliat Care* 2011;17:184-90.
67. Chaturvedi SK, Shenoy A, Prasad KM, Senthilnathan SM, Premlatha BS. Concerns, coping and quality of life in head and neck cancer patients. *Support Care Cancer* 1996;4:186-90.
68. Roing M, Hirsch JM, Holmström I. Living in a state of suspension – A phenomenological approach to the spouse's experience of oral cancer. *Scand J Caring Sci* 2008;22:40-7.
69. Pinquart M, Sørensen S. Correlates of physical health of informal caregivers: A meta-analysis. *J Gerontol B Psychol Sci Soc Sci* 2007; 62:P126-37.
70. Ross S, Mosher CE, Ronis-Tobin V, Hermele S, Ostroff JS. Psychosocial adjustment of family caregivers of head and neck cancer survivors. *Support Care Cancer* 2010; 18:171-8.
71. Dropkin MJ. Anxiety, coping strategies, and coping behaviors in patients undergoing head and neck cancer surgery. *Cancer Nurs* 2001; 24:143-8.
72. Wu YS, Lin PY, Chien CY, Fang FM, Chiu NM, Hung CF, *et al.* Anxiety and depression in patients with head and neck cancer: 6-month follow-up study. *Neuropsychiatr Dis Treat* 2016; 12:1029-36.

73. Sharp L, Timmons A. The Financial Impact of a Cancer Diagnosis; 2010.
74. Wissinger E, Griebsch I, Lungershausen J, Foster T, Pashos CL. The economic burden of head and neck cancer: A systematic literature review. *Pharmacoeco*2014; 32:865-82.
75. Shankaran V. The Financial impact of cancer care : Implications and potential solutions. *Am J Manag Care* 2015; 21: SP547-SP550.
76. Chakrabarty J, Pai MS, Ranjith VK, Fernandes D. Economic burden of cancer in India. *Indian J Public Health Res Dev* 2017; 8:137. Available from: <http://www.indianjournals.com/ijor>.
77. Vargen OM, Bertero CM. Living with breast cancer. *Cancer nursing* 2007; 30: 417-78.
78. Danhauauer SC, Crawford SL, Former DF, Avio NE. A longitudinal investigation of coping strategies and quality of life among younger women with breast cancer . *Cancer*2009; 32: 371-9.
- 79- Lauver DR, Connolly-Nelson k, Vang P, Stressors and coping strategies among female cancer survivors after Treatments. *Cancer Nurs* 2007; 30: 101-11.
80. Lambert VA. Coping strategies and predictors of general well-being in women with breast cancer in the people's Republic of china. *Nurs Health Sci* 2007; 9: 199-204.
81. Al-Azri M, Al-Awisi H, Al-Moundhri M. Coping with a diagnosis of breast cancerliterature review and implications for developing countries. *Breast J* 2009; 15: 615-22.
82. Moor JS, Partridge AH, Winer EP, Ligibel J, Emmons KM. The Role of Socio-

economic Status in Adjustment After Ductal Carcinoma In Situ. *Cancer* 2010; 116: 1218–25.



بسمه تعالیٰ

دانشگاه علوم پزشکی کرمان

دانشکده دندانپزشکی

«صور تجلیه دفاع از پایان نامه تحصیلی»

با تاییدات خداوند متعال جلسه دفاع از پایان نامه نازنین رهباریان درجه دکترای حرفه ای در رشتہ دندانپزشکی تحت عنوان "تعیین


میزان سازگاری با سرطان در بیماران مبتلا به سرطان سرو گردن با استفاده از پرسشنامه Cancer coping Questionnaire

(کرمان ۱۳۹۸-۱۳۹۹) در دانشکده دندانپزشکی دانشگاه علوم پزشکی به تاریخ ۹۹/۷/۸ برگزار گردید. هیات

داوران که قبلاً پایان نامه ایشان را مطالعه نموده اند، پس از شنیدن دفاعیات و پرسش‌های لازم از ایشان نتیجه را به شرح زیر

اعلام می‌کنند. پایان نامه در وضع فعلی مورد قبول است و نامبرده با نمره ۱۸.۶۶ امتیاز بسیار خوب را دریافت نموده

است.

امضاء	نام و نام خانوادگی:	هیات داوران
	دکتر الهام عباس زاده	استاد راهنما
	دکتر مریم السادات هاشمی پور	استاد راهنما
	دکتر ملوک ترابی	معاون پژوهشی
		اساتید مدعو
		دکتر نادر نوابی 

مراتب فوق مورد تایید است

رئیسی دانشکده دندانپزشکی
دکتر علی اسکندری زاده

