



# How Low Can We Go? A Double-Blinded Randomized Controlled Trial to Compare Bupivacaine 5 mg and Bupivacaine 7.5 mg for Spinal Anesthesia in Cesarean Delivery in Indonesian Population

Susilo Chandra <sup>1,\*</sup>, Alfani Mahdi Nugroho<sup>1</sup>, Henry Agus<sup>1</sup> and Astrid Pratidina Susilo <sup>1</sup>

<sup>1</sup>Department of Anesthesiology and Intensive Care, Cipto Mangunkusumo National Hospital, University of Indonesia, Jakarta, Indonesia

\*Corresponding author: Department of Anesthesiology and Intensive Care, Cipto Mangunkusumo National Hospital, Faculty of Medicine, University of Indonesia, Jalan Salemba Raya 6, 10430, Jakarta Pusat Indonesia, Email: susilochandra@hotmail.com

Received 2019 March 05; Revised 2019 April 10; Accepted 2019 April 14.

## Abstract

**Background:** Maternal hypotension in cesarean delivery related to spinal anesthesia results in increasing morbidity of both mothers and children. Studies show that low dose spinal anesthesia was able to prevent hypotension while providing adequate analgesia. However, the dose used in those studies varies and this leaves the debate of the dose scheme of spinal anesthesia open.

**Objectives:** This study aimed to compare the effectiveness of 5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl with 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl to prevent hypotension in spinal anesthesia for cesarean delivery.

**Methods:** This study was a double-blinded randomized controlled trial of 112 mothers undergoing cesarean delivery with spinal anesthesia. The intervention group received 5 mg bupivacaine and 25 mcg fentanyl. The comparison group received of 7.5 mg bupivacaine and 25 mcg fentanyl. The primary outcome was the incidence of hypotension. The adequacy of anesthesia, duration of recovery from the motoric block, the quality of analgesia as perceived by patients and surgeons, and the side effects of anesthesia were also recorded.

**Results:** There was no difference of effectiveness to prevent hypotension in both groups. The 7.5 mg dose provided better adequacy of anesthesia as reflected in lower incidence of conversion into general anesthesia. More surgeons reported adequacy of relaxation in the 7.5 mg dose. The 5 mg dose offered faster motoric recovery and fewer side effects.

**Conclusions:** The dose of 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl can be used as a prevention measure against hypotension due to spinal anesthesia cesarean delivery.

**Keywords:** Spinal Anesthesia, Low-Dose Bupivacaine, Cesarean Delivery

## 1. Background

Spinal anesthesia with bupivacaine is the preferred choice for Caesarian delivery. Some literature recommend bupivacaine in a dose of between 12 mg and 15 mg (1-3). However, the use of this dose range has been associated with an incidence of maternal hypotension of more than 80%, resulting in increasing morbidity of both mothers and children (4).

Different approaches have been studied to reduce the incidence of hypotension, such as fluid loading (5-7), the use of vasopressors (4, 6, 8), or lowering the dose of bupivacaine (1). Other studies have mentioned attempts to improve spinal anesthesia outcome, such as intrathecal injection of magnesium sulfate or neostigmine (9, 10). Although each approach has been investigated quite extensively, the result has not been able to solve the problem of

maternal hypotension in the clinical setting.

Recent studies showed that fluid loading has limited efficacy. Hypotension in spinal anesthesia in cesarean delivery is related to aorto-caval compression and reduced systemic peripheral resistance, not caused by reduced cardiac output (5, 6, 8). Therefore it is not necessary to delay the initiation of spinal anesthesia to administer a fixed volume of fluid (9). Other studies focused on the use of vasopressor, such as phenylephrine and ephedrine to treat hypotension (6, 7). However, the use of vasopressor might also induce the hypertension (4).

The use of low dose spinal anesthesia has also been proven to reduce the incidence of hypotension (1, 11). Theoretically, low dose spinal anesthesia also has a promising advantage of facilitating speedy recovery by early mobilization and reduced postoperative nausea and vomiting (PONV). Both are important components of the enhanced

recovery after surgery (ERAS) protocol in cesarean delivery. ERAS initiatives aim to optimize multiple aspects of patient care to improve recovery by facilitating earlier discharge, without a reduction in patient satisfaction or the quality of care (11, 12). The use of low dose spinal anesthesia in ERAS has not been studied (12).

We intended to fill this gap by adding the evidence of the bupivacaine dose scheme. Based on the meta-analysis of Qiu et al. (11), in this study we used both low dose bupivacaine and fentanyl as opioid adjuvant (LBO). We chose the dose of 5 mg bupivacaine 0.5% as previously studied by Ben-David et al. (13), but we chose to use hyperbaric bupivacaine instead of the plain one as this is the common available regiment in our setting.

## 2. Objectives

This study aimed to compare the effectiveness of 5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl with 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl to prevent hypotension in spinal anesthesia for cesarean delivery. Our research question is: Does the LBO of 5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl have different effectiveness from the LBO of 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl to prevent hypotension? The hypothesis of the study is that the LBO of 5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl has different effectiveness from the LBO of 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl to prevent hypotension. Additionally, we investigated the adequacy of anesthesia, side effects, time for recovery, and quality of anesthesia as reported by patients and surgeons.

## 3. Methods

This study was conducted in an academic hospital in an urban setting in Indonesia, which provides a multi-disciplinary health care service. The ethical clearance was granted by the Hospital Ethical Committee (No.644/H2.F1). Oral and written information in Indonesian was provided and informed consent was obtained from all subjects. Confidentiality was ensured by omission of subjects' identity in all reports and publications.

This is a double-blinded randomized control trial. The intervention is the LBO of 5 mg bupivacaine and 25 mcg fentanyl. The comparison is the LBO of 7.5 mg bupivacaine and 25 mcg fentanyl. The primary outcome is the incidence of hypotension. The secondary outcome is the adequacy of anesthesia, duration of recovery from the motoric block, the quality of analgesia as perceived by patients and surgeons, and the side effects of anesthesia.

The study population was parturients undergoing elective or emergency caesarian delivery. The inclusion criteria are pregnant women with ASA 1 - 3, age 18 - 40 years old, in an elective or emergency caesarian delivery using spinal anesthesia. The exclusion criteria are patients with contraindication of spinal anesthesia, history of allergy to bupivacaine or fentanyl, with eclampsia, valvular heart disease, congenital heart disease, coronary heart disease, twin pregnancy, morbid obesity (body mass index (BMI)  $\geq$  40), pre-partum hemorrhage with hemodynamic instability. The drop out criteria is any intraoperative emergency such as hemorrhagic shock, high or total spinal, or local anesthesia intoxication.

Subjects were recruited using consecutive sampling method. Sample size was determined using alpha 5%, power 80%, and the difference of the incidence of hypotension 20%. The sample of each group is 56 patients.

Simple randomization was conducted using a software by one of the researchers (HA) into two groups with equal size. The enrolment of the participants was also conducted by HA. To ensure the concealment, the randomization list was kept in a sealed enveloped and opened by the physician who administered the spinal anesthesia just before the surgery. This was a double-blinded study for the subjects and for the observers. The patient was not notified about the dose scheme. Observers were junior residents trained to test the spinal adequacy, to perform monitoring in spinal anesthesia, and to record the data. Observers were not informed about the dose scheme. Physicians who performed the spinal anesthesia were different from the observers. It was not possible to blind the physicians who performed the spinal anesthesia because they noticed the volume difference.

Apart from the intervention, both groups received similar treatment. We used EKG, blood pressure monitoring, and pulse oximetry for the standard monitoring. The patient was given 3 L/m nasal O<sub>2</sub>. Before the spinal anesthesia, patient was given co-loading Ringer lactate 500 mL. Patient was in sitting position while the lumbar puncture was conducted using Quincke 27G in the level of L3 - 4 or L4 -5 or Tuffier's line. After ensuring that the tip of the needle is in the subarachnoid space, the drug was administered with the speed of 0.2 mL/s. All the procedure was conducted in sterile condition. Patient received ketoprofen suppository as the postoperative analgesia and can be discharged to the ward when the Aldrette score is more than eight.

The onset of sensory blockade was assessed using pin-prick test until the level of T6 or maximum until 20 minutes. The peak value was recorded. The motor blockade was assessed using the Bromage scale. Incision was done when the level of sensory block reached T6. If patients reported pain after delivery of the baby, fentanyl 0.67 - 1 mcg/kgBB

iv was given twice with the interval of 10 minutes. If pain persisted, conversion to general anesthesia should be conducted.

The measurement of blood pressure, heart rate, respiratory rate, temperature, and O<sub>2</sub> saturation were recorded at the 3, 6, 9, 12, 15, 20, 30, 40, 50, and 60th minute after spinal anesthesia was administered or until the baby was delivered. Patient was recorded as hypotensive when she experienced reduction of blood pressure more than 30% from baseline or systolic pressure less than 100 mmHg from the moment the spinal anesthesia was administered until the baby was delivered. If the systolic pressure was less than 90 mmHg, the patient was given ephedrine 5 mg iv that was repeated every minute until the systolic pressure was over 90 mmHg.

The duration of the surgery is also recorded. Nausea, vomiting, syncope, dizziness, chest discomfort, and other intraoperative complaints were recorded. Postoperative nausea and vomiting, itching, shivering, back pain, post Dural puncture headache (PDPH), and transient neurologic symptoms (TNS) were also recorded.

Baseline characteristics were presented using descriptive statistics. Chi-square was used to analyze the difference between two groups in the incidence of hypotension and the adequacy of anesthesia. Other outcomes were analyzed using descriptive statistics.

#### 4. Results

Figure 1 showed the participant flow in this study. There was no drop out and all data were analyzed.




Figure 1. Participant flow

Table 1 depicts the baseline characteristics of the subjects. Two groups are comparable in age, weight, height,

Table 1. Baseline Characteristics<sup>a</sup>

	LBO 5 mg, N = 56	LBO 7.5 mg, N = 56
Age, y	29.26 ± 5.88	29.50 ± 5.48
Weight, kg	63.32 ± 10.10	63.73 ± 10.14
Height, cm	157.79 ± 4.28	157.14 ± 5.36
Duration of surgery, > 60 min	40 (71.4)	44 (78.6)

<sup>a</sup>Values are expressed as mean ± SD and No. (%).

and duration of surgery. More than 70% of the cesarean delivery in both groups took more than 60 minutes.

Table 2 describes the comparison between the LBO 5 mg and 7.5 mg. Chi-square was used to analyze the data. There was no difference of incidence of hypotension between groups (P = 0.751;  $\chi^2 = 0.101$ , df = 1). No patients in both groups had Bromage scale 0 in the beginning of surgery. Nevertheless LBO 7.5 showed a significantly better sensory blockade than LBO 5 mg as reflected in the less number of conversion to general anesthesia (P = 0.015;  $\chi^2 = 5.920$ , df = 1).

Table 2. Comparison of Effectiveness of LBO 5 mg and 7.5 mg to Prevent Hypotension and to Provide Adequate Anesthesia<sup>a</sup>

	LBO 5 mg, N = 56	LBO 7.5 mg, N = 56	P Value
Hypotension	5 (8.9)	6 (10.7)	0.751
Adequate anesthesia	48 (85.75)	55 (98.2)	0.015 <sup>b</sup>

<sup>a</sup>Values are expressed as No. (%).

<sup>b</sup>P value is considered significant if < 0.05.

Table 3 shows the quality of anesthesia as reported by patients and surgeons. Patients reported quality of anesthesia as no feeling of discomfort. Eight patients receiving LBO 5 mg who reported feeling of discomfort were converted to general anesthesia. Surgeons reported quality of anesthesia adequacy of relaxation. In the group of 7.5 mg bupivacaine, more surgeons reported adequate relaxation compared to ones in the group of 5 mg bupivacaine.

Table 3. Quality of Anesthesia as Reported by Patients and Surgeons<sup>a</sup>

	LBO 5 mg, N = 56	LBO 7.5 mg, N = 56
<b>Patients</b>		
No discomfort	48 (85.7)	54 (96.4)
Feeling of discomfort	8 (14.3)	2 (3.6)
<b>Surgeons</b>		
Adequate relaxation	47 (83.9)	52 (92.9)
Inadequate relaxation	9 (16.1)	4 (7.1)

<sup>a</sup>Values are expressed as No. (%).

Table 4 shows the duration of motorrecovery that was faster in the group of lower dosing scheme. In the group with lower dosing scheme, more than 95% patients experienced motorrecovery within three hours.

**Table 4.** Duration of Motor Recovery<sup>a</sup>

Time interval, h	LBO 5 mg	LBO 7.5 mg
1 - 2	20 (41.7)	
2 - 3	26 (54.2)	
3 - 4	2 (4.2)	4 (7.3)
4 - 5		28 (50.9)
5 - 6		22 (40)
> 6		1 (1.8)

<sup>a</sup>Values are expressed as No. (%).

The frequency of several intra- and post-operative side effects is described in Table 5. Data of side effects of patients who were converted to general anesthesia were not recorded. The frequency of nausea and vomiting was higher in the group receiving higher dosing scheme. There was no incidence of high spinal and no report of transient neurologic symptoms (TNS) and post Dural puncture headache (PDPH).

**Table 5.** Intra-Operative and Post-Operative Side Effects<sup>a</sup>

Side Effects	LBO 5 mg, N = 55	LBO 7.5 mg, N = 48
<b>Intra-operative</b>		
Nausea	7 (14.6)	21 (38.2)
Vomiting	2 (4.2)	9 (16.4)
<b>Post-operative</b>		
Nausea	1 (2.1)	2 (3.6)
Vomiting	4 (8.3)	9 (16.4)
Shivering	9 (18.8)	9 (16.4)

<sup>a</sup>Values are expressed as No. (%).

## 5. Discussion

This study aimed to compare the LD of 5 mg and 7.5 mg bupivacaine for spinal anesthesia. Both dose schemes used fentanyl 25 mcg as adjuvant. Two groups were comparable in the beginning of intervention. Aside from the different dosing scheme, both received similar interventions. There was no drop out in the end of the study. There was no difference of effectiveness to prevent hypotension in both groups. However, the dose 7.5 mg provided better adequacy of anesthesia as reflected in lower incidence of conversion into general anesthesia. It is also in line with the

data of more surgeons reporting adequacy of relaxation in the 7.5 mg dose. Nevertheless, the 5 mg dose offered faster motor recovery and fewer side effects.

Compared to the study of Ben David et al. which also used bupivacaine 5 mg and fentanyl 25 mg and reported no conversion to general anesthesia, we found more conversion to general anesthesia in the group of 5 mg. This can be influenced by the difference of sample size in both studies. Our study included 56 subjects per group, while Ben-David et al. included 16 subjects per group (13).

Opponents of low dose spinal anesthesia questioned the adequacy of anesthesia. A meta-analysis from 2011 attempted to summarize evidence from 12 studies comparing the classical dose and the low dose bupivacaine. In this meta-analysis, low dose was defined as the dose of 8 mg or below. There was a lower risk of maternal hypotension in low dose than in classical dose, with 22% reduction in hypotension. They found that in the low dose bupivacaine-scheme (< 8 mg), the risk of intraoperative analgesic supplementation is more than three times higher than the classical dose scheme (> 8 mg). They recommended the use of low dose spinal anesthesia with combined spinal epidural (CSE) to ensure the adequacy of anesthesia while obtaining the advantage of reduction in hypotension. Nevertheless, they acknowledged that the use of CSE could be technically challenging in some contexts. This meta-analysis did not distinguish the use of opioid as adjuvant (1, 14).

Another meta-analysis showed different results. They compared the use of low dose, low dose with opioid, and classical dose (more than 10 mg) spinal anesthesia. This meta-analysis showed that low dose spinal anesthesia with opioid is able to prevent hypotension and provide adequate analgesia. Opioid as adjuvants to spinal anesthesia improve the quality of block. Nevertheless the dose used in this meta-analysis varied (10) and this leaves the debate of the dose scheme of spinal anesthesia open.

This study added the evidence for the meta-analysis of Qiu et al. that the use of low dose bupivacaine with the adjuvant of opioid can prevent hypotension and offer adequate anesthesia (10). While previous studies compared high dose and low dose bupivacaine (1, 10), our studies aimed to compare two different low dose schemes. We have added more evidence in the motor recovery, quality of anesthesia as reported by patients and surgeons, and side effects.

With regard to postoperative pain management, low dose bupivacaine might be combined with other analgesic measures to ensure adequate postoperative pain control. This study utilized ketoprofen suppository as the standard postoperative analgesia. However, Imani et al. mentioned that addition of dexmedetomidine provided better anal-

gesic properties for patients undergoing cesarean delivery (15). Other studies mentioned the administration of peripheral nerve block, including transversalis fascia plane and transversus abdominis plane blocks, and other additives for spinal anesthesia, including sufentanil and low-dose epinephrine, to provide adequate postoperative analgesia (16, 17).

As the average weight and height of our subjects resemble ones from other populations in Southeast Asia (18), this study can be applicable to similar populations of parturients. Previous studies in Asian setting were conducted in India (19, 20), Korea (21), and Japan (22). From Southeast Asia, there is a study in a Singaporean setting, but they used Combined-Spinal Epidural, that technically is not always feasible in a lot of obstetric care settings in Southeast Asia (13).

This study has several constraints. This study was conducted in a single center in an academic health care setting. This might have influenced the generalizability of the study. Second, the secondary outcomes, especially the motor recovery and the side effects, were analyzed using descriptive statistics, as the study was not powered based on those variables. Third, this study did only exclude patients with eclampsia. Further studies should also exclude patients with history of hypertension and preeclampsia as this might affect the study result. Lastly, further studies should compare the effect of low dose bupivacaine between patients scheduled for elective and emergency cesarean delivery.

Nevertheless, our descriptive data showed that LBO had the potential to enhance recovery due to limited side effects and quick motor recovery. In the search of ERAS components in obstetric anesthesia (12), LBO can be considered to be included as one of the measures. Further study can be conducted to investigate on the possibility to include LBO as a part of ERAS components.

### 5.1. Conclusions

The LBO of 5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl is not more effective than the LBO of 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl to prevent hypotension and provide adequate anesthesia. We recommend that the dose of 7.5 mg hyperbaric bupivacaine 0.5% and 25 mcg of fentanyl can be used as a preventive measure against hypotension due to spinal anesthesia Cesarean delivery and can be considered to be included as ERAS component.

### Footnotes

**Authors' Contribution:** Study concept and design: Susilo Chandra, Alfian Mahdi Nugroho, and Henry Agus.

Analysis and interpretation of data: Susilo Chandra and Astrid Susilo. Drafting of the manuscript: Astrid Susilo. Critical revision of the manuscript for important intellectual content: Susilo Chandra. Statistical analysis: Henry Agus.

**Clinical Trial Registry:** This study was registered in ClinicalTrials.gov/NCT03834454.

**Conflicts of Interests:** There are no financial conflicts of interest to declare.

**Ethical Approval:** The ethical clearance was granted by the Hospital Ethical Committee (No.644/H2.F1).

**Funding/Support:** It is not declared by the authors.

**Patient Consent:** Informed consent was obtained from all subjects.

### References

1. Arzola C, Wiczorek PM. Efficacy of low-dose bupivacaine in spinal anaesthesia for caesarean delivery: Systematic review and meta-analysis. *Br J Anaesth*. 2011;107(3):308-18. doi: [10.1093/bja/aer200](https://doi.org/10.1093/bja/aer200). [PubMed: [21764820](https://pubmed.ncbi.nlm.nih.gov/21764820/)].
2. Frolich MA. Obstetric anesthesia. In: Butterworth JF, Mackey DC, Wansnick JD, editors. *Morgan & Mikhail's clinical anesthesiology*. 5th ed. New York: McGraw-Hill Education; 2013. p. 843-904.
3. Rollins M, Lucero J. Overview of anesthetic considerations for Cesarean delivery. *Br Med Bull*. 2012;101:105-25. doi: [10.1093/bmb/ldr050](https://doi.org/10.1093/bmb/ldr050). [PubMed: [22219238](https://pubmed.ncbi.nlm.nih.gov/22219238/)].
4. Lee A, Ngan Kee WD, Gin T. Prophylactic ephedrine prevents hypotension during spinal anesthesia for Cesarean delivery but does not improve neonatal outcome: A quantitative systematic review. *Can J Anaesth*. 2002;49(6):588-99. doi: [10.1007/BF03017387](https://doi.org/10.1007/BF03017387). [PubMed: [12067872](https://pubmed.ncbi.nlm.nih.gov/12067872/)].
5. Banerjee A, Stocche RM, Angle P, Halpern SH. Preload or coload for spinal anesthesia for elective cesarean delivery: A meta-analysis. *Can J Anaesth*. 2010;57(1):24-31. doi: [10.1007/s12630-009-9206-7](https://doi.org/10.1007/s12630-009-9206-7). [PubMed: [19859776](https://pubmed.ncbi.nlm.nih.gov/19859776/)].
6. Butwick AJ, Columb MO, Carvalho B. Preventing spinal hypotension during caesarean delivery: What is the latest? *Br J Anaesth*. 2015;114(2):183-6. doi: [10.1093/bja/aeu267](https://doi.org/10.1093/bja/aeu267). [PubMed: [25080429](https://pubmed.ncbi.nlm.nih.gov/25080429/)].
7. Fathi M, Imani F, Joudi M, Goodarzi V. Comparison between the effects of ringer's lactate and hydroxyethyl starch on hemodynamic parameters after spinal anesthesia: A randomized clinical trial. *Anesth Pain Med*. 2013;2(3):127-33. doi: [10.5812/aapm.7850](https://doi.org/10.5812/aapm.7850). [PubMed: [24244923](https://pubmed.ncbi.nlm.nih.gov/24244923/)]. [PubMed Central: [PMC3821133](https://pubmed.ncbi.nlm.nih.gov/PMC3821133/)].
8. Halpern SH, Chochinov M. The use of vasopressors for the prevention and treatment of hypotension secondary to regional anesthesia for cesarean section. In: Halpern SH, Douglas MJ, editors. *Evidence-based obstetric anesthesia*. India: Blackwell Publishing; 2005. p. 101-7. doi: [10.1002/9780470988343.ch10](https://doi.org/10.1002/9780470988343.ch10).
9. Faiz SH, Rahimzadeh P, Imani F, Bakhtiari A. Intrathecal injection of magnesium sulfate: Shivering prevention during cesarean section: A randomized, double-blinded, controlled study. *Korean J Anesthesiol*. 2013;65(4):293-8. doi: [10.4097/kjae.2013.65.4.293](https://doi.org/10.4097/kjae.2013.65.4.293). [PubMed: [24228140](https://pubmed.ncbi.nlm.nih.gov/24228140/)]. [PubMed Central: [PMC3822019](https://pubmed.ncbi.nlm.nih.gov/PMC3822019/)].
10. Faiz SH, Rahimzadeh P, Sakhaei M, Imani F, Derakhshan P. Anesthetic effects of adding intrathecal neostigmine or magnesium sulphate to bupivacaine in patients under lower extremities surgeries. *J Res Med Sci*. 2012;17(10):918-22. [PubMed: [23825989](https://pubmed.ncbi.nlm.nih.gov/23825989/)]. [PubMed Central: [PMC3698648](https://pubmed.ncbi.nlm.nih.gov/PMC3698648/)].

11. Qiu MT, Lin FQ, Fu SK, Zhang HB, Li HH, Zhang LM, et al. Combination of low-dose bupivacaine and opioids provides satisfactory analgesia with less intraoperative hypotension for spinal anesthesia in cesarean section. *CNS Neurosci Ther.* 2012;**18**(5):426–32. doi: [10.1111/j.1755-5949.2012.00306.x](https://doi.org/10.1111/j.1755-5949.2012.00306.x). [PubMed: [22533726](https://pubmed.ncbi.nlm.nih.gov/22533726/)].
12. Ituk U, Habib AS. Enhanced recovery after cesarean delivery. *F1000Res.* 2018;**7**. doi: [10.12688/f1000research.13895.1](https://doi.org/10.12688/f1000research.13895.1). [PubMed: [29770203](https://pubmed.ncbi.nlm.nih.gov/29770203/)]. [PubMed Central: [PMC5931266](https://pubmed.ncbi.nlm.nih.gov/PMC5931266/)].
13. Ben-David B, Miller G, Gavriel R, Gurevitch A. Low-dose bupivacaine-fentanyl spinal anesthesia for cesarean delivery. *Reg Anesth Pain Med.* 2000;**25**(3):235–9. doi: [10.1097/00115550-200005000-00005](https://doi.org/10.1097/00115550-200005000-00005). [PubMed: [10834776](https://pubmed.ncbi.nlm.nih.gov/10834776/)].
14. Leo S, Sng BL, Lim Y, Sia AT. A randomized comparison of low doses of hyperbaric bupivacaine in combined spinal-epidural anesthesia for cesarean delivery. *Anesth Analg.* 2009;**109**(5):1600–5. doi: [10.1213/ANE.0b013e3181b72d35](https://doi.org/10.1213/ANE.0b013e3181b72d35). [PubMed: [19843797](https://pubmed.ncbi.nlm.nih.gov/19843797/)].
15. Imani F, Rahimzadeh P, Faiz HR, Nowruzina S, Shakeri A, Ghahremani M. Comparison of the post-caesarean analgesic effect of adding dexmedetomidine to paracetamol and ketorolac: A randomized clinical trial. *Anesth Pain Med.* 2018;**8**(5). e85311. doi: [10.5812/aapm.85311](https://doi.org/10.5812/aapm.85311). [PubMed: [30538943](https://pubmed.ncbi.nlm.nih.gov/30538943/)]. [PubMed Central: [PMC6252045](https://pubmed.ncbi.nlm.nih.gov/PMC6252045/)].
16. Rahimzadeh P, Faiz SHR, Imani F, Rahimian Jahromi M. Comparison between ultrasound guided transversalis fascia plane and transversus abdominis plane block on postoperative pain in patients undergoing elective cesarean section. *Iran Red Crescent Med J.* 2018;**20**(9). e67844. doi: [10.5812/ircmj.67844](https://doi.org/10.5812/ircmj.67844).
17. Derakhshan P, Imani F, Koleini ZS, Barati A. Comparison of adding sufentanil and low-dose epinephrine to bupivacaine in spinal anesthesia: A randomized, double-blind, clinical trial. *Anesth Pain Med.* 2018;**8**(5). e69600. doi: [10.5812/aapm.69600](https://doi.org/10.5812/aapm.69600). [PubMed: [30538940](https://pubmed.ncbi.nlm.nih.gov/30538940/)]. [PubMed Central: [PMC6252044](https://pubmed.ncbi.nlm.nih.gov/PMC6252044/)].
18. Ota E, Haruna M, Suzuki M, Anh DD, Tho le H, Tam NT, et al. Maternal body mass index and gestational weight gain and their association with perinatal outcomes in Viet Nam. *Bull World Health Organ.* 2011;**89**(2):127–36. doi: [10.2471/BLT.10.077982](https://doi.org/10.2471/BLT.10.077982). [PubMed: [21346924](https://pubmed.ncbi.nlm.nih.gov/21346924/)]. [PubMed Central: [PMC3040376](https://pubmed.ncbi.nlm.nih.gov/PMC3040376/)].
19. Kiran S, Singal NK. A comparative study of three different doses of 0.5% hyperbaric bupivacaine for spinal anaesthesia in elective caesarean section. *Int J Obstet Anesth.* 2002;**11**(3):185–9. doi: [10.1054/ijoa.2002.0949](https://doi.org/10.1054/ijoa.2002.0949). [PubMed: [15321546](https://pubmed.ncbi.nlm.nih.gov/15321546/)].
20. Jain K, Makkar JK, Yadanappudi S, Anbarasan I, Gander S. A randomized double-blind comparison of low-dose and high-dose bupivacaine for caesarean section in severely preeclamptic women using invasive blood pressure monitoring. *J Obstet Anaesth Crit Care.* 2013;**3**(2):84. doi: [10.4103/2249-4472.123302](https://doi.org/10.4103/2249-4472.123302).
21. Choi DH, Ahn HJ, Kim MH. Bupivacaine-sparing effect of fentanyl in spinal anesthesia for cesarean delivery. *Reg Anesth Pain Med.* 2000;**25**(3):240–5. doi: [10.1097/00115550-200005000-00006](https://doi.org/10.1097/00115550-200005000-00006). [PubMed: [10834777](https://pubmed.ncbi.nlm.nih.gov/10834777/)].
22. Nagata E, Yoshimine K, Minoda Y, Kawaguchi Y, Sakamoto M, Takehara A. [Comparison of 8 mg and 10 mg hyperbaric bupivacaine during spinal anesthesia for cesarean section in Japanese parturients]. *Masui.* 2004;**53**(2):131–6. Japanese. [PubMed: [15011419](https://pubmed.ncbi.nlm.nih.gov/15011419/)].



CiteScore 2019 : 2

PubMed Central

SIGN IN | REGISTER | SUPPORT

# ANESTHESIOLOGY AND PAIN MEDICINE

The Official Journal of Iranian Society of Regional Anesthesia and Pain Medicine (ISRAPM)

HOME



## PUBLISH WITH US



OPEN PEER REVIEW



SUBMIT ARTICLE



PUBLONS



## OVERVIEW

Organization: Iranian Society of Regional Anesthesia and Pain Medicine (ISRAPM)

ISSN: e: 2228-7531 | p: 2228-7523

Frequency: Bi-monthly

<sup>ORCID</sup> Description: Scope: Anesthesiology and Pain | Indexed in: Scopus, and ... | Listed in: PMC

## In Press (1 Articles)

[Efficacy of Acupuncture in the Treatment of Chronic Abdominal Pain](#)

Amnon A. Berger, Yao Liu, Kevin Jin, Alicia Kaneb, Alexandra Welschmeyer, et al.

Review Article | 11 | 10.5812/aapm.113027 |

## Anesthesiology and Pain Medicine: *Feb 2021, 11 (1), 22 articles.*

02 Feb, 2021



REVIEW ARTICLE

Surgical and Non-surgical Treatment Options for Piriformis Syndrome: A Literature Review

DOI 10.5812/aapm.112825

AUTHORS

Neeraj Vij , Hayley Kiernan, Roy Bisht, Ian Singleton, Elyse M.

## Journal Features

### KEYWORDS

Lidocaine Cesarean :

Analges

Nerve Block

Spinal

Bupivac



Email Us

Cornett, Alan  
David Kaye,  
et al.



Final Published

06 Feb, 2021



REVIEW ARTICLE

AUTHORS

Utilization of  
Magnesium for the  
Treatment of Chronic  
Pain

Ivan Urits <sup>id</sup>  
, Jai Won  
Jung,  
Ariunzaya  
Amgalan,  
Luc Fortier,  
Anthony  
Anya,  
Brendan  
Wesp, et al.

DOI 10.5812/aapm.112348



Final Published

14 Feb, 2021



REVIEW ARTICLE

AUTHORS

Etiology Diagnosis  
and Management of  
Radial Nerve  
Entrapment


Neeraj Vij <sup>id</sup>  
\*, Hayley  
Kiernan, Sam  
Miller-  
Gutierrez,  
Veena  
Agusala,  
Alan David  
Kaye, Farnad  
Imani <sup>id</sup>, et  
al.

DOI 10.5812/aapm.112823



Final Published

SOCIAL



CURRENT  
ISSUE

PUBLISH  
2021-Feb  
28


Volume  
11

Issue:  
1

ARTICLES:  
22



JOURNAL TOOLS





16 Feb, 2021



REVIEW ARTICLE

AUTHORS

DOI 10.5812/aapm.112225

Inferior Hypogastric Block for the Treatment of Chronic Pelvic Pain

Ivan Urits, Ruben Schwartz, Harish Bangalore Siddaiah, Sathyadev Kikkeri, David Chernobylsky, Karina Charipova, et al.



Publons

Final Published

# Newsletter

Stay in touch and be informed about our special discount offers and educational letter from **Kowsar**.

Email

Subscribe

24 Feb, 2021



REVIEW ARTICLE

AUTHORS

DOI 10.5812/aapm.112830

Intraoperative Hypotension Increased Risk in the Oncological Patient

Islam Mohammad Shehata, Amir Elhassan, David Alejandro Munoz, Bryan Okereke, Elyse M Cornett, Giustino Varrassi, et al.



Publons

Uncorrected Proof scheduled for 11 (1)

24 Feb, 2021



REVIEW ARTICLE

AUTHORS





DOI 10.5812/aapm.112832

### Topical Sevoflurane: A Novel Treatment for Chronic Pain Caused by Venous Stasis Ulcers

Mayank  
Aranke,  
Cynthia T  
Pham, Melis  
Yilmaz, Jason  
K Wang,  
Vwaire  
Orhurhu,  
Daniel An, et  
al.



Publons

⌚ Uncorrected Proof scheduled for  
11 (1)

22 Feb, 2021



DOI 10.5812/aapm.113089

### RESEARCH ARTICLE

### AUTHORS

### Improved Pain Control with Combination Spinal Cord Stimulator Therapy Utilizing Sub-perception and Traditional Paresthesia Based Waveforms: A Pilot Study

Amnon A.  
Berger \*,  
Ivan Urits ,  
Jamal  
Hasoon,  
Jatinder Gill,  
Musa Aner,  
Cyrus A.  
Yazdi, et al.



Publons

Final Published

13 Feb, 2021



DOI 10.5812/aapm.110904

### RESEARCH ARTICLE

### AUTHORS

### Adductor Canal Block in the Outpatient Clinic for Pain Control Following Knee Surgery

Sholahuddin  
Rhatomy\*,  
Rizki  
Rahmadian,  
Faiz Alam  
Rasyid, Evlin  
Margaretha





Final Published

27 Dec, 2020



RESEARCH ARTICLE

AUTHORS

DOI 10.5812/aapm.107431

Is Intra-Articular Administration of Fibrinogen Effective in Postoperative Total Knee Arthroplasty Blood Loss? A Randomized Clinical Trial

Farahzad Janatmakan <sup>ID</sup>\*, Fatemeh Javaherforooshzadeh\*\*, Mohsen Khorrami, Sara Jarirahmadi, Hojjatollah Khademali



Final Published

28 Feb, 2021



RESEARCH ARTICLE

AUTHORS

DOI 10.5812/aapm.112880

Evaluation of Adding Dexmedetomidine to Ropivacaine in Pediatric Caudal Epidural Block: A Randomized, Double-blinded Clinical Trial

Farnad Imani <sup>ID</sup>, Reza Farahmand Rad <sup>ID</sup>\*, Reza Salehi, Mahzad Alimian <sup>ID</sup>, Zahra Mirbolook Jalali <sup>ID</sup>, Amir Mansouri <sup>ID</sup>\*\* , et al.



Uncorrected Proof scheduled for 11 (1)



27 Feb, 2021



DOI 10.5812/aapm.111483

## RESEARCH ARTICLE

Comparative Study of Effect of Spinal Anesthesia in Sitting and Lateral Positions on the Onset Time of Sensory Block and Hemodynamic Condition in Cesarean Section: A Randomized Clinical Trial

## AUTHORS

Nahid Manouchehrian \*, Abbas Moradi, Leyla Torkashvand



Uncorrected Proof scheduled for 11 (1)



02 Dec, 2020



DOI 10.5812/aapm.107659

## RESEARCH ARTICLE


The Effect of Dexmedetomidine and Esmolol on Early Postoperative Cognitive Dysfunction After Middle Ear Surgery Under Hypotensive Technique: A Comparative, Randomized, Double-blind Study

## AUTHORS

Mahmoud Hussein Bahr , Doaa Abu Elkassim Rashwan , Samaa A Kasem \*



Uncorrected Proof scheduled for 11 (1)



01 Mar, 2021



RESEARCH ARTICLE

AUTHORS

DOI 10.5812/aapm.108335

Comparison of Spinal Versus Epidural Analgesia for Vaginal Delivery: A Randomized Double Blinded Clinical Trial

Farnad Imani ID, Sarah Lotfi ID, Javad Aminisaman ID, Afshar Shahmohamadi ID, Abbas Ahmadi ID\*



Uncorrected Proof scheduled for 11 (1)

18 Nov, 2020



RESEARCH ARTICLE

AUTHORS

DOI 10.5812/aapm.106275

Comparing the Effect of Lidocaine-Prilocaine Cream and Infiltrative Lidocaine on Overall Pain Perception During Thoracentesis and Abdominocentesis: A Randomized Clinical Trial

Hanieh Halili, Reza Azizkhani\*, Saeid Tavakoli Garmaseh, Mohammad Saleh Jafarpisheh, Farhad Heydari, Babak Masoumi, et al.



Final Published

20 Dec, 2020




RESEARCH ARTICLE

AUTHORS

Comparative Effects of Total Intravenous Anesthesia with

Mohamed E Oriby ID\*, Avman



DOI 10.5812/aapm.109048

### Anesthesia with Propofol and Remifentanil Versus Inhalational Sevoflurane with Dexmedetomidine on Emergence Delirium in Children Undergoing Strabismus Surgery

Elrashidy 



Final Published



21 Nov, 2020



#### RESEARCH ARTICLE

#### AUTHORS

DOI 10.5812/aapm.108561

### Impact of Body Mass Index on the Mortality of Critically Ill Patients Admitted to the Intensive Care Unit: An Observational Study

Sarvin Sanaie, Mohammad-Salar Hosseini, Fahimeh Karrubi, Afshin Iranpour, Ata Mahmoodpoor \*



Final Published

03 Feb, 2021






#### RESEARCH ARTICLE

#### AUTHORS

DOI 10.5812/aapm.109732

### Gastric Residual Volume Assessment by Gastric Ultrasound in Fasting Obese Patients: A Comparative Study

Atef Mohammad Khalil \*, Safaa Gaber Ragab , Joseph Makram Botros 



Hazem Ali  
Abd-aal,

Maged Labib  
Boules



Publons

Uncorrected Proof scheduled for  
11 (1)

16 Feb, 2021



**RESEARCH ARTICLE**  
▼

**AUTHORS**  
▼

To Compare the  
Efficacy of  
Dexmedetomidine  
Versus Labetalol in  
Providing Controlled  
Hypotension in  
Functional  
Endoscopic Sinus  
Surgery

Sujay J N,  
Shiva Kumar  
\*, Tanushree  
Vijay

DOI 10.5812/aapm.108915



Publons

Final Published

14 Feb, 2021



**BRIEF REPORT**  
▼

**AUTHORS**  
▼

The Importance of  
Happy Hypoxemia in  
COVID-19

Katayoun  
Haryalchi,  
Abtin  
Heidarzadeh,  
Mahmood  
Abedinzade,  
Sepehr  
Olangian-  
Tehrani,  
Samaneh  
Ghazanfar  
Tehran \*

DOI 10.5812/aapm.111872



Publons



 Final Published

24 Jan, 2021






 **RESEARCH ARTICLE**  
▼

 **AUTHORS**  
▼

DOI 10.5812/aapm.111074

The Effect of Repeated Direct Observation of Procedural Skills (R-DOPS) Assessment Method on the Clinical Skills of Anesthesiology Residents

Shideh Dabir, Mohammad Hoseinzadeh, Faramarz Mosaffa , Behnam Hosseini , Mastaneh Dahi, Maryam Vosoughian , et al.



 Final Published

03 Feb, 2021




 **CASE REPORT**  
▼

 **AUTHORS**  
▼


DOI 10.5812/aapm.110045

Langerhans Cell Histiocytosis; Managing an Uncommon Condition in Pregnancy and Labor: A Case Report

Inês Martins \*, Mafalda Amorim Castro, Daniel Vieira, Ana Raimundo



 Publons

 Uncorrected Proof scheduled for 11 (1)

28 Feb, 2021



 **LETTER**  
▼

 **AUTHORS**  
▼







DOI 10.5812/aapm.111641

### Impact of COVID-19 on Advanced Cancer Patients' Pain Care: Warning About Chloroquine and Hydroxychloroquine

Reza Aminnejad, Seyed Masoud Hashemi, Saeid Safari, Payman Dadkhah <sup>id</sup>, Ehsan Bastanagh <sup>id</sup> \*\*



Publons

⌚ Uncorrected Proof scheduled for 11 (1)

READ MORE



Article's Title, Abstract, Tags, ...




Search

TERMS & CONDITIONS



Crossref

Crossref Makes Research Outputs Easy to Find, Cite, Link, and Assess





# ANESTHESIOLOGY AND PAIN MEDICINE

The Official Journal of Iranian Society of Regional Anesthesia and  
Pain Medicine (ISRAPM)

 SIGN IN |  REGISTER |  SUPPORT

ABOUT JOURNAL ▾



## EDITORS AND BOARDS

© LAST UPDATE : 2020-12-09 11:34:16

- [Staff Editors](#)
- [International Editorial](#)
- [National Editorials](#)
- [Methodological Consultant](#)
- [Collaboration](#)
- [Contact Boards](#)

### Staff Editors

- **Kowsar**, as an STM publisher, makes a contract for providing publishing services to academic universities and institutions as the journal owners. All editors of journals are introduced by the journal owners and will be re-evaluated at the first of each contract and annually by the governing board of Kowsar to be matched within the [editorial board criterias of independence](#) and [responsibilities](#). Therefore, staff editors are completely independent of the publisher.
- The Kowsar editors are paid a fixed salary by the journal owners and their payments are not linked to the number of papers published in the journal. Editors are required to declare all relevant conflicts of interest and do not participate in the review of any paper for which they have a competing interest. The editor-in-chief is responsible for the scientific context of all published materials in the journal. The conflict of interests statements is declared below each staff editor and shows their relationship to activities over the previous 12 months since the last update. However, relevant competing interests from previous years will also be taken into account when deciding whether it is appropriate for an editor to handle a paper.

**Founder & Editor in Chief**

**Farnad Imani**



Email Us



- *Professor, MD, FIPP*
- **Affiliation:** Pain Research Center, Department of Anesthesiology and Pain Medicine, Iran University of Medical Sciences (IUMS), Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Published papers in this journal:** 41 out of 645 published article
- **Paid Salary:** Iranian Society of Regional Anesthesia and Pain Medicine (ISRAPM)
- Monetary or in kind compensation for self or household member from an organization that may in any way gain or lose financially or in any other way from the publication of papers in Kowsar:
  - **Reimbursement for attending a conference or symposium, Accommodation and travel or Fees for speaking:** No
  - **Fees for organizing education or funds for researches from Publisher:** No
  - **Stocks or shares in Publisher:** No
  - **Other competing interests related to the journal:** Not Declared

### International Editorials:

#### Arthur C. Hertling (Atchabahian)



- *MD, FASA, MBA*
- Professor, Department of Anesthesiology, NYU Grossman School of Medicine, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 5
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.



#### Andrea M. Trescot

- *MD, ABIPP, FIPP, CIPS*
- Former Professor and Direct of Pain Fellowship program, University of Washington
- Director, Pain and Headache Centers, USA
- Past President, ASIPP
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 5
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.



#### Elliot S. Krames

- *MD*
- Founder and Emeritus Editor-In-Chief of Neuromodulation Journal, USA
- Past President International Neuromodulation Society
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 0/645



#### Bardia Amirlak

- *MD, FACS*
- Associate Professor, Department of Plastic Surgery, UT Southwestern Medical Center, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.



Email Us

- **Conflict of Interest:** No. Voluntary.

### Giustino Varrassi



- *MD, PhD, FIPP*
- Professor, President, World Institute of Pain
- Paolo Procacci Foundation, Italy
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 3/645
- **Conflict of Interest:** No. Voluntary.

### Kenneth D. Candido



- *MD, ABIPP*
- Professor and Chairman, Department of Anesthesiology, Advocate Illinois Masonic Medical center, University of Illinois, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### Susilo Chandra



- *MD, FRCA*
- Professor, Department of Anesthesiology, University of Indonesia, Indonesia
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 5
- **Published Articles in this journal:** 6/645
- **Conflict of Interest:** No. Voluntary.

### John Doyle



- *MD, PhD, FRCPC*
- Professor, Cleveland Clinic, Institute of Anesthesiology and Pain Management, USA
- Past President, The Society for Airway Management
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Stephen P. Gatt



- *MD, FRCA*
- The University of Sydney, Australia
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### Salim M. Hayek



- *MD, PhD, FIPP, ABIPP*
- Prof and Chief, Division of Pain Medicine, University Hospitals of Cleveland, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.



Email Us

### Vikram Patelm



- *MD, FIPP, DABIPP*
- Phoenix Interventional Center for Advanced Learning, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.



### Ali N. Shariat

- *MD*
- Assistant Professor, Department of Anesthesiology, St. Luke's-Roosevelt Hospital Center, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 7
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Menno E. Sluijter



- *MD, PhD, FIPP*
- Professor, Department of Pain Medicine, Swiss Paraplegic Centre, Switzerland
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 4/645
- **Conflict of Interest:** No. Voluntary.



### Nicholas Hai Liang Chua

- *MD, PhD, DAAPM, FIPP*
- President, Pain Association of Singapore
- Mount Elizabeth Medical Center, Singapore
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 4/645
- **Conflict of Interest:** No. Voluntary.

### David Abejón González



- *MD, PhD, FIPP*
- Head of Unit Pain, Hospital Universitario Quiron Salud, Spain
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.



### Krzysztof M. Kuczkowski

- *MD*
- Professor, Department of Anesthesiology, Texas Tech University Health Sciences Center at El Paso, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### Pasquale De Negri



Behnam Jafarpou  [Email Us](#)



- *MD, FIPP, EDPM*
- Department of Surgical Oncology and Pain Medicine, IRCCS, Italy
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

- *MD*
- President, Advanced NeuroSpine Pain Management, USA
- **Completed assignments in this journal:** 7
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Philippe Mavrocordatos



- *MD, PhD, SSIPM, FIPP*
- Director and Founder, SWISS Pain Institute
- President, Swiss Interventional Pain Management Society, Switzerland
- **Profiles:** [Scholar](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### Kyung-Hoon Kim



- *MD, PhD*
- Professor, Department of Anesthesia and Pain Medicine, Pusan National University, South Korea
- Founder, International Spinal Pain Society
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### George Mychaskiw II



- *DO, FAAP, FACOP*
- Professor and Founding Dean, Burrell College of Osteopathic Medicine, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.



### Gauhar Afshan

- *MBBS, MCPS, FCPS*
- Professor, Department of Anesthesiology, Aga Khan University, Pakistan
- President, Pakistan Society for treatment & Study of Pain
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 4
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.


### Peter S. Staats

- *MD, MBA, ABIPP, FIPP*



### Hariharan Shankar

- *MD, MBBS, FCPS*





- President-Elect, World Institute of Pain
- Past President, ASIPP
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

- Professor, Department of Anesthesiology, Medical College of Wisconsin, USA
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 4
- Published Articles in this journal: 1/645
- Conflict of Interest: No. Voluntary.

### G. Ulufer Sivrikaya

- MD
- Academy of Interventional Medicine, Education and Simulation, Turkey
- President, Society of Medical Simulation in Turkey
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 3
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.



### Ernesto A. Pretto

- MD, MPH
- Professor and Chief, Division of Transplant and Vascular Anesthesia, University of Miami, Miller School of Medicine, USA
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 2
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.



### Eric Buchser

- MD, DEAA
- Professor, Neuromodulation Centre, Morges, Switzerland
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.



### Frank JE Falco

- MD, ABIPP
- Mid Atlantic Spine and Pain Physicians, USA
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.




### Tariq Hayat Khan

- MBBS, DA, MCPS, FCPS
- Department of Anesthesiology, KRL General Hospital, Pakistan
- Editor in Chief, APICARE Journal
- President, Pakistan Resuscitation Society



### Ivano Dones

- MD
- Department of Neurosurgery, Unit for the Surgical Treatment of Pain and Spasticity IRCCS Fondazione Neurological Institute Carlo Besta, Italy



- **Completed assignments in this journal:** 3
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Thomas T. Simopoulos



- *MD, MA*
- Chief, Division of Pain Medicine, Beth Israel Deaconess Medical Center, USA
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.



### Nedim Solakovic

- *MD*
- Chief, Department of Anesthesiology, Cantonal Hospital Bihac, Bosnia & Herzegovina
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 12
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Danesh Mazloomdoost



- *MD*
- Wellward Regenerative Medicine, USA
- **Completed assignments in this journal:** 6
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.



### Adriana Schwartz

- *MD*
- President, International Medical Ozone Federation, Spain
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.



### Mohamed Mohi Eldin

- *MD, M.SC*
- Professor and Chair, Department of Neurosurgery, Cairo University, Egypt
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.



### Girija P. Rath

- *MBBS, MD, DM, FIMSA*
- Professor, Department of Neuroanesthesiology, All India Institute of Medical Sciences, India
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 2
- **Published** journal: 1/645



Email Us



- **Conflict of Interest:** No. Voluntary.

### Sumitra G. Bakshi



- *MBBS, MD, DNB*
- Department of Anesthesiology, Homi Bhabha National Institute, India
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 1/645
- **Conflict of Interest:** No. Voluntary.

### Fred E. Shapiro



- *DO, FASA*
- Associate Professor, Department of Anesthesiology, Beth Israel Deaconess Medical Center, USA
- **Completed assignments in this journal:** 2
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Nameer R. Haider



- *MD, DABPM*
- Founder, OMNI Minimally Invasive Pain Institute, USA
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

### Alexandre L. Teixeira



- *MD, FIPP*
- Consultant in Pain Medicine, Porto, Portugal
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.

### National Editorials:

#### Ali Dabbagh

- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#)
- **Completed assignments in this journal:** 39
- **Published Articles in this journal:** 14/645
- **Conflict of Interest:** No. Voluntary.

#### Masood Mohseni

- *Associate professor*
- Iran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 65
- **Published Articles in this journal:** 10/645
- **Conflict of Interest:** No. Voluntary.

#### Ali Mohammadian Erdi

- *Associate Professor*

#### Mehdi Fathi

- *Associate Professor*



- Ardabil University of Medical Sciences, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 39
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Ali-reza Mirkheshti

- Associate professor
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 51
- Published Articles in this journal: 11/645
- Conflict of Interest: No. Voluntary.

#### Ali-reza Pournajafian

- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 15
- Published Articles in this journal: 8/645
- Conflict of Interest: No. Voluntary.

#### Bahram Naderi-Nabi

- Associate Professor
- Department of Anesthesiology, Alzahra Hospital, Guilan University, Guilan, Iran
- Profiles: [Scholar](#) [ResearchGate](#)
- Completed assignments in this journal: 2
- Published Articles in this journal: 19/645
- Conflict of Interest: No. Voluntary.

#### Fardin Yousefshahi

- Mashhad University of Medical Sciences, Mashhad, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 12/645
- Conflict of Interest: No. Voluntary.

#### Mohsen Ziyaeifard

- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 32
- Published Articles in this journal: /645
- Conflict of Interest: No. Voluntary.

#### Mahmoud-Reza Alebouyeh

- Ph.D
- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 8
- Published Articles in this journal: 8/645
- Conflict of Interest: No. Voluntary.

#### Poupak Rahimzadeh

- Professor, MD, FIPP
- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 84
- Published Articles in this journal: 18/645
- Conflict of Interest: No. Voluntary.

#### Rasoul Azarfarin



- *Professor, MD*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 35
- **Published Articles in this journal:** 14/645
- **Conflict of Interest:** No. Voluntary.

#### Farsad Imani

- *Assistant Professor*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 34
- **Published Articles in this journal:** 12/645
- **Conflict of Interest:** No. Voluntary.

#### Hamid-Reza Faiz

- *MD*
- Iran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 39
- **Published Articles in this journal:** 17/645
- **Conflict of Interest:** No. Voluntary.

#### Hassan Soleimanpour

- *Professor*
- Tabriz University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 42
- **Published Articles in this journal:** 18/645
- **Conflict of Interest:** No. Voluntary.

Mohammad-bagher Khosravi

- *Professor*
- Iran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 37
- **Published Articles in this journal:** 7/645
- **Conflict of Interest:** No. Voluntary.

#### Reza Shariat Mohararii

- *Professor*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 10
- **Published Articles in this journal:** 10/645
- **Conflict of Interest:** No. Voluntary.

#### Saeid Safari

- Iran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 3
- **Published Articles in this journal:** 37/645
- **Conflict of Interest:** No. Voluntary.

#### Saeid-Reza Entezary

- Iran University of Medical Sciences, Tehran, Iran
- **Profiles:** [ResearchGate](#)
- **Completed assignments in this journal:** 37
- **Published Articles in this journal:** 4/645
- **Conflict of Interest:** No. Voluntary.

Mir-Mousa Aghdashi



- *Professor*
- Shiraz University of Medical Sciences, Iran
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 1/645
- Conflict of Interest: No. Voluntary.

#### Davoud Agha-Mohammadi

- Tabriz University of Medical Science, Tabriz, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 8
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.

#### Ghodrat Akhavan-akbari

- *Associate professor*
- Ardabil University of Medical Sciences, Iran
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 3
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Mahzad Alimian

- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 26
- Published Articles in this journal: 8/645
- Conflict of Interest: No. Voluntary.

#### Hamid-reza Amiri

- Urmia University of Medical Sciences, Urmia , Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 2
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.

#### Mohammad Taghi Joghtaei

- Guilan university of Medical Scinces, Guilan, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Ata Mahmoodpoor

- *Professor*
- Tabriz University of Medical, Tabriz, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 32
- Published Articles in this journal: 12/645
- Conflict of Interest: No. Voluntary.

#### Elham Memary

- *Assistant Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- Profiles:
- Completed assignments in this journal: 20
- Published Articles in this journal: 5/645
- Conflict of Interest: No. Voluntary.

#### Seyedeh-Zahra Faritoos



Email Us

- Tehran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#)
- Completed assignments in this journal: 12
- Published Articles in this journal: 6/645
- Conflict of Interest: No. Voluntary.

- Iran
- Completed assignments in this journal: 0
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.

### Mohammad Hossein Bakhshaei

- *Associate professor*
- Hamadan University of Medical Sciences, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 2
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.

### Faramarz Mosaffa

- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 4/645
- Conflict of Interest: No. Voluntary.

### Farhad Etezadi

- *Full Professor*
- Tehran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 8
- Published Articles in this journal: 10/645
- Conflict of Interest: No. Voluntary.

### Mohammad Radmehr

- Jahrom medical university, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

### Farid Abolhasan-Gharehdaghi

- Iran
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

### Seyed Alireza Seyed Siamdoust

- *Associate Professor, MD*
- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 23
- Published Articles in this journal: 4/645
- Conflict of Interest: No. Voluntary.

### Helen Gharaee

- Azargan Pain Clinic, Tehran, Iran
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 5
- Published Articles in this journal: 0/645

### Ali Shahbazi

- Iran University of Medical Sciences, Tehran, Iran
- Profiles: [Scholar](#)



Email Us

- **Conflict of Interest:** No. Voluntary.

- **Completed assignments in this journal:** 4
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.

#### Mohammad-Reza Ghodraty

- Iran University of medical sciences, Tehran, Iran
- **Profiles:** [Scholar](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 6/645
- **Conflict of Interest:** No. Voluntary.

#### Mohammad Haghighi

- Guilan University of Medical Sciences, Guilan, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 12
- **Published Articles in this journal:** 7/645
- **Conflict of Interest:** No. Voluntary.

#### Abbas Haghparast

- *Professor*
- Shahid Beheshti University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 1
- **Published Articles in this journal:** 0/645
- **Conflict of Interest:** No. Voluntary.

#### Reza Aminnejad

- *MD.*
- Qom university of medical sciences, Qom, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 11
- **Published Articles in this journal:** 7/645
- **Conflict of Interest:** No. Voluntary.

#### Seyed-Masoud Hashemi

- *Associate Professor*
- Shahid Beheshti Medical University, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)
- **Completed assignments in this journal:** 10
- **Published Articles in this journal:** 6/645
- **Conflict of Interest:** No. Voluntary.

#### Zahra Taghipour-Anvari

- Iran University of Medical Sciences
- **Profiles:** [Scholar](#)
- **Completed assignments in this journal:** 0
- **Published Articles in this journal:** 2/645
- **Conflict of Interest:** No. Voluntary.

#### Zahid Hussain-khan

- Iran
- *Professor, M.D*
- Tehran University of Medical Sciences, Tehran, Iran

#### Arman Taheri

- *Associate professor*
- Tehran University of Medical Sciences, Tehran, Iran
- **Profiles:** [Scholar](#) | [ResearchGate](#)



Email Us

- Profiles: [Scholar](#) | [ResearchGate](#)
- Completed assignments in this journal: 5
- Published Articles in this journal: 3/645
- Conflict of Interest: No. Voluntary.

- Completed assignments in this journal: 1
- Published Articles in this journal: 1/645
- Conflict of Interest: No. Voluntary.

#### Alireza Khajehnasiri

- Shariati Hospital, Tehran, Iran
- Profiles: [ResearchGate](#)
- Completed assignments in this journal: 22
- Published Articles in this journal: 1/645
- Conflict of Interest: No. Voluntary.

#### Maryam Zafarghandi

- Iran
- Completed assignments in this journal: 4
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Methodological Consultant:

#### Alireza Ahmadvand

- Iran
- Completed assignments in this journal: 5
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Hooman Bakhshandeh

- Iran
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### Mahsa Motavaf

- Iran
- Completed assignments in this journal: 0
- Published Articles in this journal: 2/645
- Conflict of Interest: No. Voluntary.


#### Peiman Habibollahi

- USA
- Completed assignments in this journal: 0
- Published Articles in this journal: 0/645
- Conflict of Interest: No. Voluntary.

#### In Collaboration of:

Iranian Society of Regional Anesthesia and Pain Medicine (ISRAPM)  
 Iran University of Medical Sciences (IUMS)  
 Iranian Neuroscience Society (INSS)  
 World Institute of Pain (WIP), Iran Section


## How to Contact Editorial Board?



To contact one of the above-mentioned boards or staffs we kindly invite you to submit a ticket

to the publisher with complete details. Our colleagues in Support department will review your ticket and reply you as soon as possible. Your tickets are more than welcomed via "Submit a Ticket" at: <http://www.publisher.support>

 TERMS & CONDITIONS



The banner features a horizontal row of logos: Crossref, iThenticate (Professional Plagiarism Prevention), COPE (Committee on Publication Ethics), and Croche (Powered by The). Below the logos is a series of dots, with the fourth dot from the left being larger and positioned above a downward-pointing chevron. To the left of the chevron is the word 'COPE' in large blue letters. To the right of the chevron is the text 'Promoting Integrity in Research and Its Publication'.

© Copyright 2021, Kowsar. [CC BY-NC 4.0](#). All Rights Reserved.  
Journal Management System. Powered by Neoscriber ® 3.61

[TERMS OF USE](#) | [PRIVACY POLICY](#)







# ANESTHESIOLOGY AND PAIN MEDICINE

The Official Journal of Iranian Society of Regional Anesthesia and Pain Medicine (ISRAPM)

SIGN IN | REGISTER | SUPPORT

ARTICLES ▾



Archive - Anesthesiology and Pain Medicine: Apr 2019, 9 (2), 12 articles.

3 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Health Needs in Patients Suffering from Chronic Back Pain: A Qualitative Study

Khatereh Rostami, Farkhondeh Sharif\*, Ladan Zarshenas, Abbas Ebadi, Arash Farbood

DOI 10.5812/aapm.85244



Final Published

## Journal Features


SOCIAL

### FOLLOW US



### JOURNAL TOOLS

#### Anesthesiology and Pain Medicine



0 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Comparative Study of Pain Relief in Two Non-Pharmacological Treatments in Patients with Partial Rotator Cuff Tears: A Randomized Trial

Sotiria Vrouva, Chrysanthi Batistaki\*, Efterpi Paraskevaidou, Konstantinos Chanopoulos, Dimitrios Kostopoulos, Efthimios Stamoulis, et al.

DOI 10.5812/aapm.88327

### Official COPE member





Publons

Final Published

6 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Comparison of Two Methods of Anesthesia Using Patient State Index: Propofol Versus Sevoflurane During Interventional Neuroradiology Procedure

Eunsu Kang, Ki Hwa Lee \*, Jae-Hong Park

DOI 10.5812/aapm.87518



Publons

Final Published

2 Mar, 2019



CASE REPORT

AUTHORS

Frequent Spinal Anesthesia in a Patient with Traumatic Lower Extremity Injury: A Case Report

Masoud Tarbiat <sup>id</sup>, Morteza Majidi <sup>id</sup>, Nahid Manouchehrian <sup>id</sup> \*

DOI 10.5812/aapm.88595



Final Published

6 Apr, 2019




RESEARCH ARTICLE

AUTHORS

Effect of Cognitive-Behavioral Training on

Zahra Mirbolook <sup>id</sup> \*



If you have any question [contact us](#)

### Newsletter



Stay in touch and be informed about our special discount offers and educational letter from **Kowsar**.

Subscribe



DOI 10.5812/aapm.78905

### Pain Self-Efficacy, Self-Discovery, and Perception in Patients with Chronic Low-Back Pain: A Quasi-Experimental Study

Jalali ,  
Azadeh  
Farghadani,  
Maryam Ejlali-  
Vardoogh 



Final Published

 Publons


0 Apr, 2019



#### RESEARCH ARTICLE

#### AUTHORS

### Non-Pharmacological Methods and Post-Operative Pain Relief: An Observational Study

Marcus  
Komann ,  
Claudia  
Weinmann,  
Matthias  
Schwenkglens,  
Winfried  
Meissner

DOI 10.5812/aapm.84674



Final Published

 Publons



7 Apr, 2019



#### RESEARCH ARTICLE

#### AUTHORS

### How Low Can We Go? A Double-Blinded Randomized Controlled Trial to Compare Bupivacaine 5 mg and Bupivacaine 7.5 mg for Spinal Anesthesia in Cesarean Delivery in Indonesian Population

Susilo Chandra  
, Alfian  
Mahdi  
Nugroho,  
Henry Agus,  
Astrid  
Pratidina  
Susilo 

DOI 10.5812/aapm.91275



Final Published

 Publons



8 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Comparison of IL-6 and CRP Concentration Between Quadratus Lumborum and Epidural Blockade Among Living Kidney Donors: A Randomized Controlled Trial

Rahendra Rahendra \*, Pryambodho Pryambodho, Dita Aditiansih, Raden Besthadi Sukmono, Aida Tantri, Annemarie Chrysantia Melati

DOI 10.5812/aapm.91527



Final Published

8 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Significance of Cardiac Troponin I Elevation in Traumatic Brain Injury Patients

Siamak Rimaz, Ali Ashraf, Shideh Marzban, Mohammad Haghghi, Seyyed Mahdi Zia Ziabari, Gelareh Biazar, et al.

DOI 10.5812/aapm.90858



Final Published



3 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Comparative Effect of

Mehran



DOI 10.5812/aapm.67835

Nature-Based Sounds Intervention and Headphones Intervention on Pain Severity After Cesarean Section: A Prospective Double-Blind Randomized Trial

Farzaneh, Ali Abbasijahromi \*, Vahid Saadatmand, Nehleh Parandavar, Hamid Reza Dowlatkah, Ayda Bahmanjahromi



Final Published

7 Apr, 2019



RESEARCH ARTICLE

AUTHORS

Comparison of the Sedation Quality of Etomidate, Propofol, and Midazolam in Combination with Fentanyl During Phacoemulsification Cataract Surgery: A Double-Blind, Randomized, Controlled, Clinical Trial

Leili Adinehmehr ID, Hamidreza Shetabi ID\*, Darioush Moradi Farsani ID, Ali Salehi, Mohadese Noorbakhsh

DOI 10.5812/aapm.87415



Final Published



0 Apr, 2019



RESEARCH ARTICLE

AUTHORS

The Effect of Glossopharyngeal Nerve Block on Post-Tonsillectomy Pain of Children; Randomized Controlled Trial

Sameh Abdelkhalik Ahmed ID\*, Amany Faheem Omara

DOI 10.5812/aapm.90854





Final Published

Publons



TERMS & CONDITIONS



**DOI Enabled**

Providing Digital Object Identifier (DOI) Services and Registration

© Copyright 2021, Kowsar. [CC BY-NC 4.0](#). All Rights Reserved.  
Journal Management System. Powered by Neoscriber ® 3.61

[TERMS OF USE](#) | [PRIVACY POLICY](#)

