Interprofessional communication in a sociohierarchical culture: development of the TRI-O guide

Mora Claramita, Rilani Riskiyana, Astrid Pratidina Susilo, Emy Huriyati, Mae SH Wahyuningsih, John J Norcini

Department of Medical, Health Professions Education and Bioethics, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia; ²The Indonesian College of Health Professions Education (Iam-HPE) and The Indonesian Skills Laboratory Network and Development (ISLaND), Yogyakarta, Indonesia; 3Department of Health Nutrition, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia; Department of Pharmacology and Therapy, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Yogyakarta, Indonesia; 5FAIMER Institute, Philadelphia, PA, USA



Correspondence: Mora Claramita Department of Medical, Health Professions Education and Bioethics, Faculty of Medicine, Public Health and Nursing, Universitas Gadjah Mada, Radiopoetro Building 6th floor, Jalan Farmako Sekip Utara, Yogyakarta 55281, Indonesia

Tel +62 817 460 135 Email mora.claramita@ugm.ac.id **Objectives:** Interprofessional education (IPE) and collaborative practice are essential for patient safety. Effective teamwork starting with partnership-based communications should be introduced early in the educational process. Many societies in the world hold socio-hierarchical culture with a wide power distance, which makes collaboration among health professionals challenging. Since an appropriate communication framework for this context is not yet available, this study filled that gap by developing a guide for interprofessional communication, which is best suited to the socio-hierarchical and socio-cultural contexts.

Materials and methods: The draft of the guide was constructed based on previous studies of communication in health care in a socio-hierarchical context, referred to international IPE literature, and refined by focus group discussions among various health professionals. Nominal group technique, also comments from national and international experts of communication skills in health care, was used to validate the guide. A pilot study with a pre–posttest design was conducted with 53 first- and 107 fourth-year undergraduate medical, nursing, and health nutrition students.

Results: We developed the "TRI-O" guide of interprofessional communication skills, emphasizing "open for collaboration, open for information, open for discussion", and found that the application of the guide during training was feasible and positively influenced students' perceptions. **Conclusion:** The findings suggest that the TRI-O guide is beneficial to help students initiate partnership-based communication and mutual collaboration among health professionals in the socio-hierarchical and socio-cultural context.

Keywords: cross-cultural communication, interprofessional communication, interprofessional education, role-play, constructive feedback, wide power distance

Introduction

Interprofessional education (IPE) is considered important for effective health care and patient safety. It supports effective teamwork through development of shared values, ethics, and responsibilities with two-way communication and understanding of team dynamics. Interprofessional collaborative competences and frameworks have been established in several developed western countries and among the competencies, communication skill is perceived to be the key to effective interprofessional practice. It plays important roles in determining the effectiveness of teamwork that is associated with improved patient safety. In contrast, poor communication in interprofessional health care teams is associated with health care delays, which may harm the patient. Therefore, interprofessional communication skills training to undergraduate and postgraduate students is necessary to prepare graduates to be able to work in collaboration.

There have been several training frameworks aimed at improving team communication including Team Strategies and Tools to Enhance Performance and Patient-Safety,9 Crew Resource Management, 10 and Interprofessional Team Reasoning Framework.¹¹ These frameworks are useful to develop team building and leadership and describe generic interprofessional communication. Although proven effective in improving communication among health professionals, ie, using the SBAR (Situation, Background, Assessment, Recommendation) method, 12 the best application of these frameworks in a wide power distance context or sociohierarchical gaps is not clear. Recent study from Indonesia, exploring the attitude perceptions of health professionals, shows the lack of interprofessional communication due to limited understanding on patient-centered care, lack of face-to-face interaction, unequal decision-making, and misunderstanding about specific roles and responsibilities. 13 For that particular study, the presence of the wide power distance or socio-hierarchical gaps between health professionals was clear.13

This power distance phenomena explain the relational gap in a society, ie, between those who are seen in higher positions (eg, teachers, parents, and health professionals, especially physicians) and those in the lower positions (eg, students, children, patients, and the nonphysician health professionals). These social gaps create a strong nonverbal politeness intended to avoid conflict and maintain harmony. Accordingly, people use indirect communication more than straightforward messaging. Therefore, physician—nonphysician and health professional—patient communications tend to be one way instead of effective dialog. For example, when two health professionals do not agree with each other upon a patient's treatment plan, the one in the perceived lower social hierarchy often chooses to not speak to avoid conflict. As a result, it threatens patient safety.

Other effect of socio-hierarchical gaps relates to a desire for group communication (eg, family or community) instead of individuals to avoid individual conflict. Interestingly, previous work in the Southeast Asian context indicates that decision-making is more heavily influenced by the family or community members than by individual preferences. In this respect, health professionals need to balance the participation of the family or community with the patients' individual rights.

Based on the Hofstede's global study of cultural dimensions underlying relationships between people across nations, there are many non-western countries in Asia, Africa, and the Middle East, and they hold high socio-cultural gaps due to wide "power distance" dimensions (where people accept

and expect unequally distributed "power"). ¹⁵ Regions with wider socio-cultural gaps contain the most highly populated countries globally and notably, and they also have very high rates of emigration. Therefore, health care providers from many countries will be expected to deal with the challenges of passive roles of patients, and the norm of one-way patient—provider communication style may threaten patient safety. ^{16,17}

Overcoming these socio-hierarchical gaps requires more partnership-based communications, underpinned by trust, equity, and two-way partnership dialogs. ^{16,17} Unfortunately, high patient loads and restricted time for consultation often lead by necessity to one-way communication. Moreover, patients and physicians are unprepared for partnership-based communication because of gaps in educational background and lack of communication skills training for health professionals. ^{16,17}

Previous studies in the form of publications and theses from this cultural context found the application of partnership-based communication skills guides useful for health professional—patient communication.^{22–25} This study aimed to develop a culturally relevant partnership-based IPE communication skills guide and test its applicability with undergraduate students from three different study programs.

Materials and methods

Figure 1 depicts the steps for both the development of the guide and the subsequent applicability and feasibility study (see Tables 1 to 5).

Development of the guide

The development of a draft IPE communication guide for health professionals in socio-cultural and socio-hierarchical contexts was done based on participatory approaches with different health professionals on three focus group discussions (FGDs). Each FGD was composed of physicians, nurses, nutritionists, and pharmacists, who were mid-career academicians/clinicians and involved in previous studies of communication skills.^{22–25} Three participants from each profession (n=12) with a male/female ratio of 5:7 between the ages of 40–60 years attended the FGDs. All participants had doctorate degrees with one professor from medicine and one from pharmacy. They were lecturers from five of the oldest and most established faculties of medicine in Indonesia. All the FGDs were conducted in a lecture room at a Faculty of Medicine.

The participants were previously involved in the development of communication guides for their individual health professions. Specifically, guides were developed for doctor–patient,²² nurse–client,^{25,26} nutritionist–client,²³ and




Figure I Procedures of this study. Abbreviations: Al, appreciative inquiry; FGDs, focus group discussions; IPE, interprofessional education; NGT, nominal group technique; TRI-O, open for collaboration, open for information, open for discussion.

pharmacist-client communications.²⁴ Notably, the guide for physicians referred to "patients" while the other professions referred to "clients". All of the guides were structured around the communication skill set tasks of the "greet-invite-discuss" model of communications. The only exception was the nurses' guide, who added the step of "ready" prior to "greet" based on the well-known communication skills sequences in that profession.^{25,26}

The guiding questions for the FGDs were as follows: "What basic communication skills do you think are important for an IPE communication guide and explain why?" Each of the FGDs was lasted until no new ideas were generated by the participants/saturation (generally 40–50 minutes). ^{22–25} The results were recorded by two assistants and then transcribed within 48 hours. Given these data, the authors conducted a manual content analysis.27 These were turned into a draft guide within the context of previous work and organized

around the partnership-based communication model^{22–25} that is suitable for the cultural context explained in this study, also based on an international IPE guide² (Tables 1 and 2).

This draft was submitted to the same groups applying nominal group techniques (NGTs)²⁸ (Table 3). They were instructed to study the guide independently and then the group discussed the elements one by one. Afterward, each participant rated every item in the draft on a 5-point scale, where "1" was "disagree strongly" and "5" was "agree strongly". Participants were told that items would be deleted if they received a mean rating <3.33 (the center value of the 5-point scale).

Upon calibration, the authors communicated with participants and ensured clarity of content. In particular, items with average ratings of <3 were highlighted so that participants could reconfirm their initial judgments. Finally, this draft was sent to communication experts from different professions

Table I Attributes of IPE communication skills in the context of wider socio-cultural gaps in four initial categories and grouped into three "O" framework (TRI-O)

Teamwork Roles and responsibilities		Patient safety	Communication	
]	of health professionals			
I. Awareness	9. Confidence	11. Comfortable	13. Active listening	
2. Care	10. Confidentiality	12. Helpfulness	14. Attentiveness	
3. Equity			15. Exploration first	
4. Commitment			16. Communication	
5. Health professional			17. Communicative	
concern			18. Openness	
6. Health professional			19. Respect	
"egoless"			20. Trust	
7. Need each other			21. Willingness to	
8. Understanding			collaborate	
22. Responsiveness	23. Less competitiveness	25. Alternative medicine	31. Informative	
	24. Supports	26. Ethics		
		27. Patient centeredness		
		28. Patient concern		
		29. Safety		
		30. Satisfaction		
32. Collaboration	37. Abilities	45. Monitoring and	46. Complementary	
33. Cooperation	38. Authority	evaluation	information	
34. Coordination	39. Clarity		47. Discussions	
35. Teamwork	40. Complementary roles		48. Sharing information	
36. Working together	41. Less individuality			
	42. Roles and responsibilities of			
	· ·			
	•			
	•			
	I. Awareness 2. Care 3. Equity 4. Commitment 5. Health professional concern 6. Health professional "egoless" 7. Need each other 8. Understanding 22. Responsiveness 32. Collaboration 33. Cooperation 34. Coordination 35. Teamwork	I. Awareness 2. Care 3. Equity 4. Commitment 5. Health professional concern 6. Health professional "egoless" 7. Need each other 8. Understanding 22. Responsiveness 23. Less competitiveness 24. Supports 32. Collaboration 33. Cooperation 34. Coordination 35. Teamwork 36. Working together 9. Confidentiality 20. Confidentiality 30. Confidentiality 31. Confidentiality 32. Confidentiality 33. Less competitiveness 34. Supports 47. Abilities 38. Authority 39. Clarity 40. Complementary roles 41. Less individuality	I. Awareness 2. Care 3. Equity 4. Commitment 5. Health professional	

Abbreviation: TRI-O, open for collaboration, open for information, open for discussion.

from Indonesia and the Netherlands. Experts' recommendations are incorporated in the final guide (Table 2).

Applicability and feasibility study

To test the applicability and feasibility of the guide in practice, we conducted a training by an open recruitment of medical, nursing, and nutrition students from years 1 (novice) and 4 (advanced) of their education. Students were from a Faculty of Medicine, Public Health and Nursing in Indonesia, which has the three study programs, and were from all 33 Indonesian provinces. Considering Indonesia is the fourth most populated country in the world, participants could be regarded as optimally varied. Before joining the training, students were given information about the study and written voluntarily consents were obtained.

The year 4 cohort (N=107) was composed of 35 medical students, 33 nursing students, and 40 health nutrition students. The main instruments were a perception scale (5-point Likert scale) based on the IPE communication guide and case scenarios for role-plays (Table 2; scenario A). A simulated patient underwent a briefing with the researchers before the session started. Figure 1 shows the lesson plan.

Scenario A and instruction for role-play of year 4 students

A patient (trained simulated patient) with type 2 diabetes mellitus made a routine physician visit to a primary care clinic. Past history revealed chronic hypertension and severe uric acid symptoms. The patient worried about a potential foot ulcer. A nurse who understood the treatment of diabetic ulcers was there with a dietician working in the same clinic.

The instruction was as follows: students 1, 2, 3 may have a role as a physician, nurse, and health nutritionist according to their future professions. Once the role-play begins, all students should comment on the role-play between students, using the TRI-O guide: What went well and what needs improvement in the communication between the three health professions? Students 1, 2, 3, 4 may reflect on

 Table 2 A guide of IPE communication developed in this study

Structure	Content of IPE communication guide as knowledge based for the purpose of collaborative teanwork practice toward better patient-centered care and patient safety	Construct from IPEC, 2016 (only appears in this paper and not for the training)	Communication attitude strengthened: "interpersonal skills"	5-point Likert scale from the most disagree (1) to strongly agree (5)
Open attitude for collaboration To have an attitude of minimizing the social hierarchy and to be open for a collaborative teamwork with other health professionals	I. Ability to respect role, task, and function of other health professionals, with awareness that every health professional needs to cooperate together for the sake of patient safety as well as provider safety.	CC3. Express one's knowledge and opinions to team members involved in patient care and population health improvement with confidence, clarity, and respect, working to ensure common understanding of information, treatment, care decisions, and population health	Example: I respect other health professionals as partners who I can rely on when I need.	2 3 4 5
	Ability to build trust and equal relationship with other health professionals. Ability to start a mutual relationship between health professionals.	programs and policies. CC4. Listen actively and encourage ideas and opinions of other team members. CC6. Use respectful language appropriate for a given difficult situation, crucial conversation, or conflict.	Example: I am willing to learn (receive and share information) from other health professionals. Example: I welcome other health professionals' contribution to help my task.	
Structure	Content of IPE communication guide as knowledge based for the purpose of collaborative teanwork practice toward better patient-centered care and patient safety	Construct from IPEC, 2016 (only appears in this paper and not for the training)	Communication attitude strengthened: "assertiveness skills"	5-point Likert scale from the most disagree (1) to strongly agree (5)
Open for information (verbal and nonverbal) To initiate communication with other health professionals in a proper assertive manner	4. Ability to initiate interpersonal communication with other health professionals.	CC3, CC4, CC6, etc. CC5. Give timely, sensitive, instructive feedback to others about their performance on the team, responding respectfully as a team member to feedback from others.	Example: I will initiate communication with other health professionals, eg, for a "lifesaving" case that needs immediate action as well as for chronic illnesses that need continuous and intensive treatment because we need each other to complement our tasks.	3 4 5
	5. Ability to communicate concern with other health professionals (between individual or during a group meeting).		Example: I will initiate communication regarding patients' concern.	

Journal of Multidisciplinary Healthcare downloaded from https://www.dovepress.com/ by 178.171.30.19 on 15-Mar-2019 For personal use only.

Table 2 (Continued)

able 2 (Collanaed)				
	6. Ability to explore the use of		Example:	
	alternative medicine (which is a		The use of traditional medicine is a habit.	
	habit in the non-western contexts)		Therefore, I communicate this issue carefully	
	with other health professionals.		also to other health professionals.	
	7. Ability to maintain ethics during		Example:	
	communication with other health		I respect health professionals' norms, values,	
	professionals.		and beliefs during communication with other	
1			health professionals.	
Structure	Content of IPE communication	Construct from IPEC, 2016	Communication attitude strengthened:	5-point Likert scale from
	guide as knowledge based for	(only appears in this paper and not for	"advocating and negotiating skills"	the most disagree (I) to
	the purpose of collaborative	the training)		strongly agree (5)
	teamwork practice toward better			
	patient-centered care and patient			
	safety			
Open for discussion	8. Ability to share information and	CC2. Communicate information with	Example:	1 2 3 4 5
To be able to share	to provide proper complementary	patients, families, community members,	I will strengthen, adjust, and synchronize any	
information and share decision	information to other health	and health team members in a form that is	information that has already been given by other	
with other health professionals	professionals (via verbal, nonverbal,	understandable, avoiding discipline-specific	health professionals in a constructive manner.	
based on patients' concern and	or written communication).	terminology when possible.		
the latest evidences in health	9. Ability to apply paradigm, ie, willing	CC7. Recognize how one's uniqueness	Example:	
sciences	to help, willing to strengthen	(experience level, expertise, culture, power,	I will discuss any appropriate information with	
	information, and willing to adjust	and hierarchy within the health team)	other health professionals to strengthen and	
	information from other health	contributes to effective communication,	adjust previous information for the patients.	
	professionals – based on role,	conflict resolution, and positive		
	task, and function of health	interprofessional working relationships		
	professionals.	CCI. Choose effective communication		
	10. Ability to approach mutual	tools and techniques, including information	Example:	
	agreement with other health	systems and communication technologies	I will discuss and negotiate any unsynchronized	
	professionals for any patients'	to facilitate discussions and interactions that	information from other health professionals for	
	problem.	enhance team function.	mutual agreement.	
	II. Ability to collaborate and	CC8. Communicate the importance of	Example:	
	cooperate with other health	teamwork in patient-centered care and	I will maintain good relationship of collaborative	
	professionals for any patients'	population health programs and policies.	practice with other health professionals.	
1	problem.			

Abbreviation: IPE, interprofessional education.

Dovepress Claramita et al

Table 3 Results of the NGT

Structures	ı	2	3	4	5	6	7	8	9	10	П	12	Total
I. Open attitude for collaboration													
1.1	2	5	5	5	5	ı	4	5	5	5	4	5	56
1.2	2	5	5	5	5	5	5	5	4	5	4	5	60
1.3	4	5	5	5	5	5	4	5	5	4	3	5	60
2. Open for information													
2.1	2	5	5	5	4	5	5	5	2	5	5	5	58
2.2	2	5	5	5	4	4	4	5	4	4	4	5	56
2.3	4	5	5	5	5	4	5	5	4	4	5	5	61
2.4	2	5	5	5	3	4	4	5	2	4	4	5	53
3. Open for discussion													
3.1	2	5	5	5	4	4	4	5	5	4	4	5	57
3.2	2	5	5	5	4	4	4	5	5	4	5	5	58
3.3	1	5	5	5	5	3	4	5	4	5	5	5	57
3.4	2	5	5	5	4	5	5	5	5	4	5	5	60

Abbreviation: NGT, nominal group technique.

the recommendations they have gained from the role-play. Finally, they all may reflect on the training based on the TRI-O guide.

A research assistant distributed the questionnaires and audiotaped the training process. We analyzed students' perceptions concerning the IPE guide before and after the training using paired-sample *t*-tests.

The year 1 cohort (N=53) was composed of 30 medical students, 12 nursing students, and 11 health nutrition students. We used the same perception instrument, lesson plan, procedures, and analyses. The only difference was the scenario B, which was based on the limited prior knowledge of the year 1 students, who were only in their first week of school. A simulated patient (a student) was briefed by the researchers before the session. The role-play and feedback strategies were often used to train students in skills involving communication with patients.²⁹⁻³²

Scenario B and instruction for role-play of year 1 students

Ten students from different health professional programs should volunteer in the role-play. During an orientation day, in a very hot summer day, ten students (as one learning group) should queue on a line to start an activity. Suddenly, one of students falls down (as if she is in a syncope stage).

The instruction is as follows: students may have a role as a medical student, a nursing student, and a health nutritionist student, according to their study program. What will you do as a medical student/nursing student/health nutrition student, if one of your friends falls down? Use your own perceptions as a new student. All students should comment on the role-play:

What went well and what needs improvement? Finally, they all may reflect on the training based on the TRI-O guide.

Ethics statement

This study was approved by the Committee of Ethics, Faculty of Medicine, UGM (no. EC: KE/FK/232/EC/2011–2015).

Results

Development of the guide

Although the focus groups were consistently directed to concentrate on communication, the discussions that took place ranged broadly, discussing general aspects of IPE. This is not surprising, given the central role communication plays in all facets of interprofessional practice. For example, "patient safety" is an important outcome of effective interprofessional communication. Likewise, teamwork and roles and responsibilities are two important attributes that IPE depends on, and the result of, good communication among professionals. Table 1 summarizes the attributes of good interprofessional practice, as distilled from the focus groups and categorized under the headings of patient safety, teamwork, roles and responsibilities, and communication.

To develop the first draft of the communication guide, the authors classified the items in Table 1 according to the previous communication skills model from the same context, but in this study, we relabeled the guide from the verbal communication tasks (the greet–invite–discuss) into a more attitudinal guide. The IPE communication skills guide in this study is called TRI-O, consisting of three "O": 1) to have an "open attitude", implies attitude of minimizing the social hierarchy in the study context and

being open to working together with other health professionals, 2) to be "open for information" implies willingness to initiate communication with other health professionals in an assertive manner using active listening skills and open-ended questions, and by being aware of unspoken concern expressed through nonverbal cues, and 3) to be "open for discussions" implies sharing information and decisions with other health professionals based on patients' concerns and on the latest evidences in health sciences via two-way dialogs.

For example, the attributes as summarized in Table 1 of awareness, care, commitment, equity, health professional concerns, health professional egoless, need each other, understanding, confidence, confidentiality, comfortable, helpfulness, active listening, attentiveness, exploration first, communication, communicative, openness, respect, trust, and willingness to collaborate were put in the Open attitude for collaboration" section in the TRI-O guide. These became three statements as summarized in Table 2:

- Ability to respect roles, tasks, and functions of other health professionals with awareness that all health professionals need to cooperate for the sake of patient safety and provider safety.
- Ability to build trust and equal relationships with other health professionals.
- 3. Ability to start a mutual relationship between health professionals.

The other steps of the TRI-O development follow this example.

The three steps of TRI-O should be used in each encounter, with the emphasis on "open attitude for collaboration" at the beginning of the encounter, "open for information" in the middle, and "open for discussion" near the end. The communication items in IPEC (2016)² were reorganized according to these steps and included in the final guide. For example, "communicating information to the patients and families..." was an early consideration in IPEC (CC2), but we consider it as part of the "open for discussion" step in the guide. The "share information and share decisions" was regarded as part of the final step in the guide. In contrast, the "respect" item of the IPEC (CC6) was moved forward into the "open attitude for collaboration" step of the guide. Figure 2 illustrates the gradual increasing complexity of the three steps of the TRI-O guide as introduced in an educational program.

The draft guide was submitted to the same FGD's participants for rating, and the results are summarized in Table 3. An overall mean score of 57.81 (out of total value of 60) and an individual mean score of 4.81 per individual (out of 5) showed high agreement among the participants. As summarized in Table 3, the first participant (rater 1) gave lower ratings than the other participants and rater 6 gave the lowest score for the "partnership between health professionals" item. Both of the participants were found to be the physicians, and the authors confirmed that these results were an accurate appraisal of their perceptions.

There is no way of having a partnership relation with other health professionals because we have different tasks (Respondent No. 6).




Figure 2 Illustration of the use of the IPE TRI-O communication guide in the study.

Abbreviations: IPE, interprofessional education; TRI-O, open for collaboration, open for information, open for discussion.

Dovepress Claramita et al

The experts commented on the scenarios A and B:

Both scenarios represent the daily working context of health professionals with simple degree of cases. To consider 'simple to complex' learning, a role-play could start with only two health professionals from different professions. Then the next role-play could involve more than 2 health professionals.

We could also use simulated professionals (simulated physicians, simulated nurses, and simulated physiotherapist). It is important to divide roles among students. We must consider students' prior knowledge. Thus, it is important to distinguish different scenarios for different level of students. The advantage in this study is that you involve many health professions in the role-play. Students could act as themselves whom study a profession.

Applicability and feasibility study

Table 4 summarizes the mean, SD, and the results of the *t*-tests of the year 1 and 4 students. As a group, the students showed statistically significant improvements in their perceptions following interprofessional communication skills training. The same was true for each of the different disciplines. For year 1 students, although the positive improvement was the same for the nursing and nutritionist students, it did not reach a level of statistical significance, probably due to the relatively smaller group sizes.

To stimulate reflection and follow-up plans based on roleplays, year 4 students were asked to reflect on their experiences of the ideal IPE communication. Overall reflection is presented in Table 5. Next, in the training, was all students were asked to share what they observed during the role-play as listed below:

- When a simulated patient came, a nursing student greeted the patient in a nice manner and then asked the main complaint while taking basic vital signs.
- The nursing student then referred the patient to the medical student.
- The medical student carefully examined the patient starting from history taking and complete physical examinations.
- When all the data were gathered from the simulated patient, the medical student started the patient education and counseling process.
- However, there was not much to do for the nursing student and the nutrition student during that process.
- We can observe the way nursing and nutrition students' body languages that leaning toward the medical student, waiting for a turn to participate in the consultation.
- The nonverbal of waiting for a turn to participate in a consultation was also shown by the simulated patient.
- The simulated physician seemed to have a physiciancentered consultation.
- Did he notice how other health professionals were waiting for their turn?
- The patient also seemed to wish to express something.
 Who do we know who does what and when?

The list then discussed based on the TRI-O guide is summarized in Table 2. After hearing the overall discussion and reflections, students moved from superficial awareness into deeper awareness of the appropriate IPE communication as summarized in Table 5.

During the summary phase, discussions with the fourthyear students reflected the action plan:

Table 4 Pre-posttest results on year 4 and 1 students' perceptions before and after training using the TRI-O IPE communication guide

Students	N	Mean (± SD)		P-value	CI (95%)
		Pre	Post		
Year 4					
All	107	52.52 (±4.15)	54.00 (±4.21)	0.001	-
Medical education	34	53.50 (±3.74)	54.88 (±4.35)	0.014	-
Nursing	33	52.00 (±4.34)	53.27 (±4.84)	0.033	-2.44 to -0.11
Health nutrition	40	52.13 (±4.29)	53.85 (±3.47)	0.014	-3.08 to -0.37
Year I					
All	53	52.98 (±3.92)	56.00 (±2.97)	0.001	-
Medical education	30	52.30 (±4.23)	56.17 (±2.91)	0.001	-
Nursing	12	52.50 (±3.23)	54.58 (±3.53)	0.116	-4.77 to 0.60
Health nutrition	11	55.36 (±2.94)	57.09 (±1.92)	0.127	-4.04 to 0.58

Note: Paired sample t-test, significant if P<0.05.

Abbreviation: TRI-O, open for collaboration, open for information, open for discussion.

Table 5 Perceptions of students, years 4 and 1, before and after training using the TRI-O guide

Role-players	Superficial reflection of students before discussions with the TRI-O guide	Deeper reflection of students after discussions with the TRI-O guide	Interpretations of the qualitative data
A medical student, year 4, who acted as the physician (student I)	"I have tried my best to provide comprehensive care to the patient."	"In my perception, I was trained to work alone, I do not know how to ask help from other health professionals because I feel as a doctor I must do all procedures correctly. But next time I would love to get help and be helpful for others."	Typical thinking by the perceived higher social hierarchy, in this case, is "the physician", which changed after the training into a willingness to collaborate.
A nursing student,	"I have tried my best to provide	"I know that I should take care of the wound,	Hesitation to initiate
year 4, who acted as	care to the patients. Actually I	I knew all theories and skills to do a wound	communication to the
the nurse (student 2)	would do more, I can clean the wound and help educate the patient but apparently, we do not have much time."	debridement for a diabetic patient, including the principles of dry and wet wound care, but I do not know how to explain it to the doctor that I know lots of things, so I just wait for him to ask me."	perceived higher hierarchy is typical.
A nutritionist student,	"Hmmm I did not do much, yes	"I would like to participate in the	Using nonverbal signs, which is
year 4, who acted	I agree we don't have the time. I	consultation, I had tried to give a 'code' for	typical in this socio-hierarchical
as the nutritionist	would like to assess the patients'	the doctor for my turn, but I do not know	context.
(student 3)	habits of daily nutrition and educate him with proper diet for diabetic patients so he could not get to the diabetic ulcer stage"	how to communicate collaborative care to other health professionals"	
A trained SP	"Yes the doctor was friendly and kind and also other health professionals, the nurse is really kindactually I would ask something, but the doctor had explained."	"Wellyeahas far as I remember, the doctor seemed to talk by himself, the nurse and the dietician talking to me but not to each other, oohand I would like to ask many questions"	Clearer articulated concern of the "patient".
A medical student,	"Hmmm I didn't know what to do,	"I did not anticipate that it will be this	Awareness of the initiation of
year I, who acted as	but I think I came to the important	complicated, but next time I will ask help	the discussion and information
the physician (student	things like vital-sign."	from others instead of giving instructions, and	sharing and decision-making
la)		I will learn to apologize and to say thank you."	with the perceived higher
A nursing student,	"I tried to bring the patient into a	"I will do my job my best, I will try to provide	hierarchy on the basis of patient
year I, who acted as	safer place."	comfort for the patients, and I will obey	safety after the training.
the nurse	·	doctor's suggestions. If the suggestion is less	
(student 2a)		complete I will communicate and discuss with	
•		the doctor for the best care for the patients."	
A nutritionist student,	"I tried to take care of her by	"I will try to communicate in more assertively	
year I, who acted	buying her a hot soup(laughing)."	with the doctor and discuss with him and the	
as the nutritionist (student 3a)		patients on proper nutrition for the patients."	

Abbreviations: SP, simulated patient; TRI-O, open for collaboration, open for information, open for discussion.

We know that we could not work alone. By working with other health professionals, we will get somebody to remind us the importance of patient-safety.

It may be better to always be exploring the needs first rather than direct the education.

We understand now that we should communicate our thinking to each other and that all tasks should have a spirit of a 'complementary' of each other's roles.

We replicated this process with the first-year students, initially asking them to do the role-play as the professionals of their study program (physician/nurse/nutritionist), and as a student who simulated fainting. Their initial reflections revealed their limited awareness of the ideal interprofessional communication (Table 5). The process was followed by asking other participants about what they observed during the role-play as listed below:

1. When a student fell down, two nursing students immediately took their friend to the nearest chair or shady spot and were trying to provide an open air for better breathing.

- 2. A medical student said (shouting): "Measure the pulse!"
- 3. Another medical student said (shouting): "Who knows this lady? Did she have a specific illness?"
- 4. Another medical student said (shouting): "Give her a sugary liquid."
- 5. A nutritionist student tried to provide a sugary liquid and a hot soup (simulated).
- 6. When the syncope student felt better, she said: "I did not have any breakfast."
- 7. Another medical student said: "You should have breakfast so you don't get any problem!"

Afterward, we discussed the list using the IPE TRI-O guide as the ideal reference. Year 1 students also shifted from unawareness into awareness stage of openness to interprofessional collaboration and were able to develop action plans as presented below:

We did not understand our role very clearly, we felt lack of coordination, but the nursing students were quite responsive to take care of their syncope friend immediately to a proper place. The medical students also think the proper way, as well as the health-nutrition students. However, when somebody has a syncope condition, others should provide adequate open air environment and not to get closer to the patient without doing nothing. Who should take the lead? We hear only instructions from the medical students which could be transformed better into a thank you message, asking for help intonation with "please", or direct the care plan in a more suggestive and motivating intonation.

Discussion

The TRI-O guide emphasizes the attitudinal framework underlying the verbal skill set of communication, which is applicable to overcome the wide socio-cultural and sociohierarchical gap of interprofessional collaboration being addressed in this study. The content and skills emphasized in our work are similar to the international recommendations for interprofessional communication skills.^{2–6} The strength of the TRI-O communication framework used in this study relies on a set of simple to complex communication skills. Gradual complexity is important in training communication skills,²⁹ which is not addressed in the IPEC guide (2016).² The nature of health professional–patient communication is somewhat different from the interprofessional communication, therefore, rather than using the same verbal communication skill set from the previous communication skills guide, the "greet-invite-discuss", 22-25 the TRI-O emphasizes the openness attitude and awareness of all health professionals to work together.

The open attitudes emphasized throughout the guide will shift the previous norm of paternalistic culture into a more partnership-based communication. For example, in the "open for collaboration" step, the guide emphasized patient safety orientation, equity, and initiation of the mutual relationship. These are the fundamental bases of communication problems in the socio-hierarchical culture found in previous studies. 13-18 Therefore, "open for collaboration" attitude is essential to move toward the partnership-based communication. The highlighted items are somewhat different in countries with a narrower gap of power, which already have equity of participation and the less problematic initiation of a closer relationship between people, ie, the western countries.^{3–12} The TRI-O with the "open for collaboration" will guide the health professionals in the study context to overcome cultural barriers: the anxiousness to speak up due to the wide gap of social distance, the hesitation to disturb others, and shame on their perceived potential mistakes, ^{13–18} thus help initiate a partnership-based communication.

The "open for information" step in the TRI-O guide emphasized some of the unique characteristics of the sociohierarchical culture that the health professionals should be aware of the presence of nonverbal subtleness, the belief of alternative medicine, and spiritual concern. ¹⁶ These characteristics are less recognized in western culture, where articulation of concerns is a common norm and modern health care is highly systematic and trusted. ^{3–12}

In the "open for discussion" step, the guide emphasized the two-way information exchange, dialog, and complementary actions rather than blaming each other so that mutual agreement becomes shared decision-making. Again, we highlighted these items in the guide to move from the existing paternalistic culture to the partnership-based communication. ^{19–21} In addition, the TRI-O approach could be seen as a motivational spirit to work together, ie, in a trio group.

During the guide's development, we recognized the dominant position of the physicians. There were several contradictory statements expressed by the physicians during FGDs and their scores during the review process. In the initial phase of the guide development, physicians, who are at the top of the hierarchy in this context, may have trouble adopting the new partnership paradigm among health professionals. This phenomenon is also related to the original nature of the physicians' communication style toward more biomedical issues than other health professionals who are more inclined toward patients' psychological concerns. ^{5,24}

Interestingly, the perception of dominancy can be found in both year 1 and 4 medical students, indicating that this perception is strongly rooted in the culture. Domination of physicians may also be found in other parts of the world,⁵ but is more prominent in existing socio-hierarchical cultures. 13-17 It was challenging for the medical students to actually experience and reflect on the IPE role-plays. Nevertheless, the results indicated a significant change toward working collaboratively with other health professionals after the IPE TRI-O communication skills training. Likewise, it was challenging for nonmedical students to be more assertive and prioritizing patient safety over maintaining harmonious relationship and avoiding conflicts with physicians. After the training, the nonmedical students also learned to participate more appropriately in patient care. This insight is highly important, because team awareness of shared mutual goals influences how individuals interact and communicate. 1-6 Regardless of the professions, the students acquired a better understanding of the importance of safety as the ultimate goal of patient care, despite the socio-hierarchical gaps.

In the context of wider socio-hierarchical culture, such a small group discussions like the FGDs may be an effective way to train health professionals of an IPE communication skills based on reassuring exchange information that occurs. "Participatory learning" through involvement in the development of the learning guide seemed to be a powerful and subtle training strategy well suited to academicians and practicing health professionals.²² For the students, involvement in the role-play, feedback, and reflections are forms of participatory learning that proven beneficially in this study.

The IPE communication skills training in this study was quite effective in moving the students toward the new paradigm of collaboration among health professionals based on two important strengths. First, there was a "cycle of feedback" (a two-way information and reaction) based on role-playing.²⁹⁻³² By actually observing their own simulated performances, students could better understand the reactions of both the simulated patients and the health professionals. Second, self-assessment following the experience, along with feedback from peers, provided important insights. Debriefing of "what happened" and "what should have happened" provided reflection opportunities using prior knowledge and moral sensibilities.²⁹ After discussions among students, facilitators may do reinforcement and feedback based on the TRI-O guide. This process provided appreciative principles toward shared experiences to create positive and safe learning environment. 30 The TRI-O model was introduced at an appropriate moment when the students felt knowledge gap. 31,32

Limitations

Limitations of this study include how the pre-posttest design was conducted in a single institution and used a cross-sectional design rather than quasi-experimental research with a control group. However, we involved students from three different health professions and two levels of students and found that this guide was applicable for both levels. These findings certainly need to be replicated in other settings with similar cultural backgrounds. Such studies could incorporate different health professionals, more students, and even patients. However, in regard to the process of participative learning in this study with role-playing, feedback, and series of reflections, a similar transition from the "unconscious incompetence" to the "conscious incompetence" students will likely be demonstrated in a replication study.^{29–32} It may also be more useful to apply the training model we describe in clinical education or a longitudinal curriculum of IPE.³³ Looking further, refining the way health care providers are educated could change the system and culture of the health care practice into a partnership-based fashion.

Conclusion

The TRI-O guide can be beneficial to improve interprofessional communication skills for undergraduate students in the socio-hierarchical cultures. Participatory learning through involvement in developing the communication guide seemed to be a powerful and subtle training strategy that well suited the practicing health professionals in this context. Students' involvement in the role-play, feedback, and reflection is an applicable participatory learning within the context of the study.

Acknowledgments

Mora Claramita received the funding of a senior research grant from the Faculty of Medicine, Universitas Gadjah Mada (DAMAS/FK-UGM/2011–2015) and from the Ministry of Research, Technology, and Higher Education, Republic of Indonesia - the WCP Project 2018. The authors are grateful and respectful to our colleagues: Ardi Findyartini, MD, PhD (Universitas Indonesia), Professor Budi Ana Keliat, Ns.M.App.Sc., PhD (Universitas Indonesia), Professor Achir Yani S Hamid, MN, DNSc (Universitas Indonesia), Retno Pangastuti, DCN, M.Kes (Sardjito Hospital, Yogyakarta), Kusindrati Soedibyo, MCN, MARS (Cipto Mangunkusumo Hospital, Jakarta), Bondan Ardiningtyas, Apth., MSc, PhD (Universitas Gadjah Mada), and Jan Van Dalen, PhD (Maastricht University) who helped validate the guide in this study and related communication skills guides.

The authors report no conflicts of interest in this work.

References

- World Health Organization. Framework for Action on Interprofessional Education and Collaborative Practice. Geneva: World Health Organization; 2010. Available from: http://apps.who.int/iris/bitstream/handle/10665/70185/WHO_HRH_HPN_10.3_eng.pdf;jsessionid=93D 77481DA5DD0CF2860EEA901179039?sequence=1. Accessed July 8, 2015
- Interprofessional Education Collaborative Expert Panel. Core Competencies for Interprofessional Collaborative Practice: Report of An Expert Panel (Update); 2016. Available from: https://aamc-meded.global.ssl.fastly.net/production/media/filer_public/70/9f/709fedd7-3c53-492c-b9f0-b13715d11cb6/core_competencies_for_collaborative_practice.pdf. Accessed July 8, 2015.
- Thistlethwaite JE, Forman D, Matthews LR, Rogers G, Steketee C, Yassine T. Competencies and frameworks in interprofessional education: a comparative analysis. *Acad Med.* 2014;89(6):p869–875.
- 4. Suter E, Arndt J, Arthur N, Parboosingh J, Taylor E, Deutschlander S. Role understanding and effective communication as core competencies for collaborative practice. *J Interprof Care*. 2009;23(1):41–51.
- Weller JM, Barrow M, Gasquoine S. Interprofessional collaboration among junior doctors and nurses in the hospital setting. *Med Educ*. 2011;45(5):478–487.
- Kilminster S, Hale C, Lascelles M, et al. Learning for real life: patientfocused interprofessional workshops offer added value. *Med Educ*. 2004;38(7):717–726.
- Abu-Rish E, Kim S, Choe L, et al. Current trends in interprofessional education of health sciences students: a literature review. *J Interprof* Care. 2012;26(6):444–451.
- 8. Peebles E, Subbe CP, Hughes P, Gemmell L. Timing and teamwork an observational pilot study of patients referred to a Rapid Response Team with the aim of identifying factors amenable to re-design of a Rapid Response System. *Resuscitation*. 2012;83(6):782–787.
- Ferguson SL. TeamSTEPPS: integrating teamwork principles into adult health/medical-surgical practice. Med Surg Nursing. 2008;17(2):122.
- Robertson B, Kaplan B, Atallah H, Higgins M, Lewitt MJ, Ander DS. The use of simulation and a modified TeamSTEPPS curriculum for medical and nursing student team training. *Simul Health* 2010;5(6): 332–337.
- Packard K, Chelal H, Maio A, et al. Interprofessional team Reasoning framework as a tool for case study analysis with health professions students: a randomized study. *J Res Interprof Pract and Educ*. 2012; 2(3)29.
- Gausvik C, Lautar A, Miller L, Pallerla H, Schlaudecker J. Structured nursing communication on interdisciplinary acute care teams improves perceptions of safety, efficiency, understanding of care plan and teamwork as well as job satisfaction. *J Multidiscip Healthc*. 2015;8: 33–37
- Lestari E, Stalmeijer RE, Widyandana D, Scherpbier A. Understanding attitude of health care professional teachers toward interprofessional health care collaboration and education in a southeast Asian country. J Multidiscip Healthc. 2018;11:557–571.
- Geertz C. The Religion of Java. Chicago, IL: University of Chicago Press; 1976.
- Hofstede Hofstede G G, Minkov M. Cultures and organizations: software of the mind. *Intercultural Cooperation and Its Importance for Survival*. 3rd ed. New York: McGraw Hill; 2010.

- Claramita M, Nugraheni MDF, van Dalen J, van der Vleuten C. Doctor–patient communication in Southeast Asia: a different culture? Adv Health Sci Educ Theory Pract. 2013;18(1):15–31.
- Susilo AP, Van Dalen J, Scherpbier A, Tanto S, Yuhanti P, Ekawati N. Nurses' roles in informed consent in a hierarchical and communal context. *Nurs Ethics*. 2013;20(4):413–425.
- Mckinn S, Duong TL, Foster K, Mccaffery K. 'I do want to ask, but I can't speak': a qualitative study of ethnic minority women's experiences of communicating with primary health care professionals in remote, rural Vietnam. *Int Equity Health*. 2017;16(1):190.
- Tong WT, Lee YK, Ng CJ, Lee PY, Jenn Ng C, Lee YP. Factors influencing implementation of a patient decision aid in a developing country: an exploratory study. *Implement Sci.* 2017;12(1):40.
- Rimondini M, Mazzi MA, Deveugele M, Bensing JM. How do national cultures influence lay people's preferences toward doctors' style of communication? A comparison of 35 focus groups from an European cross national research. BMC Public Health. 2015;14(15):1239.
- Alden DL, Friend J, Lee PY, et al. Who decides: me or we? family involvement in medical decision making in eastern and Western countries. *Med Decis Making*. 2018;38(1):14–25.
- Claramita M, Susilo AP, Kharismayekti M, van Dalen J, van der Vleuten C. Introducing a partnership doctor-patient communication guide for teachers in the culturally hierarchical context of Indonesia. *Educ Health (Abingdon)*. 2013;26(3):147.
- Utami AF, Claramita M, Huriyati E. Validity of Communication Guideline Using 'greet-invite-discuss' for the Dietetics. Yogyakarta: Repository of Universitas Gadjah Mada, Faculty of Medicine, Undergraduate Dietetics Program; 2012.
- Mulyono I, Claramita M, Susilo AP & Irawati S. Clients Communication Analysis Using RIAS. Surabaya: Repository of Universitas Surabaya, Faculty of Pharmacy, Magister Program in Pharmacy, 2014.
- Claramita M, Tuah R, Riskione P, Prabandari YS, Effendy C. Comparison of communication skills between trained and untrained students using a culturally sensitive nurse-client communication guideline in Indonesia. *Nurse Educ Today*. 2016;36(1):236–241.
- Potter PA, Perry AG. Fundamentals of Nursing. St Louis: Mosby Elsevier; 2004.
- 27. Hsieh HF, Shannon SE. Three approaches to qualitative content analysis. *Qual Health Res.* 2005;15(9):1277–1288.
- Mcmillan SS, King M, Tully MP. How to use the nominal group and Delphi techniques. *Intl J Clin Pharm.* 2016;38(3):655–662.
- Kurtz S, Silverman J, Draper J. Teaching and Learning Communication Skills in Medicine. Boca Raton: CRC Press; 2016.
- Boet S, Bould MD, Layat Burn C, Reeves S. Twelve tips for a successful interprofessional team-based high-fidelity simulation education session. *Med Teach.* 2014;36(10):853–857.
- Sandars J, Murdoch-Eaton D. Appreciative inquiry in medical education. AMEE guide No. 113. Med Teach. 2016;39(2):123–127.
- van de Ridder JM, Stokking KM, McGaghie WC, ten Cate OT. What is feedback in clinical education? *Med Educ*. 2008;42(2): 189–197.
- Gilligan C, Outram S, Levett-Jones T. Recommendations from recent graduates in medicine, nursing and pharmacy on improving interprofessional education in University programs: a qualitative study. *BMC Med Educ*. 2014;4(1):52.

Journal of Multidisciplinary Healthcare

Publish your work in this journal

The Journal of Multidisciplinary Healthcare is an international, peerreviewed open-access journal that aims to represent and publish research in healthcare areas delivered by practitioners of different disciplines. This includes studies and reviews conducted by multidisciplinary teams as well as research which evaluates the results or conduct of such teams or health care processes in general. The journal covers a very wide range of areas and welcomes submissions from practitioners at all levels, from all over the world. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/journal-of-multidisciplinary-healthcare-journal

Dovepress

About | Contact | Sustainability | Press Center | Testimonials | Blog | Favored Author Program | Permissions | Pre-Submission | Reprints | Login |

Dovepress

Search Dove Press

Search
Advanced search

open access to scientific and medical research

Home Journals Why publish with us? Editorial Policies Author Information

Peer Review Guidelines Open Outlook COVID-19

Back to <u>Journals</u> » Journal of Multidisciplinary Healthcare

CITESCORE

Average Article Statistics

1 7 Days

*

From submission to first editorial decision.



*

From editorial acceptance to publication.

*Business days (Mon-Fri)

Rejection Rate



The above percentage of manuscripts have been rejected in the last 12 months.

Journal of Multidisciplinary Healthcare



About Journal

Editors

IMPACT FACTOR

Peer Reviewers

Articles

Article Publishing Charges

Aims and Scope

Call For Papers

ISSN: 1178-2390

The Journal of Multidisciplinary
Healthcare (JMDH) aims to represent
and publish research in healthcare
areas delivered by practitioners of
different disciplines. This includes
studies and reviews conducted by
multidisciplinary teams (combining or
involving several academic disciplines
or professional specializations) as well
as research which evaluates or reports
the results or conduct of such teams
or healthcare processes in general.

The journal covers a very wide range of areas and we welcome submissions



Editor-in-Chief: <u>Professor</u> Steve Campbell

from practitioners at all levels and from all over the world. Good healthcare is not bounded by person, place or time and the journal aims to reflect this. The *JMDH* is published as an open-access

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Journal Email Alerts

Signup for **Alerts**

About Dove Press

Open access peer-reviewed scientific and medical journals.

Learn more

Open Access



Dove Medical Press is a member of the OAI.

Learn more

Reprints

Bulk reprints for the pharmaceutical industry.

Learn more

Favored Authors

We offer real benefits to our authors, including fast**Journal Impact Factor: 1.913**

90th percentile Powered by Scopus

Indexed online:

- PubMed and PubMed Central (J Multidiscip Healthc)
- Science Citation Index Expanded (also known as SciSearch®)
- Journal Citation Reports/Science Edition
- Current Contents®/Clinical Medicine
- Embase, from 2011 (Correct as at December 8, 2016)
- Journal of Multidisciplinary Healthcare Medicine (miscellaneous) best quartile SJR 2019 0.91powered by scimagoir.com
- Scopus, from 2011 (Correct as at December 8, 2016)
- Directory of Open Access Journals (DOAJ)
- OAIster The Open Access Initiative

Related journals you may also be interested in:

Advances in Medical Education and Practice

Core Evidence

International Journal of General Medicine

International Medical Case Reports Journal

Nursing: Research and Reviews

Pathology and Laboratory Medicine International

Pragmatic and Observational Research

Research and Reports in Tropical Medicine

Research and Reviews in Parkinsonism

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

Accept

Promotional Article Monitoring

Register your specific details and specific drugs of interest and we will match the information you provide to articles from our extensive database and email PDF copies to you promptly.

Social Media

Learn more



<u>Contact Us</u> • <u>Privacy Policy</u> • <u>Associations & Partners</u> • <u>Testimonials</u> • <u>Terms & Conditions</u> • <u>Recommend this site</u> • <u>Top</u>

© Copyright 2021 • Dove Press Ltd • software development by maffey.com • Web Design by Adhesion

The opinions expressed in all articles published here are those of the specific author(s), and do not necessarily reflect the views of Dove Medical Press Ltd or any of its employees.

Dove Medical Press is part of Taylor & Francis Group, the Academic Publishing Division of Informa PLC Copyright 2017 Informa PLC. All rights reserved. This site is owned and operated by Informa PLC ("Informa") whose registered office is 5 Howick Place, London SW1P 1WG. Registered in England and Wales. Number 3099067. UK VAT Group: GB 365 4626 36

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

About | Contact | Sustainability | Press Center | Testimonials | Blog | Favored Author Program | Permissions Pre-Submission Reprints Login

Dovepress

Search Dove Press

Search Advanced search

open access to scientific and medical research

Home **Journals** Why publish with us? **Editorial Policies Author Information Peer Review Guidelines Open Outlook** COVID-19

Back to Journals

Average Article Statistics

1 7 Davs

From submission to first editorial decision.



From editorial acceptance to publication.

*Business days (Mon-Fri)

Rejection Rate



The above percentage of manuscripts have been rejected in the last 12 months.

Journal of Multidisciplinary Healthcare

CITESCORE



About Journal

Editors

IMPACT FACTOR

Peer Reviewers

Articles

Article Publishing Charges

Aims and Scope

Call For Papers

Professor Campbell

SJR OA

Prof. of Clinical Redesign, Nursing, School of Health Sciences, University of Tasmania, Australia

EDITOR IN CHIEF

Editor-in-Chief: Professor Steve Campbell

Prof. Campbell undertook his undergraduate education at the Department of Nursing at the University of Manchester in the 1970s, worked as a Health Visitor and then undertook specialist training in children's nursing. During the 1990s, he was chair of the Association of British Paediatric Nurses, and was founding editor of Child Health journal (now with Sage). He gained his PhD



Professor Campbell

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

Accept

Journal Email Alerts

Signup for Alerts

About Dove Press

Open access peer-reviewed scientific and medical journals.

Learn more

Open Access



Dove Medical Press is a member of the OAI.

Learn more

Reprints

Bulk reprints for the pharmaceutical industry.

Learn more

Favored Authors

We offer real benefits to our authors, including fastjournals. He became Head of the School of Health at the University of New England, NSW, in 2009, where he reinvigorated the teaching and research capacity. He moved to the University of Tasmania in January 2013, to become Head of Nursing and Midwifery, then Head of the School of Health Sciences and is now Professor of Clinical Redesign, Nursing. He was an executive member of the Council of Deans of Nursing and Midwifery (Australia and New Zealand), and a member of the Council of Deans of Health Science.

Prof. Campbell has a long history of translational research, with nearly 100 publications in the applied health arena. Prof. Campbell led Northumbria University's Nursing Practice Research Centre from 2000 until 2008. As part of this work he led the NHS funded "Delivery of Care" research programme. Most notably Prof. Campbell developed novel methodological approaches to change, such as his Patient Journey approach. Via this method he led the redevelopment of 18 clinical services from a patient/carer view point, but in partnership with health management and clinical leaders, as well as ensuring that national and international clinical quidelines are fulfilled.

Another aspect of Prof. Campbell's scholarship is in the arena of leadership, with evaluation and innovation expertise in its development. Prof. Campbell is also pioneering the use of the Four Frames of complex organisations in the health services arena.

Prof. Campbell is the joint national lead of the Health Management Research Alliance (Australia). A major part of this work has been the Positive Organisational Scholarship in Health approach, heralding a move away from simply reducing the number or errors, to embracing areas of great success and learning from those areas and making these approaches more pervasive.

Prof. Campbell also has a notable history of the development and evaluation of new and developing roles in the health services. These roles have included nurse consultants, Lecturer/Practitioners and Health Care Assistants.

Prof. Campbell has a history of over \$3million of research grant income since becoming a Professor in 2000.

Dr Fraser

Consultant Ophthalmologist, Sunderland Eye Infirmary, United Kingdom

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

https://www.dovepress.com/journal-editor-journal-of-multidisciplinary-healthcare-eic7

Promotional Article Monitoring

Register your specific details and specific drugs of interest and we will match the information you provide to articles from our extensive database and email PDF copies to you promptly.

Social Media

Learn more

of the Royal College of Surgeons of Edinburgh and the Royal College of Ophthalmologists.

He trained as an ophthalmologist initially in Newcastle and then completed his training at Moorfields Eye Hospital. At Moorfields he was also a research fellow initially looking into risk factors for late presentation of glaucoma and later as the Friend of Moorfields funded researcher looking



Dr Fraser

at the genetics of glaucoma. He was awarded his MD in 2000.

His main clinical interest is in glaucoma in which he completed sub-speciality training at Moorfields. His research interests also include glaucoma but more widely he is interested in factors that alter compliance with eye medications. He also has an interest in evidence based medicine and is an editor for the Cochrane Eyes and Vision group. He has published over 50 peer reviewed articles and over 100 presentations at scientific meetings. He has written chapters for 7 textbooks and has co-written a manual for eye care.



Editorial Board

19 Members

Dr Albejaidi SAUDI ARABIA



Fahd Albejaidi, Assistant Professor in Health Service Management , Faculty of Public Health and Health Informatics, Qassim University, Qassim, Saudi Arabia

Dr Donnelly CANADA



Tam Truong Donnelly, Faculty of Nursing, Department of Community Health Sciences, Faculty of Medicine, University of Calgary, Calgary, AB, Canada

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Tracy Finch, Professor of Healthcare & Implementation Science, Co-lead MDRT Integrated Health and Social Care, Department of Nursing, Midwifery & Health, Faculty of Health & Life Sciences, Northumbria University, Newcastle upon Tyne, UK

Dr Gbolade UNITED KINGDOM



Babatunde Gbolade, Fertility Control Unit, Department of Obstetrics and Gynaecology, St James's University Hospital, Leeds, UK

Professor Glass AUSTRALIA

Beverley Glass, Professor of Pharmacy, College of Medicine and Dentistry, James Cook University, Townsvile, QLD, Australia

Dr Jia UNITED STATES



Huanguang Jia, PhD, Research Consultant, Research Services of North Florida/South Georgia Veterans Health System, U.S. Department of Veterans Affairs, Gainesville, Florida, USA.

Prof. Dr. Kung TAIWAN



Woon-Man Kung, M.D., M.Sc., Associate Professor, Attending Neurosurgeon, Division of Neurosurgery, Department of Surgery, Taipei Tzu Chi Hospital, Buddhist Tzu Chi Medical Foundation, New Taipei City, Taiwan.

Professor Kwong CHINA MAINLAND (PRC)

Enid Kwong, Professor, Putian University, Putian, Fujian, China

Prof. Dr. Lopez COLOMBIA



Diego M. Lopez, Full Professor, Telematics Engineering Department, University of Cauca, Colombia

Professor Massoud UNITED STATES



Tarik Massoud, Professor, Department of Radiology;

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Professor Mckenna UNITED KINGDOM



Hugh McKenna, Professor of Nursing, School of Nursing, Faculty of Life & Health Sciences, Ulster University, Northern Ireland, UK.

Professor Nicolini ITALY

Professor of Cardiac Surgery at the University of Parma, Director of the Specialization School of Cardiac Surgery at the University of Parma, Italy

Dr Petricevic CROATIA



Mate Petricevic, University of Split, University Department for Health Studies. Department of Cardiac Surgery, University Hospital Center Zagreb, Croatia.

Professor Singh INDIA



Hari R Singh, Professor and Director R&D, VGI, Noida India.

Dr Smith AUSTRALIA



Tony Smith, Associate Professor PhD, MSc, BSc, DipAppSci(MedRad), FIR Academic Lead - Research University of Newcastle, Department of Rural Health, Faculty of Health and Medicine, NSW, Australia

Dr Strehle UNITED KINGDOM

Eugen-Matthias Strehle, Paediatrician, Neuromuscular Genetics, North Tyneside General Hospital, North Shields, UK

Dr Walton AUSTRALIA

Merrilyn Walton, Professor Of Medical Education (Patient Safety), Sydney School Of Public Health (Faculty Of Medicine), Sydney Medical School, The University Of Sydney, NSW, Australia

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

<u>Contact Us</u> • <u>Privacy Policy</u> • <u>Associations & Partners</u> • <u>Testimonials</u> • <u>Terms & Conditions</u> • Recommend this site • Top

© Copyright 2021 • Dove Press Ltd • software development by maffey.com • Web Design by Adhesion

The opinions expressed in all articles published here are those of the specific author(s), and do not necessarily reflect the views of Dove Medical Press Ltd or any of its employees.

Dove Medical Press is part of Taylor & Francis Group, the Academic Publishing Division of Informa PLC Copyright 2017 Informa PLC. All rights reserved. This site is owned and operated by Informa PLC ("Informa") whose registered office is 5 Howick Place, London SW1P 1WG. Registered in England and Wales. Number 3099067. UK VAT Group: GB 365 4626 36

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

About | Contact | Sustainability | Press Center | Testimonials | Blog | Favored Author Program | Permissions | Pre-Submission | Reprints | Login |



Search Dove Press

Search
Advanced search

open access to scientific and medical research

Home Journals V	hy publish with us?	Editorial Policies	Author Information
Peer Review Guideline	Open Outlook	COVID-19	

Back to <u>Journals</u> » <u>Journal of Multidisciplinary Healthcare</u> » <u>Volume 12</u> » default

Average Article Statistics

1 7 Days

*

From submission to first editorial decision.

1 5 Days

*

From editorial acceptance to publication.

*Business days (Mon-Fri)

Rejection Rate

7 0 %

The above percentage of manuscripts have been rejected in the last 12 months.



Archive: Volume 12, 2019

ORIGINAL RESEARCH

The Relation Between Calcaneus Stiffness Index as

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Papers Published

Submit Manuscript

Journal Email Alerts

Signup for Alerts

About Dove Press

Open access peer-reviewed scientific and medical journals.

Learn more

Open Access



Dove Medical Press is a member of the OAI.

Learn more

Reprints

Bulk reprints for the pharmaceutical industry.

Learn more

ORIGINAL RESEARCH

Extreme Consumers of Health Care: Patterns of Care Utilization in Patients with Multiple Chronic Conditions Admitted to a Novel Integrated Clinic

Rafiq M, Keel G, Mazzocato P, Spaak J, Guttmann C, Lindgren P, Savage C

Journal of Multidisciplinary Healthcare 2019, 12:1075-1083

Published Date: 24 December 2019

REVIEW

Abdominal Compartment Syndrome: Improving Outcomes With A Multidisciplinary Approach – A Narrative Review

Padar M, Reintam Blaser A, Talving P, Lipping E, Starkopf J Journal of Multidisciplinary Healthcare 2019, 12:1061-1074

Published Date: 19 December 2019

ORIGINAL RESEARCH

Association Between Self-Care Behaviors and Quality of Life Among Elderly Minority Groups on the Border of Thailand

Ong-artborirak P, Seangpraw K

Journal of Multidisciplinary Healthcare 2019, 12:1049-1059

Published Date: 16 December 2019

ORIGINAL RESEARCH

Knowledge, Beliefs, and Attitudes Concerning Genetic Testing Among Young Jordanians

Altaany Z, Khabour OF, Al-Taani G

Journal of Multidisciplinary Healthcare 2019, 12:1043-1048

Published Date: 11 December 2019

ORIGINAL RESEARCH

The Effect of Grandmothers' Presence on the Provision of Multidisciplinary Perinatal Support for Pregnant and Postpartum Women with Psychosocial Problems

Ogawa M, Hashimoto T, Tanaka M, Tachibana M, Seki R, Sato A, Okayama J, Endo M, Saito N, Sato Y, Watanabe H, Nakazato M,

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

authors, including fasttrack processing of papers.

Learn more

Promotional Article Monitoring

Register your specific details and specific drugs of interest and we will match the information you provide to articles from our extensive database and email PDF copies to you promptly.

Social Media

Learn more



How Do Interprofessional Healthcare Teams Perceive the Benefits and Challenges of **Interdisciplinary Ward Rounds**

Walton V, Hogden A, Long JC, Johnson JK, Greenfield D Journal of Multidisciplinary Healthcare 2019, 12:1023-1032

Published Date: 11 December 2019

REVIEW

Mass Casualty Shootings and Emergency Preparedness: A Multidisciplinary Approach for an **Unpredictable Event**

Melmer P, Carlin M, Castater CA, Koganti D, Hurst SD, Tracy BM, Grant AA, Williams K, Smith RN, Dente CJ, Sciarretta JD

Journal of Multidisciplinary Healthcare 2019, 12:1013-1021

Published Date: 10 December 2019





Assessment Of Ambient-Noise Exposure Among Female Nurses In Surgical Cardiac Intensive Care Unit



Alduais SA, Salama KF

Journal of Multidisciplinary Healthcare 2019, 12:1007-1011

Published Date: 5 December 2019

REVIEW

How Effective are Mentoring Programs for Improving Health Worker Competence and Institutional Performance in Africa? A Systematic Review of Quantitative Evidence

Feyissa GT, Balabanova D, Woldie M

Journal of Multidisciplinary Healthcare 2019, 12:989-1005

Published Date: 5 December 2019

ORIGINAL RESEARCH

Depressive Symptoms in Older versus Younger People with Epilepsy: Findings from an Integrated **Epilepsy Self-Management Clinical Research Dataset**

Khalid Z, Momotaz H, Briggs F, Cassidy KA, Chaytor NS, Fraser RT, Janevic MR, Jobst B, Johnson EK, Scal P, Spruill TM, Wilson BK. Saiatovic M.

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

Accept

The Impact of a Training Program on Clinical **Pharmacists on Pharmacy Clinical Services in a Tertiary Hospital in Hunan China**

Xu P, Hu YY, Yuan HY, Xiang DX, Zhou YG, Cave AJ, Banh HL Journal of Multidisciplinary Healthcare 2019, 12:975-980

Published Date: 27 November 2019

ORIGINAL RESEARCH

Challenges And Factors Associated With Poor Glycemic Control Among Type 2 Diabetes Mellitus Patients At Nekemte Referral Hospital, Western Ethiopia

Fekadu G, Bula K, Bayisa G, Turi E, Tolossa T, Kasaye HK Journal of Multidisciplinary Healthcare 2019, 12:963-974

Published Date: 22 November 2019

ORIGINAL RESEARCH



Complementary And Alternative Medicine Practitioner's Management Of Acute Respiratory Tract Infections In Children - A Qualitative Descriptive Study

Lucas S, Leach MJ, Kumar S, Phillips AC

Journal of Multidisciplinary Healthcare 2019, 12:947-962

Published Date: 20 November 2019

ORIGINAL RESEARCH

A Feasibility Study Of Administering The Electronic **Research And Development Culture Index To The Multidisciplinary Workforce In A UK Teaching** Hospital

Hollis R, Ersser SJ, Iles-Smith H, Milnes LJ, Munyombwe T, Sanders C, Swallow V

Journal of Multidisciplinary Healthcare 2019, 12:935-945

Published Date: 19 November 2019

ORIGINAL RESEARCH



Dispositional Humility Of Clinicians In An Interprofessional Primary Care Environment: A Mixed Methods Study

■ Sasadawa M Amieuv PS

In order to provide our website visitors and registered users with a service tailored to their individual **Accept** preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Scoring Of Post Stroke Pneumonia In Uttaradit Hospital



Leangpanich N, Chuphanitsakun Y, Pakaranodom K, Kerdjarern K, Poonual W

Journal of Multidisciplinary Healthcare 2019, 12:917-923

Published Date: 15 November 2019

ORIGINAL RESEARCH

Patients' Perceptions Of The Quality Of Palliative Care And Satisfaction – A Cluster Analysis

Sandsdalen T, Wilde-Larsson B, Grøndahl VA

Journal of Multidisciplinary Healthcare 2019, 12:903-915

Published Date: 11 November 2019

ORIGINAL RESEARCH

Resilience In Nepalese Adolescents: Socio-Demographic Factors Associated With Low Resilience

Singh R, Mahato S, Singh B, Thapa J, Gartland D Journal of Multidisciplinary Healthcare 2019, 12:893-902

Published Date: 7 November 2019

ORIGINAL RESEARCH

Evaluating A Multidisciplinary Cancer Conference Checklist: Practice Versus Perceptions

Corter AL, Speller B, McBain K, Wright FC, Quan ML, Kennedy E, Schmocker S, Baxter NN

Journal of Multidisciplinary Healthcare 2019, 12:883-891

Published Date: 1 November 2019

CORRIGENDUM

The Effect Of Patient Care Education On Burden Of Care And Quality Of Life Of Caregivers Of Stroke Patients [Corrigendum]

Hekmatpou D, Mohammad Baghban E, Mardanian Dehkordi L Journal of Multidisciplinary Healthcare 2019, 12:881-882

Published Date: 5 November 2019

ORIGINAL RESEARCH



In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

ORIGINAL RESEARCH



Experience of patients and practitioners with a team and technology approach to chronic back disorder management

Lovo S, Harrison L, O'Connell ME, Trask C, Bath B Journal of Multidisciplinary Healthcare 2019, 12:855-869

Published Date: 18 October 2019

ORIGINAL RESEARCH

Older People's Attitudes And Perspectives Of Welfare Technology In Norway

Sánchez VG, Anker-Hansen C, Taylor I, Eilertsen G Journal of Multidisciplinary Healthcare 2019, 12:841-853

Published Date: 16 October 2019

ORIGINAL RESEARCH

Team Functioning And Beliefs About Team Effectiveness In Inter-Professional Teams: Questionnaire Development And Validation

Kilpatrick K, Paquette L, Bird M, Jabbour M, Carter N, Tchouaket É Journal of Multidisciplinary Healthcare 2019, 12:827-839

Published Date: 4 October 2019

ORIGINAL RESEARCH



Self-Care Adherence And Barriers To Good Glycaemic Control In Nepalese Type 2 Diabetes Mellitus Patients: A Hospital-Based Cross-Sectional Study

Pokhrel S, Shrestha S, Timilsina A, Sapkota M, Bhatt MP, Pardhe

Journal of Multidisciplinary Healthcare 2019, 12:817-826

Published Date: 9 October 2019



The Mediterranean Diet And Cardioprotection: **Historical Overview And Current Research**



Minelli P, Montinari MR

Journal of Multidisciplinary Healthcare 2019, 12:805-815

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Accept

Temporomandibular Disorders: Improving Outcomes Using A Multidisciplinary Approach [Erratum]

Garrigós-Pedrón M, Elizagaray-García I, Domínguez-Gordillo AA, Del-Castillo-Pardo-de-Vera JL, Gil-Martínez A

Journal of Multidisciplinary Healthcare 2019, 12:803-804

Published Date: 19 September 2019

ORIGINAL RESEARCH

Establishing activity centers for elderly people in metropolitan areas of Vietnam: preference and willingness-to-pay

Nguyen TTH, Nguyen TX, Pham T, Nguyen CT, Thu Vu G, Nguyen LH, Tran BX, Vu HTT, Latkin CA, Ho CSH, Ho RCM

Journal of Multidisciplinary Healthcare 2019, 12:795-802

Published Date: 18 September 2019

ORIGINAL RESEARCH



The surgical ward round checklist: improving patient safety and clinical documentation

Krishnamohan N, Maitra I, Shetty VD

Journal of Multidisciplinary Healthcare 2019, 12:789-794

Published Date: 16 September 2019

ORIGINAL RESEARCH

Preliminary psychometric properties of the Arabic version of Sheu and colleagues Perceived Stress Scale among nursing students at Jordanian universities

Algaralleh A, Altwalbeh D, Alzayyat A

Journal of Multidisciplinary Healthcare 2019, 12:777-787

Published Date: 18 September 2019

ORIGINAL RESEARCH

IPE-COM: a pilot study on interprofessional learning design for medical and midwifery students

Randita ABT, Widyandana W, Claramita M

Journal of Multidisciplinary Healthcare 2019, 12:767-775

Published Date: 12 September 2019

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Journal of Multidisciplinary Healthcare 2019, 12:749-766

Published Date: 12 September 2019

REVIEW

Temporomandibular disorders: improving outcomes using a multidisciplinary approach

Garrigós-Pedrón M, Elizagaray-García I, Domínguez-Gordillo AA, Del-Castillo-Pardo-de-Vera JL, Gil-Martínez A

Journal of Multidisciplinary Healthcare 2019, 12:733-747

Published Date: 3 September 2019

ORIGINAL RESEARCH

The quality of consent form structure in biomedical research: a study from Jordan and Sudan

Ibrahim MA, Alshogran OY, Khabour OF, Alzoubi KH Journal of Multidisciplinary Healthcare 2019, 12:727-731

Published Date: 2 September 2019

ORIGINAL RESEARCH

Transbronchial cryobiopsy validity in diagnosing diffuse parenchymal lung diseases in Egyptian population

Shafiek H, Elbialy S, El Achy SN, Gad AYS

Journal of Multidisciplinary Healthcare 2019, 12:719-726

Published Date: 30 August 2019

ORIGINAL RESEARCH

Is aerobic exercise training during hemodialysis a reliable intervention for autonomic dysfunction in individuals with chronic kidney disease? A prospective longitudinal clinical trial

Morais MJD, de Abreu LC, Santana de Oliveira F, Pinheiro Bezerra IM, Raimundo RD, Paulo Martins Silva R, Valenti VE, Pérez-Riera AR

Journal of Multidisciplinary Healthcare 2019, 12:711-718

Published Date: 27 August 2019

ORIGINAL RESEARCH

Immersive placement experiences promote rural

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

ORIGINAL RESEARCH

Images depicting headache pain – a tool to aid the diagnosis of cluster headache: a pilot study



Buture A, Boland JW, Ahmed F, Dikomitis L

Journal of Multidisciplinary Healthcare 2019, 12:691-698

Published Date: 22 August 2019

ORIGINAL RESEARCH

Structured follow-up of frail home-dwelling older people in primary health care: is there a special need, and could a checklist be of any benefit? A qualitative study of experiences from registered nurses and their leaders

Næss G, Wyller TB, Kirkevold M

Journal of Multidisciplinary Healthcare 2019, 12:675-690

Published Date: 21 August 2019

ORIGINAL RESEARCH

Impact on patient satisfaction and importance of medical intake and office staff in a multidisciplinary, one-stop shop transgender program in Indianapolis, Indiana

Nowaskie DZ, Fogel RS, Fogel JM

Journal of Multidisciplinary Healthcare 2019, 12:665-673

Published Date: 15 August 2019

ORIGINAL RESEARCH

Burden of caring for people with dementia – comparing family caregivers and professional caregivers. A descriptive study

Seidel D, Thyrian JR

Journal of Multidisciplinary Healthcare 2019, 12:655-663

Published Date: 14 August 2019

STUDY PROTOCOL

Farm-based day care services – a prospective study protocol on health benefits for people with dementia and next of kin

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Perception and predictors of school climate among Jordanian adolescents

Nassar OS, Shaheen AM, Saleh MYN, Arabiat DH Journal of Multidisciplinary Healthcare 2019, 12:633-641

Published Date: 15 August 2019

ORIGINAL RESEARCH

Predictors of school satisfaction among adolescents in Jordan: a cross-sectional study exploring the role of school-related variables and student demographics

Saleh MYN, Shaheen AM, Nassar OS, Arabiat D Journal of Multidisciplinary Healthcare 2019, 12:621-631

Published Date: 7 August 2019

REVIEW

Growth in CHARGE syndrome: optimizing care with a multidisciplinary approach

Dijk DR, Bocca G, van Ravenswaaij-Arts CM Journal of Multidisciplinary Healthcare 2019, 12:607-620

Published Date: 1 August 2019

ORIGINAL RESEARCH

Assessment of nutritional status in older diabetic outpatients and related factors in Hanoi, Vietnam

Nguyen TTH, Vu HTT, Nguyen TN, Dao HT, Nguyen TX, Nguyen HTT, Dang AK, Nguyen AT, Pham T, Vu GT, Tran BX, Latkin CA, Ho CSH, Ho RC

Journal of Multidisciplinary Healthcare 2019, 12:601-606

Published Date: 30 July 2019

ORIGINAL RESEARCH

Predictors of intentions to use cigarettes and electronic-cigarettes among high school students

Patiño-Masó J, Font-Mayolas S, Salamó A, Arboix M, Sullman MJM, Gras ME

Journal of Multidisciplinary Healthcare 2019, 12:591-599

Published Date: 30 July 2019

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Accept

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

ODICINAL DECEARCH

Journal of Multidisciplinary Healthcare 2019, 12:583-590

Published Date: 24 July 2019

ORIGINAL RESEARCH

The use of herbal medicines among chronic disease patients in Thailand: a cross-sectional survey

Peltzer K, Pengpid S

Journal of Multidisciplinary Healthcare 2019, 12:573-582

Published Date: 22 July 2019

SHORT REPORT

Workshop on proposal writing on research for health care professionals: a brief report

Shrestha S, Danekhu K, Sharma N, Khanal P, Ansari SR, Shrestha S, Piryani RM, Mohamed Ibrahim MI

Journal of Multidisciplinary Healthcare 2019, 12:565-572

Published Date: 22 July 2019

ORIGINAL RESEARCH

Difficulties and possibilities in communication between referring clinicians and radiologists: perspective of clinicians

Fatahi N, Krupic F, Hellström M

Journal of Multidisciplinary Healthcare 2019, 12:555-564

Published Date: 19 July 2019



Concept map of dispositional humility among professionals in an interdisciplinary healthcare environment: qualitative synthesis



Sasagawa M, Amieux PS

Journal of Multidisciplinary Healthcare 2019, 12:543-554

Published Date: 17 July 2019

ORIGINAL RESEARCH

Evaluating the effectiveness of the "Germ-Free Hands" intervention for improving the hand hygiene practices of public health students

Kitsanapun A, Yamarat K

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Exploring future health workforce educational needs: a qualitative investigation



Mickan S, Golenko X, Buys N

Journal of Multidisciplinary Healthcare 2019, 12:527-532

Published Date: 5 July 2019

ORIGINAL RESEARCH

From theory to practice: a conceptual framework to facilitate implementation of evidence in stroke rehabilitation for local context in Saudi Arabia

Alatawi SF

Journal of Multidisciplinary Healthcare 2019, 12:515-525

Published Date: 5 July 2019

ORIGINAL RESEARCH

Facilitation of activities for people with dementia in day care: a qualitative study exploring the experiences of staff

Strandenæs MG, Lund A, Rokstad AMM

Journal of Multidisciplinary Healthcare 2019, 12:503-513

Published Date: 3 July 2019

ORIGINAL RESEARCH

Self-medication practices among Vietnamese residents in highland provinces

Ha TV, Nguyen AMT, Nguyen HST

Journal of Multidisciplinary Healthcare 2019, 12:493-502

Published Date: 2 July 2019

ORIGINAL RESEARCH

Coping with transitions in life: a four-year longitudinal narrative study of single younger people with dementia

Johannessen A, Engedal K, Haugen PK, Dourado MCN, Thorsen K <u>Journal of Multidisciplinary Healthcare</u> 2019, 12:479-492

Published Date: 28 June 2019

REVIEW

Plummer-Vinson syndrome: improving outcomes

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

ORIGINAL RESEARCH

Survival benefit of multidisciplinary care in amyotrophic lateral sclerosis in Spain: association with noninvasive mechanical ventilation

Paipa AJ, Povedano M, Barcelo A, Domínguez R, Saez M, Turon J, Prats E, Farrero E, Virgili N, Martínez JA, Corbella X

Journal of Multidisciplinary Healthcare 2019, 12:465-470

Published Date: 19 June 2019

ORIGINAL RESEARCH

The drama in the hybrid OR: video observations of work processes and staff collaboration during endovascular aortic repair



Bazzi M, Lundgren SM, Hellström M, Fridh I, Ahlberg K, Bergbom I

Journal of Multidisciplinary Healthcare 2019, 12:453-464

Published Date: 10 June 2019

ORIGINAL RESEARCH

Survey evaluation of in-hospital diabetes seminars provided by medical professionals, for medical professionals

Kishimoto M

Journal of Multidisciplinary Healthcare 2019, 12:445-452

Published Date: 7 June 2019

ORIGINAL RESEARCH



Perception of palliative medicine by health care professionals at a teaching community hospital: what is the key to a "palliative attitude"?



Cheung NY, Gorelik A, Mehta P, Mudannayake L, Ramesh A, Bharathan T, Goldenberg G

Journal of Multidisciplinary Healthcare 2019, 12:437-443

Published Date: 5 June 2019

ORIGINAL RESEARCH

Cognitive predictors of physical activity behaviors among rural patients with type 2 diabetes: applicability of the Extended Theory of Reasoned

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

A review of cutaneous lupus erythematosus: improving outcomes with a multidisciplinary approach



Jarrett P, Werth VP

Journal of Multidisciplinary Healthcare 2019, 12:419-428

Published Date: 31 May 2019

ORIGINAL RESEARCH



Barriers and enablers to the implementation of perioperative hypothermia prevention practices from the perspectives of the multidisciplinary team: a qualitative study using the Theoretical Domains **Framework**

Munday J, Delaforce A, Forbes G, Keogh S

Journal of Multidisciplinary Healthcare 2019, 12:395-417

Published Date: 29 May 2019



Multispecialty approach for improving outcomes in juvenile dermatomyositis

Wakiguchi H

Journal of Multidisciplinary Healthcare 2019, 12:387-394

Published Date: 29 May 2019

ORIGINAL RESEARCH

An interprofessional approach to pressure ulcer prevention: a knowledge and attitudes evaluation

Clarkson P, Worsley PR, Schoonhoven L, Bader DL

Journal of Multidisciplinary Healthcare 2019, 12:377-386

Published Date: 23 May 2019

ORIGINAL RESEARCH



Health care professionals dealing with hemophilia: insights from the international qualitative study of the HERO initiative

Potì S, Palareti L, Cassis FRMY, Brondi S

Journal of Multidisciplinary Healthcare 2019, 12:361-375

Published Date: 9 May 2019

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

https://www.dovepress.com/journal-of-multidisciplinary-healthcare-i1497-j7

Journal of Multidisciplinary Healthcare 2019, 12:349-359

Published Date: 2 May 2019

REVIEW

Medulloblastoma: optimizing care with a multidisciplinary approach

Thomas A, Noël G

Journal of Multidisciplinary Healthcare 2019, 12:335-347

Published Date: 30 April 2019

ORIGINAL RESEARCH

Parental child feeding practices and their relationship with children's dietary intake and weight status in Nepal

Pandey S, Rai S, Paudel N, Shrestha A, Gautam S Journal of Multidisciplinary Healthcare 2019, 12:325-333

Published Date: 30 April 2019

ORIGINAL RESEARCH

Improved indoor lighting improved healthy aging at home – an intervention study in 77-year-old Norwegians

Falkenberg HK, Kvikstad TM, Eilertsen G

Journal of Multidisciplinary Healthcare 2019, 12:315-324

Published Date: 2 May 2019

ORIGINAL RESEARCH

Compliance, adherence, concordance, empowerment, and self-management: five words to manifest a relational maladjustment in diabetes

Settineri S, Frisone F, Merlo EM, Geraci D, Martino G

Journal of Multidisciplinary Healthcare 2019, 12:299-314

Published Date: 29 April 2019

ORIGINAL RESEARCH

Use of traditional medicines and traditional practitioners by children in Indonesia: findings from a national population survey in 2014–2015

Pengpid S, Peltzer K

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Alumran A, Almulhim L, Almolhim B, Bakodah S, Aldossary H, Alrayes SA

Journal of Multidisciplinary Healthcare 2019, 12:281-290

Published Date: 23 April 2019

ORIGINAL RESEARCH



The art of maintaining everyday life: collaboration among older parents, their adult children, and health care professionals in reablement

Jakobsen FA, Vik K, Ytterhus B

Journal of Multidisciplinary Healthcare 2019, 12:269-280

Published Date: 18 April 2019

ORIGINAL RESEARCH





Moving on from CUSP to CUP: empowering multidisciplinary teams and integrating them in the management structure of hospital organization



Govindarajan R

Journal of Multidisciplinary Healthcare 2019, 12:257-268

Published Date: 15 April 2019

ORIGINAL RESEARCH





Integrating promotive, preventive, and curative health care services at hospitals and health centers in Addis Ababa, Ethiopia



Wendimagegn NF, Bezuidenhout MC

Journal of Multidisciplinary Healthcare 2019, 12:243-255

Published Date: 5 April 2019

ORIGINAL RESEARCH

Characteristics of patients seeking a health promotion and weight reduction program in primary care

Bräutigam Ewe M, Lydell M, Bergh H, Hildingh C, Baigi A, Månsson J

Journal of Multidisciplinary Healthcare 2019, 12:235-242

Published Date: 11 April 2019

ORIGINAL RESEARCH

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Published Date: 29 March 2019

ORIGINAL RESEARCH

Improvement in quality of life following a multidisciplinary rehabilitation program for patients with Parkinson's disease

Ritter VC, Bonsaksen T

Journal of Multidisciplinary Healthcare 2019, 12:219-227

Published Date: 20 March 2019

ORIGINAL RESEARCH

The effect of patient care education on burden of care and quality of life of caregivers of stroke patients

Hekmatpou D, Mohammad Baghban E, Mardanian Dehkordi L

Journal of Multidisciplinary Healthcare 2019, 12:211-217

Published Date: 20 March 2019

ORIGINAL RESEARCH

The impact of pelvic floor multidisciplinary team on patient management: the experience of a tertiary unit

Pandeva I, Biers S, Pradhan A, Verma V, Slack M, Thiruchelvam N Journal of Multidisciplinary Healthcare 2019, 12:205-210

Published Date: 14 March 2019

ORIGINAL RESEARCH



Interprofessional communication in a sociohierarchical culture: development of the TRI-O guide



Claramita M, Riskiyana R, Susilo AP, Huriyati E, Wahyuningsih MSH, Norcini JJ

Journal of Multidisciplinary Healthcare 2019, 12:191-204

Published Date: 14 March 2019



The first 200 years of cardiac auscultation and future perspectives



Montinari MR, Minelli S

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

Health care transformation in a resource-limited environment: exploring the determinants of a good climate for change

van Boekholt TA, Duits AJ, Busari JO

Journal of Multidisciplinary Healthcare 2019, 12:173-182

Published Date: 28 February 2019

RESEARCH LETTER

Identification of priorities for multidisciplinary intersectoral research on violence against older women

Kosa SD, Macdonald S, Etkin M, Rideout R, Du Mont J

Journal of Multidisciplinary Healthcare 2019, 12:169-172

Published Date: 27 February 2019

ORIGINAL RESEARCH



How multidisciplinary are multidisciplinary team meetings in cancer care? An observational study in oncology departments in Flanders, Belgium

Horlait M, Baes S, Dhaene S, Van Belle S, Leys M

Journal of Multidisciplinary Healthcare 2019, 12:159-167

Published Date: 21 February 2019

ORIGINAL RESEARCH

Health care professionals' knowledge and awareness of the ICD-10 coding system for assigning the cause of perinatal deaths in Jordanian hospitals

Alyahya MS, Khader YS

Journal of Multidisciplinary Healthcare 2019, 12:149-157

Published Date: 14 February 2019

ORIGINAL RESEARCH

Health care professionals' experiences and enactment of person-centered care at a multidisciplinary outpatient specialty clinic

Evén G, Spaak J, von Arbin M, Franzén-Dahlin Å, Stenfors T

Journal of Multidisciplinary Healthcare 2019, 12:137-148

Published Date: 14 February 2019

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

Accept

Published Date: 11 February 2019



Person-first language: are we practicing what we preach?

Crocker AF, Smith SN

Journal of Multidisciplinary Healthcare 2019, 12:125-129

Published Date: 8 February 2019

ORIGINAL RESEARCH

A survey of the training of traditional, complementary, and alternative medicine in universities in Thailand

Peltzer K, Pengpid S

Journal of Multidisciplinary Healthcare 2019, 12:119-124

Published Date: 4 February 2019

ORIGINAL RESEARCH

The effect of the behavior modification program Dietary Approaches to Stop Hypertension (DASH) on reducing the risk of hypertension among elderly patients in the rural community of Phayao, Thailand

Seangpraw K, Auttama N, Tonchoy P, Panta P

Journal of Multidisciplinary Healthcare 2019, 12:109-118

Published Date: 31 January 2019

ORIGINAL RESEARCH



Leadership in interprofessional collaboration in health care

Folkman AK, Tveit B, Sverdrup S

Journal of Multidisciplinary Healthcare 2019, 12:97-107

Published Date: 30 January 2019

ORIGINAL RESEARCH

Evaluation of the research capacity and culture of allied health professionals in a large regional public health service

Matus J, Wenke R, Hughes I, Mickan S

Journal of Multidisciplinary Healthcare 2019, 12:83-96

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

If you agree to our use of cookies and the contents of our Privacy Policy please click 'accept'.

https://www.dovepress.com/journal-of-multidisciplinary-healthcare-i1497-j7

large healthcare organization

Arain MA, Tarraf R, Ahmad A

Journal of Multidisciplinary Healthcare 2019, 12:73-81

Published Date: 9 January 2019

ORIGINAL RESEARCH

An advanced clinician practitioner in arthritis care can improve access to rheumatology care in community-based practice

Ahluwalia V, Larsen TLH, Kennedy CA, Inrig T, Lundon K Journal of Multidisciplinary Healthcare 2019, 12:63-71

Published Date: 7 January 2019

ORIGINAL RESEARCH

Physical activity levels of allied health professionals working in a large Australian metropolitan health district – an observational study

Zafiropoulos B, Alison JA, Heard R

Journal of Multidisciplinary Healthcare 2019, 12:51-62

Published Date: 3 January 2019

ORIGINAL RESEARCH



Lessons learned from introducing huddle boards to involve nursing staff in targeted observation and reporting of medication effect in a nursing home

Ore S, Rosvold EO, Hellesø R

Journal of Multidisciplinary Healthcare 2019, 12:43-50

Published Date: 3 January 2019

RAPID COMMUNICATION



Kuskaya: A training program for collaboration and innovation in global health

Chan MC, Bayer AM, Zunt JR, Blas MM, Garcia PJ

Journal of Multidisciplinary Healthcare 2019, 12:31-42

Published Date: 27 December 2018

ORIGINAL RESEARCH



How good is collaboration between maternity

In order to provide our website visitors and registered users with a service tailored to their individual preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.

ORIGINAL RESEARCH



"We feel included": education and inclusion of health care staff with minority language in elder care

Krohne K, Døble B, Johannessen A, Thorsen K

Journal of Multidisciplinary Healthcare 2019, 12:9-19

Published Date: 20 December 2018

ORIGINAL RESEARCH



Next of kin's protracted challenges with access to relevant information and involvement opportunities

Strøm A, Dreyer A

Journal of Multidisciplinary Healthcare 2019, 12:1-8

Published Date: 18 December 2018

Contact Us • Privacy Policy • Associations & Partners • Testimonials • Terms & Conditions • Recommend this site • Top

© Copyright 2021 • Dove Press Ltd • software development by maffey.com • Web Design by Adhesion

The opinions expressed in all articles published here are those of the specific author(s), and do not necessarily reflect the views of Dove Medical Press Ltd or any of its employees.

Dove Medical Press is part of Taylor & Francis Group, the Academic Publishing Division of Informa PLC Copyright 2017 Informa PLC. All rights reserved. This site is owned and operated by Informa PLC ("Informa") whose registered office is 5 Howick Place, London SW1P 1WG. Registered in England and Wales. Number 3099067. UK VAT Group: GB 365 4626 36

In order to provide our website visitors and registered users with a service tailored to their individual Accept preferences we use cookies to analyse visitor traffic and personalise content. You can learn about our use of cookies by reading our Privacy Policy. We also retain data in relation to our visitors and registered users for internal purposes and for sharing information with our business partners. You can learn about what data of yours we retain, how it is processed, who it is shared with and your right to have your data deleted by reading our Privacy Policy.



UNIVERSITAS SURABAYA

FAKULTAS KEDOKTERAN

GEDUNG PF LANTAI 3 – JALAN RAYA KALIRUNGKUT SURABAYA 60292

Telp.: (031) 298-1353; Fax: (031) 298-1354 E-mail: kedokteran@unit.ubaya.ac.id

SURAT TUGAS

Nomor: 179.A/FK/VII/2019

Atas dasar permohonan ijin untuk melakukan penelitian secara madniri yang diajukan oleh Dosen , dengan ini Plt Dekan Fakultas Kedokteran Universitas Surabaya memberikan tugas kepada :

Nama : dr. Astrid Pratidina S., MPH, Ph.D.

NPK : 210030

Untuk melaksanakan penelitian secara mandiri dengan judul:

"Interprofessional communication in a socio-hierarchical culture: development of the Tri-O guide"

Waktu Pelaksanaan : 3 bulan

Terhitung mulai : 1 Juli - 30 September 2019

Nominal Dana : Rp 7.500.000 (Tujuh Juta Lima Ratus Ribu Rupiah)

Hasil akhir penelitian diharapkan dapat didiseminasikan pada : kegiatan diskusi internal/publikasi pada seminar/jurnal nasional maupun internasional.

Demikian untuk dapat dilaksanakan dengan sebaik-baiknya.

Surabaya, 8 Juli 2019

dr. Irwin, M.Epid., M.Med.Ed

Plt . Dekan