



UNIVERSITI PUTRA MALAYSIA

**SYSTEMATICS, DNA BARCODING AND CONSERVATION OF VANILLA
SPECIES FROM PENINSULAR MALAYSIA**

MOHD AKMAL MOHD RAFFI

IB 2019 17



**SYSTEMATICS, DNA BARCODING AND CONSERVATION OF VANILLA
SPECIES FROM PENINSULAR MALAYSIA**

By

MOHD AKMAL BIN MOHD RAFFI

**Thesis Submitted to the School of Graduate Studies, Universiti
Putra Malaysia, in Fulfilment of the Requirements for the Degree of
Doctor of Philosophy**

December 2018

All material contained within the thesis, including without limitation text, logos, icons, photographs and all other artwork, is copyright material of Universiti Putra Malaysia unless otherwise stated. Use may be made of any material contained within the thesis for non-commercial purposes from the copyright holder. Commercial use of material may only be made with the express, prior, written permission of Universiti Putra Malaysia.

Copyright © Universiti Putra Malaysia



Abstract of thesis presented to the Senate of Universiti Putra Malaysia in
fulfilment of the requirement for the degree of Doctor of Philosophy

**SYSTEMATICS, DNA BARCODING AND CONSERVATION OF VANILLA
SPECIES FROM PENINSULAR MALAYSIA**

By

MOHD AKMAL BIN MOHD RAFFI

December 2018

Chair : Rusea Go, PhD
Faculty : Institute of Bioscience

Among the 25 000 orchid species in Orchidaceae family, *Vanilla* is the most appreciated as it is the only genus with species of high commercial agriculture value for its vanillin production. The species from Peninsular Malaysia which represents the secondary gene pool of the cultivated *Vanilla planifolia* serves as valuable resources for genetic improvement in *Vanilla*. However, the potential of each species still remain in secrecy as the genus is not comprehensively studied yet. This study was conducted to assess the native species through systematics and molecular investigations. The data obtained will be used in their conservation management. Therefore, efforts in locating, collecting and documenting local *Vanilla* were initiated. The field samplings were conducted from 2011 to 2017 in the states of Kedah, Perak, Pahang, Kelantan, Terengganu, Selangor, Negeri Sembilan and Johor. In general, wild *Vanilla* populations in Peninsular Malaysia were difficult to locate because they were found in many habitats. The diversity in the genus was updated with the discovery of two new species to science, *Vanilla norashikiniana* R. Go et A. Raffi and *Vanilla sanguineovenosa* R. Go et A. Raffi which made up the total count from this region to be represented by seven confirmed species. *Vanilla* spp. most likely could tolerate the cardinal temperature of 17 to 27 °C, relative humidity of 72 to 92% and 64 mm to 733 mm of monthly precipitation. Five important growth events and their interactions with different environmental cues were presented with the emphasized on the flowering stages. The fluctuations of temperature and high light intensity were seen as the natural flowering promoters. Anthesis in *Vanilla* spp. were ideal to be categorized into five important phases: floral evocation, floral bud emergence, ovary development, size increment in bud and ovary and anthesis. Ephemeral flowering sequences of both newly described taxa were photographed where the anthesis and senescence processes were completed within 24 hours. Investigations at the histological level on accessions from Perak revealed the taxonomic value of the

marginal outlines from leaf transverse sections. Somatic chromosome counts ($2n$) among selected accessions including two new species were found to be different in their most frequent number but shared a common denominator of $2n= 24$. Species discrimination inferred by the phylogenetic trees generated from nuclear ribosomal internal transcribed spacer (*nrlTS*) region had classified the accessions into their respective genotypes with two unidentified genotypes suggesting presence of additional species in this region. Barcoding gap was also reported in genetic distance analysis with the speciation threshold recommended to be at 1.5% divergence. Finally, provisional conservation action plan was proposed based on the identified threats of which natural disasters and over collection from the wild were noted as the major threats. Five approaches were evaluated to be pragmatic and should be incorporated in the genus conservation action plan which were species mapping based on the documented localities, local community involvement of Orang Asli, propagation via stem cuttings using BAP, DNA barcodes deposition in BOLD and GenBank and also public education via MyBIS. This project as a whole has successfully documented important findings in the botany and natural history of the genus *Vanilla* from Peninsular Malaysia and these data are beneficial to the species strategic management planning.

Abstrak tesis yang dikemukakan kepada Senat Universiti Putra Malaysia
sebagai memenuhi keperluan untuk ijazah Doktor Falsafah

SISTEMATIK, BAR KOD DNA DAN KONSERVASI SPESIS VANILLA DARI SEmenanjung MALAYSIA

Oleh

MOHD AKMAL BIN MOHD RAFFI

Disember 2018

Pengerusi : Rusea Go, PhD
Fakulti : Institut Biosains

Vanilla merupakan satu-satunya genus yang mempunyai spesis bernilai tinggi dalam pertanian di kalangan 25 000 spesis dalam famili Orchidaceae kerana keupayaannya menghasilkan vanillin. Spesis dari Semenanjung Malaysia yang juga merupakan kelompok gen sokongan kepada tanaman *Vanilla planifolia* menjadi sumber penting dalam penambahbaikan genetik *Vanilla*. Walau bagaimanapun, potensi setiap spesis masih tidak diketahui memandangkan genus ini tidak dikaji secara menyeluruh. Kajian ini dijalankan untuk menilai spesis tempatan melalui sistematik dan kajian pada peringkat molekular. Data yang diperolehi akan digunakan dalam konservasinya. Oleh itu, usaha untuk mengenalpasti lokasi, mengumpul dan mendokumentasi *Vanilla* tempatan telah dimulakan. Secara amnya, populasi liar *Vanilla* di Semenanjung Malaysia adalah sukar untuk dikenalpasti dan terdapat dalam banyak habitat. Kepelbagaiannya dalam genus ini telah dikemaskini dengan penemuan dua spesis baharu, *Vanilla norashikiniana* R. Go et A. Raffi and *Vanilla sanguineovenosa* R. Go et A. Raffi seterusnya menjadikan keseluruhan bilangan spesis tempatan diwakili dengan tujuh spesis yang dikenalpasti. *Vanilla* spp. boleh toleran dengan suhu kardinal dari 17 sehingga 27 °C, kelembapan relatif dari 72 sehingga 92% dan jumlah hujan bulanan dari 64 mm sehingga 733 mm. Lima peringkat pertumbuhan utama dan interaksi terhadap pelbagai keadaan persekitaran telah ditunjukkan dengan tumpuan kepada peringkat pembungaan. Perubahan suhu dan keamatan cahaya yang tinggi telah dikenalpasti sebagai penyebab pembungaan semulajadi. Antesis *Vanilla* spp. boleh dikategorikan dalam lima fasa penting: evokasi bunga, penjelmaan kudup bunga, pembentukan ovari, penambahan saiz dalam kudup dan ovari serta antesis. Pengembangan bunga yang singkat telah dirakamkan ke atas

kedua-dua taksa yang baharu di mana proses dari antesis ke senesens dapat dilengkapkan dalam masa 24 jam. Kajian pada peringkat histologi ke atas aksesi dari Perak mendedahkan nilai taksonomi pada bentuk luaran pinggiran dari potongan melintang daun. Pengiraan kromosom soma ($2n$) di kalangan aksesi terpilih termasuk dua spesis yang baharu menunjukkan kiraan paling kerap yang berbeza tetapi berkongsi kiraan $2n = 24$ yang sama. Diskriminasi spesis yang disimpulkan oleh pohon filogenetik daripada rantau penjarak transkripsi dalaman nuklear ribosom (*nrITS*) telah mengklasifikasikan aksesi kepada genotip masing-masing dengan dua genotip yang tidak dikenalpasti menandakan wujudnya spesis tambahan dalam rantau ini. Jurang barkod turut dilaporkan dalam analisis jarak genetik dengan mengesyorkan ambang spesiasi pada pencapaian 1.5 %. Pelan tindakan konservasi semasa telah diusulkan berdasarkan ancaman yang dikenalpasti seperti kemusnahaan semulajadi dan pengambilan secara berlebihan dari habitat asalnya. Lima tindakan telah dikaji sebagai pragmatik dan sepatutnya dimasukkan ke dalam pelan tindakan konservasi genus yang terdiri daripada pemetaan spesis berdasarkan lokaliti yang telah didokumentasi, pembabitan komuniti tempatan Orang Asli, pembiakan melalui keratan menggunakan BAP, mendepositkan barkod DNA ke dalam BOLD dan GenBank serta pendidikan awam melalui MyBIS. Projek ini secara keseluruhannya telah berjaya mendokumenkan penemuan-penemuan penting dalam botani dan sejarah semulajadi genus *Vanilla* dari Semenanjung Malaysia dan data-data ini adalah bernilai kepada perancangan pengurusan spesis yang strategik.

ACKNOWLEDGEMENTS

Alhamdulillah. I would like to thank my family, supervisors, friends, lecturers, thesis examiners and all organizations involved in this study for making my dream a reality. My deepest appreciation goes to Hamsiah Haji Mat (Mak Sayang), Mohd Raffi Mohd Arof (Ayah), Prof. Dr. Rusea Go (Main Supervisor, Guru Botani), Dr. Nur Ashikin Pysquay Abdullah (First Supervisor), Darmawati Awang (Sayang), Mohd Lutfi Mohd Raffi (Abang), Mohd Raffi's big family, KS Clan (Azmil, Huzail, Djohan, Fauzi, Rasydan, Firdaus & Zharif), Botany Club Fakulti Pertanian (Dayang, Norhanizan, Kaslamiah, Firdaus, Rozilawati, Maizura, Nazatul Shima & Shuhaimi), Mu'az Hashim, Plant Systematist Buddies (Wee Nee, Farah Alia, Micheal Charles, Izzati, Siti Fatimah, Adila Auyob, Ikhwanuddin, Aliyu Danjuma Aliyu & Azizul), BPC (Hanisah, Ain, Farhana & Azhar), MyBrain 15 (Basiswa KPT) and Jabatan Perhutanan Semenanjung Malaysia. May all those who've had a hand in the completion of this thesis be blessed.

I certify that a Thesis Examination Committee has met on 20 December 2018 to conduct the final examination of Mohd Akmal bin Mohd Raffi on his thesis entitled "Systematics, DNA Barcoding and Conservation of *Vanilla* Species from Peninsular Malaysia" in accordance with the Universities and University Colleges Act 1971 and the Constitution of the Universiti Putra Malaysia [P.U.(A) 106] 15 March 1998. The Committee recommends that the student be awarded the Doctor of Philosophy.

Members of the Thesis Examination Committee were as follows:

Muskhazli b Mustafa, PhD

Associate Professor

Faculty of Science

Universiti Putra Malaysia

(Chairman)

Janna Ong binti Abdullah, PhD

Associate Professor

Faculty of Biotechnology and Biomolecular Sciences

Universiti Putra Malaysia

(Internal Examiner)

Rosimah bt Nulit, PhD

Associate Professor

Faculty of Science

Universiti Putra Malaysia

(Internal Examiner)

Nam Sook Lee, PhD

Professor

Ewha Womans University

South Korea

(External Examiner)



A handwritten signature in black ink, appearing to read 'Rusli Haji Abdullah'. It is written in a cursive style with a horizontal line underneath it.

RUSLI HAJI ABDULLAH, PhD

Professor and Deputy Dean

School of Graduate Studies

Universiti Putra Malaysia

Date: 26 March 2019

This thesis was submitted to the Senate of Universiti Putra Malaysia and has been accepted as fulfilment of the requirement for the degree of Doctor of Philosophy. The members of the Supervisory Committee were as follows:

Rusea Go, PhD

Professor
Faculty of Science
Universiti Putra Malaysia
(Chairman)

Thohirah Lee Abdullah, PhD

Associate Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

Ghizan Saleh, PhD

Professor
Faculty of Agriculture
Universiti Putra Malaysia
(Member)

ROBIAH BINTI YUNUS, PhD

Professor and Dean
School of Graduate Studies
Universiti Putra Malaysia

Date:

Declaration by graduate student

I hereby confirm that:

- this thesis is my original work;
- quotations, illustrations and citations have been duly referenced;
- this thesis has not been submitted previously or concurrently for any other degree at any other institutions;
- intellectual property from the thesis and copyright of thesis are fully-owned by Universiti Putra Malaysia, as according to the Universiti Putra Malaysia (Research) Rules 2012;
- written permission must be obtained from supervisor and the office of Deputy Vice-Chancellor (Research and Innovation) before thesis is published (in the form of written, printed or in electronic form) including books, journals, modules, proceedings, popular writings, seminar papers, manuscripts, posters, reports, lecture notes, learning modules or any other materials as stated in the Universiti Putra Malaysia (Research) Rules 2012;
- there is no plagiarism or data falsification/fabrication in the thesis, and scholarly integrity is upheld as according to the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) and the Universiti Putra Malaysia (Research) Rules 2012. The thesis has undergone plagiarism detection software.

Signature: _____ Date: _____

Name and Matric No.: Mohd Akmal Bin Mohd Raffi, GS30103

Declaration by Members of Supervisory Committee

This is to confirm that:

- the research conducted and the writing of this thesis was under our supervision;
- supervision responsibilities as stated in the Universiti Putra Malaysia (Graduate Studies) Rules 2003 (Revision 2012-2013) are adhered to.

Signature: _____

Name of Chairman
of Supervisory
Committee: Prof. Dr. Rusea Go

Signature: _____

Name of Member of
Supervisory
Committee: Assoc. Prof. Dr. Thohirah Lee
Abdullah

Signature: _____

Name of Member of
Supervisory
Committee: Prof. Dr. Ghizan Saleh

TABLE OF CONTENTS

	Page
ABSTRACT	i
ABSTRAK	iii
ACKNOWLEDGEMENTS	v
APPROVAL	vi
DECLARATION	vii
LIST OF TABLES	xiv
LIST OF FIGURES	xv
LIST OF ABBREVIATIONS	xvii

CHAPTER

1	INTRODUCTION	1
1.1	Background of study	1
1.2	Problem statement and justification of study	2
1.3	Objectives of study	2
2	LITERATURE REVIEW	3
2.1	Peninsular Malaysia	3
2.1.1	General background	3
2.1.1	Orchids of Peninsular Malaysia	4
2.2	The genus <i>Vanilla</i>	4
2.2.1	<i>Vanilloideae</i>	4
2.2.2	Plant structures	5
2.2.3	Classifications of <i>Vanilla</i>	5
2.2.4	Synopsis of species from Peninsular Malaysia	6
2.2.5	Taxonomic confusions in the genus <i>Vanilla</i>	8
2.2.6	Economic importance of <i>Vanilla</i>	8
2.2.7	Native species as secondary gene pool for <i>V. planifolia</i>	9
2.3	Plant systematics	10
2.3.1	Studies related to plant systematics	10
2.3.2	Morphological characterization as the fundamental in plant systematics	10
2.3.3	Ecological and physiological information	10
2.3.4	Anatomy of plant cell	11
2.3.5	Cytotaxonomy in biosystematics	11
2.4	DNA Barcoding	12
2.4.1	Molecular assessment and biodiversity	12

2.4.2	Molecular marker	12
2.4.3	<i>nrITS</i> as a universal DNA barcoding marker	13
2.5	Conservation of <i>Vanilla</i> species	14
3	SPECIES DIVERSITY OF THE GENUS <i>VANILLA</i> FROM PENINSULAR MALAYSIA	16
3.1	Introduction	16
3.2	Materials and Methods	16
3.3	Results	17
3.3.1	Samples collection and habitat determination	17
3.3.2	Notes on morphological characteristics	23
3.3.3	Species treatment of the two undescribed species, AR018 and AR026	25
3.3.4	Taxa sectioning of the two new species and the proposal of dichotomous key	33
3.4	Discussion	33
3.4.1	Update in localities	33
3.4.2	Diversity of <i>Vanilla</i> from Peninsular Malaysia	34
3.5	Conclusion	37
4	VEGETATIVE GROWTH AND FLOWERING STAGES OF <i>VANILLA</i> SPECIES	38
4.1	Introduction	38
4.2	Materials and Methods	38
4.2.1	<i>In situ</i> and <i>ex situ</i> observations	38
4.2.2	Documentation of the reproductive structures	39
4.2.3	Artificial germination of pollen	39
4.2.4	Pods curing of two <i>Vanilla</i> species	39
4.3	Results	40
4.3.1	Vines development and eradication	40
4.3.2	Flowering	41
4.3.3	Pollination	46
4.3.4	Seed dissemination	47
4.4	Discussion	48
4.4.1	Vegetative growth	48
4.4.2	Floral biology	49
4.4.3	Pollination and seeds dispersal	50
4.5	Conclusion	50

5	HISTOLOGICAL ASSESSMENT OF LEAF AND ROOT OF SELECTED VANILLA SPECIES	51
5.1	Introduction	51
5.2	Materials and Methods	51
5.2.1	Foliar anatomical assessment of accessions from Perak	51
5.2.2	Somatic chromosome counting ($2n$) of selected accessions	52
5.3	Results	53
5.3.1	Leaf anatomy of four accessions from Perak	53
5.3.2	Chromosome counts of selected <i>Vanilla</i> accessions	58
5.4	Discussion	60
5.4.1	Foliar anatomical assessment	60
5.4.2	Determination of somatic chromosome number among selected accessions	63
5.5	Conclusion	63
6	NUCLEAR RIBOSOMAL INTERNAL TRANSCRIBED SPACER (<i>nrITS</i>) REGION AS DNA BARCODE MARKER FOR VANILLA SPECIES FROM PENINSULAR MALAYSIA	64
6.1	Introduction	64
6.2	Materials and methods	64
6.2.1	Taxon sampling and DNA sequencing	64
6.2.2	Phylogenetic analysis	65
6.2.3	Genetic divergence estimation	65
6.3	Results	66
6.3.1	Phylogenetic analysis among accessions	66
6.3.2	Sequence analysis of seven native taxa	68
6.3.3	Genetic divergence and barcoding gaps among accessions	70
6.4	Discussion	72
6.4.1	<i>nrITS</i> efficacy as barcode for <i>Vanilla</i>	72
6.4.2	Key to conservation genetics	73
6.5	Conclusion	74
7	STATUS SURVEY AND CONSERVATION ACTION PLAN FOR VANILLA FROM PENINSULAR MALAYSIA	75
7.1	Introduction	75
7.2	Materials and Methods	75

7.2.1	Threats survey and habitat status	75
7.2.2	Proposing conservation action plan for the genus <i>Vanilla</i>	76
7.3	Results	78
7.3.1	Identified threats to the <i>Vanilla</i> species	78
7.3.2	Conservation measures of the local species	81
7.4	Discussion	89
7.4.1	Threats experienced by local vanilla	89
7.4.2	Conservation action plan	89
7.5	Conclusion	91
8	SUMMARY, CONCLUSION AND RECOMMENDATIONS FOR FUTURE RESEARCH	92
8.1	Summary	92
8.2	Conclusion	92
8.3	Recommendations for future research	93
REFERENCES		94
APPENDICES		113
BIODATA OF STUDENT		119
LIST OF PUBLICATIONS		120

LIST OF TABLES

Table		Page
1	List of locality, accession, growth stages when samples were retrieved and species of the collected samples from Peninsular Malaysia.	19
2	Summary of the stomatal size, stomatal density and stomatal index of accessions from Perak.	55
3	Somatic chromosome numbers ($2n$) of selected <i>Vanilla</i> accessions.	58
4	Summary of the effect of environmental changes on mutations in the <i>ITS</i> sequences as observed in <i>V. griffithii</i> , <i>V. kinabaluensis</i> and <i>V. sanguineovenosa</i> complex based on Kimura 2-parameter model (Kimura, 1980).	68
5	Sequence analysis of seven native taxa from Peninsular Malaysia.	69
6	Conserved nucleotides from <i>ITS</i> 2 – 5.8S – <i>ITS</i> 1 of seven native <i>Vanilla</i> species from Peninsular Malaysia.	70
7	Genetic distance among accessions from Peninsular Malaysia.	71
8	The area of occurrence for <i>Vanilla</i> species from Peninsular Malaysia and their generalized pattern of distribution.	83

LIST OF FIGURES

Figure		Page
1	<i>Vanilla</i> vines showing monopodial climbing habit.	5
2	Flower of <i>Vanilla borneensis</i> .	7
3	<i>Vanilla planifolia</i> various stages.	9
4	Schematic diagram showing the nuclear ribosomal internal transcribed spacer (<i>ITS</i>) region.	14
5	Wild populations of <i>Vanilla</i> in different habitats.	18
6	Meteorological data from three different localities in 2011.	22
7	Leaves variation of accessions from Perak.	24
8	Selected accessions with flower specimens.	24
9	<i>Vanilla sanguineovenosa</i> botanical drawing from the type specimen, AR018.	27
10	Different parts of <i>V. sanguineovenosa</i> flower including micrographs of its column, pollinaria, pollen and stigmata.	28
11	<i>Vanilla sanguineovenosa</i> <i>in situ</i> .	29
12	<i>Vanilla norashikiniana</i> botanical drawing from type specimen AR026.	31
13	Different parts of <i>Vanilla norashikiniana</i> .	32
14	Darker lip colorotaration flower-formed of <i>V. norashikiniana</i> <i>in situ</i> , Hutan Lipur Chemerong.	36
15	Vegetative developments of <i>Vanilla</i> spp.	40
16	<i>In situ</i> evidence on natural leaves abscission of the vines on a same individual.	41
17	Five important phases in the anthesis of <i>V. griffithii</i> .	42
18	Signals in the anthesis initiation events.	43
19	Flowering sequences of <i>V. sanguineovenosa</i> showing the completion of anthesis to senescence within 24 hours.	43
20	Flowering sequences of <i>V. norashikiniana</i> showing the completion of anthesis to senescence within 24 hours.	44
21	Lip formation of <i>V. kinabaluensis</i> as responses to climatic changes from pre-developed buds.	45
22	Transactional views of two flower buds of <i>V. griffithii</i> .	45
23	Physical examinations on <i>V. sanguineovenosa</i> column during anthesis and senescence.	46

24	Evidences of ant as possible pollinator of <i>V. sanguineovenosa</i> .	47
25	Pollen germination and pollen tube development on artificial media.	47
26	Dissemination mechanism via water.	48
27	Cells architecture on leaf epidermal layer.	53
28	Stomatal types of accessions from Perak.	54
29	Schematic diagram of the stomatal types of accessions from Perak.	54
30	Lamina transverse sections of accessions from Perak.	56
31	Margin transverse section of accessions from Perak	57
32	Metaphase stages of five <i>Vanilla</i> accessions showing somatic chromosome numbers ($2n$) and their schematic diagrams.	59
33	Schematic diagram of the marginal outlines of accessions from Perak.	62
34	Phylogenetic relationships of <i>Vanilla</i> species native to Peninsular Malaysia derived from <i>nrlTS</i> sequences analyzed using ML method based on Kimura 2-parameter model (Kimura, 1980).	67
35	Genetic divergence among accessions displaying speciation threshold at genetic divergence of 0.8% to 1.5%.	71
36	Batin (Chief) Ulang of Temuan Tribe with some of the epiphytic orchids used as lawn ornaments (shown by arrow).	76
37	Habitat disturbances of <i>V. norashikiniana</i> .	78
38	Habitat destruction of <i>V. griffithii</i> due to storm.	79
39	Forest fire in Hutan Lipur Pasir Panjang, Perak.	79
40	Forest fire in the logging site of Hutan Lipur Pak Kanchil, Terengganu.	80
41	Type of local cuttings sold in Peninsular Malaysia.	80
42	Species distribution of <i>Vanilla</i> in Peninsular Malaysia and the area of occurrence.	82
43	Reintroduction of <i>V. griffithii</i> in the same locality but different area in Hutan Lipur Chemerong, Terengganu.	84
44	Vegetative development of single node cuttings treated by BAP.	85
45	Illustrative barcodes of two endemic species to Peninsular Malaysia.	86

LIST OF ABBREVIATIONS

2n	Somatic chromosome numbers
ANOVA	Analysis of variance
a.s.l	Above sea level
BAP	6-Benzylaminopurine
BLAST	Basic Local Alignment Search Tool
BOLD	Barcode of Life Data Systems
BRIS	Beach Ridges Interspersed with Swales
CG	Cytosine-Guanine
CS	Conserved sites
CITES	Convention on International Trade in Endangered Species of Wild Fauna and Flora
FAOSTAT	Food and Agriculture Organization Corporate Statistical Database
FRIM	Forest Research Institute Malaysia
GPS	Global Positioning System
IUCN	International Union for Conservation of Nature
K	Royal Botanic Gardens, Kew
KEP	Forest Research Institute Malaysia, Kepong
L	Naturalis, Leiden
ML	Maximum likelihood
Mybis	Malaysia Biodiversiti Information System
n	Number of sample
nov.	Novo
NCBI	National Center for Biotechnology Information
NPBD	National Policy on Biological Diversity

<i>nITS</i>	Nuclear internal transcribed spacer
PIS	Parsimony informative sites
SAR	Department of Forestry, Sarawak
SING	Singapore Botanic Gardens, Singapore
SNP	Sabah Parks, Kota Kinabalu
SS	Singleton sites
VS	Variable sites

CHAPTER 1

INTRODUCTION

1.1 Background of study

The name vanilla is derived from the orchid genus by the same name, *Vanilla*. Among the 25 000 orchid species in Orchidaceae family, *Vanilla* is the most appreciated as it is the only genus with species of high commercial agriculture value which is also known to be the oldest spices used by the Aztecs (Ramachandra-Rao & Ravishankar, 2000). As an orchid, vanilla is cultivated not for the flower but the capsules or pods. That part is responsible for vanillin production, the distinguishing natural aromatic compounds that gives *Vanilla* its desirable characteristics when subjected to a lengthy curing process. The curing process requires remarkably long man hours and costs, thus made *Vanilla* the world's second most expensive spice after saffron (Anuradha, Shyamala, & Naidu, 2012). The flavour has a special bond with human as it is used directly in culinary as well as extracts in perfume and pharmaceutical products.

The genus of *Vanilla* which comprises a large number, more than 100 species nevertheless has only three commercialized species which are *Vanilla planifolia* (*V. planifolia*) and *V. tahitensis* and *V. pompona*. Among the three species, *V. planifolia* is the most cultivated vanilla as it yields the highest amount of vanillin making it the most valued one. The high value of vanilla has attracted the interest among growers in many countries including Malaysia. *Vanilla* cultivation in Malaysia began in 1992 when *Vanilla* cuttings from Indonesia were imported and their compatibility as an integrated crop for coconut plantation was observed and studied (Abd.-Jalil, 1999). Since then, many farms were established in many states including Pahang, Perak, Negeri Sembilan, Johor, Selangor, Sabah and Sarawak.

However, the yields were not promising as the cuttings failed to produce flowers, most likely due to the requirement of optimum temperature and light intensity and other unknown environmental factor that causes this introduced species inability to adapt. In addition, long juvenile phase which is more than three years and asynchronous flowering makes the local vanilla cultivation more difficult. Therefore, it is important to develop hybrids with the capability to adapt to the local environment and to overcome the problem of floral development in *Vanilla*. With that, there is a must to manage their genetic resources to protect the species and to ensure the sustainability of vanilla production will always meets the world's demand.

1.2 Problem statements and justification

The potential of each native species still remain in secrecy as the genus is not comprehensively studied yet. However, some of the species are known to have several desirable traits such as autogamy and ability to produce many inflorescences and pods in the same vine. With that, native taxa which represents the secondary gene pool of the cultivated vanilla serves as valuable resources for genetic improvement in *Vanilla*. Furthermore, Peninsular Malaysian *Vanilla* species populations are feared to be depleted in the wild as a result of disruption of the habitat caused by ill-managed development processes. The natural habitats are vanishing rapidly and the forest coverage in this region is expected to be less than 40% in the upcoming years (Saw, 2010). Therefore, the first and crucial step for the utilization of native *Vanilla* species is to conserve them which will ultimately lead to a sustainable cultivation system. The conservation measures should include the comprehensive diversity study including systematics revisions through morphological, physiological and cytological assessments and also genetic elucidation that serve as important data in the species management of the genus. The conservation measures which incorporate with pragmatic approaches involved by both legislative body and the public will protect these valuable genetic resources from devastation.

1.3 Objectives of study

This study was proposed to provide insights into the understudied native *Vanilla* species from Peninsular Malaysia focusing on determination of their diversity and conservation strategies.

The specific objectives of this study were:

1. To collect samples and update the species diversity of the genus *Vanilla* from Peninsular Malaysia.
2. To document the growth stages and the leaf and root histology of selected *Vanilla* accessions.
3. To identify the collected species using nuclear internal transcribed spacer (*nrITS*).
4. To survey the conservation status and propose provisional conservation action plan of the genus from Peninsular Malaysia.

REFERENCES

- Abd.-Jalil, M. N. (1999). *Penanaman Vanila*. MARDI, Kuala Lumpur: Institut Penyelidikan dan Kemajuan Pertanian Malaysia.
- Abdullah, R., Acciaioli, G., Ramle, N. H., & Rasat, M. S. M. (2014). Forest significant and conservation among the Semaq Beri tribe of orang asli in Terengganu State, Malaysia. *Australian Journal of Basic and Applied Sciences*, 8 (7), 386-395.
- Archila, F., & Chiron, G. R. (2012). Addition à la flore du Guatemala: *Vanilla esquipedensis* (Orchidaceae), espèce des forêts xérophytiques. *Richardiana*. 13, 3 – 12.
- Agarwal, M., Shrivastva, N., & Padh, H. (2008). Advances in molecular marker techniques and their applications in plant sciences. *Plant Cell Reports*. 27, 617 – 631.
- Agrawal, P. K., & Shrivastava, R. (2014). Molecular markers. In Ravi, I., Bauntiyal, M., & Saxena, J. (Eds.), *Advances in Biotechnology* (pp. 25-38). India: Springer.
- Anuradha, K., Shyamala, B. N., & Naidu, M. M. (2012). Vanilla – its science of cultivation, curing and nutraceutical properties. *Critical Reviews in Food Science and Nutrition*, 53(12), 1250 – 1276.
- Arditti, J., & Ghani A.K.A. (2000). Numerical and physical properties of orchid seeds and their biological implications. *New Phytologist*, 145, 367 – 421.
- Arn, H., & Acree, T. E. (1998) Flavornet: A database of aroma compounds based on odor potency in natural products. *Developments in Food Science*, 40, 27.
- Aziz, S. A., Clements, G. R., Rayan, D. M., & Sankar, P. (2013). Why conservationists should be concerned about natural resource legislation affecting indigenous peoples' rights: Lessons from Peninsular Malaysia. *Biodiversity and conservation*, 22(3), 639 – 656.
- Azofeifa-Bolaños, J. B., Gigant, R., Nicolás-García, M., Pignal, M., Tavares-González, F. B., Hágster, E., & Grisoni, M. (2017) *Vanilla sotoarenasii* sp. nov.(Orchidaceae), a new *Vanilla* species from Costa Rica closely related to *V. planifolia* Jacks. ex Andrews. *European Journal of Taxonomy*, 284, 1 – 26.
- Alomia, Y. A., Mosquera-Espinosa, A. T., Flanagan, N. S., & Otero, J. T. (2017). Seed viability and symbiotic seed germination in *Vanilla* spp. (Orchidaceae). *Research Journal of Seed Science*, 10(2), 43 – 52.

- Alvarez, I., & Wendel, J. F. (2003). Ribosomal ITS sequences and plant phylogenetic inference. *Molecular Phylogenetics and Evolution*, 29(3), 417 – 434.
- Azliza, M. A., Ong, H. C., Vikineswary, S., Noorlidah, A., & Haron, N. W. (2012). Ethnomedicinal resources used by the Temuan in Ulu Kuang Village. *Studies on EthnoMedicine*, 6(1), 17 – 22.
- Bandyopadhyay, S., & Raychaudhuri, S. S. (2010). Development of ITS based SCAR markers for some medicinally important species of *Phyllanthus*. *Asian Journal of Plant Sciences*, 9(5), 264 – 270.
- Bateman, R. M., Smith, R. J., & Fay, M. F. (2008). Morphometric and population genetic analyses elucidate the origin, evolutionary significance and conservation implications of *Orchis × angusticruris* (*O. purpurea* × *O. simia*), a hybrid orchid new to Britain. *Botanical Journal of the Linnean Society*, 157(4), 687 – 711.
- Baxter, L., Jironkin, A., Hickman, R., Moore, J., Barrington, C., Krusche, Dyer, N. P., Buchanan-Wollaston, V., Tiskin, A., Beynon, J., Denby, K. & Ott, S. (2012). Conserved noncoding sequences highlight shared components of regulatory networks in dicotyledonous plants. *The Plant Cell*, 24(10), 3949-3965.
- Beattie, A., & Hughes, L. (2002). Ant–plant interactions. In Herrera, C. M., & Pellmyr, O. (Eds.), *Plant–animal interactions: an evolutionary approach* (pp. 211-236). United States:John Wiley & Sons.
- Bhattacharjee, S. K., & Shiva, K. N. (2008). *Vanilla the world's most flavourful spice orchid of commerce*. India: Aavishkar Publisher Distributors.
- Bredenkamp, C. L., & Van Wyk, A. E. (2001). Leaf anatomy of the genus *Passerina* (Thymelaeaceae): Taxonomic and ecological significance. *Bothalia*, 31(1), 53 – 70.
- Bory, S. (2007). Diversité de *Vanilla planifolia* dans l'Océan Indien et de ses espèces apparentées: aspects génétiques, cytogénétiques et épigénétiques, (Doctoral thesis). Reunion Island University, France.
- Bory, S., Grisoni, M., Duval, M. F., & Besse, P. (2008). Biodiversity and preservation of *Vanilla*: Present state of knowledge. *Genetic Resources and Crop Evolution*, 55, 551-571
- Bory, S., Catrice, O., Brown, S., Leitch, I. J., Gigant, R., Chiroleu, F., Grisoni, M., Duval, M-F., & Besse, P. (2008). Natural polyploidy in *Vanilla planifolia* (Orchidaceae). *Genome*, 51(10), 816 – 826.

- Bouetard, A., Lefevre, P., Gigant, R., Bory, S., Pignal, M., Besse, P., & Grisoni, M. (2010). Evidence of transoceanic dispersion of the genus *Vanilla* based on plastid DNA phylogenetic analysis. *Molecular Phylogenetics and Evolution*, 55(2), 621 – 630.
- Bridson, G. D. R., & Forman, L. (1992). *The herbarium handbook*. United Kingdom: Royal Botanic Gardens Kew.
- Brown, A. H. D., & Briggs, J. D. (1991). Sampling strategies for genetic variation in *ex situ* collections of endangered plant species. In Falk, D.A., & Holsinger, K. E. (Eds), *Genetic conservation of rare plants* (pp. 99-119). Oxford, England: Oxford University Press.
- Brown, K. M. (1997). Ethylene and abscission. *Physiologia Plantarum*, 100(3), 567-576.
- Brunschwig, C., Collard, F. X., Lepers-Andrzejewski, S., & Raharivelomanana, P. (2017). Tahitian *Vanilla* (*Vanilla × tahitensis*): A *Vanilla* species with unique features. In El-Shamy, H. A. (Ed.), *Active Ingredients from Aromatic and Medicinal Plants* (pp. 29 – 48). Rijeka, Croatia: InTech.
- Burkhill, I. H. (1966). *A dictionary of the economic products of the Malay Peninsula: Volume II*. Kuala Lumpur: Ministry of Agriculture and Cooperatives.
- Cameron, K. M., & Dickison, W. C. (1998). Foliar architecture of Vanilloid orchids: Insights into the evolution of reticulate leaf venation in monocotyledons. *Botanical Journal of the Linnean Society*, 128(1), 45 – 70.
- Cameron, K. M., & Chase, M. W. (1999). Phylogenetic relationships of Pogoniinae (Vanilloideae, Orchidaceae): An herbaceous example of the eastern North America- eastern Asian phytogeographic disjunction. *Journal of Plant Research*, 11, 317 – 329.
- Cameron, K. M. (2009). On the value of nuclear and mitochondrial gene sequences for reconstructing the phylogeny of Vanilloid orchids (Vanilloideae, Orchidaceae). *Annals of Botany*, 104(3), 337 – 385.
- Cameron, K. M. (2010). On the value of taxonomy, phylogeny and systematic to orchid conservation: Implication for China's Yachang Orchid Reserve. *Botanical Review*, 76(2), 165 – 173.
- Cameron, K. M. (2011a). Vanilloid orchids systematics and evolution. In Odoux, E., & Grisoni, M. (Eds.), *Medicinal and aromatic plants-industrial profiles: Vanilla* (pp. 1-14). Boca Raton, Florida: CRC Press.
- Cameron, K.M. (2011b). *Vanilla orchids: Natural history and cultivation*. London, England: Timber Press.

- Carlsbecker, A., & Augstein, F. (2018). Getting to the roots: A developmental genetic view of root anatomy and function from *Arabidopsis* to Lycophytes. *Frontiers in Plant Science*, 9, 1410.
- Chase, M. W., Cameron, K. M., Barrett, R., & Freudenstein J. F. (2003). DNA data and Orchidaceae systematic: A new phylogenetic classification. In Dixon K. W., Kell, S. P., Barrett, R. L. & Cribb, P. J. (Eds.), *Orchids Conservation* (pp. 69 – 89). Kota Kinabalu, Sabah: Natural History Publications (Borneo).
- Chase, M. W., Cameron, K. M., Freudenstein J. F., Pridgeon, A. M., Salazar, G., Berg, C. V. D., & Schuiteman, A. (2015). An updated classification of Orchidaceae. *Botanical Journal of the Linnean Society*, 177(2), 151 – 174.
- China Plant BOL (CBOL) Group. (2011). Comparative analysis of a large dataset indicates that internal transcribed spacer (ITS) should be incorporated into the core barcode for seed plants. *Proceedings of the National Academy of Sciences of the United States of America*. 108, 19641 – 19646.
- Cribb, P. J. (2014). A synopsis of *Vanilla* in Borneo. *Malesia Orchid Journal*, 13, 101 – 112.
- Cox, A. V., Pridgeon, A. M., Albert, V. A., & Chase, M. W. (1997). Phylogenetics of the slipper orchids (Cypripedioideae, Orchidaceae): Nuclear rDNA ITS sequences. *Plant Systematics and Evolution*, 208(3-4), 197 – 223.
- Cullings, K. W., & Vogler, D. R. (1998). A 5.8S nuclear ribosomal RNA gene sequence database: Applications to ecology and evolution. *Molecular Ecology*, 7(7), 919 – 923.
- Cutler, D. F., Botha, T., & Stevenson, D. W. (2008). Plant anatomy: an applied approach. Hoboken, New Jersey: Blackwell Publishing Ltd.
- Dathe, S., & Dietrich, H. (2006). Comparative molecular and morphological studies in selected Maxillariinae orchids. *Willdenowia*, 36(1), 89-102.
- De Fraga, C. N., Couto, D. R., & Pansarin, E. R. (2017). Two new species of *Vanilla* (Orchidaceae) in the Brazilian Atlantic forest. *Phytotaxa*, 296(1), 63 – 72.
- Deka, K., Baruah, P. S., Sarma, B., Borthakur, S. K., & Tanti, B. (2017). Preventing extinction and improving conservation status of *Vanilla borneensis* Rolfe —A rare, endemic and threatened orchid of Assam, India. *Journal for Nature Conservation*, 37, 39 – 46.

- Department of Agriculture. (1993). Panduan Siri-siri tanah utama di Semenanjung Malaysia. Retrieved from the Jabatan Pertanian Perak website: <http://pertanianperak.gov.my/jpp/images/pdf/panduan%20tanah%20utama.pdf>.
- Department of Statistic. (2011). *Land / terrestrial environment. In Compendium of environmental statistics Malaysia 2011*. Putrajaya: Department of Statistics.
- De Strome, N., & Mason, A. (2014). Plant speciation through chromosome instability and ploidy change: Cellular mechanisms, molecular factors and evolutionary relevance. *Current Plant Biology*, 1, 10 – 33.
- De Villiers, B. J., Tilney, P. M., & Van Wyk, B. E. (2010). The taxonomic significance of leaf anatomical characters in *Cussonia* and related genera (Araliaceae). *Botanical journal of the Linnean Society*, 164(3), 246 – 263.
- Divakaran, M., Nirmal Babu, K., & Grisoni, M. (2011). Biotechnological applications in *Vanilla*. In Odoux, E., & Grisoni, M. (Eds.), *Medicinal and aromatic plants-industrial profiles: Vanilla* (pp. 51-73). Boca Raton, Florida: CRC Press.
- Divakaran, M., Nirmal Babu, K., Ravindran, P. N., & Peter, K. V. (2006). Interspecific hybridization in vanilla and molecular characterization of hybrids and selfed progenies using RAPD and AFLP markers. *Scientia Horticulturae*, 108(4), 414 – 422.
- Dixon, K., & Tremblay, R. L. (2009). Biology and natural history of *Caladenia*. *Australian Journal of Botany*, 57(4), 247 – 258.
- Doyle, J. J., & Doyle, J. L. (1987). A rapid DNA isolation procedure for small quantities of fresh leaf tissue. *Phytochemistry Bulletin*, 19, 11 – 15.
- Drake, P. L., Froend, R. H., & Franks, P. J. (2013). Smaller, faster stomata: scaling of stomatal size, rate of response, and stomatal conductance. *Journal of Experimental Botany*, 64(2), 495 – 505.
- Dumont, V., Hagsater, E., & Pridgeon, A. M. (1996). *Orchids: status survey and conservation action plan*. Gland, Switzerland: IUCN.
- Erickson, D.L., Spouge, J., Resch, A., Weigt, L.A., & Kress, W.J. (2008). DNA barcoding in land plants: Developing standards to quantify and maximise success. *Taxon*, 57(4), 1304 – 1316.
- Evert, R. F. (2006). *Esau's plant anatomy: Meristems, cells, and tissues of the plant body: Their structure, function, and development (Third Edition)*. Hoboken, New Jersey: John Wiley & Sons, Inc.

- FAO, 2007. Country report on the state of plant genetic resources for food and agriculture in Malaysia (1997 – 2007). Retrieved from the Food and Agriculture Organization website: <http://www.fao.org/docrep/013/i1500e/Malaysia.pdf>.
- Félix, L. P., & Guerra, M. (2000). Cytogenetics and cytotaxonomy of some Brazilian species of Cymbidiod orchids. *Genetics and Molecular Biology*, 23(4), 957 – 978.
- Flanagan, N. S., Peakall, R., Clements, M. A., & Otero, J. T. (2006). Conservation of taxonomically difficult species: the case of the Australian orchid, *Microtis angusii*. *Conservation Genetics*, 7(6), 847 – 859.
- Flanagan, N. S., & Mosquera-Espinosa, A. T. (2016). An integrated strategy for the conservation and sustainable use of native *Vanilla* species in Colombia. *Lankesteriana*, 16(2), 201-218.
- Franceschi, V. R., & Nakata, P. A. (2005). Calcium oxalate in plants: formation and function. *Annual Review of Plant Biology*, 56, 41 – 71.
- Frenkel, C., Ranadive, A. S., Vázquez, J. T., & Havkin-Frenkel, D. (2011). Curing of vanilla. In Havkin- Frenkel, D., & Belanger, F. C. (Eds.), *Handbook of Vanilla science and technology* (pp. 84-96). Hoboken, New Jersey: Blackwell Publishing Ltd.
- Gigant, R., Bory, S., Grisoni, M., & Besse, P. (2011). Biodiversity and evolution in the *Vanilla* genus. In Grillo, O. & Venora, G. (Eds.), *The dynamical process of biodiversity: Case study of evolution and spatial distribution* (pp. 1 – 26). Rijeka, Crotia: InTech.
- Gigant, R., Brugel, A., De Bruyn, A., Risterucci, A. M., Guiot, V., Viscardi, G., Humeau, L., Grisoni, M., & Besse, P. (2012). Nineteen polymorphic microsatellite markers from two African *Vanilla* species: Across-species transferability and diversity in a wild population of *V. humblotii* from Mayotte. *Conservation Genetics Resources*, 4(1), 121 – 125.
- Given, D. R. (1994). *Principles and practice of plant conservation*. Hong Kong: Timber Press.
- Go, R., Yong, W., & Osman, K. (2005). Perlis limestone orchids: diversity and conservation. *Selbyana*, 26(1), 240 – 245.
- Go, R., & Hamzah, K. (2008). *Orchids of peat swamp forests in Peninsular Malaysia*. Putrajaya: Ministry of Natural Resources and Environment.
- Go, R., Yong, W. S. Y., Unggang, J., & Salleh, R. (2010). *Orchids of Perlis: Jewel of the forest (Revised edition)*. Malaysia: Jabatan Perhutanan Negeri Perlis & UPM Press.

- Go, R., Dahalan, Dahalan, M. P., & Abdul-Manaf, M. B. (2014). *Orchidea Selangoreana*. Selangor: Jabatan Perhutanan Selangor.
- Go, R., Abdullah, J. O., Nordin, F. A., & Siti-Fatimah, M. I. (2015). *Orchids in the montane forests of Peninsular Malaysia*. Serdang, Selangor: UPM Press.
- Go, R., Mui Ching, T., Nuruddin, A. N., Abdulla, J. O., Yong Jin, N., Nordin, F. A., Hong Eng, K., & Nulit, R. (2015). Extinction risks and conservation status of *Corybas* (Orchidoideae; Diurideae) in Peninsular Malaysia. *Phytotaxa*, 233(3), 273 – 280.
- Govaerts, R. (2001). How many species of seed plants are there?. *Taxon*, 50(4), 1085 – 1090.
- Govaerts, R., Bernet, P., Kratochvil, K., Gerlach, G., Carr, G., Alrich, P., Pridgeon, A.M., Pfahl, J., Campacci, M.A., Holland Baptista, D., Tigges, H., Shaw, J., Cribb, P., George, A., Kreuz, K., & Wood, J. (2017). World Checklist of Orchidaceae. Facilitated by the Royal Botanical Gardens, Kew. Published on the internet; <http://wcsp.science.kew.org>. Retrieved on 29 September 2017.
- Grime, J. P. (1977). Evidence for the existence of three primary strategies in plants and its relevance to ecological and evolutionary theory. *The American Naturalist*, 111(982), 1169 – 1194.
- Grisoni, M., Moles, M., Besse, P., Bory, S., Duval, M. F., & Kahane, R. (2007). Towards an international plant collection to maintain and characterize the endangered genetic resources of *Vanilla*. *Acta Horticulturae (ISHS)*, 760, 83 - 91.
- Guerra, M. (2000). Chromosome number variation and evolution in monocots. In Wilson, K. L., & Morrison, D.A. (Eds.), *Monocots: Systematics and evolution* (pp. 127 -136). Melbourne, Australia: CSIRO.
- Guerra, M. (2008). Chromosome numbers in plant cytobotany: concepts and implications. *Cytogenetic and Genome Research*, 120(3-4), 339 – 350.
- Guerra, M. (2012). Cytobotany: the end of childhood. *Plant Biosystems*, 146(3), 703 – 710.
- Hamilton, A., & Hamilton, P. (2006). *Plant conservation: An ecosystem approach*. London, England: Routledge.
- Hadley, G. (1982). Orchid mycorrhiza. *Orchid biology reviews and perspectives*, 2, 82 – 118.
- Hansen, M. M., Olivier, I., Waller, D. M., & Nielsen, E. E. (2012). Monitoring adaptive genetic responses to environmental change. *Molecular Ecology*, 21(6), 1311 – 1329.

- Hanum, I. F., & Hamzah, N. (1999). The use of medicinal plant species by the Temuan tribe of Ayer Hitam Forest, Selangor, Peninsular Malaysia. *Pertanika Jurnal of Tropical Agricultural Sciences*, 22(2), 85 – 94.
- Havkin-Frenkel, D., Belanger, F. C., Booth, D. Y. J., Galasso, K. E., Tangel, F. P., & Gayosso, J. H. (2011). A comprehensive study of composition and evaluation of *Vanilla* extracts in US retail stores. In Havkin-Frenkel, D., & Belanger, F. C. (Eds.), *Handbook of Vanilla science and technology* (pp. 235 – 240). Hoboken, New Jersey: Blackwell Publishing Ltd.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & deWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313 – 321.
- Hebert, P. D. N., Penton, E. H., Burns, J.M., Janzen, D.H. & Hallwachs, W. (2004). Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceedings of the National Academy of Sciences*, 101(41), 14812–14817.
- Henry, R. J. (2001). *Plant genotyping: The DNA fingerprinting of plants*. Wallingford, England: CABI.
- Henry, R. J. (2006). Plant conservation genetics: Importance, options, and opportunities. In Henry, R. J. (Ed.), *Plant conservation genetics* (pp.1-6). New York: Food Product Press.
- Hernández, H. J., & Lubinsky, P. (2010). Cultivation systems. In Odoux, E. & Grisoni, M. (Eds.), *Medicinal and aromatic plants-industrial profiles: Vanilla* (pp. 75-95). Boca Raton, Florida: CRC Press.
- Hershkovitz, M. A., & Lewis, L. A. (1996). Deep-level diagnostic value of the rDNA-ITS region. *Molecular Biology and Evolution*, 13(9), 1276 – 1295.
- Heslop- Harrison, J. S., & Schwarzacher, T. (2011). Organisation of the plant genome in chromosomes. *The Plant Journal*, 66(1), 18 – 33.
- Heywood, V. H., & Iriondo, J. M. (2003). Plant conservation: Old problems, new perspectives. *Biological Conservation*, 113(3), 321 – 335.
- Hinsley, A., Lee, T. E., Harrison, J. R., & Roberts, D. L. (2016). Estimating the extent and structure of trade in horticultural orchids via social media. *Conservation Biology*, 30(5), 1038 – 1047.

- Hodgson, J. G., Sharafi, M., Jalili, A., Díaz, S., Montserrat-Martí, G., Palmer, C., Cerabolini, B., Pierce, S., Hamzehee, B., Asri, Y., Jamzad, Z., Wilson, P., Raven, J. A., Band, S. R., Basconcelo, S., Bogard, A., Carter, G., Charles, M., Castro-Díez, P., Cornelissen, J. H. C., Funes, G., Jones, G., Khoshnevis, M., Pérez-Harguindeguy, N., Pérez-Rontomé, M. C., Shirvany, F. A., Vendramini, F., Yazdani, S., Abbas-Azimi, R., Boustani, S., Dehghan, M., Guerrero-Campo, J., Hynd, A., Kowsary, E., Kazemi-Saeed, F., Siavash, B., Villar-Salvador, P., Craigie, R., Naqinezhad, A., Romo-Díez, A., de Torres Espuny, L., & Simmons, E. (2010). Stomatal vs. genome size in angiosperms: the somatic tail wagging the genomic dog?. *Annals of Botany*, 105(4), 573-584.
- Hollttum, R.E. (1964). *A revised flora of Malaya Volume I: Orchids of Malaya*. Singapore: Government Printing Office.
- Householder, E., Janovec, J., Balarezo Mozambique, A., Huinga Maceda, J., Wells, J., & Valega, R. (2010). Diversity, natural history, and conservation of *Vanilla* (Orchidaceae) in Amazonian wetlands of Madre De Dios, Peru. *Journal of the Botanical Research Institute of Texas*, 4, 227 – 243.
- Hului, P. (2015, May 28). Wild orchid population faces three threats. *Borneo Post* (Kuching), p. 15.
- Hussin, K. H., Seng, C. T., Ibrahim, H., Gen, W. Q., Ping, I. J., & Nian, L. (2000). Comparative leaf anatomy of *Alpinia* Roxb. species (Zingiberaceae) from China. *Botanical Journal of the Linnean Society*, 133(2), 161 – 180.
- Ilnicki, T. (2014). Plant biosystematics with the help of cytology and cytogenetics. *Caryologia*, 67(3), 199 – 208.
- Iqbal, N., Trivellini, A., Masood, A., Ferrante, A., & Khan, N. A. (2013). Current understanding on ethylene signaling in plants: The influence of nutrient availability. *Plant physiology and biochemistry*, 73, 128-138.
- IUCN. (1980). *World conservation strategy*. Gland, Switzerland: IUCN.
- Jabatan Perhutanan Semenanjung Malaysia. (2014). *Annual Report 2014*. Retrieved from <http://www.forestry.gov.my/index.php/en/2016-06-07-02-53-46/publication/annual-report>
- Jabatan Perhutanan Semenanjung Malaysia. (2003). *Manual Perhutanan*. Kuala Lumpur: Jabatan Perhutanan Semenanjung Malaysia.
- Jobes, D. V., & Thien, L. B. (1997). A conserved motif in the 5.8 S ribosomal RNA (rRNA) gene is a useful diagnostic marker for plant internal transcribed spacer (ITS) sequences. *Plant Molecular Biology Reporter*, 15(4), 326-334.

- Jong, K. (1994). *Getting started looking at plant chromosomes: A laboratory manual of cytological techniques*. Edinburgh, England: Royal Botanic Garden Edinburgh.
- Joshi, M., & Deshpande, J. D. (2010). Polymerase chain reaction: Methods, principles and application. *International Journal of Biomedical Research*, 2(1), 81 – 87.
- Kaplan, D. R. (2001). The science of plant morphology: definition, history, and role in modern biology. *American Journal of Botany*, 88(10), 1711 – 1741.
- Kardooni, R., Kari, F. B., Yahaya, S. R. B., & Yusup, S. H. (2014). Traditional knowledge of Orang Asli on forests in Peninsular Malaysia. *Indian Journal of Traditional Knowledge*, 13(2), 283 – 291.
- Kantachot, C., Chantanothai, P., & Thammathaworn, A. (2007). Contributions to the leaf anatomy and taxonomy of Thai Myrtaceae. *Tropical Natural History*, 7(1), 35 – 45.
- Kausch, A. P., & Horner, H. T. (1984). Increased nuclear DNA content in raphide crystal idioblasts during development in *Vanilla planifolia* L. (Orchidaceae). *European Journal of Cell Biology*, 33(1), 7 – 12.
- Ketsa, L. L. S. (2008). Autocatalytic ethylene production by *Dendrobium* flowers during senescence induced by exogenous ethylene. *Thai Journal of Agricultural Science*, 41(3-4), 91-99.
- Kiew, R., Chung, R.C.K., Saw L.G., & Soepadmo, E. (2010). Seed plant families in Peninsular Malaysia. In Kiew, R., Chung, R.C.K., Saw L.G., & Soepadmo, E. (Eds.), *Flora of Peninsular Malaysia Series II : Seed plants, Volume 1* (pp. 3-20). Kuala Lumpur : Forest Research Institute Malaysia.
- Kimura, M. (1980). A simple method for estimating evolutionary rate of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution*, 16(2), 11 – 120.
- Kress W.J., Wurdack, K. J., Zimmer, E. A., Weigt, L. A., & Janzen, D. H. (2005). Use of DNA barcodes to identify flowering plants. *Proceedings of the National Academy of Sciences*, 102 (23), 8369 – 8374.
- Kress, W. J., & Erickson, D.L. (2007). A two-locus global DNA barcode for land plants: the coding *rbcL* gene complements the non-coding *trnH-psbA* spacer region. *PLoS One*, 2(6), e508.
- Krishnamurthy, P. K. & Francis, R. A. (2012). A critical review on the utility of DNA barcoding in biodiversity conservation. *Biodiversity and Conservation*, 21(8), 1901 – 1919.

- Koch, A. K., Fraga, C. N. D., Santos, J. U. M. D., & Ilkiu-Borges, A. L. (2013). Taxonomic notes on *Vanilla* (Orchidaceae) in the Brazilian Amazon, and the description of a new species. *Systematic Botany*, 38(4), 975–981.
- Koopowitz, H., Lavarack, P. S., & Dixon, K. W. (2003). The nature of threats to orchid conservation. In Dixon K. W., Kell, S. P, Barrett, R. L. & Cribb, P. J. (Eds.), *Orchid conservation* (pp. 25 – 42). Kota Kinabalu, Sabah : Natural History Publications (Borneo).
- Konyar, S. T., Öztürk, N., & Dane, F. (2014). Occurrence, types and distribution of calcium oxalate crystals in leaves and stems of some species of poisonous plants. *Botanical Studies*, 55(1), 32
- Kumar, S., Nair, K. N., & Jena, S. N. (2012). Molecular differentiation in Indian *Citrus* L. (Rutaceae) inferred from nrDNA ITS sequence analysis. *Genetic Resources and Crop Evolution*, 60, 59 – 75.
- Kumar, S., Stecher, G., & Tamura, K. (2016). MEGA7: Molecular evolutionary genetics analysis Version 7.0 for bigger datasets. *Molecular Biology and Evolution*, 33(7), 1870 – 1874.
- Light, M. H., Koopowitz, H., & Marchant, T. A. (2003). The impact of climatic, edaphic and physiographic factors on the population behaviour of selected temperate and tropical orchids. In Dixon K. W., Kell, S. P, Barrett, R. L. & Cribb, P. J. *Orchid conservation* (pp. 159 – 182). Kota Kinabalu, Sabah: Natural History Publications (Borneo).
- Lambers, H., Chapin, F. S., & Pons, T. L. (2008). *Plant Physiological Ecology*. New York: Springer.
- Lim, C. L., Jutta, M., Kiew, R., O'Bryne, P., & Ong, P.T. (2013). Conservation status of some orchids in Peninsular Malaysia. *Malesia Orchid Journal*, 12, 133 – 146.
- Ling, C. Y., & Ong, P. T. (2016). Two new records of *Vanilla* for Sarawak. *Malesian Orchid Journal*, 18, 79 – 84.
- Liu, Z., Chen, L., Liu, K., Li, L., Ma, X., & Rao, W. (2008) *Chenorchis*, a new orchid genus, and its eco-strategy of ant pollination. *Acta Ecologica Sinica*, 28(6), 2433 – 2444.
- Lepers-Andrzejewski, S., Siljak-Yakovlev, S., Brown, S. C., Wong, M., & Dron, M. (2011). Diversity and dynamics of plant genome size: An example of polysomy from a cytogenetic study of Tahitian vanilla (*Vanilla x tahitensis*, Orchidaceae). *American Journal of Botany*, 98(6), 986 – 997.
- Lubinsky, P., Bory, S., Hernandez, J. H., Kim, S. C., & Gomez-Pompa, A. (2008). Origins and dispersal of cultivated *Vanilla* (*Vanilla planifolia* Jacks. (Orchidaceae)). *Economic Botany*, 62, 127-138.

- Lubinsky, P., Cameron, K. M., Molina, M. C., Wong, M., Lepers-Andrzejewski, S., Gomez-Pompa, A., & Kim, S. C. (2008). Neotropical roots of a Polynesian spice: The hybrid origin of Tahitian vanilla, *Vanilla tahitensis* (Orchidaceae). American Journal of Botany, 95(8), 1040 – 1047.
- Malaysian Meteorological Department. (2014). General climate of Malaysia. Retrieved from <http://www.met.gov.my>
- Mason, A. S., & Batley, J. (2015). Creating new interspecific hybrid and polyploid crops. *Trends in biotechnology*, 33(8), 436 – 441.
- McKinley, M. (2015). *Complete guide to orchids: Ortho Books*. United States of America: American Orchid Society.
- Metcalfe, C. R., & Chalk, L. (1979). *Anatomy of the dicotyledons: Volume 1*. Oxford, England: Clarendon Press.
- Miller, R., Owens, S. J., & Rørslett, B. (2011). Plants and colour: Flowers and pollination. *Optics & Laser Technology*, 43(2): 282 – 294.
- Ministry of Natural Resources and Environment. (2006). *Biodiversity in Malaysia*. Retrieved from the Ministry of Natural Resources and Environment website: <http://www.nre.gov.my/Malay/Pusat-Media/Penerbitan/Biodiversity%20in%20Malaysia.pdf>
- Ministry of Natural Resources and Environment. (2016). *National Policy on Biological Diversity 2016 – 2025*. Retrieved from the Malaysia Biodiversity Information System website: <https://www.mybis.gov.my/pb/590>
- Minoo, D., Jayakumar, V. N., Veena, S. S., Vimala, J., Basha, A., Saji, K. V., Nirmal Babu, K., & Peter, K.V. (2008). Genetic variations and interrelationships in *Vanilla planifolia* and few related species as expresses by RAPD polymorphism. *Genetic Resource Crop Evolution*, 55, 459–470.
- Mohd-Raffi, M. A., Abdullah, N. A. P., Go, R., Abdullah, T. L. & Saleh, G. (2014). Vanilla. In Abdullah, N.A.P et. al. (Eds.), *Recent advances in crop science Vol. 2* (pp. 300-329). Serdang, Selangor: UPM Press.
- Mohd-Akmal, M. R, Rusea, G., N.A.P., Abdullah, Thohirah, L.A., & Ghizan, S. 2014. *Vanilla* of Peninsular Malaysia. In Christina, Y.S.Y., Maidin, M. S., Annabi, G., & Wan-Ibrahim, W. H. (Eds), *Malaysia International Biological Symposium 2014: Sustainable bioresources for bioeconomy* (pp. 65-67). Selangor: Department of Biology, Faculty of Science, UPM.

- Molineros-Hurtado, F., González Mina, R. T., Flanagan, N. S. & Tupac Otero, J. (2014). *Vanilla rivasi* (Orchidaceae), a new species from the Colombian Pacific region. *Lankesteriana*, 13(3), 353 – 357.
- Molnár, A., Tökölyi, J., Végvári, Z., Sramkó, G., Sulyok, J., & Barta, Z. (2012). Pollination mode predicts phenological response to climate change in terrestrial orchids: a case study from central Europe. *Journal of Ecology*, 100(5), 1141 – 1152.
- Mondini, L., Noorani A. & Pagnotta, M. A. (2009). Assessing plant genetic diversity by molecular tools. *Diversity*, 1, 19 – 35.
- Moudi, M., & Go, R. (2014). Monophyly of four sections of genus *Dendrobium* (Orchidaceae): Evidence from nuclear ribosomal DNA intranuclear transcribed spacer (ITS) sequences. *International Journal of Bioassays*, 4(1), 3622 – 3626.
- Nair, R. (2013). Chromosome counts in cultivated and wild species of *Vanilla*. In Medhi, R. P., Devadas, R., Sailo, N., Debnath, N. G., Gogoi, J., & Pattanayak, S. L. (Eds.), Abstracts cum Souvenir of National Dialogue on Orchid Conservation & Sustainable Development for Community Livelihood (pp. 117). Chintan Bhavan, Ganktok, Sikkim: NRC Orchids.
- NCBI Resource Coordinators. (2013). Database resources of the National Center for Biotechnology Information. *Nucleic Acids Research*. 41 (Database Issue), D8 - D20.
- Newmann, E., Anderson, B., & Johnson, S. D. (2012). Flower colour adaptation in a mimetic orchid. *Proceedings of the Royal Society B: Biological Sciences*, 279(1737), 2309 – 2313.
- Newton, L. A., & Runkle, E. S. (2014). Effects of benzyladenine on vegetative growth and flowering of potted Miltoniopsis Orchids. *Acta Horticulturae*, 1078, 121 – 127 .
- Nordin, F.A. (2018). Phylogenetic study of genus *Spathoglottis* Blume (Orchidaceae) in Malesia (Doctoral thesis). Universiti Sains Malaysia, Pulau Pinang.
- Norhanizan, U., Nur, A., Psyquay, A., & Ghizan, S. (2014). Assessment of genetic diversity of *Physalis minima* L.(Solanaceae) based on ISSR marker. *Journal of Applied Science and Agriculture*, 9(18), 18 – 25.
- O'Bryne, P. (2001). *A to Z South East Asian orchid species*. Singapore: Orchid Society of South East Asia.
- Ogunkunle, A. T. J., & Oladele, F. A. (2008). Leaf epidermal studies in some Nigerian species of *Ficus* L. (Moraceae). *Plant systematics and Evolution*, 274(3-4), 209 – 221.

- Ong, P. T., O'Bryne, P., Yong, W. S. Y., & Saw, L. G. (2011). *Wild Orchids of Peninsular Malaysia*. Kepong, Kuala Lumpur: Forest Research Institute Malaysia.
- Ong, H. C., Norliah, A., & Sorayya, M. (2012). Traditional knowledge and usage of edible plants among the Temuan villagers in Kampung Tering, Kuala Pilah, Negeri Sembilan, Malaysia. *Indian Journal of Traditional Knowledge*, 11(1), 161 – 165.
- Ong, P.T., O' Bryne, P., Saw, L.G., & Chung, R. C. K. (2017). *Checklist of orchids of Peninsular Malaysia: Research Pamphlet No. 136*. Kepong, Kuala Lumpur: Forest Research Institute Malaysia.
- Ormerod, P., & Cootes, J. (2013). Leafy *Vanilla* species of the Philippines. *OrchideenJournal*. 1 – 2, 3 – 19.
- Pansarin, E. R., Aguiar, J. M., & Ferreira, A. W. (2012). A new species of *Vanilla* (Orchidaceae: Vanilloideae) from São Paulo, Brazil. *Brittonia*, 64(2), 157-161.
- Pansarin, E. R., & Miranda, M. R. (2016). A new species of *Vanilla* (Orchidaceae: Vanilloideae) from Brazil. *Phytotaxa*, 267(1), 84 – 88.
- Pattanaik, S., Dash, A., Mishra, R. K., Nayak, P. K., & Mohanty, R. C. (2015). Seed germination and seedling survival percentage of *Shorea robusta* Gaertn. f. in buffer areas of Similipal biosphere reserve, Odisha, India. *Journal of Ecosystem & Ecography*, 5(1), 1.
- Paul, V., Sharma, L., Pandey, R., & Meena, R. C. (2017). Measurements of stomatal density and stomatal index on leaf / plant surfaces. In Paul, V., Pandey, R. & Pal, M. (Eds.) Manual of ICAR sponsored training programme for technical staff of ICAR Institutes on “Physiological techniques to analyze the impact of climate change on crop plants” (pp. 27 – 30). New Delhi, India: ICAR-Indian Agricultural Research Institute (IARI).
- Parra-Tabla, V., & Vargas, C. F. (2004). Phenology and phenotypic natural selection on the flowering time of a deceit-pollinated tropical orchid, *Myrmecophila christinae*. *Annals of Botany*, 94(2), 243 – 250.
- Pignal, M. (2011). *Vanilla* in herbaria. In Odoux, E. & Grisoni, M. (Eds.), *Medicinal and aromatic plants-industrial profiles: Vanilla* (pp. 43-49). Boca Raton, Florida; CRC Press.
- Pillon, Y., & Chase, M. W. (2007). Taxonomic exaggeration and its effects on orchid conservation. *Conservation Biology*, 21(1), 263 – 265.
- Poczai, P., & Hyvonen, J. (2010). Nuclear ribosomal spacer regions in plant phylogenetics: Problems and prospects. *Molecular Biology Report*, 37, 1897 – 1912.

- Poeaim, S., Poeaim, A., & Soytong, K. (2011). Determination of the genetic relationship of Vanilloideae (Orchidaceae) based on the sequence of the Internal Transcribed Spacer of ribosomal DNA. *Research Magazine*, 7-11.
- Porteres, R. (1954). Le genere *Vanilla* et ses especes. In Bouriquet, G. (Ed.), *Le Vanillier et la Vanille dans le Monde* (pp. 94 – 240). Paris, France: Paul Lechevalier.
- Pridgeon, A. M., Cribb, P. J., Chase, M. W., & Rasmussen, F. N. (2001). *Genera Orchidacearum: Volume 3 Vanilloideae*. United Kingdom: Oxford University Press.
- Puthur, J. (2005). Influence of light intensity on growth and crop productivity of *Vanilla planifolia* Andr. *General and Applied Plant Physiology*, 31(3-4), 215-224.
- Quicke, D. L. J. (1993). *Principles and techniques of contemporary taxonomy*. Dordrecht, Netherlands: Springer Nature BV.
- Quiros, E. V. (2011). *Vanilla* production in Costa Rica. In Havkin-Frenkel, D., & Belanger, F. C. (Eds.), *Handbook of Vanilla Science and Technology* (pp. 40 – 49). Hoboken, New Jersey: Blackwell Publishing Ltd.
- Rabinowitz, D. (1981). Seven forms of rarity. In H. Syngue (Ed.), *The biological aspects of rare plant conservation* (pp. 205–217). New York: John Wiley and Sons.
- Ramachandra Rao, S., & Ravishankar, G. A. (2000). *Vanilla* flavour: production by conventional and biotechnological routes. *Journal of the Science of Food and Agriculture*, 80(3), 289-304.
- Ramsay, M. M., & Dixon, K. W. (2003). Propagation science, recovery and translocation of terrestrial orchids. In Dixon K. W., Kell, S. P, Barrett, R. L. & Cribb, P. J. (Eds.), *Orchid conservation* (pp. 259 – 288). Kota Kinabalu, Sabah: Natural History Publications (Borneo).
- Reader's Digest. (2013). 6 unusual uses for vanilla extract. Retrieved March, 8, 2013 from <http://www.rd.com/home/6-unusual-uses-for-vanilla-extract/>
- Reis, C. A. M., Brondani, G. E. & Almeida, M. D. (2011). Floral biology, reproductive biology and vegetative propagation of *Vanilla*. *Scientia Agraria Paranaensis*, 10(1), 69 – 82.
- Ridley, H. N. (1924). *The flora of the Malay Peninsula: Orchidaceae* (Vol. 4). United Kingdom: L. Reeve & Company, Limited.
- Ritland, C. E., Ritland, K. & Straw, N. A. (1993). Variation in the ribosomal internal transcribed spacers (ITS1 and ITS2) among eight taxa of the *Mimulus guttatus* species complex. *Molecular Biology and Evolution*, 10(6), 1213 – 1288.

- Robbirt, K. M., Davy, A. J., Hutchings, M. J., & Roberts, D. L. (2011). Validation of biological collections as a source of phenological data for use in climate change studies: a case study with the orchid *Ophrys sphegodes*. *Journal of Ecology*, 99(1), 235-241.
- Rolfe, R. A. (1896). A revision of the genus *Vanilla*. *Botanical Journal of the Linnaean Society*, 32, 439 – 478.
- Roux-Cuvelier, M., & Grisoni, M. (2010). Conservation and movement of *Vanilla* germplasm. In Odoux, E. & Grisoni, M. (Eds.), *Medicinal and aromatic plants-industrial profiles: Vanilla* (pp. 31-41). Boca Raton, Florida: CRC Press.
- Russell, T., & Cutler, C. (2004). *Trees: an illustrated identifier and encyclopedia*. Leicestershire, England: Anness Publishing Ltd.
- Sakai, S., Momose, K., Yumoto, T., Nagamitsu, T., Nagamasu, H., Hamid, A. A., & Nakashizuka, T. (1999). Plant reproductive phenology over four years including an episode of general flowering in a lowland dipterocarp forest, Sarawak, Malaysia. *American Journal of Botany*, 86(10), 1414 – 1436.
- Sambin, A., & Chiron, G. R. (2015). Deux nouvelles espèces de *Vanilla* (Orchidaceae) de Guyane française. *Richardiana*, 15, 306-316.
- Sambin, A., & Chiron, G. R. (2017) Notes taxinomiques sur le complexe *Vanilla ruiziana* (Orchidaceae) en Guyane et description d'une nouvelle espèce. *Richardiana*. 1, 17 – 30.
- Sattler, R., & Rutishauser, R. (1997). The fundamental relevance of morphology and morphogenesis to plant research. *Annals of Botany*, 80(5), 571 – 582.
- Saw, L. G. (2010). Vegetation of Peninsular Malaysia. In Kiew, R., Chung, R.C.K., Saw L.G., & Soepadmo, E. (Eds.), *Flora of Peninsular Malaysia Series II : Seed plants, Volume 1* (pp. 21-45). Kuala Lumpur : Forest Research Institute Malaysia.
- Schuiteman, A., & de Vogel, E. (2003). Taxonomy for conservation. In In Dixon K. W., Kell, S. P, Barrett, R. L. & Cribb, P. J. (Eds.), *Orchid conservation* (pp. 55-68). Kota Kinabalu: Natural History Publications (Borneo).
- Schuiteman, A., Averyanov, L., & Rybkova, R. (2013). *Vanilla atropogon*, a new species from Vietnam. *Orchideen Journal*, 1(1), 10-16.
- Seidenfaden, G., & Wood, J. J. (1992). *The orchids of Peninsular Malaysia and Singapore*. Denmark: Olsen & Olsen,

- Silva, A. D. L., Alves, M. V. D. S., & Coan, A. I. (2014). Importance anatomical leaf features for characterization of three species of *Mapinia* (Mapanionideae, Cyperaceae) from Amazon forest, Brazil. *Acta Amazonica*, 44(4), 447 – 456.
- Simpson, M. G. (2010). *Plant systematics*. London, England: Elsevier Academic Press.
- Singh, G. (2016). *Plant systematics (Third edition): An integrated approach*. Boca Rato, Florida: CRC Press.
- Stace, C. A. (2000). Cytology and cytogenetics as a fundamental taxonomic resources for the 20th and 21st centuries. *Taxon*, 49(3), 451 – 477.
- Szalanski, A. L., Steinauer, G., Bischof, R., & Petersen, J. (2001). Origin and conservation genetics of the threatened Ute ladies'-tresses, *Spiranthes diluvialis* (Orchidaceae). *American Journal of Botany*, 88(1), 177 – 180.
- Soto Arenas, M. A., & Cribb, P. (2010). A new infrageneric classification and synopsis of the genus *Vanilla* Plum. ex Mill. (Orchidaceae: Vanillinae). *Lankesteriana*, 9(3), 355 – 398.
- Soto Arenas, M. A., & Dressler, R. L. (2010). Revision of the Mexican and Central American species of *Vanilla* Plumier ex Miller with a characterization of their ITS region of the nuclear ribosomal DNA. *Lankesteriana*, 9(3), 285 – 354.
- Srinual, A., & Thammathaworn, A. (2008). Leaf anatomy of *Vatica* L. (Dipterocarpaceae) in Thailand. *Tropical Natural History*, 8(2), 121 – 134.
- Stern, W. L., & Judd, W. S. (1999). Comparative vegetative anatomy and systematics of *Vanilla* (Orchidaceae). *Botanical journal of the Linnean Society*, 131(4), 353-382.
- Stern, W. L. (2014). *Anatomy of the monocotyledons volume X: Orchidaceae*. Oxford, England: Oxford University Press.
- Swarts, N. D., & Dixon, K. W. (2009). Terrestrial orchid conservation in the age of extinction. *Annals of Botany*, 104(3), 543 – 556.
- Swee-Hock, S. (2015). *The population of Malaysia (Second Edition)*. Singapore: Institute of Southeast Asian Studies.
- Sytsma, K. J., & Pires, J. C. (2001). Plant systematics in the next 50 years: Re-mapping the new frontier. *Taxon*, 50(3), 713-732.
- Talip, N., Hussin, K. H., & Ibrahim, H. (2003). Comparative leaf anatomy of *Alpinia* species (Zingiberaceae) in Malaysia. *Nordic Journal of Botany*, 23(4), 463 – 483.

- Talip, N., Ruzi, A. R., Nurnida, M. K., & Hajar, N. R. (2012). Systematic significance of leaf anatomy in *Johannesteijsmannia* H. E. Moore (Arecaceae). *Pertanika Journal of Tropical Agricultural Science*, 35(2), 223 – 235.
- Thompson, J. D., Gibson, T. J., Plewniak, F., Mongin, F. J., & Higgins, D. G. (1997). Clustal X Windows interface: Flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Resources*, 25(24), 4876 –4882.
- Thormann, I., Dullo, M., & Engels., J. (2006). In Henry, R. J. (Ed), *Plant conservation genetics* (pp.7-26). New York: Food Product Press.
- Tornqvist, C. E. (2006). *Plant genetics*. Langhorn, Pennsylvania; Chelsea House Publishers.
- Trung, K. H., Khanh, T. D., Ham, L. H., Duong, T. D., & Khoa, N. T. (2013). Molecular phylogeny of the endangered Vietnamese *Paphiopedilum* species based on the Internal Transcribed Spacer of the nuclear ribosomal DNA. *Advanced Studies in Biology*, 5(7), 337 – 346.
- Tsai, C. C., Peng, C. I., Huang, S.C., Huang, P. L., & Chou, C. H. (2004). Determination of the genetic relationship of *Dendrobium* species (Orchidaceae) in Taiwan based on the sequence of the internal transcribed spacer of ribosomal DNA. *Scientia Horticulturae*, 101(3), 315 – 325.
- Tsai, C. C., Huang, S.C. & Chou, C. H. (2006). Molecular phylogeny of *Phalaenopsis* Blume (Orchidaceae) based on the internal transcribed spacer of the nuclear ribosomal DNA. *Plant Systematics and Evolution*, 256, 1–16.
- Turner, I.M. (1995). A catalogue of the vascular plants of Malaya. *Gardens' Bulletin Singapore*, 47(2), 347 – 757.
- Van Cotthem, W. R. J. (1970). A classification of stomatal types. *Botanical Journal of the Linnean Society*, 63(3), 235 – 246.
- Van Dam, A. R., Householder, J. E., & Lubinsky, P. (2010) *Vanilla bicolor* Lindl. (Orchidaceae) from the Peruvian Amazon: Auto-fertilization in *Vanilla* and notes on floral phenology. *Genetic Resources and Crop Evolution*, 57, 473 –480.
- Verma, P. C., Chakrabarty, D., Jena, S. N., Mishra, D. K., Singh, P. K., Sawant, S. V., & Tuli, R. (2009). The extent of genetic diversity among *Vanilla* species: comparative results for RAPD and ISSR. *Industrial crops and products*, 29(2-3), 581 – 589.

- Villanueva-Viramontes, S., Hernández-Apolinar, M., Fernández-Concha, G. C., Dorantes-Euán, A., Dzib, G. R., & Castillo, J. M. (2017). Wild *Vanilla planifolia* and its relatives in the Mexican Yucatan Peninsula: Systematic analyses with ISSR and ITS. *Botanical Sciences*, 95(2), 169 – 187.
- Wang, X. C., Liu, C., Huang, L., Bengtsson-Palme, J., Chen, H., Zhang, J.H., Cai, D. & Li, J. Q. (2014). ITS 1: A DNA barcode better than ITS 2 in eukaryotes?. *Molecular Ecology Resources*, 15(3), 573 – 586.
- Weber, M.G., Porturas, L.D. & Keeler, K.H. (2015) World list of plants with extrafloral nectaries. Published on the internet; <http://www.extrafloralnectaries.org>. Retrieved on 13 October 2016.
- White, T. J., Bruns, T., Lee, S. J. W. T., & Taylor, J. L. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In Innis, M. A., Gelfand, D. H., Sninsky, J. J. & White, T. J. (Eds.), *PCR protocols - A guide to methods and applications* (pp. 315 – 322). San Diego: Academic Press.
- Xu, S., Li, D., Li, J., Xiang, X., Jin, W., Huang, W., Jin, X., & Huang, L. (2015). Evaluation of the DNA barcodes in *Dendrobium* (Orchidaceae) from mainland Asia. *PloS One*, 10(1), e0115168.
- Yang, Y., & Sun, H. (2009). The bracts of *Saussurea velutina* (Asteraceae) protect inflorescences from fluctuating weather at high elevations of the Hengduan Mountains, Southwestern China. *Arctic, Antarctic, and Alpine Research*, 41(4), 515 – 521.
- Yeu, N. S., Nordin, F. A., & Othman, A. S. (2016). Five new records of terrestrial and lithophytic orchids (Orchidaceae) from Penang Hill, Malaysia. *Tropical Life Sciences Research*, 27(2), 103 – 109.
- Yukawa, T., Kinoshita, A. & Tanaka, N. (2013). Molecular identification resolves taxonomic confusion in *Grammatophyllum speciosum* complex (Orchidaceae). *Bulletin of the National Museum of Nature and Science. Series B (Botany)*, 39(3), 137 – 145.

BIODATA OF STUDENT

Akmal Raffi was born on 11th June 1988 in Kuching, Sarawak. He received his primary education from Sekolah Kebangsaan Polis Depot, Kuala Lumpur. He continued his secondary education in Sekolah Menengah Sains Alam Shah before entering Johor Matriculation College. He obtained his first degree in Bachelor of Agricultural Sciences from Universiti Putra Malaysia in 2011 with first class degree. He has been awarded with the Vice Chancellor's award at the end of his undergraduate study. His first degree studies have developed his interest in botany. His enthusiasm has driven him to pursue his doctoral research in Universiti Putra Malaysia



LIST OF PUBLICATIONS

- Mohd-Raffi**, M. A., Abdullah, N. A. P., Go, R., Abdullah, T. L. & Saleh, G. (2014). Vanilla. In Abdullah, N.A.P et. al. (Eds.), *Recentt advances in crop science Vol. 2* (pp. 300-329). Serdang, Selangor: UPM Press.
- Mohd-Akmal**, M. R, Rusea, G., N.A.P., Abdullah, Thohirah, L.A., & Ghizan, S. (2014). *Vanilla of Peninsular Malaysia*. In Christina, Y.S.Y., Maidin, M. S., Annabi, G., & Wan-Ibrahim, W. H. (Eds), *Malaysia International Biological Symposium 2014: Sustainable bioresources for bioeconomy* (pp. 65-67). Selangor: Department of Biology, Faculty of Science, UPM.
- Mohd-Raffi, M.A**, Rusea, G., N.A.P., Abdullah, Thohirah, L.A., and Ghizan, S. (2016). Malaysian *Vanilla*: species diversity, threats and conservation action plan.. In Amal, M.,N.A. et.al. (Eds), *Proceedings of Malaysia Symposium Biological Symposium 2016* (pp.36). Selangor: Department of Biology, Faculty of Science, UPM.
- Raffi, A.**, N. A. P., Abdullah, Abdullah, T. L. & Rusea, G. (2017). A new *Vanilla* species from Peninsular Malaysia. *Malayan Nature Journal*. 69(2), 17 - 22.
- Raffi, A.**, Nordin, F.A., N. A. P., Abdullah, Dahalan, P. & Rusea, G. (2017). *Vanilla norashikiniana* R. Go et A. Raffi sp. nov., A New Orchid Species From Peninsular Malaysia. *Malayan Nature Journal*. 69(3), 273 – 276.
- Rusea, G. & **Raffi, A.** (2017). *Discovering the wonders of Malaysian orchids: Unveiling Vanilla norashikiniana*. Selangor: UPM Press.
- Raffi, A.**, Abdullah, N.A.P., Noor-Syaheera, M. Y. & Go., R. (2019). Preliminary foliar anatomical assessment of four *Vanilla* species (Orchidaceae) from Perak, Malaysia. *Pertanika Journal of Tropical Agricultural Science*, 42(2), 807 – 816.



UNIVERSITI PUTRA MALAYSIA

STATUS CONFIRMATION FOR THESIS / PROJECT REPORT AND COPYRIGHT

ACADEMIC SESSION : Second Semester 2018/2019

TITLE OF THESIS / PROJECT REPORT :

SYSTEMATICS, DNA BARCODING AND CONSERVATION OF *Vanilla* SPECIES FROM
PENINSULAR MALAYSIA

NAME OF STUDENT: MOHD AKMAL BIN MOHD RAFFI

I acknowledge that the copyright and other intellectual property in the thesis/project report belonged to Universiti Putra Malaysia and I agree to allow this thesis/project report to be placed at the library under the following terms:

1. This thesis/project report is the property of Universiti Putra Malaysia.
2. The library of Universiti Putra Malaysia has the right to make copies for educational purposes only.
3. The library of Universiti Putra Malaysia is allowed to make copies of this thesis for academic exchange.

I declare that this thesis is classified as :

*Please tick (✓)

CONFIDENTIAL

(Contain confidential information under Official Secret Act 1972).

RESTRICTED

(Contains restricted information as specified by the organization/institution where research was done).

OPEN ACCESS

I agree that my thesis/project report to be published as hard copy or online open access.

This thesis is submitted for :

PATENT

Embargo from _____ until _____
(date) (date)

Approved by:

(Signature of Student)
New IC No/ Passport No.:

(Signature of Chairman of Supervisory Committee)
Name:

Date :

Date :

[Note : If the thesis is **CONFIDENTIAL** or **RESTRICTED**, please attach with the letter from the organization/institution with period and reasons for confidentiality or restricted.]