

3-30-2021

Even During COVID-19, Do Not Delay Seeking Medical Care

Emilia Clementi

Wayne State University School Of Medicine, hf1309@wayne.edu

Daniel Bota

Wayne State University School Of Medicine, hd3236@wayne.edu

Darby Richards

Wayne State University School Of Medicine, gd1990@wayne.edu

Jamil Jomaa

Wayne State University School Of Medicine, gs8226@wayne.edu

Sami Nassar

Wayne State University School Of Medicine, hf4554@wayne.edu

See next page for additional authors

Creative Commons License:



This work is licensed under a [No Rights Reserved](#) license.

Recommended Citation

Clementi, Emilia; Bota, Daniel; Richards, Darby; Jomaa, Jamil; Nassar, Sami; and Rousseau, Alison, "Even During COVID-19, Do Not Delay Seeking Medical Care" (2021). *COVID-19 Medical Myth Infographics*. 18. <https://digitalcommons.wayne.edu/covidinfographics/18>

This Infographic is brought to you for free and open access by the Open Source Medicine at DigitalCommons@WayneState. It has been accepted for inclusion in COVID-19 Medical Myth Infographics by an authorized administrator of DigitalCommons@WayneState.

Even During COVID-19, Do Not Delay Seeking Medical Care

Follow this and additional works at: <https://digitalcommons.wayne.edu/covidinfographics>




Part of the [Curriculum and Instruction Commons](#), [Medical Education Commons](#), and the [Public Health Commons](#)

Authors

Emilia Clementi, Daniel Bota, Darby Richards, Jamil Jomaa, Sami Nassar, and Alison Rousseau

Even during COVID-19, DO NOT DELAY seeking medical care

Medical care delay or avoidance **increases morbidity and mortality risk** associated with treatable/preventable health conditions and might contribute to **excess deaths**



● Avoided care
● Did not avoid care


An estimated **40.9%** of U.S. adults have avoided emergency and/or routine medical care during the pandemic due to concerns about contracting COVID-19



50% of **excess deaths** in 14 U.S. states were due to **underlying causes** other than COVID-19

34% decrease in **hospital admission rate** for all conditions during the pandemic

Increased **avoidance** of emergency care among **Black and Hispanic adults** compared with White adults is especially concerning given **increased COVID-19-associated mortality** among Black and Hispanic adults



Cite this poster: Clementi, E., Bota, D., Richards, D., Jomaa, J., Nassar, S., Rousseau, A., Wayne State University School of Medicine, 2020

Czeisler MÉ. Delay or Avoidance of Medical Care Because of COVID-19–Related Concerns – United States, June 2020. *MMWR Morb Mortal Wkly Rep.* 2020;69. doi:10.15585/mmwr.mm6936a4
Woolf SH, Chapman DA, Sabo RT, Weinberger DM, Hill L. Excess Deaths From COVID-19 and Other Causes, March–April 2020. *JAMA.* 2020;324(5):510–513. doi:10.1001/jama.2020.11787
Oseran SA, Nash D, Kim C, et al. Changes in Hospital Admissions for Urgent Conditions During COVID-19 Pandemic. *AJMC.* 2020. 26(8):327–328. doi.org/10.37765/ajmc.2020.43837