## CORRECTION

## **Critical Care**

### **Open Access**

## Check for updates

# Correction to: Ventilator-associated pneumonia in critically ill patients with COVID-19

Mailis Maes<sup>1†</sup>, Ellen Higginson<sup>1†</sup>, Joana Pereira-Dias<sup>1†</sup>, Martin D. Curran<sup>2</sup>, Surendra Parmar<sup>2</sup>, Fahad Khokhar<sup>1</sup>, Delphine Cuchet-Lourenço<sup>3</sup>, Janine Lux<sup>3</sup>, Sapna Sharma-Hajela<sup>4</sup>, Benjamin Ravenhill<sup>4</sup>, Islam Hamed<sup>4</sup>, Laura Heales<sup>4</sup>, Razeen Mahroof<sup>4</sup>, Amelia Soderholm<sup>1</sup>, Sally Forrest<sup>1</sup>, Sushmita Sridhar<sup>1,5</sup>, Nicholas M. Brown<sup>2</sup>, Stephen Baker<sup>1</sup>, Vilas Navapurkar<sup>4</sup>, Gordon Dougan<sup>1</sup>, Josefn Bartholdson Scott<sup>1</sup> and Andrew Conway Morris<sup>3,4\*</sup>

### Correction to: Crit Care (2021) 25:25 https://doi.org/10.1186/s13054-021-03460-5

Following publication of the original article [1], the authors reported an error in one of the contributing author names. The revised author name is indicated hereafter and the changes have been highlighted in **bold typeface**.

The incorrect author name reads:

Amelia Solderholm.

The correct author name should read:

Amelia Soderholm.

All the changes requested are implemented in this correction and the original article [1] has been corrected.

### Author details

<sup>1</sup> Department of Medicine, Cambridge Institute of Therapeutic Immunology and Infectious Disease (CITIID), University of Cambridge, Cambridge, UK. <sup>2</sup> Clinical Microbiology and Public Health Laboratory, Public Health England,

The original article can be found online at https://doi.org/10.1186/s13054-021-03460-5.

\*Correspondence: ac926@cam.ac.uk <sup>†</sup>Mailis Maes, Ellen Higginson and Joana Pereira-Dias have contributed equally to the paper <sup>3</sup> Division of Anaesthesia, Department of Medicine, University acComptigge Levid 4. Addenbrook of Horpital Hills Poad

of Cambridge, Level 4, Addenbrooke's Hospital, Hills Road, Cambridge CB2 0QQ, UK

Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/fuelses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Addenbrooke's Hospital, Cambridge, UK.<sup>3</sup> Division of Anaesthesia, Department of Medicine, University of Cambridge, Level 4, Addenbrooke's Hospital, Hills Road, Cambridge CB2 0QQ, UK.<sup>4</sup> John Farman ICU, Addenbrookes Hospital, Cambridge, UK.<sup>5</sup> Wellcome Sanger Institute, Hinxton, UK.

Published online: 06 April 2021

### Reference

 Maes M, Higginson E, Pereira-Dias J, et al. Ventilator-associated pneumonia in critically ill patients with COVID-19. Crit Care. 2021;25:25. https:// doi.org/10.1186/s13054-021-03460-5.

### **Publisher's Note**

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.