

Thomas Jefferson University Jefferson Digital Commons

Department of Emergency Medicine Faculty Papers

Department of Emergency Medicine

2-18-2021

Global point-of-care ultrasound education and training in the age of COVID-19.

Onyinyechi F Eke Department of Emergency Medicine, Massachusetts General Hospital, Boston, MA, United States

Patricia C. Henwood Department of Emergency Medicine, Sidney Kimmel Medical College - Thomas Jefferson University, Philadelphia, PA, United States

Grace W Wanjiku Department of Emergency Medicine, Brown University, Providence, RI, United States

Abiola Fasina Emergency Healthcare Consultants, Lagos, Nigeria

Sigmund J Kharasch Follow this and additional works at: https://jdc.jefferson.edu/emfp Department of Emergency Medicine, Massachusetts General Hospital, Boston, MA, United States Part of the Emergency Medicine Commons

Let us know how access to this document benefits you

Recommended Citation

Eke, Onyinyechi F; Henwood, Patricia C.; Wanjiku, Grace W; Fasina, Abiola; Kharasch, Sigmund J; and Shokoohi, Hamid, "Global point-of-care ultrasound education and training in the age of COVID-19." (2021). *Department of Emergency Medicine Faculty Papers*. Paper 131. https://jdc.jefferson.edu/emfp/131

This Article is brought to you for free and open access by the Jefferson Digital Commons. The Jefferson Digital Commons is a service of Thomas Jefferson University's Center for Teaching and Learning (CTL). The Commons is a showcase for Jefferson books and journals, peer-reviewed scholarly publications, unique historical collections from the University archives, and teaching tools. The Jefferson Digital Commons allows researchers and interested readers anywhere in the world to learn about and keep up to date with Jefferson scholarship. This article has been accepted for inclusion in Department of Emergency Medicine Faculty Papers by an authorized administrator of the Jefferson Digital Commons. For more information, please contact: JeffersonDigitalCommons@jefferson.edu.

Authors

Onyinyechi F Eke, Patricia C. Henwood, Grace W Wanjiku, Abiola Fasina, Sigmund J Kharasch, and Hamid Shokoohi

EDUCATIONAL ADVANCES IN EMERGENCY MEDICINE

Global point-of-care ultrasound education and training in the age of COVID-19

Onvinyechi F. Eke^{1*}, Patricia C. Henwood², Grace W. Wanjiku³, Abiola Fasina⁴, Sigmund J. Kharasch¹ and Hamid Shokoohi¹

Abstract

The COVID-19 pandemic has disrupted traditional global point-of-care ultrasound (POCUS) education and training, as a result of travel restrictions. It has also provided an opportunity for innovation using a virtual platform. Teleultrasound and video-conferencing are alternative and supportive tools to augment global POCUS education and training. There is a need to support learners and experts to ensure that maximum benefit is gained from the use of these innovative modalities.

Keywords: Global point-of-care ultrasound, COVID-19, Education, Training

Introduction

Point-of-care ultrasound (POCUS) offers a readily available and relatively low-cost tool to diagnose and manage medical conditions in resource-limited settings where imaging modalities are scarce and cost-prohibitive [1]. POCUS education is also one of the competency milestones for emergency medicine training increasingly globally, with skill requirements in place in the USA, Haiti, Rwanda, Ethiopia, and Ghana [2-6].

Innovation in POCUS training and education has surged as a prime focus for many global emergency care improvement efforts. Global POCUS education and training typically involves the creation of programs in low- and middle-income countries (LMIC) with the goal of building local capacity [1, 7]. Most training programs involve planned didactic sessions with learners at different levels of training: physicians, residents, nurses, medical officers, or other advanced practice providers. Didactic learning is then accompanied by hands-on scanning sessions. However, in LMIC, there is often insufficient training, inadequate access to ultrasound

* Correspondence: oeke@mgh.harvard.edu

BMC

¹Department of Emergency Medicine, Massachusetts General Hospital, Boston, MA, USA

machines, lack of guidance when scanning, and lack of trainee feedback [8].


The COVID-19 pandemic has disrupted every sector of global health training, including on-site education and faculty exchange. In LMIC, the impact of the pandemic is even more deleterious as many of these economies were already on the brink of economic recession prior to the pandemic. Therefore, individuals and institutions commencing or continuing international educational and training programs will have to adapt and innovate in this period of heightened global challenge. In this brief report, we explore and highlight alternatives, including tele-ultrasound and video-conferencing, as readily and widely available resources.

Tele-ultrasound

Traditionally, ultrasound education for physicians and other emergency care providers includes a combination of didactic lectures and case/image reviews, combined with hands-on image acquisition and interpretation by trainees. This is ideally followed by a period of quality assurance in regard to image review and interpretation. Prior studies have shown the feasibility of implementing POCUS training and the improvement of skills with repeated training [9].

© The Author(s), 2021 Open Access This article is licensed under a Creative Commons Attribution 4.0 International License. which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.





Open Access

Full list of author information is available at the end of the article

Page 2 of 4

Tele-ultrasound allows learners performing bedside ultrasound to receive instruction and feedback from instructors at different geographical sites. The teleultrasound guidance can be given asynchronously and synchronously. There has already been successful implementation of tele-ultrasound and tele-mentoring to guide POCUS education, training, and patient management [10, 11]. In a study by Choo et al., tele-mentoring was used to guide the acquisition of psychomotor skills in ICU nurses without prior POCUS experience [12]. In another study by Smith et al., it showed that cell phones were a viable tele-ultrasound option to educate novice learners [13]. Tele-ultrasound platforms include cell phones using Facetime (Apple Inc., Cupertino, CA, USA) or WhatsApp (Facebook Inc., Menlo Park, CA, USA), IIT's Reacts platform (Innovative Imaging Technologies) through Philips Lumify and Butterfly TeleGuidance through Butterfly IQ (Butterfly Network Inc., Guilford, CT). The presence of artificial intelligence (AI) and augmented reality (AR) yield opportunities to optimize image quality and provide real-time guidance on probe placement; these are newer features on specific platforms in addition to image interpretation support that increase trainee learning while reducing the spread of infection [14].

To augment tele-ultrasound in LMIC, there has to be facilitation of internet connectivity and/or cell phone usage. There is ubiquitous use of cell phones in LMIC particularly, in African countries where most people use cell phones to access the internet. Therefore increasing cell phone usage in training centers would likely lead to increased potential interaction with tele-ultrasound platforms.

The challenge remains that internet access through cell phones, while often more stable than computerbased internet, is expensive and cost-prohibitive. The other tele-ultrasound platforms and software require a stable and strong internet connection to function effectively. This cost can be subsidized by trainee and expert institutions as well as manufacturers of the teleultrasound platforms. An additional challenge is trainees in LMIC countries often have heavy clinical loads and may not have adequate time to engage in tele-mentoring sessions. There needs to be protected educational time and for trainees incentives to bolster trainee engagement.

Lastly, the success of these programs may be improved by remote POCUS experts and mentors available for "on call" tele-ultrasound consults. This availability often hinges on support for this non-clinical responsibility.

Video-conferencing

With hands-on training that can be supervised remotely by tele-ultrasound, there is also a need for didactic education for learners. With current COVID-19 travel restrictions, it is reasonable to ask how teachers and trainees separated by significant distance initiate or continue POCUS didactic education. We offer an example of how video-conferencing can be implemented in a format that engages learners and experts.

In May 2020, the emergency ultrasound division at Massachusetts General Hospital created a virtual global ultrasound conference. Using ZOOM (Zoom Video Communications, Inc., San Jose, CA), a video-based conferencing platform, a 1-month program with 3-h sessions every Wednesday was organized. Each week, invited experts from different parts of the world spoke about the state of emergency medicine, COVID-19, and POCUS in different settings. Many of the speakers are pioneers in their field working in Uganda, Kenya, Nigeria, Thailand, Bolivia, Israel, and the USA. These experts were involved in active COVID-19 efforts on an institutional and national level, device manufacturing, health policy advocacy, and emergency medicine education and training. There was also a journal club with authors of selected articles invited to discuss their papers. The journal club topics included tele-ultrasound in resource-limited settings, POCUS implementation, barriers in emergency training programs globally, and the effect of remote quality assurance feedback in LMICs. Learners were also a diverse group from several continents, all active in contributing to discussion.

The advantage of video conferencing was the opportunity to discuss how different institutions and communities were faring at the peak of the current crisis, the formation of new partnerships, communal learning, and the cost-savings as learners and experts did not need to travel to have this educational experience.

After the global ultrasound conference, video conferencing is still being used to teach scanning techniques, review ultrasound images, and discuss specific POCUS topics. The ability to record these instructional videos and archive for future use by learners is also one of the advantages of video conferencing. Learners from LMIC can access these videos asynchronously to augment POCUS education.

The biggest challenge using the ZOOM platform for didactic education with a global audience was internet instability, as a result of limited bandwidth particularly for international experts and learners. Sometimes, this problem was mitigated by having the live-video feature turned off. Other challenges included scheduling speakers in different time zones; this was resolved by scheduling speakers well in advance and asking for their preferred dates and times with the audience being flexible with timing.

Programs interested in expanding global POCUS education or exposure may consider this framework to build

Table 1	Global POCUS	educational	innovations ir	n COVID-19

Modality	Advantages	Challenges	Recommended solutions
Tele- ultrasound	 Synchronous and asynchronous learning and feedback for trainees Multiple platforms for usage including but not limited to cell phones, Philips Lumify IIT's Reacts platform, Butterfly TeleGuidance Use of artificial intelligence (AI) and augmented reality (AR) for real-time guidance on probe placement and optimizing image quality 	 Cost of internet and software for tele- ultrasound Baseline heavy workload on trainees Lack of time support for remote faculty 	 Subsidize stable and reliable internet service to trainees including cell phone service and subscription to tele-ultrasound platforms Consider low broad-band alternatives for tele- ultrasound Provide protected educational time for trainees and incentivize learning Provide faculty support, e.g., protected time to engage in tele-consults
Video- conferencing	 Cost saving for experts and learners including no need to travel Recorded instructional and didactic videos Communal bidirectional learning and formation of new partnerships 	 Unstable internet Different time zones between experts and learners 	 Subsidize stable and reliable internet Consider low-cost web-based conferencing Turn off live-video feature during live sessions for low broad-band connections Advanced scheduling of speakers asking for date and time preferences

an educational experience that connects educators and trainees around the world (Table 1).

Further considerations

The impact of COVID-19 will be ongoing as the efforts to develop and distribute effective vaccines are in still progress, even when travel restrictions are lifted, and countries open their borders [15]. The pandemic has already changed how we perform POCUS locally in the USA. Consideration has to be given to the usage of scarcely available personal protective equipment, lack of adequate testing for patients, and machine cleaning protocols considering SARS-CoV-2 fomite data [16]; the use of POCUS is not without risk.

With the global financial crisis, the reality looms that there might be even less funding sources available for global health projects including POCUS training and education. This includes the cost of travel, lodging, machines, training staff, educational materials, internet, and cloud-based sharing services among other expenses. Thought must be given to other sources of funding including private organizations, government, and local authorities at international sites. Apart from the financial and economic impact of COVID-19 on many LMIC, the effect on medical education on already strained health care systems may have significant consequences that outlive this pandemic.

Conclusion

The COVID-19 pandemic has disrupted global POCUS education and training; however, it has created an opportunity for innovation and collaboration using a virtual platform. More research will be needed to follow-up on the effectiveness and sustainability of a virtual platform for partnerships in global health and POCUS education. Considerations for patient and clinician safety, as well as ongoing funding needs, will still require attention as travel comes back into play. However, we believe adopting these new paradigms as methods of providing global health education may help overcome many obstacles in the long run. Therefore, many of these new methods can and should be included in traditional global POCUS educational methods moving forward.

Abbreviations

COVID-19: Coronavirus disease 2019; POCUS: Point-of-care ultrasound; LMIC: Low- and middle-income countries; ICU: Intensive care unit; SARS-CoV-2: Severe acute respiratory syndrome coronavirus 2

Acknowledgements

None

Authors' contributions

OFE: Conceived idea, wrote and edited manuscript. PCH: Guided manuscript organization and edited manuscript. GWW: Edited manuscript. AF: Edited manuscript. SJK: Edited manuscript. HS: Provided mentorship and edited manuscript. All authors read and approved the final manuscript

Funding

None

Availability of data and materials

Not applicable

Ethics approval and consent to participate Not applicable

Consent for publication

Not applicable

Competing interests

The authors declare that they have no competing interests

Author details

¹Department of Emergency Medicine, Massachusetts General Hospital, Boston, MA, USA. ²Department of Emergency Medicine, Sidney Kimmel Medical College - Thomas Jefferson University, Philadelphia, PA, USA. ³Department of Emergency Medicine, Brown University, Providence, RI, USA. ⁴Emergency Healthcare Consultants, Lagos, Nigeria.

Received: 18 October 2020 Accepted: 2 February 2021 Published online: 18 February 2021

References

- Henwood PC, Mackenzie DC, Rempell JS, et al. A practical guide to selfsustaining point-of-care ultrasound education programs in resource-limited settings. Ann Emerg Med. 2014;64(3):277–85 e2.
- The Emergency Medicine Milestone Project. East Lansing, MI: Accreditation Council for Graduate Medical Education, American Board of Emergency Medicine, 2007
- Rouhani SA, Israel K, Leandre F, et al. Addressing the immediate need for emergency providers in resource-limited settings: the model of a six-month emergency medicine curriculum in Haiti. Int J Emerg Med. 2018;11(1):22.
- Aluisio RA, Barry AM, Martin DK, et al. Impact of emergency medicine training implementation on mortality outcomes in Kigali, Rwanda: An interrupted time-series study. Afr J Emerg Med. 2019;9(1):14–20.
- Meshkat N, Teklu S, Hunchak C et al. Design and implementation of a postgraduate curriculum to support Ethiopia's first emergency medicine residency training program: the Toronto Addis Ababa Academic Collaboration in Emergency Medicine (TAAAC-EM).BMC Med Educ. 2018; 18(1):71.
- Tafoya AC, Tafoya JM, Osei-Ampofo M, et al. Sustainable resuscitation ultrasound education in a low-resource environment: the Kumasi experience. J Emerg Med. 2017;52(5):723–30.
- Umuhire OF, Henwood PC. Developing emergency ultrasound expertise in low-income countries. Eur J Emerg Med. 2020;27(5):319–20.
- Dreizler L, Wanjiku GW. Tele-ECHO for point-of-care ultrasound in rural Kenya: a feasibility study. R I Med J (2013). 2019;102(7):28–31.
- Terry B, Polan DL, Nambaziira R, et al. Rapid remote education for point-ofcare ultrasound among non-physician emergency care providers in a resource limited setting. African J Emerg Med. 2019;9(3):140–4.
- 10. Marsh-Feiley G, Eadie L, Philip and Wilson P. Telesonography in emergency medicine: a systematic review. PLoS One. 2018;13(5):e0194840.
- Root R. A sound solution to healthcare delivery in Rwanda. Assessed September 22, 2020. <<u>https://stories.devex.com/sound-solution-health-caredelivery-rwanda/</u>>
- Choo EKH, Chen R, Millington SJ, et al. Remote solutions for telementoring point-of-care ultrasound echocardiography: the RESOLUTE study. Can J Anesth. 2017;64(10):1077–8.
- Smith A, Addison R, Rogers P, et al. Remote mentoring of point-of-care ultrasound skills to inexperienced operators using multiple telemedicine platforms: is a cell phone good enough? J Ultrasound Med. 2018;37(11): 2517–25.
- Baribeau Y, Sharkey A, Chaudhary O, et al. Handheld point-of-care ultrasound probes: the new generation of POCUS. J Cardiothorac Vasc Anesth. 2020;S1053-0770(20):30634.
- 15. Thanh Le T, Andreadakis Z, Kumar A, et al. The COVID-19 vaccine development landscape. Nat Rev Drug Discov.2020;19(5):305-306.
- Van Doremalen N, Bushmaker T, Morris DH, et al. Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1. N. Engl. J. Med. 2020; 382(16):1564–7.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

