

University of Mississippi

eGrove

East Mississippi and Mississippi State
Hospitals

State of Mississippi Government Documents

6-30-1933

Thirty-Ninth Biennial Report of the Mississippi State Hospital, Jackson, Mississippi, from July 1, 1931 to June 30, 1933

C. D. Mitchell M.D.

Follow this and additional works at: https://egrove.olemiss.edu/ms_state_hosp

Recommended Citation

Mitchell, C. D. M.D., "Thirty-Ninth Biennial Report of the Mississippi State Hospital, Jackson, Mississippi, from July 1, 1931 to June 30, 1933" (1933). *East Mississippi and Mississippi State Hospitals*. 6. https://egrove.olemiss.edu/ms_state_hosp/6

This Book is brought to you for free and open access by the State of Mississippi Government Documents at eGrove. It has been accepted for inclusion in East Mississippi and Mississippi State Hospitals by an authorized administrator of eGrove. For more information, please contact egrove@olemiss.edu.

THIRTY-NINTH BIENNIAL REPORT

OF THE

MISSISSIPPI
STATE HOSPITAL

JACKSON, MISSISSIPPI

From July 1, 1931, to June 30, 1933



C. D. MITCHELL, M. D., *Superintendent*

OFFICERS OF THE HOSPITAL**BOARD OF TRUSTEES**

J. R. Bingham, President.....	Greenwood, Miss.
Sim King, Secretary.....	Pelahatchie, Miss.
Dr. A. B. Harvey.....	Tylertown, Miss.
J. E. Brown.....	Blue Mountain, Miss.
J. O. Eastland.....	Forest, Miss.

RESIDENT OFFICERS

C. D. Mitchell, M. D.....	Superintendent
W. E. Clark, M. D.....	Medical Director
R. R. Halfacre, M. D.....	Assistant Physician
J. E. Brown, M. D.....	Assistant Physician
J. E. Hickman, M. D.....	Assistant Physician
R. R. Welch, M. D.....	Assistant Physician
A. L. Monroe, M. D.....	Assistant Physician
P. L. Berry, D. D. S.....	Dentist
J. A. Pentecost.....	Laboratory Technician
J. I. Wates, Ph. G.....	Pharmacist
Mrs. H. J. McInnis.....	Director, Social Service
Miss Maud Jones.....	Director, Occupational Therapy
Mrs. Leo Cranford.....	Matron
Mrs. W. M. Dorsett.....	Dietitian
J. G. Jones.....	Steward
W. B. King.....	Bookkeeper
A. P. St. John.....	Chief Engineer

THIRTY-NINTH BIENNIAL REPORT
REPORT OF BOARD OF TRUSTEES
MISSISSIPPI STATE HOSPITAL

TO THE LEGISLATURE OF THE STATE OF MISSISSIPPI:

We, the Board of Trustees of the Mississippi State Hospital, hereby submit our Biennial Report covering the period from July 1, 1931, through June 30, 1933.

During this period the present Board of Trustees has only been in control of the institution since July 1, 1932. Therefore, we cannot give a detailed report of the management of the institution prior to July 1st of last year.

The present Board of Trustees has followed a policy of rigid economy in directing the institution. We have consolidated places, abolished all positions which we consider useless, and have done everything within our power to economize and save the State every possible dollar. The appropriation for this biennium was approximately \$300,000.00 less than for the previous one. There is approximately the same number of patients to care for as was in the institution during the previous biennium. In spite of this decrease in our appropriation and the fact that approximately the same number of patients is being cared for, we have effected a savings of approximately \$32,000.00 under the appropriation. Our per capita cost is approximately \$109.00 per annum which is the lowest per capita cost in the history of the institution.

There have been several improvements, to which we point with pride. The most beneficial was the increasing of the dairy herd by 47 head of pure bred Holstein milchcows which were purchased in Mississippi and in Wisconsin. These cattle have increased the milk production of the institution from approximately 5,000 gallons to 15,000 gallons per month. As a result, the patients are getting more milk to drink than at any other time in the life of this institution.

The buildings of the institution have been kept in the best possible repair.

Our capable manager of the Rankin County Farm, Mr. L. S. Massengale, is cultivating approximately 800 acres of land, which is 100 more acres than has been cultivated by the institution at any time in its history. Practically all of this land is being cultivated by patient labor.

We pridefully call to your attention the General Hospital, Occupational Therapy Department and T. B. Camps. We also call your attention to the herds of beef and dairy cattle, the flocks of poultry, the hog farm, and the truck farm.

It has been the policy of Mr. J. G. Jones, our very competent and capable steward, to help in every possible way Mississippi farmers by buying direct from the producers native meat, home grown syrup and all Mississippi farm products not grown at the institution.

The patients of the institution are being kindly and humanely treated, well fed and well clothed. Due to the untiring services rendered by Dr. Mitchell and our very capable Staff of Doctors, we believe more patients are cured at this institution than at any other institution of its kind in the South.

Respectfully submitted,
J. E. BROWN, Chairman.
S. F. KING, Secretary.
A. B. HARVEY.
J. O. EASTLAND.

SUPERINTENDENT'S REPORT

To the Honorable Board of Trustees:

The thirty-ninth biennial report of the Superintendent for the two years ending June 30, 1933 is herewith respectfully submitted. On account of economy, as well as kindness to the members of the legislature who are supposed to read this report, it was suggested by the secretary of the Budget Commission that I make my report as brief and as concise as possible. For this reason I will not go into detail and make as full report as has formerly been done.

POPULATION MOVEMENT

At the beginning of the Biennium there were 3,360 patients on the books of whom 1,640 were white and 1,720 colored. We admitted during the biennium 2,222 patients of whom 1,092 were white and 1,130 colored, having therefore treated during the two years 5,582 patients. We discharged during the two years 1,558 of whom 1,030 were white and 528 colored. Died during the two years 625 patients of whom 203 were white and 422 colored, leaving on our books June 30, 1933 3,399 patients of whom 1,499 were white and 1,900 colored. There were on parole June 30, 1933 837 patients of whom 404 were white and 433 colored, leaving in the institution on June 30, 1933 2,562 patients, 1,095 of whom were white and 1,467 colored.

The principal psychoses of those admitted were Manic Depressive, Demetia Praecox, Senile Psychosis, Psychosis with Cerebral Arteriosclerosis, General Paralysis, Epileptic Psychosis, Psychosis with Somatic Disease, Alcoholic Psychosis and Psychosis due to Drugs.

The principal psychosis of those who died were Senile Arteriosclerosis, Manic Depressive, Dementia Praecox, Epilepsy and General Paralysis. The principal causes of death were Arteriosclerosis, Endo and Myo-carditis, Pulmonary Tuberculosis, Chronic Nephritis, General Paralysis, Epilepsy, Pellagra and Apoplexy.

The general health conditions have been remarkably good throughout the two years. I have been fortunate in having a very competent and efficient Medical Staff who have been painstaking, energetic and conscientious in their work. With our wards and all departments crowded far beyond their normal capacity, with the admission of so many patients, most undesirable; brought to our doors as a last resort with little or no hope

of recovery, because of the ability and faithfulness of my doctors our death rate has been greatly reduced and our discharges much increased. Notwithstanding these adverse conditions they have made our entire population fairly comfortable.

The work of the hospital continues much the same as in the past. All patients are visited morning and evening by the ward physician and all new admissions upon their arrival are given a preliminary mental and physical examination, and are examined especially as to acute disability. All surgical operations are performed in the hospital building by members of the Staff. On admission each patient is given a thorough examination, physical, neurological and complete laboratory tests are made and the results are made a basis for appropriate treatment. Careful records and histories are kept on all patients. All patients admitted are given anti-typhoid serum.

This report is accompanied by statistical tables prepared by the Mental Hygiene Commission showing the number of patients admitted, discharged and died; and also the classification of the several forms of mental illness, etc.

PSYCHIATRIC ACTIVITIES

Staff meetings have been conducted every morning except Sunday as in the past when all new cases are presented for diagnosis and outline of treatment, as well as representation for consideration of parole. Staff conference is held daily in the Superintendent's office when happenings on the wards such as illnesses, accidents, etc., are brought to the attention of the Superintendent. Malaria inoculations have continued as in the past, which are followed up by the usual anti-syphilitic treatment, and besides, excellent results are being had from the Diathermy treatments. Hydrotherapy, continuous baths and packs, are used regularly for their quieting and sedative effects. No mechanical restraints have been used for years.

For sometime we have attempted to sterilize those patients who are returned home and it is to be hoped that in the future every patient who comes to the institution before they return to their home will be sterilized in order to lessen the mental disorders which will be handed down to future generations, and thereby save the State of the burden of caring for an increased number of mental cases.

OCCUPATIONAL THERAPY DEPARTMENT

Occupational Therapy continues as in the past with several new workers. More patients have been selected by the physicians for this line of treatment and every effort is being made to stimulate interest. Congenial employment, as well as the occupation of the patient, is one of the most important, if not the most valuable agent, of our treatment. There are many well diversified interests to be found in a well equipped hospital. In enabling the patient to engage in the work best suited for his taste it is affording the greatest opportunity we have for his contentment, betterment and recovery. Large numbers of patients are engaged every day in some manner in one or more of the activities of the hospital. To those whose conditions are such that they must remain in the hospital this form of employment adds much to their general health and in making their lives endurable. Others are assigned to industrial work which occupies so large a place and also as a method of treatment. Still others with a greater possibility of recovery are usefully and pleasantly occupied in the Occupational Department where the work is carefully selected and assigned to the beginners and where the work, as mental improvement is shown, is increased. The beautiful products turned out in this department in these different classes are remarkable, the more so when it is considered that many of them know nothing of art work. The recovery of many of these patients and the improved conditions of others is ample returns and justifies the painstaking efforts on the part of the instructors. Many entertainments are provided consisting of parties, dances, games, picnics and other forms of amusement. Church services are conducted regularly every Sunday by the different ministers of Jackson.

DENTAL, X-RAY AND LABORATORY DEPARTMENTS

The dental department is one of the busiest departments in the institution and the work of Dr. Berry is eminently satisfactory. The laboratory and X-ray work has been of untold value and I feel that we are doing better work along this line than is to be found in most institutions.

SOCIAL SERVICE DEPARTMENT

This department under the direction of Mrs. H. J. McInnis is still doing satisfactory work. There are three conditions which the social worker attempts to correct, mainly, to prevent the

commitment of patients who can be cured at home, to assist the patients while in the hospital and to supervise the patients after leaving the institution. For the last year more attention has been given by the Director in making preparole investigations and for this reason more patients are sent home with fewer returns. One who is not fully conversant with the extensive influence exercised by the social worker for the good of the patients cannot realize the full importance of the work.

OTHER DEPARTMENTS

The carpenter, engineering and laundry departments have all been busy and in the hands of competent and efficient directors, and the work in each of these departments has been entirely satisfactory.

The garden, the farm, the hog farm, and the dairy departments have shown splendid results, and the State should be proud, and the Legislature satisfied with what is accomplished in these departments.

Mr. J. G. Jones, the Steward, has been in charge of the business office for the past year and has carefully and energetically supervised the business affairs of the institution. I feel that the hospital is fortunate in having such a man to look after its business affairs. He has been painstaking and energetic in the discharge of his duties, and has made a faithful, efficient and loyal official. Accompanied with this report you will find the report of Mr. Jones showing the expenditures of the money.

ACKNOWLEDGMENTS

I wish to take this opportunity to express my sincere appreciation for the goodness and generosity of the friends of the sick and afflicted who have given of their time, talent and worldly goods in order to bring comfort, contentment and happiness to our patients. Many organizations have donated gifts and entertainments. Individuals and all grades of society have contributed according to their ability and in many ways brought happiness to those in need, and on behalf of these sick people I hereby tender my most earnest thanks to all these friends and outside world for the services they have rendered to our patients.

It is to be hoped that before another year ends we will be enabled to move to the new hospital where the unhappy portion of our fellow-beings, who are by visitation of Providence deprived

of their reason, will find a safe retreat and be provided with whatever may be conducive to their comfort and restoration to a sound state of mind. There is perhaps no phase of human life that shows greater progress up to the present or greater hope for the future than that concerned with treatment of mental disorders and maintenance of mental health. We know that many mental diseases properly treated are curable, and that sickness of the mind is, in ever increasing number of cases, just as susceptible to scientific treatment as sickness of the body. Reason is a priceless possession. To restore reason, to bring light out of darkness, to maintain mental stability is a mission worthy of every cent of money, of every ounce of effort that can be marshalled to that end; and because this service for humanity can and will be most intelligently and effectively performed in the new hospital is why in years to come this hospital will prove to be a blessing to suffering humanity and a pride to all patriotic Mississippians.

CONCLUSION

As I come to the end of my sixteenth year of service in this institution with a deep sense of honor that has been conferred upon me these many years and the responsibility that has been placed in my keeping for the safe-guarding of this institution in all that it implies, I wish again to express my gratitude for the kind, generous and personal relations I have enjoyed. To my Staff, resident officer, and all employees who have gone far beyond requirements of their positions in order to do just a little bit more, many, many times over, because they saw a way to be of service to the people who so sorely needed help, I wish to extend sincere thanks. And to the members of the Board of Trustees, individually and collectively, who have always been alert to the interest of the hospital and have devoted unceasing efforts to promote the welfare of the patients, and have encouraged the officials and employees with their enthusiasm; for their work and their cooperation in all plans for better service, I am indeed grateful.

Respectfully submitted,

C. D. MITCHELL, Superintendent.

FINANCIAL STATEMENT

FOR THE FISCAL YEAR ENDING JUNE 30, 1932

Receipts

Balance on Hand Previous Fiscal Year.....	\$ 269,383.11	
Received from Appropriations.....	350,000.00	
Received from Paying Patients.....	461.00	
Received from all Other Sources.....	9,983.00	
		<u>\$ 629,827.11</u>

Disbursements

Salaries & Wages.....	\$ 182,997.58	
Provisions (Food).....	87,131.59	
Fuel, Lights & Water.....	23,201.61	
All Other Expenditures.....	102,904.51	
		<u>\$ 396,235.29</u>
Lapsed State Treasurer.....	\$ 48,178.68	
Excess of Receipts.....	4,107.02	
Bal. on Hand Close of Year.....	181,306.12	
		<u>\$ 629,827.11</u>

DETAILED LIST OF EXPENDITURES

July 1, 1931 to June 30, 1932

GENERAL SUPPORT FUND**1. Office and Administration:**

Executive Salaries.....	\$	7,100.00	
Clerical Salaries.....		12,068.82	
Auditing.....		422.75	
Interest on Loans.....		3,776.57	
Commutation.....		1,630.00	
Per Diem, Exp. Trustees...		2,855.68	
Repairs on Typewriters.....		25.53	
Filing Equipment.....		142.40	
Office Supplies & Postage..		327.68	
Telephone & Telegraph.....		1,637.74	
Express & Drayage.....		130.80	
Hotel Meals.....		164.85	
Railroad & Other Fares.....		792.26	
Printing & Stationery.....		624.18	
Publication of Notices.....		36.90	
Automobiles.....		2,126.00	
Motor Vehicles Upkeep.....		364.80	
Prem. on Officials' Bonds..		47.75	
Miscellaneous.....		53.20	\$ 34,327.91

2. Subsistence:

Supervisor's Salary.....		950.00	
Unskilled Labor.....		4,890.00	
General Supplies.....		2,319.26	
Food.....		83,267.62	
Dining Room Supplies.....		1,544.71	\$ 92,971.59

3. Housekeeping:

Supervisor's Salary.....		1,120.00
Unskilled Labor.....		3,955.69
Rat & Ant Poison.....		134.55
Sewing Machine Oil.....		6.40
Overalls & Pants.....		1,760.03
Bedspreads.....		1,752.36
Shoes & Laces.....		4,321.69
Suspenders.....		122.25
Blankets.....		1,820.75
Chambers.....		215.12
Pillows.....		20.85
Ladies Hose.....		420.35
Mens Sox.....		379.98
Beds & Springs.....		71.75
Towelling.....		443.75
Hats & Caps.....		90.25
Mattresses & Ticking.....		734.93
Sprayers.....		65.50
Rubber Sheeting.....		276.95
Water Coolers.....		136.68
Cook Stoves.....		161.50
Kettles, Pots, Etc.....		763.75
Scales.....		45.00
Cleaning Supplies.....		1,510.16
Curtains & Draperies.....		264.20

Sewing Supplies.....	7,351.93	
Furniture & Furnishings....	69.43	
Refrigeration Supplies.....	53.20	
General Supplies.....	1,962.53	
Wearing Apparel.....	170.81	
Freight & Express.....	13.92	
Oil Cloth.....	168.00	\$ 30,384.26

4. **Laundering:**

Supervisor's Salary.....	1,074.67	
Unskilled Labor.....	4,767.44	
Chloride Lime.....	54.64	
Laundry Soap.....	209.63	
Padding.....	24.29	
Wash Boards, Etc.....	8.40	
Starch.....	280.26	
Lye.....	67.20	
Rep. to Irons & Baskets....	8.40	
Formaldehyde.....	14.00	
Marking Ink.....	35.00	
Nets & Pins.....	21.59	
Mangle Aprons.....	51.52	
Chip Soap.....	358.50	
Laundry Soda.....	281.95	
Laundry Baskets.....	47.10	
Freight & Express.....	26.77	\$ 7,331.36

5. **Medical and Surgical Care:**

Professional Services.....	21,271.00	
Medical & Surgical Sup.....	3,511.63	
Drugs & Medicine.....	3,365.77	
Laboratory Supplies.....	361.11	
Disinfectant, Etc.....	1,201.63	
X-Ray Supplies.....	1,308.68	
Bandages & Gauze.....	916.49	
Dental Supplies.....	104.25	
Instruments, Needles, Etc.	912.52	
Alcohol.....	108.36	
Books & Journals.....	50.50	
Bottles & Boxes.....	111.43	
Freight & Express.....	77.59	\$ 33,300.96

6. **Nursing and Attendance:**

Professional Salaries.....	5,495.17	
Supervisor's Salaries.....	3,124.00	
Attendants & Maids.....	68,531.87	
Music, Etc.....	585.27	\$ 77,736.31

7. **Light, Heat, Power and Water:**

Skilled Labor.....	6,389.34	
Unskilled Labor.....	1,483.50	
Boiler Compound.....	206.00	
Power, Heating, Plant Sup	490.05	
Coal.....	8,991.73	
Freight & Express.....	43.61	
Power, Gas & Water.....	13,470.22	\$ 31,074.45

8. Care Buildings and Grounds:

Supervisor's Salaries.....	3,410.00	
Skilled Labor.....	1,873.00	
Unskilled Labor.....	7,988.67	
Closet Bowls.....	69.83	
Nails & Hardware.....	10.20	
Botanical Grd. Supp.....	148.05	
Plumbing Supplies.....	739.91	
Electrical Supplies.....	1,655.34	
General Supplies.....	716.26	
Freight & Express.....	60.21	
Rep. to Equip. & Fixtures	1,795.13	
Repairs to Structures.....	1,930.01	
Flue Cleaner.....	105.00	
Chlorination & Gases.....	1,479.22	
Screen Wire.....	115.10	
Cross Ties.....	333.00	
Jacks & Wrenches.....	9.50	
Fire Extinguishers.....	88.75	
Roof Coating.....	63.00	
Glass.....	59.50	
Gas Equipment.....	20.64	
Lawn Mowers.....	49.50	
Shoe Shop Equip. & Sup...	903.64	\$ 23,582.18

9. Agriculture:

Supervisor's Salaries.....	5,369.50
Unskilled Labor.....	9,830.06
Commutation.....	445.68
Fertilizer.....	2,441.77
Shoeing & Blacksmithing ..	334.93
Implements & Tools.....	340.00
Veterinary Services.....	534.38
Anthracite Coal.....	213.12
Harness.....	105.20
Farm & Dairy Supplies.....	79.91
Supplies & Forage.....	4,265.20
Feeds for Poultry.....	11,080.97
Seeds & Plants.....	2,233.59
Live Stock Farm.....	555.00
Registration & Testing.....	278.32
Live Stk., Hog & Poultry..	35.00
Show Circuit Expense.....	81.99
Poultry Netting & Staples	9.90
Wire Baling.....	234.50
Hatching Eggs.....	1,114.94
Hog Feed.....	1,668.19
Wire for Hogs & Fields.....	2,630.71
Disinfectant Cleansers.....	486.55
Mower.....	135.00
Axes & Handles.....	26.90
Nursery Stock.....	1,335.18
Molasses-Black Strap.....	478.63
Plows & Points.....	82.75
Rope, Plow Lines, Etc.....	25.11
Creosoting Posts, Timbers, Etc.....	112.26
Cutting Oats.....	41.25
Silage Cutter.....	231.79
Hay Rakes.....	45.00
Disc Harrows.....	64.60
Corn Planters.....	55.00

Freight & Express.....	86.91		
Motor Vehicles Upkeep.....	799.36		
Motor Vehicles Tires.....	943.75		
Gasoline & Oils.....	2,526.47		
Repairs to Equipment.....	1,291.59		
Repairs to Buildings.....	275.00		
Miscellaneous.....	215.25	\$	53,141.41
			<hr/>

10. Occupational Therapy Department:

Supervisor's Salary.....	1,285.00		
Skilled Labor.....	5,788.78		
Unskilled Labor.....	1,719.44		
Shop Supplies.....	3,591.64	\$	12,384.86
			<hr/>
		\$	396,235.29

FINANCIAL STATEMENT

FOR THE FISCAL YEAR ENDING JUNE 30, 1933

Receipts

Bal. on Hand Previous Fiscal Yr.....	\$	181,306.12
Received from Appropriations.....		350,000.00
Received from Paying Patients.....		2,166.12
Received from all Other Sources.....		7,373.23
		<hr/>
Total Receipts.....	\$	540,845.47

Disbursements

Salaries & Wages.....	163,095.65		
Provisions (Food).....	67,974.29		
Fuel, Ligh & Water.....	25,988.46		
All Other Expenditures.....	78,208.24		
		<hr/>	
Total Expenditures.....	\$	335,266.64	
Bal. on Hand Close of Yr..		205,578.83	
		<hr/>	
	\$	540,845.47	

DETAILED LIST OF EXPENDITURES

July 1, 1932 to June 30, 1933

GENERAL SUPPORT FUND**1. Office and Administration:**

Executive Salaries.....	\$	6,850.00	
Clerical Salaries.....		8,255.15	
Automobiles.....		635.00	
Commutation.....		850.00	
Express & Drayage.....		79.49	
Filing Equipment.....		148.00	
Hotel & Meals.....		57.01	
Int. on Temporary Loans..		17.92	
Motor Vehicles & Upkeep		1,014.88	
Miscellaneous.....		184.09	
Office Supplies.....		285.97	
Per Diem & Exp. Trustees		1,606.52	
Postage.....		107.08	
Premiums on Officials Bds		37.50	
Prtg., Stationery & Forms		939.09	
Publication of Notices.....		115.27	
Returning Patients.....		748.66	
Railroad & Other Fares....		229.20	
Repairs on Typewriters.....		69.04	
Typewriters & Equip.....		164.56	
Telephone & Telegraph.....		1,585.57	
Telephone Equipment.....		15.45	\$ 23,995.45

2. Subsistence:

Supervisor's Salaries.....		1,630.00	
Unskilled Labor.....		3,923.00	
General Supplies.....		2,908.30	
Food.....		64,425.27	
Dining Room & Kitchen			
Supplies.....		662.81	\$ 73,549.38

3. Housekeeping:

Supervisor's & Matrons			
Salaries.....		895.00	
Unskilled Labor.....		2,747.01	
Blankets.....		436.45	
Barber Chairs.....		20.00	
Buttons.....		35.84	
Curtains & Draperies.....		139.08	
Chevoits.....		89.64	
Drygoods & Sewing Sup....		324.26	
Duck, Drill & Brown Do-			
mestic.....		860.56	
Damask.....		19.07	
Freight.....		22.84	
Flannel.....		130.00	
Furniture & Furnishings...		214.80	
Gingham.....		182.79	
General Supplies.....		1,367.88	
Hose.....		377.37	
Household & Cleaning			
Supplies.....		501.95	
Kerosene.....		157.72	

Linen.....	29.38	
Shoe Laces.....	48.25	
Lye.....	41.03	
Mattresses.....	28.50	
Matches.....	20.50	
Overalls & Pants.....	608.51	
Pins & Needles.....	44.32	
Prints.....	94.57	
Pillows & Tubing.....	31.81	
Plaids.....	77.10	
Plates.....	52.25	
Bath Robes.....	13.34	
Rugs.....	9.40	
Gas Ranges.....	27.50	
Rat & Ant Poison.....	75.57	
Spreads.....	4.35	
Shades.....	177.39	
Shoes and Slippers.....	2,193.26	
Suspenders.....	8.25	
Socks.....	49.65	
Sheeting & Sheets.....	1,144.39	
Sewing Machines, Etc.....	555.20	
Spoons.....	68.50	
Soap.....	240.68	
Shirting.....	165.36	
Towelling.....	432.84	
Thread.....	46.70	
Venom.....	35.63	
Toilet Paper.....	467.50	
Ticking.....	479.27	
Water Coolers.....	12.00	
Washing Powders.....	382.52	
Shoe Shop Supplies.....	122.13	\$ 16,309.91

4. Laundering:

Supervisor's Salaries.....	1,006.80	
Unskilled Labor.....	4,221.67	
Formaldehyde.....	14.00	
Chipso.....	18.00	
Freight.....	1.73	
Starch.....	249.26	
Laundry Supplies.....	187.99	
Laundry Nets, Etc.....	8.60	
Marking Ink.....	83.58	
Padding.....	10.70	
Soap.....	429.92	
Soda.....	55.35	
Small Repair Items.....	38.74	\$ 6,326.34

5. Medical and Surgical Care:

Professional & Technical Salaries.....	20,668.35	
Alcohol.....	177.91	
Books & Periodicals.....	57.93	
Bottles & Boxes.....	32.50	
Bandages & Gauze.....	576.66	
Medical & Surgical Sup.....	1,204.85	
Drugs.....	7,397.12	
Dental Supplies.....	358.13	
Disinfectants.....	770.12	

MISSISSIPPI STATE HOSPITAL

Freight.....	16.32		
Instruments.....	57.09		
Laboratory Supplies.....	634.79		
X-Ray Supplies.....	256.52	\$	32,208.29

6. Nursing and Attendance:

Professional & Technical Salaries.....	5,768.30		
Supervisor's Salaries.....	6,112.50		
Unskilled Labor.....	59,535.93		
Music, Etc.....	238.60		
Car Fare.....	35.00		
Amusement.....	85.68		
Miscellaneous.....	21.45	\$	71,797.46

7. Light, Heat, Power and Water:

Skilled Labor.....	4,854.20		
Unskilled Labor.....	1,514.35		
Ammonia.....	60.40		
Boiler Compound.....	72.00		
Coal.....	1,869.30		
Chlorine Gas.....	120.00		
Electrical Supplies.....	793.23		
Electrical Power.....	11,544.50		
Freight.....	74.86		
Natural Gas.....	8,997.57		
Ice.....	25.00		
Power, Heating, Plumbing Supplies.....	1,635.87		
Valves, Etc.....	85.10		
Pipe.....	124.50		
Packing.....	169.87		
Repairs.....	237.21		
Water.....	336.59	\$	32,514.55

8. Care Buildings, Grounds, Etc:

Supervisor's Salaries.....	2,305.00		
Skilled Labor.....	2,572.50		
Unskilled Labor.....	4,537.50		
Closet Bowls.....	15.20		
Electrical Supplies.....	911.43		
Express & Freight.....	6.73		
Glass.....	59.25		
General Supplies.....	662.46		
Paint.....	870.37		
General Repair & Supplies	884.23		
Lumber.....	996.33		
New Equipment.....	32.85		
Plumbing Supplies.....	555.59		
Roofing.....	124.74		
Gas & Grease.....	1,118.82		
Welding Gas.....	18.45		
Lime.....	20.67		
Nails.....	37.10		
Cross Arms and Pins.....	60.70		
Wire.....	213.62	\$	16,003.30

9. Agriculture: (poultry)

Manager's Salary.....	900.00	
Unskilled Labor.....	1,208.50	
Black Leaf.....	10.00	
Disinfectant.....	18.50	
Feeds.....	3,135.60	
Poultry Netting.....	4.00	
Seeds.....	5.80	
Sundry Repairs, Etc.....	183.18	
V. Capsules.....	111.19	\$ 5,576.77

10. Dairy:

Manager's Salary.....	1,100.00	
Unskilled Labor.....	4,281.20	
General Expenses.....	360.10	
Freight.....	480.20	
Meal & Corn.....	1,889.02	
Feed.....	6,490.10	
Belts & Machinery.....	61.25	
Cleaning Material.....	57.05	
Cultivator.....	12.00	
Disinfectant.....	94.80	
Hay.....	721.48	
Dairy Cows.....	4,625.00	
Oil & Grease.....	26.90	
Repairs, Delivery & Equipment.....	439.69	
Milk Cans and Buckets.....	235.35	
Plows.....	41.20	
Repairs, Parts, Etc.....	432.62	
Registration & Testing.....	28.00	
Records & Periodicals.....	48.84	
Seeds, Etc.....	191.20	
Tractor.....	325.00	
Veterinary Service.....	82.95	
Gas & Oil.....	187.02	\$ 22,210.97

11. Hog Farm:

Manager's Salary.....	605.85	
Feeds.....	1,127.76	
Equipment.....	8.25	
Veterinary Service.....	33.12	\$ 1,774.98

12. Garden:

Manager's Salary.....	1,200.00	
Unskilled Labor.....	1,542.70	
Fertilizer.....	301.68	
Implements.....	142.30	
Mules.....	475.00	
Seeds & Plants.....	915.81	
Shoeing & Blacksmithing..	21.45	
Plant Poison.....	22.50	
Repairs.....	21.55	
Rubber Boots.....	14.40	\$ 4,657.39

13. Farm:

Manager's Salary.....	2,021.65	
Unskilled Labor.....	2,074.92	

MISSISSIPPI STATE HOSPITAL

Axes & Handles.....	13.50		
Corn Sheller.....	37.50		
Fertilizer.....	931.35		
Forage & Feed.....	67.98		
Gas & Oils.....	907.59		
Motor Vehicles & Upkeep..	208.03		
Mowing Machines.....	90.75		
Plows.....	50.00		
Potato Crates.....	608.18		
Repairs to Equipment.....	327.32		
Parts, Bolts, Etc.....	220.70		
Live Stock.....	265.00		
Seeds.....	975.79		
Supplies.....	81.89		
Trucks.....	667.40		
Tractor.....	425.00		
Veterinary Service.....	71.00	\$	10,045.55
<hr/>			
14. Stock Farm:			
Beef Cattle.....	2,709.00	\$	2,709.00
<hr/>			
15. Floral Department:			
Manager's Salary.....	1,200.00		
Unskilled Labor.....	1,844.65		
Freight.....	3.02		
Repairs & Parts.....	170.86		
Seeds, Bulbs, Etc.....	103.79		
Motor Vehicles.....	625.00		
Mowers.....	143.51		
Mules.....	195.00	\$	4,285.83
<hr/>			
16. Occupational Therapy Department:			
Supervisor's Salary.....	1,580.70		
Skilled Labor.....	6,138.22		
Shop Supplies.....	3,582.55	\$	11,301.47
<hr/>			
		\$	335,266.64

TABLE 1.

GENERAL INFORMATION

(Data correct at end of hospital year June 30, 1932)

1. Date of opening as a hospital for mental diseases.....	1851
2. Type of hospital: State, county, endowed private, or unendowed private.....	State
3. Hospital plant:	
Value of Hospital Property:	
Real estate, including buildings.....	\$2,055,000.00
Personal property.....	231,530.80
Total.....	\$2,286,530.80
Total acreage of hospital property owned.....	1300
(Includes grounds, farm and garden and sites occupied by buildings)	
Additional acreage rented.....	
Total acreage under cultivation during previous year.....	800
(Includes land owned and rented)	

4. OFFICERS AND EMPLOYEES:

	(Actually in Service at End of Year—Vacancies at End of Year)					
	Males	Females	Tot.	Males	Females	Tot.
Superintendents.....	1	1
Assistant physicians.....	6	6
Medical internes.....
Clinical assistants.....
Total physicians.....	7	7
Stewards.....	1	1
Resident dentists.....	1	1
Pharmacists.....	1	1
Graduate nurses.....	6	6
Other nurses and attendants...	54	106	160
Occupational therapists.....	13	13
Social workers.....	1	1
All other officers & emp.....	60	31	91
Total officers & employees	131	157	288

5. CENSUS OF PATIENT POPULATION AT END OF YEAR

WHITE	Actually in Hospital			Absent from Hos- pital but still on Books		
	Males	Females	Tot.	Males	Females	Tot.
Insane*.....	433	581	1014	259	154	413
Epileptics.....	5	1	6	8	8
Mental defectives.....	6	2	8	4	2	6
Alcoholics.....	5	5	8	8
Drug addicts.....	4	3	7	36	9	45
Neurosyphilitics (without psychosis).....
All other cases.....	19	8	27
Total.....	453	587	1040	334	173	507
OTHER RACES						
Insane*.....	647	792	1439	268	224	442
Epileptics.....	3	3	2	2
Mental defectives.....	12	2	14	4	1	5
Alcoholics.....	1	1	1	1
Drug addicts.....
Neurosyphilitics (without psychosis).....
All other cases.....	15	7	22
Total.....	663	794	1457	240	232	472
Grand Total.....	1116	1381	2497	574	405	979

*In case a patient belongs to more than one group, he should be counted in the group first mentioned of those to which he may be properly assigned. For example, if a patient is both insane and epileptic, he should be counted as insane.

	Males	Females	Tot.
6. Patients under treatment in occupational-therapy classes, including physical training, on date of report.....	160	225	385

MISSISSIPPI STATE HOSPITAL

7.	Other patients employed in general work of hospital on date of report.....	433	398	831
8.	Average daily number of all patients actually in hospital during year.....	1203.62	1410.52	2614.14
9.	Voluntary patients admitted during year.....	-----	-----	-----
10.	Persons given advice or treatment in out-patient clinics during year.....	-----	-----	-----

(No. person should be counted more than once regardless of number of visits made during the year.)

TABLE 2.

FINANCIAL STATEMENT

For the fiscal Year Ended June 30, 1932

Receipts

Balance on hand from previous fiscal year.....	\$ 269,383.11
Received from appropriations.....	389,898.31
Received from paying patients.....	1,763.50
Received from all other sources.....	10,444.00
Total Receipts.....	\$ 671,488.92

Disbursements

1. Expenditures for maintenance of patients:		
Salaries and wages.....	\$ 180,354.38	
Provisions (food).....	83,267.62	
Fuel, Light and water.....	22,461.95	
All other expenditures for maintenance.....	110,151.34	
Total expenditures for maintenance.....		\$396,235.29
2. Expenditures for all purposes other than maintenance, including new buildings, other additions and permanent betterments.....		
3. Expenditures for repayment of loans and interest on loans.....		
Total expenditures.....		\$ 396,235.29
Amount returned to state treasurer or other officials.....		48,178.68
Balance on hand at close of year.....		227,074.95
Total disbursements, including bal. on hand.....		\$ 671,488.92

TABLE 3.

MOVEMENT OF INSANE PATIENT POPULATION

For year beginning July 1, 1931 and ended June 30, 1932

Includes all patients admitted with psychosis (insane) who are on books of hospital regardless of the method of admission, whether voluntary, committed, emergency, temporary care, for observation or otherwise; but does not include those who are only dispensary or out-patient cases.

1. Insane patients on books of hospital at beginning of hospital yr:						
	Males	Females	Total	Males	Females	Total
a-In hospital.....	1201	1390	2591
b-On parole or otherwise absent.....	431	338	769
Total.....				1632	1728	3360
2. Admissions during yr:						
a-First admissions	596	436	1032			
b-Readmissions.....	79	53	132			
c-Transfers from other hospitals for mental diseases.....						
3. Total received during year.....	675	489	1164			
4. Total on books during year.....				2307	2217	4524
5. Discharges from books during year:						
a-As recovered.....	120	116	236			
b-As improved.....	160	79	239			
c-As unimproved	39	37	76			
d-As without psychosis.....	67	16	83			
e-Transferred to other hospitals for mental diseases....	42	32	74			
f-Died during year..	189	151	340			
6. Tot. discharged, transferred & died during year.....				617	431	1048
7. Insane patients remaining on books of hospital at end of hospital year.....						
a-In hospital.....	1116	1381	2497			
b-On parole or otherwise absent.....	574	405	979			
Total.....				1690	1786	3476

TABLE 4.
 NATIVITY OF FIRST ADMISSIONS AND OF PARENTS OF FIRST
 ADMISSIONS FOR THE YEAR ENDING JUNE 30, 1932

Nativity—	Patients			Parents of Male Patients			Parents of Female Patients		
	Males	Females	Total	Fathers	Mothers	Both Parents	Fathers	Mothers	Both Parents
United States.....	555	396	948	507	493	1000	313	303	616
Canada.....								1	1
England.....	1		1	2	2	4	2		2
Europe.....							1	1	2
Germany.....				2	4	6	1		1
Greece.....	1		1	1	1	2			
Holland.....	1		1	1	1	2	1		1
Ireland.....	1		1	4	1	5			
Poland.....							1	1	2
Russia.....					3	3			
Sweden.....		1	1				1	1	2
Unascertained.....	37	39	76	83	100	183	108	119	227
Total.....	596	436	1032	600	605	1205	428	426	854

TABLE 4-a.—Age of First Admissions Classified with Reference to Nativity, and Length of Residence in the United States of the Foreign Born, For the Year Ended June 30, 1932.

Age Groups	Aggregate			Native Born															
				Total			Parentage												
	Native						Foreign			Mixed			Unascertained						
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	
Under 15 years.....	19	6	25	19	6	25	19	6	25										
15—19 years.....	29	24	53	29	24	53	27	22	49	1	1	2					1	1	2
20—24 Years.....	52	45	97	51	44	95	48	40	88					1		1	4	3	7
25—29 Years.....	62	69	131	60	69	129	56	66	122				1		1	1	3	3	6
30—34 Years.....	55	58	113	52	55	107	46	49	95	2		2		1	1	1	4	5	9
35—39 Years.....	59	53	112	58	52	110	51	49	100				1		1	1	6	3	9
40—44 Years.....	46	46	92	41	46	87	41	40	81		1	1				2	4	4	8
45—49 Years.....	59	23	82	52	22	74	48	18	66				1		1	1	3	4	7
50—54 Years.....	40	15	55	39	15	54	34	13	47				1	1	2	4	1	5	6
55—59 Years.....	27	21	48	25	21	46	20	18	38							5	3	8	7
60—64 Years.....	30	15	45	27	11	38	23	7	30	1		1		1	1	4	3	7	3
65—69 Years.....	19	9	28	19	7	26	18	4	22	1		1					3	3	6
70 Years and Over.....	65	27	92	63	15	78	54	14	68	2	1	3	1		1	6	9	15	24
Unascertained.....	34	25	59	20	9	29	16	4	20							9	15	24	
Total.....	596	436	1032	555	396	951	501	350	851	7	3	10	5	4	9	51	57	108	

TABLE 5.
CITIZENSHIP OF FIRST ADMISSIONS

For the year ended June 30, 1932

	Males	Females	Total
Citizens by birth.....	563	415	978
Citizens by naturalization.....	1	1	1
Aliens.....	1	1	1
Citizenship unascertained.....	32	20	52
Total.....	596	436	1032

TABLE 6.
PSYCHOSES OF FIRST ADMISSIONS

For the year ended June 30, 1932

PSYCHOSES	Males	Females	Total	Males	Females	Total
1. Traumatic psychoses.....				9	-----	9
2. Senile psychoses.....				1	2	3
3. Psychoses with cerebral arteriosclerosis.....				53	28	81
4. General paralysis.....				65	18	83
5. Psychoses with cerebral syphilis.....				6	7	13
6. Psychoses with Huntington's chorea.....				2	3	5
7. Psychoses with brain tumor.....				-----	1	1
8. Psychoses with other brain or nervous diseases, total.....				27	5	32
(a) Cerebral embolism.....	10	-----	10			
(b) Paralysis agitans.....	-----	-----	-----			
(c) Meningitis, Tubercular or other forms.....	2	-----	2			
(d) Multiple sclerosis.....	-----	-----	-----			
(e) Tabes dorsalis.....	-----	-----	-----			
(f) Acute chorea.....	-----	1	1			
(g) Other diseases.....	15	4	19			
9. Alcoholic psychoses, total.....				7	-----	7
(a) Delirium tremens.....	-----	-----	-----			
(b) Korsakow's psychosis.....	1	-----	1			
(c) Acute hallucinosis.....	-----	-----	-----			
(d) Other types, acute or chronic.....	6	-----	6			
10. Psychoses due to drugs and other exogenous toxins, total.....				3	5	8
(a) Opium (and derivatives), cocaine bromides, chloral, etc., alone or combined.....	-----	3	3			
(b) Metals, as lead, arsenic, etc.....	-----	-----	-----			
(c) Gases.....	-----	-----	-----			
(d) Other exogenous toxins.....	3	2	5			

11.	Psychoses with pella- gra.....			37	45	82
12.	Psychoses with other somatic diseases, total			41	48	89
	(a) Delirium with in- fectious diseases ..	-----	-----	-----		
	(b) Post-infectious psychosis.....	-----	-----	-----		
	(c) Exhaustion delir- ium.....	-----	-----	-----		
	(d) Delirium of un- known origin.....	-----	-----	-----		
	(e) Cardio-renal di- seases.....	13	19	32		
	(f) Diseases of the ductless glands	-----	-----	-----		
	(g) Other diseases or conditions.....	28	29	57		
13.	Manic-depressive psy- choses, total.....			82	94	176
	(a) Manic type.....	49	53	102		
	(b) Depressive type	24	19	43		
	(c). Other types.....	9	20	29		
14.	Involution melanco- lia.....			-----	3	3
15.	Dementia praecox (schizophrenia)....			57	94	151
16.	Paranoia and para- noid conditions			-----	-----	-----
17.	Epileptic psychoses....			34	18	52
18.	Psychoneuroses and neuroses, total.....			4	7	11
	(a) Hysterical type....	2	2	4		
	(b) Psychasthenic type (anxiety and ob- sessive forms).....	1	2	3		
	(c) Neurasthenic type	1	3	4		
	(d) Other types.....	-----	-----	-----		
19.	Psychoses with psy- chopathic person- ality.....			3	-----	3
20.	Psychoses with men- tal deficiency.....			16	14	30
21.	Undiagnosed psycho- ses.....			16	9	25
22.	Without psychosis, total.....			133	35	168
	(a) Epilepsy without psychosis.....	18	1	19		
	(b) Alcoholism with- out psychosis.....	15	-----	15		
	(c) Drug addiction without psychosis	40	12	52		
	(d) Psychopathic per- sonality without psychosis.....	8	4	12		
	(e) Mental deficiency without psychosis	26	7	33		
	(f) Others.....	26	11	37		
	Total.....	-----	-----	-----	596	436
					-----	1032

TABLE 7.—Race of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932

Race	Total			Traumatic			Senile			With Cerebral Arteriosclerosis			General Paralysis			With Cerebral Syphilis		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....	335	273	608	4	4	1	1	39	19	58	37	5	42	6	5	11
English.....	258	162	420	5	5	1	1	14	8	22	28	13	41	2	2
Greek.....	1	1	2
Irish.....	1	1
Slavonic.....	1	1	1	1
Total.....	596	436	1032	9	9	1	2	53	28	81	65	18	83	6	7	13

TABLE 7.—Race of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Con't.)

	With Hunting- ton's Chorea			With Brain Tumor			With other Brain or Ner- vous Diseases			Alcoholic			Due to Drugs and other Ex- ogenous Toxins			With Pellagra		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....		3	3				10	2	12				1		1	27	34	61
English.....	2		2		1	1	17	3	20	7		7	2	5	7	10	11	21
Greek.....																		
Irish.....																		
Slavonic.....																		
Total.....	2	3	5		1	1	27	5	32	7		7	3	5	8	37	45	82

TABLE 7—Race of First Admissions Classified with Principal Psychoses,
For the Year Ended June 30, 1932.—(Cont.)

	With other Somatic Diseases			Manic-depressive			Involution Melancholia			Dementia Praecox			Paranola and Paranoid conditions			Epileptic Psychosis		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....	25	32	57	38	48	86				32	43	75				19	11	30
English.....	16	16	32	44	46	90		3	3	25	51	76				15	7	22
Greek.....																		
Irish.....																		
Slavonic.....																		
Total.....	41	48	89	82	94	176		3	3	57	94	151				34	18	52

TABLE 7.—Race of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Cont.)

	Psychoneuroses and Neuroses			With Psychopathic personality			With mental deficiency			Undiagnosed Psychoses			Without Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....				1		1	10	7	17	6	7	13	42	9	51
English.....	4	7	11	2		2	5	6	11	10	2	12	91	26	117
Greek.....							1	1	2						
Irish.....															
Slavonic.....															
Total.....	4	7	11	3		3	16	14	30	16	9	25	133	35	168

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.

	Total			Under 15 years			15—19 years			20—24 years			25—29 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	9		9	1		1	3		3				1		1
2. Senile.....	1	2	3												
3. With Cerebral Arteriosclerosis.....	53	28	81												
4. General Paralysis.....	65	18	83							1		1	5	1	6
5. With Cerebral Syphilis.....	6	7	13								1	1	2	2	4
6. With Huntington's Chorea.....	2	3	5								1	1			
7. With Brain Tumor.....		1	1												
8. With other Brain or Nervous Diseases.....	27	5	32	1		1	1	2	3	2	1	3	1		1
9. Alcoholic.....	7		7							1		1			
10. Due to Drugs and other Exogenous Toxins.....	3	5	8												
11. With Pellagra.....	37	45	82										3	13	16
12. With other Somatic Diseases.....	41	48	89								4	4	2	5	7
13. Manic-Depressive.....	82	94	176				2		2	9	10	19	7	10	17
14. Involution Melancholia.....		3	3												
15. Dementia Praecox.....	57	94	151	2		2	6	13	19	20	17	37	11	24	35
16. Paranoia and Paranoid Conditions.....															
17. Epileptic Psychoses.....	34	18	52	1	2	3	8	4	12	5	3	8	6	4	10
18. Psychoneuroses and Neuroses.....	4	7	11								1	1		2	2
19. With Psychopathic Personality.....	3		3										1		1
20. With Mental Deficiency.....	16	14	30		1	1	3	2	5	4	2	6	1	1	2
21. Undiagnosed Psychoses.....	16	9	25					1	1	1		1	2	2	4
22. Without Psychosis.....	133	35	168	14	3	17	6	2	8	10	5	15	20	5	25
Total.....	596	436	1032	19	6	25	29	24	53	53	45	98	62	69	131

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Cont.)

	30—34 years			35—39 years			40—44 years			45—49 years			50—54 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....				3		3	1		1	1		1			
2. Senile.....															
3. With Cerebral Arteriosclerosis.....				12	3	15	5	4	9	10	2	12	7		7
4. General Paralysis.....	7	4	11		2	2				2		2			
5. With Cerebral Syphilis.....	1	1	2		1	1		1	1	1		1			
6. With Huntington's Chorea.....					1	1									
7. With Brain Tumor.....					1	1									
8. With other Brain or Nervous Diseases.....	1	1	2				4	1	5	2		2	2		2
9. Alcoholic.....	1		1	2		2	1		1	1		1			
10. Due to Drugs and other Exogenous Toxins.....		2	2	1	1	2	1	1	2	2		2		1	1
11. With Pellagra.....	1	5	6	5	10	15	4	8	12	5	3	8	7	4	11
12. With other Somatic Diseases.....	3	5	8	4	11	15	6	5	11	8	3	11	4	4	8
13. Manic-Depressive.....	11	13	24	6	15	21	6	12	18	11	5	16	10	3	13
14. Involution Melancholia.....					2	2		1	1						
15. Dementia Praecox.....	5	14	19	5	5	10	1	7	8	3	4	7	2	1	3
16. Paranoia and Paranoid Conditions.....															
17. Epileptic Psychoses.....	2	2	4	2		2	3	1	4	2		2	2	1	3
18. Psychoneuroses and Neuroses.....	1		1				1		1	1	2	3			
19. With Psychopathic Personality.....	1		1							1		1			
20. With Mental Deficiency.....	1	3	4	2	1	3	1	1	2					1	1
21. Undiagnosed Psychoses.....	5	3	8	1		1	2	1	3	2	1	3	1		1
22. Without Psychosis.....	15	5	20	15	2	17	10	2	12	9	2	11	5		5
Total.....	55	58	113	59	54	113	46	45	91	59	22	81	40	15	55

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Cont.)

	55—59 years			60—64 years			65—69 years			70 years and over			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....															
2. Senile.....									1	2	3				
3. With Cerebral Arteriosclerosis.....				6	2	8	3	1	4	38	16	54	6	9	15
4. General Paralysis.....	7		7	4	2	6	2	1	3	3		3	2	1	3
5. With Cerebral Syphilis.....		1	1							1		1			
6. With Huntington's Chorea.....															
7. With Brain Tumor.....															
8. With other Brain or Nervous Diseases.....	4		4	4		4	2		2	1		1	2		2
9. Alcoholic.....	1		1												
10. Due to Drugs and other Exogenous Toxins.....	1		1												
11. With Pellagra.....	1	3	4	4		4	3		3	1		1	3		3
12. With Other Somatic Diseases.....	3	6	9	2	1	3	3	1	4	4	1	5	2		2
13. Manic-Depressive.....	3	6	9	6	6	12	3	5	8	3	5	8	5	4	9
14. Involution Melancholia.....															
15. Dementia Praecox.....		2	2		2	2							2	5	7
16. Paranoia and Paranoid Conditions.....															
17. Epileptic Psychoses.....	2		2								1	1	1		1
18. Psychoneuroses and Neuroses.....		1	1	1		1		1	1						
19. With Psychopathic Personality.....															
20. With Mental Deficiency.....		1	1		1	1							4		4
21. Undiagnosed Psychoses.....				2		2								1	1
22. Without Psychosis.....	5	1	6	1	1	2	3		3	13	2	15	7	5	12
Total.....	27	21	48	30	15	45	19	9	28	65	27	92	34	25	59

TABLE 9.—Degree of Education of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932

PSYCHOSES	Total			Illiterate			Reads and Writes			Common School			High School			College			Unascertained				
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total		
1. Traumatic.....	9		9	1		1	4		4	4		4											
2. Senile.....	1	2	3				1	1	2												1	1	
3. With cerebral arteriosclerosis.....	53	28	81	15	10	25	15	1	16	9	3	12		2	2	3	1	4	11	11	22		
4. General paralysis.....	65	18	83	11	5	16	25	4	29	20	7	27	7	2	9	1		1	1		1		
5. With cerebral syphilis.....	6	7	13		2	2	4	2	6	1	3	4	1		1								
6. With Huntington's chorea.....	2	3	5	1	1	2		1	1		1	1	1		1						1	1	
7. With brain tumor.....		1	1																		4	4	
8. With other brain or nervous diseases.....	27	5	32	8	2	10	5	1	6	9	1	10	1	1	2					4		4	
9. Alcoholic.....	7		7						1	2		2	1		1	4		4					
10. Due to drugs and other exogenous toxins.....	3	5	8				1		1	2		2			2	2	2	4			1	1	
11. With pellagra.....	37	45	82	15	16	31	10	15	25	7	6	13	1	1	2					4	7	11	
12. With other somatic diseases.....	41	48	89	7	14	21	15	17	32	10	10	20	2	3	5	1		1	6	4	10		
13. Manic-depressive.....	82	94	176	16	11	27	28	22	50	26	30	56	5	18	23	3	3	6	4	10	14		
14. Involution melancholia.....		3	3						1	1		2											
15. Dementia praecox.....	57	94	151	7	10	17	16	30	46	23	22	45	8	20	28		3	3	3	3	9	12	
16. Paranoia and paranoid conditions.....																					1	1	2
17. Epileptic psychoses.....	34	18	52	5	6	11	19	6	25	6	5	11	3		3					1	1	2	
18. Psychoneuroses and neuroses.....	4	7	11				1	1	2	2	2	3	2	5		1	1			1	1	1	
19. With psychopathic personality.....	3		3	1		1				1		1				1		1					
20. With mental deficiency.....	16	14	30	10	7	17	3	3	6	1	1	2								2	3	5	
21. Undiagnosed psychoses.....	16	9	25	2	4	6	4	3	7	3		3	4		4	1		1	2	2	4		
22. Without psychosis.....	133	35	168	22	10	32	33	3	36	34	7	41	19	5	24	12	2	14	13	8	21		
Total.....	596	436	1032	121	98	219	184	110	294	156	101	257	56	56	112	28	12	40	51	59	110		

TABLE 10.—*Environment of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932*

PSYCHOSES	Total			Urban			Rural			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	9		9	3		3	6		6			
2. Senile.....	1	2	3	1	1	2		1	1			
3. With cerebral arteriosclerosis.....	53	28	81	19	7	26	30	16	46	4	5	9
4. General paralysis.....	65	18	83	26	7	33	35	9	44	4	2	6
5. With cerebral syphilis.....	6	7	13	2	3	5	4	4	8			
6. With Huntington's chorea.....	2	3	5		1	1	2	2	4			
7. With brain tumor.....		1	1					1	1			
8. With other brain or nervous diseases.....	27	5	32	10	2	12	16	3	19	1		1
9. Alcoholic.....	7		7	5		5	2		2			
10. Due to drugs and other exogenous toxins.....	3	5	8	3	4	7		1	1			
11. With pellagra.....	37	45	82	6	9	15	27	36	63	4		4
12. With other somatic diseases.....	41	48	89	13	18	31	26	30	56	2		2
13. Manic-depressive.....	82	94	176	31	38	69	51	56	107			
14. Involution melancholia.....		3	3		2	2		1	1			
15. Dementia praecox.....	57	94	151	18	37	55	38	53	91	1	4	5
16. Paranoia and paranoid conditions.....												
17. Epileptic psychoses.....	34	18	52	13	3	16	21	15	36			
18. Psychoneuroses and neuroses.....	4	7	11	3	2	5	1	5	6			
19. With psychopathic personality.....	3		3	3		3						
20. With mental deficiency.....	16	14	30	5	5	10	10	9	19	1		1
21. Undiagnosed psychoses.....	16	9	25	7	4	11	9	5	14			
22. Without psychosis.....	133	35	168	78	17	95	51	16	67	4	2	6
Total.....	596	436	1032	246	160	406	329	263	592	21	13	34

TABLE 11.—*Economic Condition of First Admissions Classified with Reference to Principal Psychoses
For the Year Ended June 30, 1932*

PSYCHOSES	Total			Dependent			Marginal			Comfortable			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	9		9	4		4	5		5						
2. Senile.....	1	2	3	1	2	3									
3. With cerebral arteriosclerosis.....	53	28	81	50	25	75	3	3	6						
4. General paralysis.....	65	18	83	52	13	65	12	4	16	1	1	2			
5. With cerebral syphilis.....	6	7	13	3	7	10	3		3						
6. With Huntington's chorea.....	2	3	5		2	2	2	1	3						
7. With brain-tumor.....	1	1	2				1		1						
8. With other brain or nervous diseases.....	27	5	32	14	4	18	12		12		1	1	1		1
9. Alcoholic.....	7		7				4		4	3		3			
10. Due to drugs and other exogenous toxins.....	3	5	8				1	1	2	2	4	6			
11. With pellagra.....	37	45	82	30	34	64	7	10	17						1
12. With other somatic diseases.....	41	48	89	25	38	63	13	10	23	3		3			
13. Manic-depressive.....	82	94	176	37	40	77	45	45	90		7	7		2	2
14. Involution melancholia.....		3	3		1	1		1	1		1	1			
15. Dementia praecox.....	57	94	151	33	43	76	24	45	69		4	4		2	2
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	34	18	52	25	14	39	9	4	13						
18. Psychoneuroses and neuroses.....	4	7	11				3	5	8	1	2	3			
19. With psychopathic personality.....	3		3	1		1	1		1	1		1			
20. With mental deficiency.....	16	14	30	14	12	26	2	1	3					1	1
21. Undiagnosed psychoses.....	16	9	25	7	8	15	8	1	9	1		1			
22. Without psychosis.....	133	35	168	49	8	57	58	14	72	25	9	34	1	4	5
Total.....	596	436	1032	345	251	596	212	146	358	37	29	66	2	10	12

TABLE 12.— *Use of Alcohol by First Admissions Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1932*

PSYCHOSES	Total			Abstinent			Temperate			Intemperate			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	9		9	7		7				1		1	1		1
2. Senile.....	1	2	3	1	1	2								1	1
3. With cerebral arteriosclerosis.....	53	28	81	37	18	55	11	1	12				5	9	14
4. General paralysis.....	65	18	83	39	14	53	20		20	5	1	6	1	3	4
5. With cerebral syphilis.....	6	7	13	2	6	8	3	1	4	1		1			
6. With Huntington's chorea.....	2	3	5	2	3	5									
7. With brain tumor.....		1	1		1	1									
8. With other brain or nervous diseases.....	27	5	32	18	4	22	8		8				1	1	2
9. Alcoholic.....	7		7							7		7			
10. Due to drugs and other exogenous toxins.....	3	5	8	1	5	6	2		2					5	10
11. With pellagra.....	37	45	82	22	39	61	9	1	10	1		1	5	5	10
12. With other somatic diseases.....	41	48	89	19	40	59	16	3	19	2		2	4	5	9
13. Manic-depressive.....	82	94	176	62	81	143	15	6	21	3		3	2	7	9
14. Involution melancholia.....		3	3		3	3									
15. Dementia praecox.....	57	94	151	37	75	112	17	7	24	3		3		12	12
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	34	18	52	26	17	43	5		5	1		1	2	1	3
18. Psychoneuroses and neuroses.....	4	7	11	4	6	10								1	1
19. With psychopathic personality.....	3		3	2		2	1		1						
20. With mental deficiency.....	16	14	30	11	13	24	3		3				2	1	3
21. Undiagnosed psychoses.....	16	9	25	6	9	15	6		6	3		3	1		1
22. Without psychosis.....	133	35	168	51	18	69	48	4	52	26	1	27	8	12	20
Total.....	596	436	1032	347	353	700	164	23	187	53	2	55	32	58	90

TABLE 13.—*Marital Condition of First Admissions Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1932*

PSYCHOSES	Total			Single			Married			Widowed			Separated			Divorced			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	9		9	7			7	1		1				1		1					
2. Senile.....	1	2	3				1	1	2		1	1									
3. With cerebral arteriosclerosis.....	53	28	81	2	1	3	28	6	34	10	12	22	5	2	7				8	7	15
4. General paralysis.....	65	18	83	11		11	40	12	52	7	2	9	5	4	9	2			2		
5. With cerebral syphilis.....	6	7	13	1	1	2	3	4	7				2	2	4						
6. With Huntington's chorea.....	2	3	5		1	1	1	1	2				1	1	2						
7. With brain tumor.....		1	1					1	1												
8. With other brain or nervous diseases.....	27	5	32	10	5	15	13		13				1		1	1		1	2		2
9. Alcoholic.....	7		7	3		3	4		4												
10. Due to drugs and other exogenous toxins.....	3	5	8	1		1	2	5	7												
11. With pellagra.....	37	45	82	4	4	8	25	22	47	3	2	5	5	12	17		1	1		4	4
12. With other somatic diseases.....	41	48	89	1	5	6	30	23	53	4	8	12	6	7	13		5	5			
13. Manic-depressive.....	82	94	176	16	8	24	52	46	98	6	12	18	5	19	24	3	3	6		6	6
14. Involution melancholia.....	3	3	6		1	1	1	1	2												
15. Dementia praecox.....	57	94	151	34	35	69	14	45	59	2	1	3	6	6	12	1	1	2		6	6
16. Paranoia and paranoid conditions.....																					
17. Epileptic psychoses.....	34	18	52	23	9	32	5	4	9	1	1	2	5	4	9						
18. Psychoneuroses and neuroses.....	4	7	11	1	1	2	3	4	7		2	2									
19. With psychopathic personality.....	3		3	2		2	1		1												
20. With mental deficiency.....	16	14	30	8	8	16	5	3	8		2	2							3	1	4
21. Undiagnosed psychoses.....	16	9	25	5	2	7	7	4	11				3	3	6				1		1
22. Without psychosis.....	133	35	168	55	11	66	35	8	43	9	5	14	15	4	19	7	2	9	12	5	17
Total.....	596	436	1032	184	92	276	270	190	460	42	49	91	60	64	124	14	12	26	26	29	55

TABLE 14.—*Psychoses of Readmissions
For the Year Ended June 30, 1932*

PSYCHOSES	Males	Females	Total
1. Traumatic psychoses.....	2	2
2. Senile psychoses.....
3. Psychoses with cerebral arteriosclerosis.....	1	1
4. General paralysis.....	4	4
5. Psychoses with cerebral syphilis.....
6. Psychoses with Huntington's chorea.....
7. Psychoses with brain tumor.....
8. Psychoses with other brain or nervous diseases.....	2	1	3
9. Alcoholic psychoses.....
10. Psychoses due to drugs and other exogenous toxins.....	3	3
11. Psychoses with pellagra.....	3	2	5
12. Psychoses with other somatic diseases.....	4	3	7
13. Manic-depressive psychoses.....	18	19	37
14. Involution melancholia.....	1	1
15. Dementia praecox.....	13	15	28
16. Paranoia and paranoid conditions.....
17. Epileptic psychoses.....	5	3	8
18. Psychoneuroses and neuroses.....	2	2
19. Psychoses with psychopathic personality.....	7	7
20. Psychoses with mental deficiency.....	4	3	7
21. Undiagnosed psychoses.....	2	2
22. Without psychosis.....	13	2	15
Total.....	79	53	132

TABLE 15.—Discharges of Patients Classified with Reference to Principal Psychoses and Condition on Discharge,
For the Year Ended June 30, 1932.

PSYCHOSES	Total			Recovered			Improved			Unimproved		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	7	2	9	2		2	5	1	6		1	1
2. Senile.....		1	1								1	1
3. With cerebral arteriosclerosis.....	8	9	17				7	6	13	1	3	4
4. General paralysis.....	20	3	23	3		3	14	2	16	3	1	4
5. With cerebral syphilis.....	3	6	9		1	1	2	4	6	1	1	2
6. With Huntington's chorea.....												
7. With brain tumor.....												
8. With other brain or nervous diseases.....	11	6	17		3	3	9	2	11	2	1	3
9. Alcoholic.....	13		13	10		10	3		3			
10. Due to drugs and other exogenous toxins.....	3		3	3		3						
11. With pellagra.....	12	8	20	10	8	18	2		2			
12. With other somatic diseases.....	11	11	22	4	7	11	6	3	9	1	1	2
13. Manic-depressive.....	91	80	171	53	69	122	33	10	43	5	1	6
14. Involution melancholia.....		2	2					2	2			
15. Dementia praecox.....	77	58	135	17	20	37	50	25	75	10	13	23
16. Paranoia and paranoid conditions.....		1	1					1	1			
17. Epileptic psychoses.....	14	4	18	1		1	11	4	15	2		2
18. Psychoneuroses and neuroses.....	8	12	20	1	4	5	7	6	13		2	2
19. With psychopathic personality.....	6	4	10		1	1	3	1	4	3	2	5
20. With mental deficiency.....	18	9	27	1		1	10	4	14	7	5	12
21. Undiagnosed psychoses.....	8	6	14	1	1	2	4	2	6	3	3	6
22. Without psychosis.....	76	26	102	43	10	53	25	10	35	8	6	14
Total.....	386	248	634	149	124	273	191	83	274	46	41	87

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932*

CAUSES OF DEATH	Total			Senile			With Cerebral Arteriosclerosis			General Paralysis			Alcoholic		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I. Epidemic, Endemic and Infectious Diseases															
Tuberculosis of the Respiratory System.....	19	43	62		1	1		1	1	1		1			
Purulent infection, septicaemia.....	1	1	2												
II. General Diseases Not Included in Class I															
Cancer and other malignant tumors.....	2	1	3												
Pellagra.....	19	22	41												
Diabetes.....		1	1												
Other general diseases.....	1	2	3				1		1						
III. Diseases of the Nervous System															
Cerebral hemorrhage, apoplexy.....	67	11	78				18	1	19	27	6	33			
General paralysis of the insane.....	14	7	21							14	7	21			
Epilepsy.....	8	9	17												
Other Diseases of the Nervous System.....	2		2												
IV. Diseases of the Circulatory System															
Endocarditis and myocarditis.....	9	6	15					1	1	1		1			
Other diseases of the heart.....	7	1	8										1		1
Arteriosclerosis.....	17	30	47				15	23	38						
Other diseases of the circulatory system.....	2	7	9												

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1932.—(Con't.)*

CAUSES OF DEATH	Manic-depressive			Involution Melancholia			Dementia Praecox			Paranoia and Paranoid conditions			Epileptic Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I. Epidemic, Endemic and Infectious Diseases															
Tuberculosis of the respiratory system.....		8	8				4	17	21				3		3
Purulent infection, septicaemia.....							1		1						
II. General Diseases Not Included in Class I															
Cancer and other malignant tumors.....								1	1						
Pellagra.....		3	3				1	3	4						
Diabetes.....															
Other general diseases.....															
III. Diseases of the Nervous System															
Cerebral hemorrhage, apoplexy.....							2	2	4						
General paralysis of the insane.....													7	7	14
Epilepsy.....															
Other diseases of the nervous system.....															
IV. Diseases of the Circulatory System															
Endocarditis and myocarditis.....		2	2				2		2						
Other diseases of the heart.....	5		5					1	1						
Arteriosclerosis.....	1		1				1		1						
Other diseases of the circulatory system....	1	3	4					3	3						

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Con't.)*

CAUSES OF DEATH	Psychoneuroses and Neuroses			With Psychopathic personality			With mental deficiency			All other Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I. Epidemic, Endemic and Infectious Diseases												
Tuberculosis of the respiratory system.....							1	3	4	10	13	23
Purulent infection, septicaemia.....											1	1
II. General Diseases Not Included in Class I												
Cancer and other malignant tumors.....										2		2
Pellagra.....										18	16	34
Diabetes.....											1	1
Other general diseases.....											2	2
III. Diseases of the Nervous System												
Cerebral hemorrhage, apoplexy.....							1		1	19	2	21
General paralysis of the insane.....												
Epilepsy.....										1	2	3
Other diseases of the nervous system.....										2		2
IV. Diseases of the Circulatory System												
Endocarditis and myocarditis.....							1		1	5	3	8
Other diseases of the heart.....							1		1			
Arteriosclerosis.....											1	1
Other diseases of the circulatory system.....										1	1	2

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1932.—(Con't.)*

CAUSES OF DEATH	Total			Senile			With Cerebral Arteriosclerosis			General Paralysis			Alcoholic		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System															
Bronchopneumonia.....		3	3												
Lobar pneumonia.....	10	1	11				1		1	1		1			
VI. Diseases of the Digestive System															
Ulcer of stomach and duodenum.....		1	1												
Hernia and intestinal obstruction.....		1	1												
Cirrhosis of liver.....	1		1												
VII. Non-Venereal Diseases of Genito-Urinary System and Annexa															
Nephritis.....	3	3	6					2	2						
Other diseases of kidneys and annexa.....	1		1												
Diseases of bladder.....	1		1												
Other Diseases of genital organs.....		1	1												
Other diseases of genito-urinary system.....	1		1												
VIII. Diseases of the Skin and of the Cellular Tissue															
Gangrene.....	2		2												
IX. Diseases of Bones and of the Organs of Locomotion															
X. Other Diseases not Included in Above Groups															
XI. External Causes															
Suicide.....	1		1												
Accidental traumatism.....	2		2				1		1						
Total.....	189	151	340		1	1	36	28	64	44	13	57	1		1

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1932.—(Con't.)*

CAUSES OF DEATH	Manic-depressive			Involution Melancholia			Dementia Praecox			Paranoia and Paranoid conditions			Epileptic Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System															
Bronchopneumonia.....					2	2									
Lobar pneumonia.....	1		1	1		1							1		1
VI. Diseases of the Digestive System															
Ulcer of stomach and duodenum.....														1	1
Hernia and intestinal obstruction.....															
Cirrhosis of liver.....							1		1						
VII. Non-Venereal Diseases of Genito-Urinary System and Annexa															
Nephritis.....		1	1				1		1						
Other diseases of kidneys and annexa.....															
Diseases of bladder.....															
Other diseases of genital organs.....															
Other diseases of genito-urinary system.....	1		1												
VIII Diseases of the Skin and of the Cellular Tissue															
Gangrene.....															
IX. Diseases of Bones and of the Organs of Locomotion															
X. Other Diseases not Included in Above Group															
XI. External Causes															
Suicide.....	1		1												
Accidental traumatism.....															
Total.....	10	17	27				14	29	43				11	8	19

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Con't.)*

CAUSES OF DEATH	Psychoneuroses and Neuroses			With Psychopathic personality			With mental deficiency			All other Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System												
Bronchopneumonia.....											1	1
Lobar pneumonia.....							1	1	2	4		4
VI. Diseases of the Digestive System												
Ulcer of stomach and duodenum.....								1	1			
Hernia and intestinal obstruction.....												
Cirrhosis of liver.....												
VII. Non-Venereal Diseases of Genito-Urinary System and Annexa												
Nephritis.....										2		2
Other diseases of kidneys and annexa.....										1		1
Diseases of bladder.....										1		1
Other diseases of genital organs.....											1	1
Other diseases of genito-urinary system.....												
VIII Diseases of the Skin and of the Cellular Tissue												
Gangrene.....										2		2
IX. Diseases of Bones and of the Organs of Locomotion												
X. Other Diseases not Included in Above Groups												
XI. External Causes												
Suicide.....										1		1
Accidental traumatism.....												
Total.....							5	5	10	68	44	112

TABLE 17.—Age of Patients at Time of Death Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932

PSYCHOSES	Total			Under 15 years			15—19 years			20—24 years			25—29 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1												
2. Senile.....		1	1												
3. With cerebral arteriosclerosis.....	36	28	64												
4. General paralysis.....	44	13	57											1	1
5. With cerebral syphilis.....	2		2												
6. With Huntington's chorea.....		1	1											1	1
7. With brain tumor.....															
8. With other brain or nervous diseases.....	12	3	15							1		1			
9. Alcoholic.....	1		1												
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	16	22	38				1		1		2	2		9	9
12. With other somatic diseases.....	18	12	30					1	1		2	2	1	2	3
13. Manic-depressive.....	10	17	27										1	2	3
14. Involution melancholia.....															
15. Dementia praecox.....	14	29	43							1	7	8	3	4	7
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	11	8	19				3	2	5	1	2	3	1	3	4
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....	5	5	10								3	3	2		2
21. Undiagnosed psychoses.....	9	2	11							1	1	2			
22. Without psychosis.....	10	10	20	1		1	1	1	2	1	1	2		4	4
Total.....	189	151	340	1		1	5	4	9	5	18	23	9	26	35

TABLE 17.—Age of Patients at Time of Death Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Con't.)

PSYCHOSES	30—34 years			35—39 years			40—44 years			45—49 years			50—54 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....				1		1									
2. Senile.....															
3. With cerebral arteriosclerosis.....															
4. General paralysis.....	5	1	6	2	3	5	7	4	11	9	1	10	8		8
5. With cerebral syphilis.....										1		1			
6. With Huntington's chorea.....											1	1			
7. With brain tumor.....															
8. With other brain or nervous diseases.....	1	2	3							1		1			
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....		1	1	1	2	3	1	1	2	1	3	4	2	2	4
12. With other somatic diseases.....	2	2	4	1	1	2	2	1	3	1	1	2	6	1	7
13. Manic-depressive.....	1	2	3	1	2	3		4	4	1	1	2	1	2	3
14. Involution melancholia.....															
15. Dementia praecox.....	1	7	8		2	2		2	2		2	2	3	1	4
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	1		1	1		1				1		1	2		2
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....							1		1						
21. Undiagnosed psychoses.....	7		7					1	1		1	1			
22. Without psychosis.....				1		1				2		2			
Total.....	18	15	33	8	9	17	11	13	24	16	10	26	22	6	28

TABLE 17.—Age of Patients at Time of Death Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1932.—(Con't.)

PSYCHOSES	55—59 years			60—64 years			65—69 years			70 years and over			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....															
2. Senile.....								1	1						
3. With cerebral arteriosclerosis.....				3	2	5	2	1	3	29	25	54	2		2
4. General paralysis.....	3		3	5	2	7	3	1	4	2		2			
5. With cerebral syphilis.....															
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	3		3	1		1		1	1	5		5			
9. Alcoholic.....							1		1						
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	3		3	2	1	3	1		1	2	1	3	2		2
12. With other somatic diseases.....		1	1	2	1	3	1		1	2		2	1		1
13. Manic-depressive.....	1	2	3	2		2	1		1	1	1	2			
14. Involution melancholia.....															
15. Dementia praecox.....	1	2	3	1		1		1	1	4		4		1	1
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	1		1								1	1			
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....							1		1		1	1			
21. Undiagnosed psychoses.....				1		1									
22. Without psychosis.....	1	1	2	1	1	2	1		1	1	1	2		1	1
Total.....	13	6	19	18	7	25	11	5	16	46	30	76	5	2	7

TABLE 18.—*Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses For the Year Ended June 30, 1932*

PSYCHOSES	Total			Less than 1 month			1—3 months			4—7 months			8—12 months		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1	1		1									
2. Senile.....		1	1												
3. With cerebral arteriosclerosis.....	36	28	64	9	3	12	11	10	21	8	7	15	2	1	3
4. General paralysis.....	44	13	57	8		8	10	5	15	9	5	14	8		8
5. With cerebral syphilis.....	2		2												
6. With Huntington's chorea.....		1	1												
7. With brain tumor.....															
8. With other brain or nervous diseases.....	12	3	15	3		3	2		2	1		1	2		2
9. Alcoholic.....	1		1	1		1									
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	16	22	38	8	14	22	3	2	5	4	5	9		1	1
12. With other somatic diseases.....	18	12	30	7	6	13	6	3	9	2		2		1	1
13. Manic-depressive.....	10	17	27	4	1	5	2	2	4	1		1	2	3	5
14. Involution melancholia.....															
15. Dementia praecox.....	14	29	43	1	4	5		4	4		2	2	1		1
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	11	8	19	1	1	2							2	1	3
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....	5	5	10												
21. Undiagnosed psychoses.....	9	2	11	1	1	2							6	1	7
22. Without psychosis.....	10	10	20	7	5	12	1		1				1		1
Total.....	189	151	340	51	35	86	35	26	61	25	19	44	24	8	32

TABLE 18.—*Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses, For the Year Ended June 30, 1932.—(Con't.)*

PSYCHOSES	1—2 years			3—4 years			5—6 years			7—8 years			9—10 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....															
2. Senile.....															
3. With cerebral arteriosclerosis.....	6	5	11		1	1									
4. General paralysis.....	6	3	9	2		2	1		1						
5. With cerebral syphilis.....	1		1				1		1						
6. With Huntington's chorea.....								1	1						
7. With brain tumor.....															
8. With other brain or nervous diseases.....	1	3	4				1		1						
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	1		1												
12. With other somatic diseases.....	1		1		1	1	2		2						
13. Manic-depressive.....	1	3	4	1	1	2	1		1		1	1			
14. Involution melancholia.....															
15. Dementia praecox.....	2	3	5	4	5	9	1	3	4		2	2		1	1
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	4	4	8	3	2	5	1		1						
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....	2		2	1	2	3				1	2	3			
21. Undiagnosed psychoses.....							1		1						
22. Without psychosis.....		1	1	1	1	2					2	2			
Total.....	25	22	47	12	13	25	9	4	13	1	7	8		1	1

TABLE 18.—Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses For the Year Ended June 30, 1932.—(Con't.)

PSYCHOSES	11—12 years			13—14 years			15—19 years			20 years and over		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....								1	1			
2. Senile.....											1	1
3. With cerebral arteriosclerosis.....												
4. General paralysis.....												
5. With cerebral syphilis.....												
6. With Huntington's chorea.....												
7. With brain tumor.....		1	1				1		1			
8. With other brain or nervous diseases.....												
9. Alcoholic.....												
10. Due to drugs and other exogenous toxins.....												
11. With pellagra.....								1	1			
12. With other somatic diseases.....		2	2		1	1		1	1			
13. Manic-depressive.....												
14. Involution melancholia.....				1		1		1	1	4	4	8
15. Dementia praecox.....												
16. Paranoia and paranoid conditions.....												
17. Epileptic psychoses.....												
18. Psychoneuroses and neuroses.....												
19. With psychopathic personality.....								1	1	1		1
20. With mental deficiency.....				1		1						
21. Undiagnosed psychoses.....		1	1									
22. Without psychosis.....												
Total.....	1	3	4	2	1	3	1	5	6	5	5	10

TABLE I.

GENERAL INFORMATION

Data correct at end of hospital year June 30, 1933

1. Date of opening as a hospital for mental diseases.....	1851
2. Type of hospital: State, county, endowed private, or unendowed private	State
3. Hospital plant	
Value of hospital property	
Real estate, including buildings.....	\$2,055,000.00
Personal property	270,459.80
Total	\$2,325,459.80
Total acreage of hospital property owned.....	1300
Total acreage under cultivation during previous year	800

4. OFFICERS AND EMPLOYEES:

(Actually in Service at End of Year):

	Males	Females	Total
Superintendents	1	1
Assistant physicians	6	6
Total physicians	7	7
Stewards	1	1
Resident dentists.....	1	1
Pharmacists	1	1
Graduate Nurses	13	13
Other nurses and attendants.....	51	113	164
Occupational therapists	1	13	14
Social workers	1	1
All other officers and employees.....	72	62	134
Total officers and employees	133	203	336

5. CENSUS OF PATIENT POPULATION AT END OF YEAR:

	Actually in Hospital			Absent from Hospital but still on Books		
	Males	Females	Total	Males	Females	Total
WHITE						
Insane*	488	570	1058	171	200	371
Epileptics	1	2	3
Mental defectives	13	15	28	1	4	5
Alcoholics	1	1	2	23	23
Drug addicts	4	3	7	1	1	2
Total	506	589	1095	197	207	404
OTHER RACES						
Insane*	621	831	1452	206	113	319
Epileptics	3	3	6
Mental defectives	5	4	9	3	8	11
Alcoholics	3	3
Total	629	838	1467	212	121	333
GRAND TOTAL	1135	1427	2562	479	358	837

*In case a patient belongs to more than one group, he should be counted in the group first mentioned of those to which he may be properly assigned. For example, if a patient is both insane and epileptic he should be counted as insane.

MISSISSIPPI STATE HOSPITAL

	Males	Females	Total
6. Patients under treatment in occupational-therapy classes, including physical training, on date of report.....	222	263	485
7. Other patients employed in general work of hospital on date of report.....	346	313	659
8. Average daily number of all patients actually in hospital during year.....	1135.20	1408.47	2543.60

TABLE II.
FINANCIAL STATEMENT
For the Fiscal Year Ended June 30, 1933

Receipts	
Balance on hand from previous fiscal year.....	\$181,306.12
Received from appropriations	350,000.00
Received from paying patients	2,166.12
Received from all other sources	7,373.23
Total receipts	\$540,845.47
Disbursements	
1. Expenditures for maintenance of patients:	
Salaries and wages	\$163,095.65
Provisions (food)	67,974.29
Fuel, light and water	25,988.46
All other expenditures for maintenance	78,208.24
Total expenditures for maintenance	\$335,266.64
Total expenditures	\$335,266.64
Balance on hand at close of year	\$205,578.83
Total disbursements, including balance on hand	\$540,845.47

TABLE III.
 MOVEMENT OF INSANE PATIENT POPULATION
 For Year Beginning July 1, 1932 and Ended June 30, 1933

	Males	Females	Total	Males	Females	Total
1. Insane patients on books of hospital at beginning of hospital year:						
a—In hospital	1116	1381	2497			
b—On parole or otherwise absent	574	405	979			
Total				1690	1786	3476
2. Admissions during year:						
a—First admissions	550	392	942			
b—Readmissions	66	50	116			
3. Total received during year..				616	442	1058
4. Total on books during year				2306	2228	4534
5. Discharged from books during year:						
a—As recovered	179	141	320			
b—As improved	167	138	305			
c—As unimproved	53	8	61			
d—As without psychosis..	113	29	142			
e—Transferred to other hospitals for mental diseases	22		22			
f—Died during year.....	158	127	285			
6. Total discharged, transferred and died during year..				692	443	1135
7. Insane patients remaining on books of hospital at end of hospital year:						
a—In hospital	1135	1427	2562			
b—On parole or otherwise absent	479	358	837			
Total				1614	1785	3399

TABLE IV.

**NATIVITY OF FIRST ADMISSIONS AND OF PARENTS OF FIRST
ADMISSIONS FOR THE YEAR ENDING JUNE 30, 1933**

NATIVITY	Patients			Parents of Male Patients			Parents of Female Patients		
	Males	Females	Total	Fathers	Mothers	Both Parents	Fathers	Mothers	Both Parents
United States	531	347	878	117	117	234	85	85	170
Belgium				1		1			
*Canada	1		1				1		1
Cuba				1		1			
**Europe				1	1	2			
France				1		1	1	1	2
Germany	1		1	5	3	8	3		3
Ireland				3	3	6			
Italy	1	1	2	2	2	4	1	1	2
Russia	1		1	1	1	2			
Switzerland				1	1	2			
Unascertained	15	43	58	85	85	170	73	73	146
Total	550	392	942	218	213	431	165	161	326

* Includes Newfoundland

**Not otherwise specified

TABLE 4-a.—Age of First Admissions Classified with Reference to Nativity, and Length of Residence in the United States of the Foreign Born, For the Year Ended June 30, 1933.—(Con't.)

AGE GROUPS	FOREIGN BORN																				
	Total			TIME IN UNITED STATES BEFORE ADMISSION												Nativity Unascertained					
				Under 5 years			5—9 years			10—14 years			15 years and over						Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total			
Under 15 years.....																					
15—19 years.....																					
20—24 years.....																		2	2		
25—29 years.....	2		2				2		2									3	3		
30—34 years.....																		1	1		
35—39 years.....																		2	2		
40—44 years.....																		2	5		
45—49 years.....		1	1										1	1				1	3		
50—54 years.....																		5	5		
55—59 years.....	1		1										1	1				2	2		
60—64 years.....		1	1														1	1	2		
65—69 years.....	1		1												1			1	5		
70 years & over.....																		3	4		
Unascertained.....																		4	9		
Total ..	4	2	6				2		2				1	1	2	1	1	2	15	43	58

TABLE V.
CITIZENSHIP OF FIRST ADMISSIONS
For the Year Ended June 30, 1933

	Males	Females	Total
Citizens by birth	519	361	880
Citizens by naturalization		1	1
Citizenship unascertained	31	30	61
Total	550	392	942

TABLE VI.
PSYCHOSES OF FIRST ADMISSIONS
For the Year Ended June 30, 1933

Psychoses	Males	Females	Total	Males	Females	Total
1. Traumatic psychoses				4		4
2. Senile psychoses				3	1	4
3. Psychoses with cerebral arteriosclerosis				40	29	69
4. General paralysis				72	29	101
5. Psychoses with cerebral syphilis				11	2	13
6. Psychoses with Huntington's chorea				2		2
8. Psychoses with other brain or nervous diseases, total.				39	19	58
(a) Cerebral embolism.....	7	4	11			
(c) Meningitis, tubercular	2	3	5			
(e) Tabes dorsalis	3	1	4			
(g) Other diseases	27	11	38			
9. Alcoholic psychoses, total.....				2		2
(b) Borsakow's psychoses...	2		2			
10. Psychoses due to drugs and other exogenous toxins, total				3	2	5
(a) Opium (and derivatives), cocaine, bromides, chloral, etc., alone or combined		1	1	3	2	5
(b) Metals, as lead, arsenic, etc.	1	1	2	3	2	5
(c) Gases	1		1	3	2	5
(d) Other exogenous toxins	1		1			
11. Psychoses with pellagra				20	27	47
12. Psychoses with other somatic diseases, total				18	18	36
(a) Delirium with infectious diseases	3	4				
(b) Post-infectious psychosis		1				
(e) Cardio-renal diseases.....	8	8				
(g) Other diseases or conditions	7	5				

13. Manic-depressive psychoses, total				119	116	235
(a) Manic type	48	60	108			
(b) Depressive type	63	46	109			
(c) Other types	8	10	18			
14. Involution melancholia				-----	3	3
15. Dementia praecox (schizophrenia)				89	85	174
17. Epileptic psychoses				28	9	37
18. Psychoneuroses and neuroses, total				9	14	23
(a) Hysterical type	-----	5	5			
(b) Psychasthenic type	3	2	5			
(c) Neurasthenic type	6	6	12			
(d) Other types	-----	1	1			
19. Psychoses with psychopathic personality				1	-----	1
20. Psychoses with mental deficiency				15	5	20
21. Undiagnosed psychoses				14	2	16
22. Without psychosis, total				61	31	92
(a) Epilepsy without psychosis	1	2	3			
(b) Alcoholism without psychosis	27	-----	27			
(c) Drug addiction without psychosis	5	6	11			
(d) Psychopathic personality without psychosis	3	4	7			
(e) Mental deficiency without psychosis	12	11	23			
(f) Others	12	8	20			
Total				550	392	942

TABLE 7.—Race of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933

RACE	Total			Traumatic			Senile			With Cerebral Arteriosclerosis			General Paralysis			With Cerebral Syphilis		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....	287	231	518							23	15	38	10	21	31	9	2	11
English.....	230	127	357	4		4	2	1	3	10	12	22	54		54	2		2
German.....	1		1															
Italian.....	1	1	2															
Slavonic.....	1		1															
Other specific races.....		1	1															
Race unascertained.....	30	32	62				1		1	7	2	9	8	8	16			
Total.....	550	392	942															

TABLE 7.—*Race of First Admissions Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

RACE	With other Somatic Diseases			Manic-depressive			Involution Melancholia			Dementia Praecox			Paranola and Paranoid conditions			Epileptic Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
African (black).....	6	7	13	85	63	48				64	60	124				14	10	24
English.....	11	6	17	33	44	77		3	3	22	17	39				12	6	18
German.....																1		1
Italian.....				1	1	2												
Slavonic.....										1		1						
Other specific races.....																		
Race unascertained.....	1	3	4		8	8				2	8	10				1	1	2
Total.....																		

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933

PSYCHOSES	Total			Under 15 years			15—19 years			20—24 years			25—29 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	4		4	1		1									
2. Senile.....	3	1	4												
3. With cerebral arteriosclerosis.....	40	29	69												
4. General paralysis.....	72	29	101	1		1	1	1	2	5	2	7	5	5	10
5. With cerebral syphilis.....	11	2	13								2	2	2		2
6. With Huntington's chorea.....	2		2							1		1			
7. With brain tumor.....															
8. With other brain or nervous diseases.....	39	19	58	1	1	2	1	1	2	4	2	6	2		2
9. Alcoholic.....	2		2												
10. Due to drugs and other exogenous toxins.....	3	2	5												
11. With pellagra.....	20	27	47				2		2	1	5	6	1	6	7
12. With other somatic diseases.....	18	18	36								1	1			
13. Manic-depressive.....	119	116	235				1	5	6	14	8	22	12	19	31
14. Involution melancholia.....		3	3												
15. Dementia praecox.....	89	85	174	3	1	4	16	13	29	22	23	45	13	17	30
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	28	9	37	1		1	3		3	10	1	11	5	5	10
18. Psychoneuroses and neuroses.....	9	14	23					1	1	1	2	3		1	1
19. With psychopathic personality.....	1		1				1		1						
20. With mental deficiency.....	15	5	20	2	1	3				6	3	9	2		2
21. Undiagnosed psychoses.....	14	2	16	1		1				3	1	4	3	1	4
22. Without psychosis.....	61	31	92	2	5	7	3	6	9	10	3	13	3	2	5
Total.....	550	392	942	12	8	20	28	27	55	77	53	130	48	56	104

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933.—(Con't.)

PSYCHOSES	30—34 years			35—39 years			40—44 years			45—49 years			50—54 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....				2		2	1		1						
2. Senile.....															
3. With cerebral arteriosclerosis.....															
4. General paralysis.....	8	5	13	11	5	16	6	2	8	7	3	10	7	2	9
5. With cerebral syphilis.....	5		5				1		1				2		2
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	4	3	7	3	2	5	6		6	1	4	5	4	1	5
9. Alcoholic.....													1		1
10. Due to drugs and other exogenous toxins.....		1	1				1	1	2	2		2			
11. With pellagra.....	1	3	4	2	6	8	1	3	4	1	1	2	3	1	4
12. With other somatic diseases.....	2	2	4	1	1	2	2	2	4	2		2	2	1	3
13. Manic-depressive.....	13	13	26	16	16	32	11	21	32	4	11	15	20	9	29
14. Involution melancholia.....								1	1		1	1			
15. Dementia praecox.....	10	12	22	9	6	15	6	7	13	2	1	3	3	4	7
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	2		2	2	2	4		1	1	2		2			
18. Psychoneuroses and neuroses.....	3	3	6	3		3	2	1	3		3	3		1	1
19. With psychopathic personality.....															
20. With mental deficiency.....				2		2	3	1	4						
21. Undiagnosed psychoses.....	2		2	1		1				1		1	1		1
22. Without psychosis.....	3	2	5	10	6	16	10	2	12	10	2	12	1	1	2
Total.....	53	44	97	62	44	106	50	42	92	32	26	58	44	20	64

TABLE 8.—Age of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933.—(Con't.)

PSYCHOSES	55—59 years			60—64 years			65—69 years			70 years and over			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....															
2. Senile.....															
3. With cerebral arteriosclerosis.....		2	2	1	2	3	7	3	10	32	1	4			
4. General paralysis.....	8	1	9	5	1	6	3	2	5	3	22	54	2		2
5. With cerebral syphilis.....				1		1									
6. With Huntington's chorea.....				1		1									
7. With brain tumor.....															
8. With other brain or nervous diseases.....	4	3	7	4	1	5	4	1	5	1		1			
9. Alcoholic.....							1		1						
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	4	1	5	2		2		1	1	1		1	1		1
12. With other somatic diseases.....	5	1	6	1	5	6	1	1	2	2	1	3		3	3
13. Manic-depressive.....	11	5	16	10	4	14	4	2	6	3	3	6			
14. Involution melancholia.....					1	1									
15. Dementia praecox.....	5	1	6												
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	1		1	1		1	1		1						
18. Psychoneuroses and neuroses.....		2	2												
19. With psychopathic personality.....														1	1
20. With mental deficiency.....													2		2
21. Undiagnosed psychoses.....															
22. Without psychosis.....	1	1	2	4		4	1	1	2	3		3			
Total.....	39	17	56	30	14	54	22	11	33	48	27	75	5	4	9

TABLE 9.—Degree of Education of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933

PSYCHOSES	Total			Illiterate			Reads and Writes			Common School			High School			College			Unascertained			
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	
1. Traumatic.....	4		4	1		1	3		3													
2. Senile.....	3	1	4	1		1	1		1				1	1					1		1	
3. With cerebral arteriosclerosis.....	40	29	69	10	13	23	18	5	23	4	1	5		5	5	1	1	2	7	4	11	
4. General paralysis.....	72	29	101	20	2	22	26	15	41	8	4	12	6	6	4	1	5	8	7	15		
5. With cerebral syphilis.....	11	2	13	2		2	4	1	5	2	1	3	3		3							
6. With Huntington's chorea.....	2		2							1		1										
7. With brain tumor.....																						
8. With other brain or nervous diseases.....	39	19	58	10	7	17	16	4	20	8	5	13	1	3	4	2		2	2		2	
9. Alcoholic.....	2		2				1		1				1		1							
10. Due to drugs and other exogenous toxins.....	3	2	5				2		2	1	1	2				1	1					
11. With pellagra.....	20	27	47	8	6	14	7	9	16	2	10	12	1		1				2	2	4	
12. With other somatic diseases.....	18	18	36	3	1	4	8	6	14	3	2	5		4	4			1	4	4	8	
13. Manic-depressive.....	119	116	235	25	16	41	36	30	66	33	37	70	8	13	21	12	5	17	5	15	20	
14. Involution melancholia.....	3		3				1		1					1	1		1	1				
15. Dementia praecox.....	89	85	174	7	3	10	33	26	59	25	31	56	13	14	27	7	6	13	4	5	9	
16. Paranoia and paranoid conditions.....																						
17. Epileptic psychoses.....	28	9	37	7		7	16	3	19	3	4	7	1	1	2				1	1	2	
18. Psychoneuroses and neuroses.....	9	14	23				2	3	5	7	7	14		3	3			1	1			
19. With psychopathic personality.....	1		1	1		1																
20. With mental deficiency.....	15	5	20	8	2	10	7	3	10													
21. Undiagnosed psychoses.....	14	2	16	1		1	5		5	4		4	2	2	4				2		2	
22. Without psychosis.....	61	31	92	7	11	18	8	7	15	25	5	30	7	2	9	9	3	12	5	3	8	
Total.....	550	392	942	111	61	172	193	113	306	126	108	234	43	49	92	35	20	55	41	41	82	

TABLE 10.—*Environment of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933*

PSYCHOSES	Total			Urban			Rural			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	4		4	2		2	2		2			
2. Senile.....	3	1	4	1	1	2	2		2			
3. With cerebral arteriosclerosis.....	40	29	69	13	13	26	27	14	41		2	2
4. General paralysis.....	72	29	101	19	9	28	52	16	78	1	4	5
5. With cerebral syphilis.....	11	2	13	5	1	6	6	1	7			
6. With Huntington's chorea.....	2		2	1		1	1		1			
7. With brain tumor.....												
8. With other brain or nervous diseases.....	39	19	58	20	1	21	19	18	37			
9. Alcoholic.....	2		2	2		2						
10. Due to drugs and other exogenous toxins.....	3	2	5	2	2	4	1		1			
11. With pellagra.....	20	27	47	1		1	19	25	44		2	2
12. With other somatic diseases.....	18	18	36	4	4	8	14	10	24		4	4
13. Manic-depressive.....	119	116	235	23	32	55	94	81	175	2	3	5
14. Involution melancholia.....		3	3		1	1		2	2			
15. Dementia praecox.....	89	85	174	26	17	43	62	65	127	1	3	4
16. Paranoia and paranoid conditions.....												
17. Epileptic psychoses.....	28	9	37	11	3	14	16	5	21	1	1	2
18. Psychoneuroses and neuroses.....	9	14	23	3	4	7	6	9	15		1	1
19. With psychopathic personality.....	1		1			1	1		1			
20. With mental deficiency.....	15	5	20	1	1	2	14	4	18			
21. Undiagnosed psychoses.....	14	2	16	4	2	6	10		10			
22. Without psychosis.....	61	31	92	27	16	43	33	14	47	1	1	2
Total.....	550	392	942	165	106	271	379	264	643	6	21	27

TABLE 11.—*Economic Condition of First Admissions Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933*

PSYCHOSES	Total			Dependent			Marginal			Comfortable			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	4		4	1		1	2		2	1		1			
2. Senile.....	3	1	4	3	1	4									
3. With cerebral arteriosclerosis.....	40	29	69	31	15	46	6	8	14	3	5	8		1	1
4. General paralysis.....	72	29	101	50	20	70	17	7	24	3	2	5	2		2
5. With cerebral syphilis.....	11	2	13	8	1	9	2	1	3	1		1			
6. With Huntington's chorea.....	2		2	2		2									
7. With brain-tumor.....															
8. With other brain or nervous diseases.....	39	19	58	21	11	32	15	8	23	2		2	1		1
9. Alcoholic.....	2		2				1		1	1		1			
10. Due to drugs and other exogenous toxins.....	3	2	5				3	1	4		1	1			
11. With pellagra.....	20	27	47	16	19	35	3	7	10				1	1	2
12. With other somatic diseases.....	18	18	36	10	11	21	5	3	8	1		1	2	4	6
13. Manic-depressive.....	119	116	235	58	56	114	50	37	87	10	7	17	1	16	17
14. Involution melancholia.....		3	3					3	3						
15. Dementia praecox.....	89	85	174	43	57	100	43	20	63	2	8	10	1		1
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	28	9	37	17	4	21	11	4	15					1	1
18. Psychoneuroses and neuroses.....	9	14	23				9	11	20		3	3			
19. With psychopathic personality.....	1		1	1		1									
20. With mental deficiency.....	15	5	20	14	5	19	1		1						
21. Undiagnosed psychoses.....	14	2	16	5	1	6	7	1	8	2		2			
22. Without psychosis.....	61	31	92	16	4	30	35	11	46	6	4	10	4	2	6
Total.....	550	392	942	296	215	511	210	122	332	32	30	62	12	25	37

TABLE 12.— *Use of Alcohol by First Admissions Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933*

PSYCHOSES	Total			Abstinent			Temperate			Intemperate			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	4	1	4	3	1	3	1	1	1						
2. Senile.....	3	1	4	2	1	3							1		1
3. With cerebral arteriosclerosis.....	40	29	69	31	28	59	9		9					1	1
4. General paralysis.....	72	29	101	46	17	63	14	2	16	8	1	9	4	9	13
5. With cerebral syphilis.....	11	2	13	4	2	6	4		4	1		1	2		2
6. With Hunnington's chorea.....	2		2	2		2									
7. With brain tumor.....															
8. With other brain or nervous diseases.....	39	19	58	26	19	45	10		10	1		1	2		2
9. Alcoholic.....	2		2							2		2			
10. Due to drugs and other exogenous toxins.....	3	2	5	1	2	3	1		1	1		1			
11. With pellagra.....	20	27	47	15	25	40	4		4				1	2	3
12. With other somatic diseases.....	18	18	36	8	16	24	10	1	11					1	1
13. Manic-depressive.....	119	116	235	75	95	170	34	4	38	7	1	8	3	16	19
14. Involution melancholia.....		3	3		3	3									
15. Dementia praecox.....	89	85	174	60	79	139	15	2	17	7		7	7	4	11
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	28	9	37	24	8	32	2		2	1		1	1	1	2
18. Psychoneuroses and neuroses.....	9	14	23	5	13	18	4		4					1	1
19. With psychopathic personality.....	1		1										1		1
20. With mental deficiency.....	15	5	20	10	5	15	4		4	1		1			
21. Undiagnosed psychoses.....	14	2	16	7	2	9	2		2	2		2	3		3
22. Without psychosis.....	61	31	92	24	27	51	4	2	6	31		31	2	2	4
Total.....	550	392	942	343	342	685	118	11	129	62	2	64	27	37	64

TABLE 13.—*Marital Condition of First Admissions Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933*

PSYCHOSES	Total			Single			Married			Widowed			Separated			Divorced			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	4	4	8	2	2	4	1	1	2	1	1	2									
2. Senile.....	3	1	4							2	1	3							1		1
3. With cerebral arteriosclerosis.....	40	29	69	6	3	9	21	14	35	11	11	22	7	3	10	1		1	1		1
4. General paralysis.....	72	29	101	14	2	16	42	17	59	5		5				1	1	2	3	6	9
5. With cerebral syphilis.....	11	2	13	2	1	3	9	1	10												
6. With Huntington's chorea.....	2		2	1		1	1		1												
7. With brain tumor.....																					
8. With other brain or nervous diseases.....	39	19	58	10	4	14	27	8	35	1	2	3	1	3	4					2	2
9. Alcoholic.....	2		2	1		1	1		1												
10. Due to drugs and other exogenous toxins.....	3	2	5				2	1	3		1	1	1	1	1						
11. With pellagra.....	20	27	47	5	6	11	12	19	31	1	1	2	2	1	3						
12. With other somatic diseases.....	18	18	36	3		3	14	7	21	1	3	4		4	4					4	4
13. Manic-depressive.....	119	116	235	19	19	38	83	72	155		4	4	10	11	21	1	1	2	6	9	15
14. Involution melancholia.....		3	3					2	2		1	1									
15. Dementia praecox.....	89	85	174	54	31	85	25	30	55	2	6	8	5	14	19	1	1	2	2	3	5
16. Paranoia and paranoid conditions.....																					
17. Epileptic psychoses.....	28	9	37	14	6	20	10	2	12	2		2	2		2					1	1
18. Psychoneuroses and neuroses.....	9	14	23	2	4	6	7	9	16		1	1									
19. With psychopathic personality.....	1		1	1		1															
20. With mental deficiency.....	15	5	20	13	4	17	1		1				1	1	2						
21. Undiagnosed psychoses.....	14	2	16	4		4	5	2	7				1		1	4		4			
22. Without psychosis.....	61	31	92	20	12	32	28	12	40	1	2	3	3	2	5	6	1	7	3	2	5
Total.....	550	392	942	171	92	263	289	196	485	27	33	60	33	40	73	14	4	18	16	27	43

TABLE 14.—*Psychoses of Readmissions,
For the Year Ended June 30, 1933*

PSYCHOSES	Males	Females	Total
1. Traumatic psychoses.....	1	1	2
2. Senile psychoses.....	1		1
3. Psychoses with cerebral arteriosclerosis.....	2		2
4. General paralysis.....	2	3	5
5. Psychoses with cerebral syphilis.....		1	1
6. Psychoses with Huntington's chorea.....			
7. Psychoses with brain tumor.....			
8. Psychoses with other brain or nervous diseases.....	3	1	4
9. Alcoholic psychoses.....			
10. Psychoses due to drugs and other exogenous toxins.....	1		1
11. Psychoses with pellagra.....		1	1
12. Psychoses with other somatic diseases.....	2	2	4
13. Manic-depressive psychoses.....	23	14	37
14. Involution melancholia.....		1	1
15. Dementia praecox.....	9	14	23
16. Paranoia and paranoid conditions.....			
17. Epileptic psychoses.....	1	2	3
18. Psychoneuroses and neuroses.....	1	1	2
19. Psychoses with psychopathic personality.....	1		1
20. Psychoses with mental deficiency.....	5	2	7
21. Undiagnosed psychoses.....	1	1	2
22. Without psychosis.....	13	6	19
Total.....	66	50	116

TABLE 15.—Discharges of Patients Classified with Reference to Principal Psychoses and Condition on Discharge
For the Year Ended June 30, 1933

PSYCHOSES	Total			Recovered			Improved			Unimproved		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	7	7	6	6	1	1
2. Senile.....	3	3	1	1	2	2
3. With cerebral arteriosclerosis.....	19	10	29	2	1	3	15	5	20	2	4	6
4. General paralysis.....	40	15	55	3	3	28	12	40	9	3	12
5. With cerebral syphilis.....	6	6	12	2	1	3	3	5	8	1	1
6. With Huntington's chorea.....	3	2	5	1	1	2	2	1	3
7. With brain tumor.....
8. With other brain or nervous diseases.....	27	7	34	2	2	17	5	22	8	2	10
9. Alcoholic.....	11	11	4	4	7	7
10. Due to drugs and other exogenous toxins.....	8	4	12	3	3	6	3	1	4	2	2
11. With pellagra.....	22	26	48	21	20	41	5	5	1	1	2
12. With other somatic diseases.....	26	23	49	7	8	15	13	12	25	6	3	9
13. Manic-depressive.....	93	92	185	71	68	139	15	21	36	7	3	10
14. Involution melancholia.....	5	5	4	4	1	1
15. Dementia praecox.....	75	70	145	19	29	48	43	36	79	13	5	18
16. Paranoia and paranoid conditions.....
17. Epileptic psychoses.....	22	10	32	1	1	18	8	26	3	2	5
18. Psychoneuroses and neuroses.....	4	10	14	1	1	3	8	11	1	1	2
19. With psychopathic personality.....	7	7	3	3	4	4
20. With mental deficiency.....	33	8	41	2	1	3	17	7	24	14	14
21. Undiagnosed psychoses.....	8	6	14	3	3	6	3	9	2	2
22. Without psychosis.....	142	31	173	97	21	118	11	5	16	34	5	39
Total.....	556	325	881	235	156	391	211	138	349	110	31	141

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933*

CAUSES OF DEATH		Total			Senile			With Cerebral Arteriosclerosis			General Paralysis			Alcoholic		
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I	Epidemic, Endemic and Infectious Diseases															
	Influenza.....	1		1	1		1									
	Tuberculosis of the respiratory system.....	21	35	56				2	1	3	2	5	7			
	Syphilis (non-nervous forms).....		4	4												
	Purulent infection, septicaemia.....	1		1												
	Other infectious diseases.....	1		1												
II.	General Diseases Not Included in Class I															
	Cancer and other malignant tumors.....	2	2	4												
	Pellagra.....	9	20	29				1		1		1	1			
	Other general diseases.....	1		1												
III.	Diseases of the Nervous System															
	Meningitis (non-epidemic).....	1	1	2												
	Cerebral hemorrhage, apoplexy.....	66	23	89				20	5	25	21	4	25			
	General paralysis of the insane.....	6	7	13							6	7	13			
	Epilepsy.....	10	5	15												
IV.	Diseases of the Circulatory System															
	Endocarditis and myocarditis.....	3	2	5												
	Angina pectoris.....	1	1	2				1		1						
	Other diseases of the heart.....	6	1	7				1		1						
	Arteriosclerosis.....	6	11	17				5	7	12						
	Other diseases of the arteries.....	3	2	5				2		2						
	Other diseases of the circulatory system.....	2	3	5												

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

CAUSES OF DEATH		Manic-depressive			Involution Melancholia			Dementia Praecox			Paranoia and Paranoid conditions			Epileptic Psychoses		
		Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I.	Epidemic, Endemic and Infectious Diseases															
	Influenza.....															
	Tuberculosis of the respiratory system.....	1	8	9				8	11	19				4		4
	Syphilis (non-nervous forms).....		1	1												
	Purulent infection, septicaemia.....															
	Other infectious diseases.....															
II.	General Diseases Not Included in Class I															
	Cancer and other malignant tumors.....		1	1				2	3	5						
	Pellagra.....		1	1												
	Other general diseases.....												1		1	
III.	Diseases of the Nervous System															
	Meningitis (non-epidemic).....															
	Cerebral hemorrhage, apoplexy.....	2	3	5		1	1		2	2	1		1	2		2
	General paralysis of the insane.....															
	Epilepsy.....													7	4	11
IV.	Diseases of the Circulatory System															
	Endocarditis and myocarditis.....		2	2										1		1
	Angina pectoris.....								1	1						
	Other diseases of the heart.....							1		1						
	Arteriosclerosis.....		1	1		1	1		2	2						
	Other diseases of the arteries.....															
	Other diseases of the circulatory system.....		2	2					1	1						

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933.—(Con't.)*

CAUSES OF DEATH	Psychoneuroses and Neuroses			With Psychopathic personality			With mental deficiency			All other Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
I. Epidemic, Endemic and Infectious Diseases												
Influenza.....												
Tuberculosis of the respiratory system.....							1	2	3	3	8	11
Syphilis (non-nervous forms).....											3	3
Purulent infection, septicaemia.....										1		1
Other infectious diseases.....							1		1			
II. General Diseases Not Included in Class I												
Cancer and other malignant tumors.....										2	1	3
Pellagra.....										6	15	21
Other general diseases.....												
III. Diseases of the Nervous System												
Meningitis (non-epidemic).....										1	1	2
Cerebral hemorrhage, apoplexy.....	1		1							19	8	27
General paralysis of the insane.....												
Epilepsy.....				1		1	1		1	1	1	2
IV. Diseases of the Circulatory System												
Endocarditis and myocarditis.....										2		2
Angina pectoris.....												
Other diseases of the heart.....							1		1	3	1	4
Arteriosclerosis.....										1		1
Other diseases of the arteries.....										1	2	3
Other diseases of the circulatory system.....										2		2

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

CAUSES OF DEATH	Total			Senile			With Cerebral Arteriosclerosis			General Paralysis			Alcoholic		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System															
Bronchopneumonia.....		1	1												
Lobar pneumonia.....	10	1	11				2		2	2		2			
Other diseases of the respiratory system.....	1	3	4					1	1						
VI. Diseases of the Digestive System															
Hernia and intestinal obstruction.....	1		1												
VII. Non-Venereal Diseases of Genito-Urinary System and Annexa															
Nephritis.....	2	1	3												
Other diseases of kidneys and annexa.....	1		1												
Other Diseases of genital organs.....		1	1												
VIII. Diseases of the Skin and of the Cellular Tissue															
Gangrene.....	2		2							1		1			
IX. Diseases of Bones and of the Organs of Locomotion															
X. Other Diseases not Included in Above Groups															
XI. External Causes															
Suicide.....		1	1												
Accidental traumatism.....		1	1												
Other external causes.....		1	1												
Total.....	158	127	285	1		1	34	14	48	32	17	49			

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

CAUSES OF DEATH	Manic-depressive			Involution Melancholia			Dementia Praeçox			Paranoia and Paranoid conditions			Epileptic Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System															
Bronchopneumonia.....															
Lobar pneumonia.....	1		1				1		1				1	1	2
Other diseases of the respiratory system.....															
VI. Diseases of the Digestive System															
Hernia and intestinal obstruction.....							1		1						
VII. Non-Venereal Diseases of Genito-Urinary System and Annexa															
Nephritis.....															
Other diseases of kidneys and annexa.....															
Other diseases of genital organs.....								1	1						
VIII. Diseases of the Skin and of the Cellular Tissue															
Gangrene.....							1		1						
IX. Diseases of Bones and of the Organs of Locomotion.....	1		1												
X. Other Diseases Not Included in Above Groups															
XI. External Causes															
Suicide.....		1	1												
Accidental traumatism.....														1	1
Other external causes.....															
Total.....	5	20	25		2	2	14	21	35	1		1	16	6	22

TABLE 16.—*Causes of Death of Patients Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

CAUSES OF DEATH	Psychoneuroses and Neuroses			With Psychopathic personality			With mental deficiency			All other Psychoses		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
V. Diseases of the Respiratory System												
Bronchopneumonia.....											1	1
Lobar pneumonia.....							1		1	2		2
Other diseases of the respiratory system.....										1	2	3
VI. Diseases of the Digestive System												
Hernia and intestinal obstruction.....												
VII. Non-Venereal Diseases of Genito-Urinary System & Annexa												
Nephritis.....										2	1	3
Other diseases of kidneys and annexa.....										1		1
Other diseases of genital organs.....												
VIII. Diseases of the Skin and of the Cellular Tissue												
Gangrene.....												
IX. Diseases of Bones and of the Organs of Locomotion												
X. Other Diseases not Included in Above Groups												
XI. External Causes												
Suicide.....												
Accidental traumatism.....												
Other external causes.....											1	1
Total.....	1		1	1		1	5	2	7	48	45	93

TABLE 17.—Age of Patients at Time of Death Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933

PSYCHOSES	Total			Under 15 years			15—19 years			20—24 years			25—29 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1												
2. Senile.....	1		1												
3. With cerebral arteriosclerosis.....	34	14	48												
4. General paralysis.....	32	17	49							2	2	3	3	6	
5. With cerebral syphilis.....	4	4	8										2	2	
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	25	10	35		1	1		1	1		1	1	1	2	3
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	5	13	18							3	3		3	3	
12. With other somatic diseases.....	8	10	18										1	1	2
13. Manic-depressive.....	5	20	25							2	2		1	1	
14. Involution melancholia.....		2	2												
15. Dementia praecox.....	14	21	35							3	3	6	2	3	5
16. Paranoia and paranoid conditions.....	1		1												
17. Epileptic psychoses.....	16	6	22				3	1	4	1	1	2	1		1
18. Psychoneuroses and neuroses.....	1		1												
19. With psychopathic personality.....	1		1												
20. With mental deficiency.....	5	2	7				1		1				1	1	2
21. Undiagnosed psychoses.....	2	5	7							2	2		1		1
22. Without psychosis.....	3	3	6										1		1
Total.....	158	127	285		1	1	4	2	6	4	15	19	11	16	27

TABLE 17.—Age of Patients at Time of Death Classified with Reference to Principal Psychoses,
For the Year Ended June 30, 1933.—(Con't.)

PSYCHOSES	30—34 years			35—39 years			40—44 years			45—49 years			50—54 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....															
2. Senile.....															
3. With cerebral arteriosclerosis.....		1	1										1		1
4. General paralysis.....	2	4	6	4	3	7	6	2	8	1		1	4		4
5. With cerebral syphilis.....	1	2	3	1		1							2		2
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	1	1	2	1		1	1		1	1	1	2	2	1	3
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....		2	2		2	2		2	2					1	1
12. With other somatic diseases.....	1	1	2		1	1	1		1				1	2	3
13. Manic-depressive.....	1	1	2		2	2		1	1	1	1	2	2	5	7
14. Involution melancholia.....								1	1						
15. Dementia praecox.....		5	5	2	2	4	3		3		1	1			
16. Paranoia and paranoid conditions.....	5	2	7												
17. Epileptic psychoses.....				2	1	3		1	1	1		1			
18. Psychoneuroses and neuroses.....							1		1						
19. With psychopathic personality.....							1		1						
20. With mental deficiency.....	1		1										1		1
21. Undiagnosed psychoses.....					1	1				1	1	2			
22. Without psychosis.....					1	1									
Total.....	12	19	31	10	12	22	13	6	19	5	4	9	13	9	22

TABLE 17.—*Age of Patients at Time of Death Classified with Reference to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

PSYCHOSES	55—59 years			60—64 years			65—69 years			70 years and over			Unascertained		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1												
2. Senile.....										1		1			
3. With cerebral arteriosclerosis.....		1	1	5	1	6	1	1	2	27	10	37			
4. General paralysis.....	6		6	2	1	3	1	1	2	2	1	3	1		1
5. With cerebral syphilis.....															
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	4	2	6	5		5	6		6	2		2	1		1
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....	1		1												
11. With pellagra.....	1	1	2							2		2	2		2
12. With other somatic diseases.....				1	2	3		1	1	2	1	3			
13. Manic-depressive.....					4	4				1	3	4			
14. Involution melancholia.....										1	1	1			
15. Dementia praecox.....				1	2	3	1	1	2	1	4	5	1		1
16. Paranoia and paranoid conditions.....										1	1	1			
17. Epileptic psychoses.....	2		2					1	1	1		1			
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....				1	1	2									
21. Undiagnosed psychoses.....								1	1						
22. Without psychosis.....				1		1				1	1	2		1	1
Total.....	15	4	19	16	11	27	9	6	15	41	21	62	5	1	6

TABLE 18.—Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses,
For the Year Ended June 30, 1933

PSYCHOSES	Total			Less than 1 month			1—3 months			4—7 months			8—12 months		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1												
2. Senile.....	1		1										1		1
3. With cerebral arteriosclerosis.....	34	14	48	9	1	10	5	6	11	5	1	6	5	1	6
4. General paralysis.....	32	17	49	2	2	4	12	3	15	1	4	5	3	2	5
5. With cerebral syphilis.....	4	4	8	2		2		1	1		1	1		2	2
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	25	10	35	9	3	12	6	1	7	4	3	7	1		1
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....	5	13	18	5	2	7		5	5					3	3
12. With other somatic diseases.....	8	10	18	5	2	7	2	2	4					4	4
13. Manic-depressive.....	5	20	25	1	2	3	2	4	6		1	1			
14. Involution melancholia.....		2	2		1	1									
15. Dementia praecox.....	14	21	35	1	1	2	1	1	2	1	1	2			
16. Paranoia and paranoid conditions.....	1		1												
17. Epileptic psychoses.....	16	6	22							3	1	4	1	2	3
18. Psychoneuroses and neuroses.....	1		1	1		1									
19. With psychopathic personality.....	1		1				1		1						
20. With mental deficiency.....	5	2	7	1		1									
21. Undiagnosed psychoses.....	2	5	7	1	1	2									
22. Without psychosis.....	3	3	6	2	1	3							1		1
Total.....	158	127	285	39	16	55	29	23	52	14	12	26	12	14	26

TABLE 18.—*Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)*

PSYCHOSES	1—2 years			3—4 years			5—6 years			7—8 years			9—10 years		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....	1		1												
2. Senile.....															
3. With cerebral arteriosclerosis.....	6	3	9	3	1	4	1	1	2						
4. General paralysis.....	11	5	16	3		3				1	1				
5. With cerebral syphilis.....	2		2												
6. With Huntington's chorea.....															
7. With brain tumor.....															
8. With other brain or nervous diseases.....	3	2	5										2		2
9. Alcoholic.....															
10. Due to drugs and other exogenous toxins.....															
11. With pellagra.....		2	2		1	1									
12. With other somatic diseases.....	1		1					1	1		1	1		1	1
13. Manic-depressive.....		6	6		3	3									
14. Involution melancholia.....															
15. Dementia praecox.....	2	5	7	2	1	3		3	3		1	1		1	1
16. Paranoia and paranoid conditions.....															
17. Epileptic psychoses.....	4		4	4	1	5	1	1	2				1		1
18. Psychoneuroses and neuroses.....															
19. With psychopathic personality.....															
20. With mental deficiency.....	1		1	2		2	1	2	3						
21. Undiagnosed psychoses.....															
22. Without psychosis.....		4	4		1	1	1		1					1	1
Total.....	31	27	58	14	8	22	4	8	12		3	3	3	3	6

TABLE 18.—Total Duration of Hospital Life of Patients Dying in Hospital Classified According to Principal Psychoses, For the Year Ended June 30, 1933.—(Con't.)

PSYCHOSES	11—12 years			13—14 years			15—19 years			20 years and over		
	Males	Females	Total	Males	Females	Total	Males	Females	Total	Males	Females	Total
1. Traumatic.....												
2. Senile.....												
3. With cerebral arteriosclerosis.....												
4. General paralysis.....												
5. With cerebral syphilis.....												
6. With Huntington's chorea.....												
7. With brain tumor.....												
8. With other brain or nervous diseases.....											1	1
9. Alcoholic.....												
10. Due to drugs and other exogenous toxins.....												
11. With pellagra.....												
12. With other somatic diseases.....												
13. Manic-depressive.....	1		1	1	1	2		1	1		1	1
14. Involution melancholia.....											1	1
15. Dementia praecox.....	3	1	4				3		3	1	6	7
16. Paranoia and paranoid conditions.....	1		1									
17. Epileptic psychoses.....				1		1		1	1	1		1
18. Psychoneuroses and neuroses.....												
19. With psychopathic personality.....												
20. With mental deficiency.....												
21. Undiagnosed psychoses.....												
22. Without psychosis.....												
Total.....	5	1	6	2	1	3	3	2	5	2	9	11