

# Northumbria Research Link

Citation: Sandells, Mel, Hörhold, Maria and Rutter, Nick (2014) Understanding Snow Microstructure for Microwave Remote Sensing. Eos, Transactions American Geophysical Union, 95 (47). p. 432. ISSN 2324-9250

Published by: American Geophysical Union

URL: <http://onlinelibrary.wiley.com/doi/10.1002/2014EO4...>  
<<http://onlinelibrary.wiley.com/doi/10.1002/2014EO470005/abstract;jsessionid=FC5E3D993124B1822C3F9324D6EA1338.f01t02>>

This version was downloaded from Northumbria Research Link:  
<http://nrl.northumbria.ac.uk/18282/>

Northumbria University has developed Northumbria Research Link (NRL) to enable users to access the University's research output. Copyright © and moral rights for items on NRL are retained by the individual author(s) and/or other copyright owners. Single copies of full items can be reproduced, displayed or performed, and given to third parties in any format or medium for personal research or study, educational, or not-for-profit purposes without prior permission or charge, provided the authors, title and full bibliographic details are given, as well as a hyperlink and/or URL to the original metadata page. The content must not be changed in any way. Full items must not be sold commercially in any format or medium without formal permission of the copyright holder. The full policy is available online: <http://nrl.northumbria.ac.uk/policies.html>

This document may differ from the final, published version of the research and has been made available online in accordance with publisher policies. To read and/or cite from the published version of the research, please visit the publisher's website (a subscription may be required.)

[www.northumbria.ac.uk/nrl](http://www.northumbria.ac.uk/nrl)



# MEETING

## Understanding Snow Microstructure for Microwave Remote Sensing

**Workshop on Microstructure in Snow Microwave Radiative Transfer; Reading, United Kingdom, 6–8 August 2014**

PAGE 432

Scientists from the snow and soil remote sensing communities met to build on recent developments in objective snow microstructure measurement techniques by improving the understanding of their application in remote sensing at microwave frequencies.

On the first day of Snow Microwave Radiative Transfer meeting (MicroSnow), participants concentrated on reviewing historic observations, theory, and new techniques to quantify the microstructure of snow. Current emission and backscattering models were presented and discussed, with a focus on the theory and implementation of microstructure within these models and the model limitations.

On the first evening, a model clinic was held in which microwave scattering models were made available to workshop participants while the model developers were on hand to assist with any questions. The second day was devoted to new microstructure theory and

its application, uncertainties in model inputs, model evaluation, and an intercomparison of microwave models. On the third day, a morning session covering applications of those models to satellite retrievals was followed by an afternoon discussion on the future of theory, applications, and collaborative efforts within the snow research community.

Significant progress has been made in understanding how to quantify snow microstructure. At present, only one length scale is used in most microwave scattering models of snow (either an effective diameter or a correlation length), to which the scattering of microwave radiation is very sensitive. However, these models rarely work perfectly and often require an empirical correction factor to compensate for spherical grain assumptions.

MicroSnow paved the way to defining the steps needed to allow full microstructural information to be used in microwave scattering models. This approach will move the community away from subjective or empirical correc-

tions and toward microstructure quantification using an objective and physics-based interpretation that will be consistent across microwave models.

Stratigraphy, representation of soil and melt-freeze processes, and vegetation effects are other areas of significant research activities that will contribute to global-scale remote sensing of snow. There is a strong need and desire for a satellite mission to measure global snow water equivalent at high resolution, and an improved understanding and representation of snow microstructure will be at the core of such an effort. The research community represented at MicroSnow is well coordinated and is moving toward collection of a gold-standard data set for evaluation of improved snow remote sensing retrieval systems.

We would like to acknowledge the remaining members of the MicroSnow organizing committee—Stefanie Linow, Ian Davenport, and Will Maslanka—and to thank the following organizations for funding the workshop: the European Space Agency Data Assimilation projects (through the National Centre for Earth Observation), Micro-DICE (of the European Science Foundation), the International Association of Cryospheric Sciences, and the Software Sustainability Institute.

—MEL SANDELLS, Department of Meteorology, University of Reading, Reading, UK; email: m.j.sandells@reading.ac.uk; MARIA HÖRHOLD, Institut für Umweltphysik, Universität Bremen, Bremen, Germany; and NICK RUTTER, Department of Geography, Northumbria University, Newcastle Upon Tyne, UK