

THE EPIDEMIOLOGY OF WORK-RELATED FATALITIES IN AUSTRALIA

By Timothy Robert Driscoll

A thesis submitted for the degree of Doctor of Philosophy
Department of Public Health and Community Medicine
University of Sydney
August 2002

ABSTRACT

Background: There is no on-going information on the number, rate or circumstances of work-related fatal injury in Australia. This thesis reports on a study aimed to identify and describe all work-related fatalities that occurred in Australia during the four-year period 1989 to 1992, in order to make a significant contribution to the effectiveness of activity designed to prevent work-related traumatic death.

Methods: A broad definition of work was used, with particular focus on workers and bystanders. The study also included the injury-related deaths of volunteers, students, persons performing home duties and persons fatally injured on farms but not due to obvious farm work. The data were obtained primarily from coronial files. Files were found for 99.7% of the deaths of interest. Detailed results are presented on the work-related deaths of workers, bystanders and persons fatally injured while engaged in home duties. The results for workers are also compared with those from an earlier study of work-related fatalities in Australia, which covered the years 1982 to 1984 inclusive. Other aspects of work-related deaths are considered in detail, including the effect of employment arrangements; their coverage by occupational health and safety and compensation agencies; their handling by the coronial system; the role of External Cause codes in identifying and monitoring work-related injury deaths; and the reliability and validity of the definitions used to classify work-related injury deaths.

Results: There were 2,413 persons fatally injured while working or commuting during the study period (1,787 working; 626 commuting), with a rate of death for working persons of 5.5 per 100,000 persons per year. This compared to the rate of 6.7 for working deaths during 1982 to 1984, with just under half of the decline probably due to changes in the industry distribution of the workforce. Another 802 persons were fatally injured as a result of someone else's work activity, and 296 persons aged 15 years and

over were fatally injured while undertaking active tasks in an unpaid and informal capacity in their own home or in someone else's home. Thirty-four percent of working deaths were not covered by either occupational health and safety (OHS) or compensation agencies. A consideration of External Cause codes for the period 1979 to 1997 inclusive suggested there was a yearly decrease in the rate of workplace deaths of 2.6% per year, with less than half of this change due to industry changes in the workforce. Deaths occurring in a small number of particular circumstances were found to pose classification problems.

Conclusion: Fatal work-related trauma remains an important problem for the Australian community. By understanding how and why these deaths occur, appropriate steps can be taken to prevent similar incidents recurring. It is expected that the results reported here, and other information that has arisen from the study, will make an important contribution to developing this understanding and preventing the occurrence of work-related traumatic death in Australia.

DEDICATION

This PhD describes the terrible tale of lost life resulting from injuries associated with work. To read literally thousands of coroners' files was to read the life stories of thousands of people, always knowing that none of the stories would have a happy ending. I hope the work presented in this thesis can make some contribution to lowering the serious and fatal injury still associated with work in Australia.

The pain, suffering and loss I read of during this study have emphasised to me the importance of making the most of whatever time is available to each of us, and of valuing the family and friends I have. I wish my father were here to guide me when I need it and to help me celebrate finally finishing the project. I miss him. However, I am very fortunate to have a mother and step-father who are always positive and give wise counsel when I need it; a wonderful wife who is unfailing in the support she provides and sacrifices she makes for me to pursue my many interests; and three beautiful children who help to make each day worth living.

To Denis, Judy, Ron, Felicity, Elizabeth, Matthew and Thomas, this thesis is dedicated to you.

STATEMENT OF INVOLVEMENT

The study described in this thesis, and much of the analysis presented here, was conducted while the author was a member of the Epidemiology Unit of the National Occupational Health and Safety Commission (NOHSC). The author planned the entire study, led the study team, and was the key participant in all aspects of the study, but all team members made an important contribution to the successful outcome of the study.

The author wrote all the content of this thesis and conducted all analyses presented here. Some of the analyses had initially been conducted by other team members, but all of these were re-done by the author for this thesis. All figures were produced by the author, although the template for many had been produced by Mr Leigh Hendrie for the initial NOHSC report describing the main findings of the study.

Data were collected from the coroners' offices by a team of research officers, under the supervision of the author. Coding of raw data was conducted by all team members, including the author. Checking, correction and analysis of data for the original NOHSC report, and subsequent analyses for more detailed, specific reports, were conducted by all team members, again under the direction of the author.

The main team members were Tim Driscoll, Rebecca Mitchell, John Mandryk, Sandra Healey and Leigh Hendrie.

TABLE OF CONTENTS

Abstract	ii
Dedication	iv
Statement of involvement	v
Table of Contents	vi
List of Tables	x
List of Figures	xix
Publications arising from the second work-related fatalities study	xxiv
Acknowledgements	xxvii
Abbreviations	xxxii
Summary	xxxiv
CHAPTER 1 INTRODUCTION	1
1.1 Introduction	1
1.2 Aim	2
1.3 Coverage of this thesis	4
1.4 Uses for the study	4
CHAPTER 2 LITERATURE REVIEW	7
2.1 Introduction	7
2.2 Why study work-related fatalities?	7
2.3 Data sources for identifying work-related fatalities	11
2.4 Approaches to studying work-related fatalities	17
2.5 Current sources of information relevant to work-related traumatic deaths in Australia	18
2.6 Work-related fatalities in Australia and other countries	22
2.7 Conclusion	24
CHAPTER 3 METHODS	25
3.1 Case definitions	25
3.2 Data sources	40
3.3 Data collection methods	46
3.4 Coding	55
3.5 Coverage by State, Territory and Commonwealth OHS and compensation agencies	66
3.6 WRFS 1 information	74
3.7 Ethics approvals and authorisation for access to data	84
3.8 Analysis and presentation of results	86
3.9 Outcome of the completed case identification procedure	92
CHAPTER 4 INTRODUCTION TO THE RESULTS	107
CHAPTER 5 WORK-RELATED TRAUMATIC DEATHS OF WORKERS	110
5.1 Introduction	110
5.2 Overall results	110
5.3 Gender	116
5.4 Age	117
5.5 Industry	118
5.6 Occupation	121
5.7 Employment arrangement	125
5.8 Jurisdiction	127
5.9 Agency of incident	132
5.10 Mechanism of incident	138
5.11 Place of incident	147

5.12	Pathophysiological cause of death	155
5.13	External cause codes	159
5.14	Alcohol and drugs	161
5.15	Multiple death incidents	165
5.16	Time, day and month of incident	171
5.17	Discussion	175
5.18	Conclusions	188
CHAPTER 6	COMPARISON BETWEEN WRFS 2 AND WRFS 1	189
6.1	Introduction	189
6.2	Overall comparison	192
6.3	Standardised comparison	198
6.4	Industry and occupation	200
6.5	Jurisdiction	211
6.6	Discussion	217
6.7	Methodological considerations	222
6.8	Conclusion	225
CHAPTER 7	WORK-RELATED TRAUMATIC DEATHS OF BYSTANDERS	227
7.1	Introduction	227
7.2	Workplace bystanders	227
7.3	Road bystanders	240
7.4	Discussion	249
7.5	Conclusions	251
CHAPTER 8	HOME DUTIES DEATHS	253
8.1	Introduction	253
8.2	Method	254
8.3	Results	256
8.4	Discussion	277
8.5	Methodological limitations	280
8.6	Conclusions	280
CHAPTER 9	EMPLOYMENT ARRANGEMENTS	282
9.1	Introduction	282
9.2	Methods	283
9.3	Results	286
9.4	Discussion	293
9.5	Methodological considerations	296
9.6	Conclusion	297
CHAPTER 10	COVERAGE OF WORK-RELATED TRAUMATIC DEATHS BY OHS AND COMPENSATION AGENCIES	298
10.1	Introduction	298
10.2	Approach to analysis	299
10.3	Overall coverage	301
10.4	Jurisdiction	302
10.5	Industry	306
10.6	Occupation	309
10.7	Mechanism of incident	312
10.8	Working arrangement, age and marital status	315
10.9	Discussion	317
10.10	Methodological limitations	321
10.11	Conclusions	324

CHAPTER 11	CORONIAL AND OTHER AGENCY INFORMATION	327
11.1	Introduction	327
11.2	Coronial action	329
11.3	Coronial recommendations	331
11.4	Other specialist authorities	336
11.5	OHS reports	336
11.6	Contents of Coroners' files	341
11.7	Bystanders	343
11.8	Discussion	343
11.9	Conclusions	344
CHAPTER 12	EXTERNAL CAUSE CODES	345
12.1	Introduction	345
12.2	Working cases	345
12.3	Work-road deaths	351
12.4	Discussion	356
12.5	Conclusions	358
CHAPTER 13	SURVEILLANCE OF WORK-RELATED FATALITIES USING EXTERNAL CAUSE CODES	359
13.1	Introduction	359
13.2	Methods	360
13.3	Results	364
13.4	Discussion	376
13.5	Conclusion	383
CHAPTER 14	VALIDITY OF CLASSIFICATION OF SCENARIOS	384
14.1	Introduction	384
14.2	Methods	384
14.3	Results	390
14.4	Conclusions	395
CHAPTER 15	VALIDITY OF CLASSIFICATION OF FULL FILES	401
15.1	Introduction	401
15.2	Methods	402
15.3	Results	404
15.4	Conclusions	409
CHAPTER 16	AGREEMENT IN CLASSIFICATION BETWEEN WRFS 1 AND WRFS 2	415
16.1	Introduction	415
16.2	Methods	416
16.3	Results	420
16.4	Conclusions	424
CHAPTER 17	ASSESSING THE CLASSIFICATION OF WORK-RELATEDNESS OF FATAL INCIDENTS BY DIFFERENT COUNTRIES: A COMPARISON BETWEEN AUSTRALIA, NEW ZEALAND AND THE UNITED STATES	431
17.1	Introduction	431
17.2	Methods	433
17.3	Results	436
17.4	Discussion	444
17.5	Conclusion	448

CHAPTER 18	DISCUSSION AND FUTURE DIRECTIONS	451
18.1	Issues not covered in specific chapters	451
18.2	Information on work-related fatalities	458
18.3	Information on all injury	460
18.4	Further use of information from this study	461
18.5	Conclusion	461
CHAPTER 19	REFERENCES	463
APPENDIX 1	PUBLICATIONS RESULTING FROM WRFS 1 (1982 TO 1984)	486
APPENDIX 2	PUBLICATIONS AVAILABLE FROM THE SECOND WORK-RELATED FATALITIES STUDY	489
A2.1	Peer-reviewed publications	489
A2.2	Other formal publications	490
A2.3	Formal fact sheets released by NOHSC	492
A2.4	Ad-hoc reports released by NOHSC in response to requests	492
APPENDIX 3	REVISIONS SINCE THE FIRST RELEASE OF DATA	495

LIST OF TABLES

Table 3.1	Description of documents in coronial files	45
Table 3.2	Coverage of main and specific database forms	58
Table 3.3	Standard coding frames used for coding	59
Table 3.4	Summary of OHS and compensation agencies information received from jurisdictions and other relevant agencies	71
Table 3.5	Outcome of matching compensation agency information with study information by jurisdiction. Number. Australia (excluding ACT only) 1989 to 1992	72
Table 3.6	Outcome of matching OHS agency information with study information by jurisdiction. Number. Australia (excluding ACT only) 1989 to 1992	73
Table 3.7	Comparability of definitions used for WRFS 1 and WRFS 2	75
Table 3.8	Inclusion criteria for consideration of deaths during the study period for WRFS 1 and WRFS 2	76
Table 3.9	Coronial file identification for WRFS 1 and WRFS 2	78
Table 3.10	Duty context for workplace, work-road, commuting and total deaths with unknown industry for WRFS 1 and WRFS 2. Number and percent	84
Table 3.11	Summary of the completed case identification procedure	95
Table 3.12	Time to registration for non-suicide external cause deaths. Number and percent. Australia (excluding NT), 1989 to 1992	102
Table 3.13	Comparison of characteristics of medically certified deaths, non-medically certified deaths, 'Extras' and working cases. Australia, 1989 to 1992	105
Table 3.14	Overall case classification for external cause deaths. Number and percent by year. Australia, 1989 to 1992	106
Table 4.1	Classification of work-related traumatic deaths. Number and percent. Australia, 1989 to 1992	107
Table 5.1	Duty context for commuting, workplace, work-road and total deaths. Number and percent by year. Australia, 1989 to 1992	112
Table 5.2	Duty context for commuting, workplace, work-road and total working deaths. Rate (CI) per year. Australia, 1989 to 1992	114
Table 5.3	Industry of working persons - working deaths. Rate (CI) per year. Australia, 1989 to 1992	115
Table 5.4	Duty context for commuting, workplace, work-road and total working deaths - by gender. Number, percent, rate (CI). Australia, 1989 to 1992	116

Table 5.5	Industry of working persons - working deaths. Number, percent, rate (CI). Australia, 1989 to 1992	120
Table 5.6	Occupation of working persons - working deaths. Number, percent, rate (CI). Australia, 1989 to 1992	122
Table 5.7	Specific occupation groups of working persons – working deaths. Number, percent and rate (CI). Australia, 1989 to 1992	124
Table 5.8	Working arrangement of working persons - working deaths. Number, percent, rate (CI). Australia, 1989 to 1992	125
Table 5.9	Industry by employment arrangement - working deaths. Rate (CI) per year. Australia, 1989 to 1992	126
Table 5.10	Jurisdiction of working persons - working deaths. Number, percent, rate (CI). Australia, 1989 to 1992	128
Table 5.11	Jurisdiction of working persons – working deaths. Number and percent per year. Australia, 1989 to 1992	129
Table 5.12	Jurisdiction of working persons - working deaths. Rate (CI) per year. Australia, 1989 to 1992	129
Table 5.13	Industry by jurisdiction - working deaths. Rate per year. Australia, 1989 to 1992	130
Table 5.14	Key agencies involved in fatal incidents - workplace and working deaths. Percent. Australia, 1989 to 1992	134
Table 5.15	Motor vehicles involved in work-related motor vehicle incident deaths on public roads. Number and percent. Australia, 1989 to 1992.	135
Table 5.16	Key agencies involved in fatal incidents by industry - working deaths. Percent. Australia, 1989 to 1992	136
Table 5.17	Key agencies involved in fatal incidents by occupation - working deaths. Percent. Australia, 1989 to 1992	137
Table 5.18	Mechanism of the fatal incident by duty context. Workplace, work-road and total working deaths. Number and percent. Australia, 1989 to 1992	140
Table 5.19	Mechanism of the fatal incident – specific mechanism groups. Workplace, work-road and working deaths. Number and percent. Australia, 1989 to 1992	141
Table 5.20	Mechanism of the fatal incident by industry- working deaths. Percent. Australia, 1989 to 1992	144
Table 5.21	Mechanism of the fatal incident by occupation- working deaths. Percent. Australia, 1989 to 1992	145
Table 5.22	Key agencies involved in the fatal incident by mechanism - working deaths. Percent. Australia, 1989 to 1992	146
Table 5.23	Level one place of fatal incident – workplace and working deaths. Number and percent. Australia, 1989 to 1992	148
Table 5.24	Specific level one place of fatal incident – workplace deaths. Number and percent. Australia, 1989 to 1992	150

Table 5.25	Level two place of fatal incident – workplace and working deaths. Number and percent. Australia, 1989 to 1992	151
Table 5.26	Specific level two place of fatal incident – workplace deaths. Number and percent. Australia, 1989 to 1992	152
Table 5.27	Specific level three place of fatal incident – workplace deaths. Number and percent. Australia, 1989 to 1992	153
Table 5.28	Level one place of fatal incident by mechanism– workplace deaths. Percent. Australia, 1989 to 1992	154
Table 5.29	Unusual place of fatal incident – workplace and working deaths. Number and percent. Australia, 1989 to 1992	155
Table 5.30	Pathophysiological cause of death – workplace, work-road and total working deaths. Number and percent. Australia, 1989 to 1992	156
Table 5.31	Pathophysiological cause of death by mechanism of fatal incident – working deaths. Percent. Australia, 1989 to 1992	158
Table 5.32	E-code categories. Workplace, work-road and working deaths. Number and percent. Australia, 1989 to 1992	160
Table 5.33	Blood alcohol level – commuting, workplace, work-road and total working deaths. Number and percent. Australia, 1989 to 1992	163
Table 5.34	Importance of blood alcohol level – commuting, workplace work-road and total working deaths. Number and percent. Australia, 1989 to 1992	164
Table 5.35	Number of working persons killed in each fatal incident. Number and percent. Australia, 1989 to 1992	166
Table 5.36	Incidents involving the death of two or three working persons compared with single death incidents by industry. Number and percent. Australia, 1989 to 1992	167
Table 5.37	Incidents involving the death of two or three working persons compared with single death incidents by occupation. Number and percent. Australia, 1989 to 1992	168
Table 5.38	Incidents involving the death of two or three working persons compared with single death incidents by mechanism. Number and percent. Australia, 1989 to 1992	169
Table 5.39	Incidents involving the death of more than three working persons. Number, industry, occupation, place and circumstance. Australia, 1989 to 1992	170
Table 6.1	Duty context for commuting, workplace, work-road and total working deaths. Number per year – ECLF only. Australia, 1982 to 1984, 1989 to 1992	194
Table 6.2	Duty context for commuting, workplace, work-road and total working deaths. Rate (CI) per year. Australia, 1982 to 1984, 1989 to 1992	196

Table 6.3	Industry of working persons – working deaths. Rate and percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	199
Table 6.4	Occupation of working persons – working deaths. Rate and percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	200
Table 6.5	Jurisdiction of working persons by industry – working deaths. Rate (CI). Australia, 1982 to 1984, 1989 to 1992	202
Table 6.6	Jurisdiction of working persons by occupation – working deaths. Rate (CI). Australia, 1982 to 1984, 1989 to 1992	208
Table 6.7	Jurisdiction of working persons – working deaths. Rate (CI) and percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	211
Table 7.1	Workplace bystander deaths. Number, percent, rate (CI) per year. Australia, 1989 to 1992	229
Table 7.2	Level one place of fatal incident – workplace bystander deaths. Number and percent. Australia, 1989 to 1992	231
Table 7.3	Level two place of fatal incident - workplace bystander deaths. Number and percent. Australia, 1989 to 1992	232
Table 7.4	Level three place of fatal incident - workplace bystander deaths. Number and percent. Australia, 1989 to 1992	233
Table 7.5	Mechanism of the fatal incident - workplace bystander deaths. Number and percent. Australia, 1989 to 1992	235
Table 7.6	Agency of fatal incident - workplace bystander deaths. Number and percent. Australia, 1989 to 1992	236
Table 7.7	Classification of deaths by jurisdiction. Number and percent. Australia, 1989 to 1992	238
Table 7.8	Road bystander deaths Number, percent, rate (CI) per year. Australia, 1989 to 1992	241
Table 7.9	Road bystander deaths by industry of the working person. Number and percent. Australia, 1989 to 1992	244
Table 7.10	Road bystander deaths by occupation of the working person. Number and percent. Australia, 1989 to 1992	244
Table 7.11	Road bystander deaths by agency of the incident. Number and percent. Australia, 1989 to 1992	246
Table 7.12	Number of deaths in road bystander incidents. Australia, 1989 to 1992	248
Table 7.13	Road bystander incidents - single and multiple deaths. Number and percent per year. Australia, 1989 to 1992	248
Table 8.1	Home duties persons by sex. Number, percent and rate (CI). Australia, 1989 to 1992	257
Table 8.2	Home duties persons by age. Number, percent and rate (CI). Australia, 1989 to 1992	259

Table 8.3	Home duties persons by main activities by age – males only. Number, percent and rate (CI). Australia, 1989 to 1992	260
Table 8.4	Home duties persons by main activities by age – females only. Number, percent and rate (CI). Australia, 1989 to 1992	261
Table 8.5	Home duties persons by main activities – all persons. Number, percent and rate (CI). Australia, 1989 to 1992	263
Table 8.6	Home duties persons by main activities – males and females separately. Number, percent and rate (CI). Australia, 1989 to 1992	264
Table 8.7	Home duties persons by main activities by age. Percent of age group. Australia, 1989 to 1992	265
Table 8.8	Home duties persons by main activities by age – persons. Number, percent and rate (CI). Australia, 1989 to 1992	266
Table 8.9	Jurisdiction of home duties incidents. Number, percent and rate (CI). Australia, 1989 to 1992	267
Table 8.10	Place of home duties incidents. Number and percent. Australia, 1989 to 1992	268
Table 8.11	Home duties fatal incidents – mechanism. Number and percent. Australia, 1989 to 1992	269
Table 8.12	Home duties fatal incidents – mechanism by age. Percent. Australia, 1989 to 1992	270
Table 8.13	Key agencies involved in home duties incidents. Number and percent. Australia, 1989 to 1992	271
Table 8.14	Pathophysiological cause of death and main injuries. Home duties. Number and percent. Australia, 1989 to 1992	272
Table 8.15	Home duties deaths - blood alcohol level. Number and percent. Australia, 1989 to 1992	274
Table 8.16	External cause codes for home duties deaths. Number and percent. Australia, 1989 to 1992	275
Table 9.1	Working arrangement of working persons - working deaths. Number and percent. Australia, 1989 to 1992	286
Table 9.2	Industry by employment arrangement- working deaths. Workforce size (percent) and work-related deaths (number and percent). Australia, 1989 to 1992	288
Table 9.3	Occupation by employment arrangement - working deaths. Workforce size (percent) and work-related deaths (number and percent). Australia, 1989 to 1992	289
Table 9.4	Industry by employment arrangement - working deaths. Rate (CI). Australia, 1989 to 1992	291
Table 9.5	Occupation by employment arrangement- working deaths. Rate (CI). Australia, 1989 to 1992	292

Table 10.1	Coverage of deaths by OHS and compensation agencies for each study category (excluding ACT and WA). Percent. Australia, 1989 to 1992	304
Table 10.2	Coverage of deaths by OHS and compensation agencies by jurisdiction - working and commuting deaths (excluding ACT and WA). Percent. Australia, 1989 to 1992	305
Table 10.3	Coverage of working deaths by OHS and compensation agencies by industry (excluding ACT and WA). Percent. Australia, 1989 to 1992	308
Table 10.4	Coverage of working deaths by OHS and compensation agencies by occupation (excluding ACT and WA). Percent. Australia, 1989 to 1992	311
Table 10.5	Coverage of working deaths by OHS and compensation agencies by mechanism of fatal incident (excluding ACT and WA). Percent. Australia, 1989 to 1992	314
Table 10.6	Coverage of working deaths by OHS and compensation agencies. By employment status and age (excluding ACT and WA). Percent. Australia, 1989 to 1992	316
Table 10.7	Coverage of deaths by compensation agencies by jurisdiction for deaths registered in jurisdictions other than where the incident occurred (excluding ACT only). Number. Australia, 1989 to 1992	326
Table 11.1	Coroner's action by industry - working deaths. Percent. Australia, 1989 to 1992	329
Table 11.2	Coroner's action by mechanism of fatal incident – working deaths. Percent. Australia, 1989 to 1992	330
Table 11.3	Coroner's action by jurisdiction - working deaths. Percent. Australia, 1989 to 1992	331
Table 11.4	Recommendations by the Coroner and other specialist authorities by industry - working deaths. Percent. Australia, 1989 to 1992	334
Table 11.5	Recommendations by the Coroner and other specialist authorities by mechanism of fatal incident – working deaths. Percent. Australia, 1989 to 1992	334
Table 11.6	Recommendations by the Coroner and other specialist authorities by jurisdiction - working deaths. Percent. Australia, 1989 to 1992	335
Table 11.7	Target groups for coronial recommendations – working deaths. Number and percent. Australia, 1989 to 1992	335
Table 11.8	OHS reports in the coronial file: presence and recommendations by industry - working deaths. Number and percent. Australia, 1989 to 1992	337
Table 11.9	OHS reports in the coronial file: presence and recommendations by mechanism of fatal incident. Working deaths. Number and percent. Australia, 1989 to 1992	338

Table 11.10	OHS reports in the coronial file: presence and recommendations by jurisdiction - working deaths. Number and percent. Australia, 1989 to 1992	338
Table 11.11	Documents present in coronial files by jurisdiction – working deaths. Percent. Australia, 1989 to 1992	342
Table 12.1	External Cause code categories - workplace, work-road and working deaths. Number and percent. Australia, 1989 to 1992	346
Table 12.2	External Cause code categories by sex - working deaths. Percent. Australia, 1989 to 1992	347
Table 12.3	External Cause code categories by age - working deaths. Percent. Australia, 1989 to 1992	348
Table 12.4	Comparison of case status and ABS External Cause code classification - working deaths. Australia, 1989 to 1992	353
Table 12.5	Validity of WRFS 2 case status classification. Working deaths. Australia, 1989 to 1992	355
Table 12.6	Validity of ABS External Cause code classification. Working deaths. Australia, 1989 to 1992	356
Table 12.7	Agreement between WRFS 2 cases status classification and ABS External Cause code classification - working deaths. Australia, 1989 to 1992	356
Table 13.1	Selected characteristics of working deaths and all deaths. Australia, 1989 to 1992	365
Table 13.2	Specific External Cause code categories with four or more workplace deaths and a high proportion of workplace deaths. Australia, 1989 to 1992	367
Table 13.3	Final selected External Cause code categories with a high proportion of workplace deaths, plus deaths by year. Australia, 1989 to 1992	368
Table 13.4	Workplace deaths: number and percentage of workplace deaths and percentage of category. By year and External Cause code category for selected External Cause code categories. Australia, 1989 to 1992	370
Table 13.5	Predicted versus actual workplace deaths: number and percentage of actual. By year and External Cause code category for selected External Cause code categories and overall. Australia, 1982 to 1984	371
Table 14.1	Comparison of codes assigned to scenarios – as initially devised and as coded – by category	389
Table 14.2	Comparison of codes assigned to scenarios: broad categories	391
Table 14.3	Comparison of codes assigned to scenarios: working cases only	391
Table 14.4	Comparison of codes assigned to scenarios: sensitivity, specificity and accuracy for cases	392

Table 14.5	Sensitivity of classification of case scenarios by trial	393
Table 14.6	Scenarios describing working circumstances that were coded by five or more research officers as non-working: description, research officer codes and comment	397
Table 14.7	Scenarios describing non-working circumstances that were coded by two or more research officers as worker: description, correct code, number of research officers assigning a working code and comment	400
Table 15.1	Comparison of codes assigned to full coronial files: number of files per jurisdiction	404
Table 15.2	Comparison of codes assigned to full coronial files: number of files in each category (using gold standard)	405
Table 15.3	Comparison of codes assigned to full coronial files: broad categories	406
Table 15.4	Comparison of codes assigned to full coronial files: Worker cases only	407
Table 15.5	Comparison of codes assigned to full coronial files: sensitivity, specificity and accuracy for cases	407
Table 15.6	Discordant working “cases” from full coronial files: description, valid code, research officer code and comment	411
Table 16.1	Comparison of classification of WRFS 1 deaths by WRFS 1 and WRFS 2 officers: selection of deaths from WRFS 1.	418
Table 16.2	Comparison of classification of WRFS 1 deaths by WRFS 1 and WRFS 2 officers: all three categories	421
Table 16.3	Comparison of classification of WRFS 1 deaths by WRFS 1 and WRFS 2 officers: combining indeterminate and non-case categories	421
Table 16.4	Comparison of classification of WRFS 1 deaths by WRFS 1 and WRFS 2 officers: combining indeterminate and non-case categories and including only working deaths as cases	422
Table 16.5	Comparison of classification of WRFS 1 cases by WRFS 1 and WRFS 2 officers: agreement and Kappa values	422
Table 16.6	Comparison of classification and description of WRFS 1 deaths coded differently by WRFS 1 and WRFS 2 officers: combining indeterminate and non-case categories and including only deaths coded as working by a research officer	426
Table 17.1	Overall classification of scenarios by country. Number and percent (n=333)	437
Table 17.2	Category specific agreement between countries. Number and percent	437
Table 17.3	Overall agreement between countries classifying cases as working, not working and unknown – percent and Kappa values (n=333)	438

Table 17.4	Category-specific agreement between countries classifying cases as working, not working or unknown. Number, percent and Kappa values	439
Table A3.1	Changes made to case classifications after the first major NOHSC publication. Overall changes to and from each category	496
Table A3.2	Changes made to case classifications after the first major NOHSC publication. Original versus final classification	497

LIST OF FIGURES

Figure 3.1	Summary of the completed case identification procedure	94
Figure 3.2	Details of the completed case identification procedure	100
Figure 5.1	Duty context for working, commuting and total deaths. Number per year. Australia, 1989 to 1992	111
Figure 5.2	Duty context for workplace, work-road and total working deaths. Number per year. Australia, 1989 to 1992	111
Figure 5.3	Duty context for working, commuting and total deaths. Rate (CI). Australia, 1989 to 1992	113
Figure 5.4	Duty context for workplace, work-road and total working deaths. Rate (CI). Australia, 1989 to 1992	113
Figure 5.5	Age of working persons — workplace, work-road and total working deaths. Number. Australia, 1989 to 1992	117
Figure 5.6	Age of working persons — working deaths. Rate (CI). Australia, 1989 to 1992	118
Figure 5.7	Industry of working persons — working deaths. Number. Australia, 1989 to 1992	119
Figure 5.8	Industry of working persons — working deaths. Rate (CI). Australia, 1989 to 1992	120
Figure 5.9	Occupation of working persons — working deaths. Number. Australia, 1989 to 1992	121
Figure 5.10	Occupation of working persons — working deaths. Rate (CI). Australia, 1989 to 1992	122
Figure 5.11	Jurisdiction of working persons — working deaths. Number. Australia, 1989 to 1992	127
Figure 5.12	Jurisdiction of working persons — working deaths. Rate (CI). Australia, 1989 to 1992	128
Figure 5.13	Key agencies involved in the fatal incident — workplace and working deaths. Number. Australia, 1989 to 1992	133
Figure 5.14	Mechanism of the fatal incident — workplace and working deaths. Percent of all workplace and working deaths. Australia, 1989 to 1992	139
Figure 5.15	Fatal incidents involving being hit by moving objects — workplace and working deaths. Percent of relevant workplace and working deaths. Australia, 1989 to 1992	140

Figure 5.16	Mechanism of the fatal incident for each industry group — working deaths. Percent of each industry group. Australia, 1989 to 1992	142
Figure 5.17	Mechanism of the fatal incident for each occupational group — working deaths. Percent of each occupational group. Australia, 1989 to 1992	143
Figure 5.18	Level one place of fatal incident — workplace and working deaths. Percent. Australia, 1989 to 1992	148
Figure 5.19	Mechanism of the fatal incident for various places — workplace deaths. Percent of each place. Australia, 1989 to 1992	153
Figure 5.20	Pathophysiological cause of death — workplace and work-road deaths. Number. Australia, 1989 to 1992	156
Figure 5.21	Pathophysiological cause of death by mechanism of the fatal incident — working deaths. Percent of each mechanism. Australia, 1989 to 1992	157
Figure 5.22	Place of death — working deaths. Percent. Australia, 1989 to 1992	159
Figure 5.23	Time of fatal incident — working deaths. Number. Australia, 1989 to 1992	172
Figure 5.24	Time of fatal incident for selected industries — working deaths. Number. Australia, 1989 to 1992	173
Figure 5.25	Time of fatal incident for the transport and storage industry — working deaths. Number. Australia, 1989 to 1992	174
Figure 5.26	Time of fatal incident — commuting deaths. Number. Australia, 1989 to 1992	174
Figure 6.1	Duty context of working, commuting and total deaths. ECLF only. Number per year. Australia, 1982 to 1984, 1989 to 1992	193
Figure 6.2	Duty context of workplace, work-road and total working deaths. ECLF only. Number per year. Australia, 1982 to 1984, 1989 to 1992	193
Figure 6.3	Duty context for working, commuting and total deaths. Rate per year. Australia, 1982 to 1984, 1989 to 1992	197
Figure 6.4	Duty context of workplace, work-road and total working deaths. Rate per year. Australia, 1982 to 1984, 1989 to 1992	197
Figure 6.5	Industry of working persons — working deaths. Percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	201

Figure 6.6	Occupation of working persons — working deaths. Percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	207
Figure 6.7	Jurisdiction of working persons — working deaths. Percentage change in mortality rate. Australia, 1982 to 1984, 1989 to 1992	212
Figure 6.8	Industry mortality rate by jurisdiction, WRFS 1 and WRFS 2 — working deaths. . Australia, 1982 to 1984, 1989 to 1992	213
Figure 6.9	Percentage change in mortality rate by industry — working deaths. New South Wales, 1982 to 1984, 1989 to 1992	214
Figure 6.10	Percentage change in mortality rate by industry — working deaths. Queensland, 1982 to 1984, 1989 to 1992	215
Figure 6.11	Percentage change in mortality rate by industry — working deaths. South Australia, 1982 to 1984, 1989 to 1992	215
Figure 6.12	Percentage change in mortality rate by industry — working deaths. Tasmania, 1982 to 1984, 1989 to 1992	216
Figure 6.13	Percentage change in mortality rate by industry — Victoria — working deaths. . Australia, 1982 to 1984, 1989 to 1992	216
Figure 6.14	Percentage change in mortality rate by industry — working deaths. Western Australia, 1982 to 1984, 1989 to 1992	217
Figure 7.1	Workplace bystander deaths. Rate (CI). Australia, 1989 to 1992	229
Figure 7.2	Age of bystanders — workplace deaths. Rate (CI). Australia, 1989 to 1992	230
Figure 7.3	Mechanism of the fatal incident — workplace bystander deaths. Percent. Australia, 1989 to 1992	234
Figure 7.4	Agency of the fatal incident — workplace bystander deaths. Percent. Australia, 1989 to 1992	236
Figure 7.5	Classification of deaths by jurisdiction — working, commuting and bystander deaths. Percent. Australia, 1989 to 1992	237
Figure 7.6	Mechanism of the fatal incident — deaths associated with farm work — workplace bystander deaths. Percent. Australia, 1989 to 1992	239
Figure 7.7	Road bystander deaths. Rate. Australia, 1989 to 1992	241
Figure 7.8	Age of bystanders — road deaths. Rate. Australia, 1989 to 1992	242
Figure 8.1	Age of home duties persons — by sex. Number. Australia, 1989 to 1992	258
Figure 8.2	Age of home duties persons. Rate. Australia, 1989 to 1992	258

Figure 8.3	Age of home duties persons. Rate — activity based. Australia, 1989 to 1992	259
Figure 8.4	Time of fatal incident — home duties deaths. Number. Australia, 1989 to 1992	275
Figure 10.1	Coverage of deaths by OHS and compensation agencies by duty context — work-related deaths. Percent. Australia (excluding ACT and WA), 1989 to 1992	302
Figure 10.2	Jurisdictional coverage of deaths by OHS and compensation agencies — working deaths. Percent. Australia (excluding ACT and WA), 1989 to 1992	303
Figure 10.3	Industries covered by OHS or compensation agencies — working deaths. Percent of each industry group. Australia (excluding ACT and WA), 1989 to 1992	306
Figure 10.4	Industries covered by OHS agencies — working deaths. Percent of each industry group. Australia (excluding ACT and WA), 1989 to 1992	307
Figure 10.5	Industries covered by compensation agencies — working deaths. Percent of each industry group. Australia (excluding ACT and WA), 1989 to 1992	307
Figure 10.6	Occupations covered by OHS or compensation agencies — working deaths. Percent of each occupational group. Australia (excluding ACT and WA), 1989 to 1992	309
Figure 10.7	Occupations covered by OHS agencies — working deaths. Percent of each occupational group. Australia (excluding ACT and WA), 1989 to 1992	310
Figure 10.8	Occupations covered by compensation agencies — working deaths. Percent of each occupational group. Australia (excluding ACT and WA), 1989 to 1992	310
Figure 10.9	Mechanism of the fatal incident covered by OHS or compensation agencies — working deaths. Percent. Australia (excluding ACT and WA), 1989 to 1992	312
Figure 10.10	Mechanism of the fatal incident covered by OHS agencies — working deaths. Percent of each mechanism group. Australia (excluding ACT and WA), 1989 to 1992	313
Figure 10.11	Mechanism of the fatal incident covered by compensation agencies — working deaths. Percent of each mechanism group. Australia (excluding ACT and WA), 1989 to 1992	313
Figure 11.1	Recommendations by the Coroner by industry — working deaths. Percent. Australia, 1989 to 1992	332

Figure 11.2	Recommendations by the Coroner by mechanism of the fatal incident — working deaths. Percent. Australia, 1989 to 1992	333
Figure 11.3	Recommendations by the Coroner by jurisdiction — working deaths. Percent. Australia, 1989 to 1992	333
Figure 11.4	OHS reports with recommendations in the coronial files by industry — working deaths. Percent. Australia, 1989 to 1992	340
Figure 11.5	OHS reports with recommendations in the coronial files by mechanism of the fatal incident — working deaths. Percent. Australia, 1989 to 1992	340
Figure 11.6	OHS reports with recommendations in the coronial files by jurisdiction — working deaths. Percent. Australia, 1989 to 1992	341
Figure 13.1	Predicted workplace deaths, 15 to 64 years only. Number. Australia, 1979 to 1997	372
Figure 13.2	Predicted workplace deaths — selected categories, 15 to 64 years only. Standardised to average numbers. Number. Australia, 1979 to 1997	373
Figure 13.3	Predicted workplace deaths — other selected categories, 15 to 64 years only. Standardised to average numbers. Number. Australia, 1979 to 1997	373
Figure 13.4	Predicted workplace death rate, 15 to 64 years only. Australia, 1979 to 1997	374
Figure 13.5	Predicted workplace death rates — selected categories, 15 to 64 years only. Standardised to average rate. Australia, 1979 to 1997	375
Figure 13.6	Predicted workplace death rates — other selected categories, 15 to 64 years only. Standardised to average rate. Australia, 1979 to 1997	375
Figure 13.7	Predicted workplace death rates — crude and industry adjusted, 15 to 64 years only. Australia, 1979 to 1997	376
Figure 13.8	Predicted workplace deaths compared with all non-suicide external cause deaths, 15 to 64 years only. Standardised to average numbers. Number. Australia, 1979 to 1997	382

PUBLICATIONS ARISING FROM THE SECOND WORK-RELATED FATALITIES STUDY

The following papers arising from this study have been published or are in press.

First authored

- 1 Driscoll T, Feyer A-M, Stout N, Williamson A. Assessing the classification of work-relatedness of fatal incidents: a comparison between Australia, New Zealand and the United States. *Injury Control and Safety Promotion* 2002;**9**(1):32-39.
- 2 Driscoll T, Healey S, Mitchell R, Mandryk J, Hendrie A, Hull B. Are the self-employed at higher risk of fatal work-related injury? *Safety Science* 2003. In press.
- 3 Driscoll T, Hull B, Mandryk J, Mitchell R, Howland A. Minimising the personal cost of involvement in research into traumatic death. *Safety Science* 1997;**25**(1-3):45-53.
- 4 Driscoll T, Mitchell R. Fatal work injuries in New South Wales. *NSW Health Public Health Bulletin* 2002;**13**(5):95-99.
- 5 Driscoll TR, Mitchell RJ, Hendrie AL, Healey S, Mandryk JA, Hull BP. Unintentional fatal injuries arising from unpaid work at home. *Injury Prevention* 2003. In press.
- 6 Driscoll T, Mitchell R, Mandryk, J, Healey S, Hendrie A, Hull B. Work-related fatalities in Australia, 1989 to 1992: an overview. *Journal of Occupational Health and Safety - Australia New Zealand* 2001;**17**(1):45-66.
- 7 Driscoll T, Mitchell R, Mandryk J, Healey S, Hendrie A, Hull B. Trends in work-related fatalities in Australia, 1982 to 1992. *Journal of Occupational Health and Safety - Australia New Zealand* 2002;**18**(1):21-33.
- 8 Driscoll T, Mitchell R, Mandryk J, Healey S, Hendrie A, Hull B. Coverage of work-related fatalities in Australia by compensation and occupational health and safety agencies. *Occupational and Environmental Medicine* 2003. In press.

Other papers

- 1 Franklin R, Mitchell R, Driscoll T, Fragar L. Agricultural work–related fatalities in Australia, 1989–1992. *Journal of Agricultural Safety and Health* 2001;**7**(4): 213-227.
- 2 Franklin R, Mitchell R, Driscoll T, Fragar L. Non-work–related farm fatalities in Australia, 1989–1992. *Journal of Agricultural Safety and Health* 2001;**7**(4): 229-239.
- 3 Mitchell R, Driscoll T, Healey S. Work-related road fatalities in Australia. *Accident Analysis and Prevention* 2003. In press.
- 4 Mitchell R, Driscoll T, Healey S, Hull B, Mandryk J, Hendrie L. Work-related fatal injuries in the fishing industry in Australia, 1989 to 1992. *Journal of Occupational Health and Safety - Australia New Zealand* 2001;**17**(4):375-386).
- 5 Mitchell R, Driscoll T, Healey S, Mandryk J, Hendrie L, Hull B. Work-related fatal injuries in the forestry and logging work in Australia, 1989 to 1992. *Journal of Occupational Health and Safety - Australia New Zealand* 2001;**17**(6):567-577.
- 6 Mitchell R, Driscoll T, Healey S, Mandryk J, Hendrie L, Hull B. Work-related fatalities involving construction activities in Australia, 1982-1984 to 1989-1992. *Journal of Occupational Health and Safety - Australia New Zealand* 2003. In press.
- 7 Mitchell R, Franklin R, Driscoll T, Fragar L. Farm-related fatalities involving children in Australia, 1989–1992. *Australian and New Zealand Journal of Public Health* 2001;**25**(4):307-314.
- 8 Mitchell RJ, Franklin RC, Driscoll TR, Fragar LJ. Farm-related fatal injury of young and older adults in Australia, 1989-1992. *Australian Journal of Rural Health* 2002;**10**(4): 209-219.

The following papers arising directly from an international comparison of work-related fatalities which relied on data from this study for the Australian component of the comparison, and on which the author worked, have been published:

- 1 Feyer A-M, Williamson A, Stout N, Driscoll T, Usher H, Langley J. Comparison of work-related fatal injuries in the United States, Australia and New Zealand: method and overall findings. *Injury Prevention* 2001;**7**(1):22-28.
- 2 Williamson A, Feyer A-M, Stout N, Driscoll T, Usher H. Use of narrative analysis for comparisons of the causes of fatal accidents in three countries: New Zealand, Australia, and the United States. *Injury Prevention* 2001;**7**(Suppl I):15-20.

ACKNOWLEDGEMENTS

The possibility of this study was raised in 1993 by Dr Edward Emmett, then Chief Executive Officer at NOHSC. It was planned as a follow-up to the ground-breaking study of work-related fatalities in Australia conducted by Dr James Harrison and Dr Michael Frommer, then of NOHSC, in the 1980s. I was given the responsibility for planning and conducting this new study.

The study was a massive exercise, requiring detailed planning, meticulous attention to detail, and tremendous cooperation of many people in the public sector in Australia. That the study proved so successful is a testament to the positive contribution made by the scores of people involved.

Of particular importance was the contribution made by the main other study team members - Rebecca Mitchell, John Mandryk, Sandra Healey and Leigh Hendrie. We worked extremely well as a team throughout the study and became good friends, which improved the quality and efficiency of our work and made the work more enjoyable. Most importantly, we remain good friends even though we all now work in different areas.

In addition to the main study team members, other members of the Epidemiology Unit of NOHSC contributed to the project at various times - Brynley Hull, Brad Cole, Eui-Soo Choi, Amelia Howland, Evalynn Mazurski and Fiona McLean. In particular, Brynley made an important contribution by developing the Access database that was used for coding all the cases and for some of the data checking and basic analysis, and

Soo used her amazing focus and computer abilities to bring together the disparate data files and make sure everything added up properly!

I have been supervised by Associate Professor Bob Cumming of Sydney University (main supervisor) and Associate Professor James Harrison of Flinders University (assistant supervisor) throughout this project. Both have always been encouraging and both have made the thesis a much better product than it would have been otherwise, in particular Bob, through his gentle insistence that all interesting areas be pursued, and James, through his razor sharp precision about definitions and presentation of information. I thank them both for their contribution in terms of time and intellectual input.

The Department of Public Health and Community Medicine at the University of Sydney allowed me to undertake this research degree, and has provided good support at all times. I would like to thank Professor Simon Chapman in particular, for his guidance when responsible for post-graduate research students.

The National Occupational Health and Safety Commission funded this project, and the core aspects of the study were undertaken as part of my responsibilities at NOHSC. Over the course of the study, NOHSC's focus has changed, but it remains committed to improving health and safety related to work in Australia, and the conduct and support of this sort of study makes an important contribution to achieving this. In particular, I would like to thank Professor Dennis Else, who always provided encouragement to the study team and emphasised the importance of the study information and the uses to which it could be put.

Finally, as mentioned above, this study would not have been possible without the cooperation and support from many people and organisations. In addition to those persons already mentioned, I would like to thank the following persons (with their positions and/or organisations at the time shown in parentheses) and organisations for contributing to various aspects of the study. Note that some people contributed to more than one aspect of the project, but I've only mentioned each person once.

Coroners and coronial staff in each jurisdiction, especially:

- Ms Lyn Anderson, Ms Michelle Heidtman, and Mr Phil Thompson (Australian Capital Territory);
- Ms Dianne Flecknoe, Ms Carol Hopping, Mr Michael Littlejohn and Mr John Merrick (New South Wales);
- Mr Bruce Arkinstall, Ms Veronica Catlan and Ms Lina Tatani (Northern Territory);
- Mr Mike Cronin and Mr Neville Dacey (Queensland);
- Mr Steve Brady and Mr Harry Sweeney (South Australia);
- Mr Chris Ellis and Ms Jenny Scott (Tasmania);
- Mr Aris Giannakis, Mr Graeme Johnstone, Mr Peter McCallum, Mr David Stevens, Ms Vicky Winship (Victoria); and
- Mr Len Clark and Mr Glenn Spivey (Western Australia).

Registrars of Births, Deaths and Marriages and Registry staff in each jurisdiction.

Compensation and OHS agencies' staff, especially:

- Mr John Waterman (Australian Capital Territory);
- Mr Jim Cox, Ms Coralie LeNevez and Ms Anne Macky (New South Wales);
- Mr Richard Tokarczyk (Northern Territory);
- Ms Michele Brandon, Mr Steve Campbell, Mr Neale Kucks, Mr Peter Roach and Ms Maria Tofoni (Queensland);
- Ms Louisa Bowes, Mr Ian Furness, Ms Janet Kennedy (South Australia);
- Mr Phil Hickey and Ms Myrna McHugh (TAS);
- Mr Steve Baltas, Mr Mark Jones and Ms Sharon Lee (Victoria);
- Mr Bob Hunter, Mr Ron Reid and Mr Chris White (Western Australia);
- Mr Merv Grant, Ms Sheryl Hanson, Mr Mark McCabe and Ms Ann McDevitt (Comcare);
- Ms Peta Scott (Defcare); and
- Ms Alison Thomas (SeaCare).

For arranging access to data for the study:

- Professor John Ansford: John Tonge Centre, Queensland;
- Mr John Bass: Australian Institute of Health and Welfare;
- Mr Peter Burke: Australian Bureau of Statistics;
- Mr Neil Enders: Department of Transport, Queensland;
- Mr Keith Ferguson: Queensland Dept of Workplace Health and Safety;
- Ms Wendy Gallagher: New South Wales State Archives
- Ms Christine Guihot: Department of Public Prosecutions, New South Wales;
- Ms Vivian Monk: MEND;
- Mr J O'Sullivan: Queensland Police Service;
- Ms Noela Saloman: Department of Transport, Queensland;
- Electrical Authorities: Department of Urban Services, Australian Capital Territory; Building Electrical and Plumbing Control, Australian Capital Territory; Office of Energy, New South Wales; Hydro-Electric Commission, Tasmania; Office of the Chief Electrical Inspector, Victoria; Office of Energy Technical and Safety Division Western Australia; and
- Mining Authorities: Joint Coal Board of New South Wales; The Queensland Coal Board; Department for Industrial Affairs, South Australia; Energy and Minerals, Victoria; Department of Minerals and Energy, Western Australia.

For supplying information and advice in developing the coding system:

- Mr Bob Alchin: Seacare Authority;
- Mr Richard Coleman: Australian Agricultural Health Unit;
- Dr Indira DeSilva: WorkCover New South Wales (TOC modification);
- Mr Richard Franklin: Australian Agricultural Health Unit; and
- Mr Jim Wylie: Federal Office of Road Safety

For comments and advice on the planning and conduct of the study:

- Associate Professor Bob Cumming: Department of Public Health and Community Medicine, University of Sydney;
- Dr Lesley Day: Monash University Accident Research Centre;
- Dr Lyn Frager: Australian Agricultural Health Unit;
- Dr Michael Frommer: University of Sydney;
- Associate Professor James Harrison: Research Centre for Injury Studies, Flinders University;
- Professor Les Irwig: Department of Public Health and Community Medicine, University of Sydney;
- Mr Jerry Moller: Department of Health and Family Services;
- Dr Joan Ozanne-Smith: Monash University Accident Research Centre;
- Dr George Rechnitzer: Monash University Accident Research Centre;
- Dr Nancy Stout: National Institute of Occupational Safety and Health, USA; and
- Dr Eric Wigglesworth: Injury Research Project.

For help with recruiting research officers:

- Dr Cordia Chu: Griffith University;
- Associate Professor Caroline Finch: Monash University Accident Research Centre;
- Dr Rob Irwin: University of Canberra;
- Dr Andrew Langley: South Australian Health Commission;
- Dr Robyn McDermott: Menzies Institute for Health Research, Darwin;
- Dr Tony Ryan: University of Western Australia;
- Associate Professor Malcolm Sim: Monash University Department of Social and Preventive Medicine;
- Ms Carey Smith: Menzies Institute for Health Research, Darwin;
- Ms Wendy Spencer: Menzies Institute for Health Research, Hobart;
- Tasmanian Injury Surveillance Prevention Program (funded by the Tasmanian Department of Community Services and Health);
- Professor Ron Traill: University of Canberra;
- Ms Bev Turnbull: Northern Territory University; and
- Mr Craig Veitch: University of Queensland.

For assistance with the international coding comparison:

- Anne-Marie Feyer;
- Simon Horsburgh;
- Maureen Howard;
- Suzanne Marsh;
- Ann Williamson.

Research Officers:

Kalie Angus, Sue Ashlin, Sally Brinkman, Tim Butterfield, Rebecca Campbell, Maree Clayton, Stephanie De La Rue, Jan Eccles, Barbara Fox, Amelia Howland, Lena Hussien, Robyn James, Debbie Kirkland, Simonie Kitchen, Giselle Maassen, Rebecca Mitchell, Nicolae Mohanu, Joseph Pane, Alana Pearce, Anna Petroschevsky, Ruth Ryan and Lin Thorp.

Other current and former staff members of NOHSC, especially:

Judith Bata, John Brotherhood, Brad Cole, Graeme Budd, Greg Foley, Sharon Garland, Helen Harris, Steve Holland, Bhadra Illangakoon, Mamdouh Khalil, Kathryn Knevitt, Jim Leigh, Ann Long, Petra Macaskill, Fred Maestrelli, Melissa McGregor, Lyn Maddock, Kavita Siva, Neill Stacey, John Tay and Tim Williams.

ABBREVIATIONS

AAHU	Australian Agricultural Health Unit
ACT	Australian Capital Territory
ABS	Australian Bureau of Statistics
AIHW	Australian Institute of Health and Welfare
ASCCSS	Australian Standard Classification of Countries for Social Statistics
ASCO	Australian Standard Classification of Occupations
ASIC	Australian Standard Industry Classification
AUST	Australia
BASI	Bureau of Air Safety Investigation
CASA	Civil Aviation Safety Authority (Formerly CAA: Civil Aviation Authority)
CCLO	A Classification and Classified List of Occupations
CFOI	Census of Fatal Occupational Injuries
CI	Confidence Interval
E-CODE	External Cause of Death Code
ECLF	Employed Civilian Labour Force
FORS	Federal Office of Road Safety
ICD-9	International Classification of Diseases, 9th Revision
LFS	Labour Force Survey
MCD	Medically certified death
MVA	Motor vehicle accident (term used in some text descriptions)
MVI	Motor vehicle incident
NCIS	National Coroners Information System
NDI	National Deaths Index
NDS	National Data Set for Compensation-based Statistics
NDSIS	National Data Standards for Injury Surveillance
NEC	Not elsewhere classified

NISU	National Injury Surveillance Unit
NIOSH	National Institute of Occupational Safety and Health
NOHSC	National Occupational Health and Safety Commission
NSW	New South Wales
NT	Northern Territory
OHS	Occupational Health and Safety
PPE	Personal protective equipment
QLD	Queensland
SA	South Australia
TAFE	Technical and Further Education facility
TAS	Tasmania
VIC	Victoria
WA	Western Australia
WHO	World Health Organisation
WRFS 1	The first work-related fatality study (covering the years 1982 to 1984)
WRFS 2	The second work-related fatality study (covering the years 1989 to 1992)

SUMMARY

Introduction

This thesis provides an overview of the key results from a study of work-related fatal injuries (fatalities) that occurred in Australia in the four-year period 1989 to 1992 (WRFS 2). The data were obtained primarily from coronial files. The information is also compared to a similar study of work-related fatalities that covered the three-year period 1982 to 1984 (WRFS 1).

Aim

The study aimed to identify and describe all work-related fatalities that occurred in Australia during the study period in order to make a significant contribution to the effectiveness of activity designed to prevent work-related traumatic death.

Methods

This study included all people who died as a result of work-related trauma that occurred anywhere in Australia in the four-year period 1989 to 1992.

The study excluded persons who died of diseases such as cancers, heart attacks and other serious medical conditions; committed suicide, even if there appeared to be some direct connection with work; or received non-fatal injuries.

A broad definition of work was used and the cases of interest were divided into two main groups, workers and bystanders:

- **“Workers”** were persons fatally injured whilst performing some kind of activity for pay, profit or kind;

- “**Bystanders**” were persons not working but who were fatally injured directly as a result of someone else’s work activity.

The study also included a number of smaller groups whose death was related to work in a more indirect way. These groups were volunteers, students, persons performing unpaid home duties and persons fatally injured on farms but not due to obvious farm work.

Files were found for 99.7% of deaths. Of the original 22,957 deaths of potential interest, 3,630 were confirmed as deaths related to work (15.8%); 17,805 were excluded as non-work related (77.6%); and 1,522 were excluded as indeterminate (6.6%).

Results

The study examined a number of groups of persons whose deaths were related to work. The results presented in the thesis focus particularly on the deaths of working persons, (excluding people commuting either to or from work), but detailed considerations of fatally injured bystanders and of home duties deaths are also presented.

Working deaths and commuting deaths

There were 2,413 persons fatally injured whilst working or commuting during the four-year period 1989 to 1992. That is, an average of 603 deaths each year (or 12 deaths each week). Of these 2,413 persons:

- 1,787 were injured whilst working (447 deaths per year):
 - 1,244 were injured in a workplace (workplace deaths) (311 per year); and
 - 543 were injured in motor vehicle incidents on public roads (work-road deaths) (136 per year); and

- 626 were injured commuting to or from work (157 per year).

The overall rates of work-related death per 100,000 persons per year were:

- 7.5 for workers and commuters combined. The year-specific rate decreased for each year of the study; and
- 5.5 for working deaths (3.8 for workplace deaths; 1.7 for work-road deaths).

The year-specific rates decreased for the first three years of the study and then remained steady for the final year.

When changes in the industry distribution of the workforce were adjusted for the results were similar, although the decrease over time was not as large.

The majority of deaths were of males and the rates of death were approximately ten times higher for males compared with females in all categories of working except commuting, for which the rate was approximately 2.5 times higher in males.

There was a gradual rise in the death rate of working cases from the 15 – 19 year group until the 60 – 64 year group, after which there was a dramatic increase.

The industries with the highest rates of death (per 100,000 persons per year) were forestry (97), fishing (93), mining (36), transport and storage (23), agriculture (21), and construction (10).

Some specific occupations found to have high rates (per 100,000 persons per year) included commercial pilots (197), fishermen/women (132), forestry labourers (119), drilling plant operators (72), mining labourers (65), ship's pilots / deck officers (58),

structural steel labourers (43), truck drivers (42), and excavation and earthmoving machinery operators (38).

The numbers and rates of death differed considerably between States and Territories (jurisdictions), although when changes in the industry distribution of the workforce were adjusted for, the differences between the jurisdictions decreased.

The main agencies involved in the incidents were motor vehicles; environmental agencies; materials, substances and chemicals; and machinery and fixed plant.

The main mechanisms involved in the incidents were vehicle incidents (mainly motor vehicles but also aircraft); being hit by moving objects; falls; contact with electricity; and drowning. Falls, falling objects and contact with electricity were common mechanisms across a number of different occupation and industry groups.

Common places for the fatal incidents were public roads (33%); farms or other rural workplaces (20%); industrial or construction areas (13%); mines or quarries (7%); and trade or service areas (7%).

The most common pathophysiological causes death were multiple injuries; head injuries; injuries to the trunk; electrocution; drowning; and mechanical asphyxia.

Blood alcohol measurements were available for 70% of working deaths. Raised blood alcohol appeared to contribute to at least 4% of all working deaths and the alcohol had been consumed in connection with work in 44% of these alcohol-related deaths. Drugs appeared to contribute to 2% to 3% of the working deaths but information on drug

levels was available only in about one third of cases. Types of drugs found included amphetamines, cannabis, barbiturates and narcotics.

The 1,787 deaths of working persons resulted from 1,657 incidents. Eighty-five of these incidents involved more than one working person being killed. The number of working persons killed in the multiple incidents ranged from two to eleven.

Comparison with WRFS 1

Compared with WRFS 1 (deaths occurring in 1982 to 1984), the current study showed a similar number of deaths per year but a decrease in overall rates of death for working persons for Australia and for each State and Territory. The rates in Australia dropped from 6.7 per 100,000 persons per year to 5.5 per 100,000, a decline of 16.8%, but the decline was about 10% when changes in industry distribution of the workforce were adjusted for.

The rates of death in the industries with significant numbers of deaths increased considerably for mining; and moderately for transport and storage and for agriculture; decreased considerably for manufacturing, construction and for wholesale and retail trade; and changed little for other industries.

Within each jurisdiction the rate went up for some industries and down for others, even though the overall rate decreased.

Bystanders

In addition to the 2,413 persons killed whilst working or commuting, another 802 persons were fatally injured as a result of someone else's work activity (200 deaths per year or almost four deaths each week).

There were 325 workplace bystander deaths (81 deaths per year), almost half of whom were children less than 15 years. About one-third of the incidents involved farms or farm work.

There were 532 road bystanders deaths (133 deaths per year - some of these were also classified as workplace bystanders). Most of the working persons operating the working vehicle were truck drivers working in the transport industry. Blood alcohol levels were available for 49% of the working or commuting persons involved in bystander deaths. Raised blood alcohol levels of the working person were known to be a factor in at least 3% of the road bystander deaths.

Patterns of fatal incidents

There were a number of examples of similar combinations of circumstances that led to work-related injury deaths. These should help inform specific prevention strategies.

Examples included:

- working alone under a raised vehicle that was not adequately secured and/or supported;
- working on a roof without a safety harness and falling through a skylight not properly signposted, with similar colouring to the roof material and without underlying protective mesh;

- performing maintenance or installation work and coming into contact with live wires on a circuit not protected by a residual current device, often when the electricity should have been disconnected;
- a combination of a steep slope and a tractor without a rollover protective device and/or seat belts;
- a combination of high speed, lack of sleep, night driving and sometimes alcohol and/or drugs in long distance truck drivers involved in motor vehicle incidents on public roads;
- construction and mining labourers on worksites being run over by reversing vehicles from which the driver's vision was restricted because of blind spots;
- falls from ladders that were not secured;
- children (especially those under five) on farms drowning in dams when they wandered away from their parents, often climbing through inadequate fencing and/or following a pet to a small dam into which they fall due to the steep slopes; and
- members of the public being killed when their vehicle was struck by a semi-trailer whose driver had lost control of the truck

Home duties deaths

Home duties deaths were persons who were fatally injured undertaking active tasks in an unpaid and informal capacity in or around their own home or someone else's home. There were 296 persons aged 15 years and over who were fatally injured while undertaking active tasks in an unpaid and informal capacity in their own home or in someone else's home (74 per year). This was a rate of about five per million persons per year.

Males had both a higher number of deaths, and a higher rate of death, compared to women. When the time spent on various activities was taken into account, men had four times the risk of being killed while undertaking housework, four times the risk while gardening, and ten times the risk while involved in maintenance.

Rates were reasonably steady in younger ages, but increased from age 55 years onwards, especially for women.

The most common activities at the time of the fatal incidents were home repairs and maintenance (26%); gardening and lawn care (19%); car care (11%); food and drink preparation (10%); home improvements (9%); and cleaning grounds (6%).

The most common locations of the fatal incidents were the garden (26%); kitchen (8%); paddock or field (7%); garage or carport (7%); roof (6%); and shed (6%).

The most common mechanisms of the fatal incidents were falls from a height (28%); contact with electricity (19%); being hit by falling objects (12%); and contact with heat (12%).

Common specific agencies involved in the fatal incidents were ladders (18%); roofs (7%); manual lifting equipment (mainly car jacks – 7%); tractors (5%); and portable electric cables (5%).

The most common pathophysiological causes of death were head injuries (23%); electrocutions (19%); and mechanical asphyxia (10%).

Alcohol probably contributed to between 9% and 10% of home duties deaths.

Common scenarios involved in the fatal incidents were falling from unsecured ladders whilst performing maintenance; being crushed while working under a vehicle that had not been properly supported or chocked; being electrocuted whilst working with faulty equipment or on live circuits; and being burned in fires resulting from stoves being left on and unattended.

Employment arrangements

Of the 1,787 workers fatally injured as a result of work, about one fifth to one quarter were self-employed and around two thirds were employees.

On a crude basis, the rate of death was about 70% higher in self-employed workers compared to employees but, once standardised by differences in industry distribution, the rates for self-employed workers and employees were very similar.

Comparison with OHS and compensation agency information

The working and commuting deaths identified in this study were compared with working and commuting deaths recorded by OHS and compensation agencies in most States and Territories.

This comparison revealed that 65% of working deaths were not covered (captured) by OHS agencies; 43% of working deaths were not covered by compensation agencies; and 34% of working deaths were not covered by either OHS or compensation agencies.

There was considerable variation in coverage between jurisdictions, and of fatal incidents involving different industries, occupations, mechanisms and agencies.

Coronial and other agency information

Inquests were held in 56% of all incidents involving the deaths of working persons, but there was considerable variation in the proportion of inquests for different industries, occupations and mechanisms involved in the fatal incidents.

Recommendations were made by the coroner in 15% of all working cases and by an OHS agency for 14% of all working cases and for 40% of the deaths of working cases for which there was an OHS report in the coronial file. Other specialist authorities made recommendations in 7% of all working cases.

External Cause codes

The single biggest External Cause code category was “Motor vehicle traffic accidents” (MVTAs), which accounted for 31% of the working deaths and, as expected, virtually all the work-road deaths. External Cause code categories covering machinery, falling objects, aircraft crashes, falls and electricity each accounted for more than six percent of working deaths and ten percent of workplace deaths, with machinery accounting for 20% of the workplace deaths.

Some External Causes are only relevant to work-related deaths of workers, and others can be expected to have a high proportion of deaths that are work-related. This was confirmed separately with the data from the current study and from WRFS 1. Based on this finding, External Cause codes were used to track the work-related deaths of workers in Australia for the period 1979 to 1997 inclusive. This analysis indicated that

there was a steady decline in the rate of work-related fatal injury in workplaces in Australia from 1979 to 1997 inclusive, with the only exception being an increase around 1988. The decrease was about 2.6% per year. Industry changes in the workforce appeared to account for less than half of this change.

Reliability and validity

A series of analyses considering the reliability and validity of case classification and the utility of the definitions used in the study showed that:

- there was a high level of agreement between the true classification (as determined by the author) and the classification assigned by the research officers for all categories, except for the *Work Bystander* and *Uncertain Case* categories, whether using brief scenarios or full Coroners' files;
- the coding agreement between officers from WRFS 1 and WRFS 2 for WRFS 1 deaths was very high, especially when considering the allocation of deaths as either working cases or not;
- Australia, New Zealand and the United States have a similar understanding of what constitutes work and work-relatedness, and that valid comparisons of work-related death data that were collected using different definitions or philosophies are possible when the data sets can be modified on the basis of common inclusion criteria; and
- deaths occurring in particular circumstances can cause classification problems. These include domestic violence; business trips; work-related social functions; travel on public roads for work versus commuting; apprentices or other workers involved in training; hobby farmers; "fringe" forms of work (such as collecting cans); bystanders, whether in a workplace or on public roads; volunteers; and deaths on farms of non-workers.

Future directions

Future surveillance of work-related traumatic death should be conducted largely through the National Coroners Information System, which is currently being established by the Australian Coroners' Society.

Conclusions

The overall rate of work-related traumatic death in Australia decreased over the 11-year period 1982 to 1992. Some industries have experienced considerable improvement, but for other industries there was no change or a worsening of the rate of death. The rate of death varied widely for different workforce groups, and for some occupations the rate of death was 10, 20 or 30 times greater than the workforce average. A number of different patterns were evident in the study findings, with similar groups of factors associated with many of the fatal incidents.

Fatal work-related trauma therefore remains an important problem for the Australian community. By understanding how and why these deaths occur, appropriate steps can be taken to prevent similar incidents recurring. It is expected that the results reported here will make an important contribution to developing this understanding and preventing the occurrence of work-related traumatic death in Australia.

