

学校编码: 10384
学号: 200427018

分类号____密级____
UDC_____

硕 士 学 位 论 文

东海沉积物岩芯中生物硅的测定
及其地层学分析

**Measurement of Biogenic Silica (BSi) in Marine Sediment Cores
from East China Sea and their Stratigraphical Application**

周 鹏

指导教师姓名: 刘广山 教授
专业名称: 海洋化学
论文提交日期: 2007 年 9 月
论文答辩时间: 2007 年 9 月
学位授予日期:

答辩委员会主席: 徐茂泉 教授
评 阅 人: 高众勇 研究员

2007 年 09 月

厦门大学学位论文原创性声明

兹呈交的学位论文，是本人在导师指导下独立完成的研究成果。本人在论文写作中参考的其他个人或集体的研究成果，均在文中以明确方式标明。本人依法享有和承担由此论文产生的权利和责任。

声明人（签名）：

年 月 日

厦门大学学位论文著作权使用声明

本人完全了解厦门大学有关保留、使用学位论文的规定。厦门大学有权保留并向国家主管部门或其指定机构送交论文的纸质版和电子版，有权将学位论文用于非赢利目的的少量复制并允许论文进入学校图书馆被查阅，有权将学位论文的内容编入有关数据库进行检索，有权将学位论文的标题和摘要汇编出版。保密的学位论文在解密后适用本规定。

本学位论文属于

1. 保密（），在年解密后适用本授权书。

2. 不保密（）

（请在以上相应括号内打“√”）

作者签名： 日期： 年 月 日

导师签名： 日期： 年 月 日

目 录

摘要	I
ABSTRACT	III
第一章 绪论	1
1 海洋中生物硅和硅的生物地球化学的研究意义	2
2 海洋沉积物中生物硅的测量方法.....	3
2.1 化学提取法.....	3
2.2 化学提取法测量生物硅的影响因素.....	5
2.2.1 碱度.....	5
2.2.2 提取温度.....	8
2.2.3 提取时间.....	8
2.2.4 固液比.....	9
2.2.5 非生源硅的校正.....	9
2.2.6 其它影响因素.....	12
3 天然放射性核素研究和应用	13
3.1 放射性核素的研究及其测量.....	13
3.2 沉积物的放射性定年方法.....	14
4 本研究的目标、意义和内容	15
4.1 本研究的目标和意义.....	15
4.2 本研究的主要研究内容.....	15
第二章 研究海区和方法	17
1 研究海区	17
2 样品采集及预处理	18
2.1 样品采集	18
2.2 样品预处理	20
3 样品中放射性核素的 γ 谱分析	21
3.1 仪器设备	21
3.2 样品的测定及核素活度的计算	21
3.3 沉积速率的测定和年代序列的建立	22
3.3.1 $^{210}\text{Pb}_{\text{ex}}$ 方法测定沉积速率	22
3.3.2 ^{137}Cs 方法测定沉积速率	24
4. 生物硅的测量方法	24

4.1 仪器和试剂.....	24
4.1.1 实验仪器.....	24
4.1.2 试剂及配制.....	25
4.2 生物硅的提取和分析.....	25
4.2.1 溶解硅的测定和工作曲线的绘制.....	26
4.2.2 生物硅的确定.....	27
4.3 条件试验.....	30
4.3.1 碱度影响.....	30
4.3.2 提取温度和时间.....	38
4.3.3 固液比影响.....	38
4.3.4 非生源硅的校正.....	39
4.3.5 其它影响因素.....	40
4.4 生物硅的测量方法的确定.....	41
第三章 东海沉积物岩芯中放射性核素水平和年代序列的建立	43
1 东海沉积物岩芯放射性核素水平和分布	43
1.1 岩芯中的放射性核素的水平和分布	43
1.2 岩芯之间放射性水平比较	49
1.3 东海沉积物岩芯与其它地区的放射性水平的比较	52
2 沉积物岩芯年代序列的建立	54
2.1 年代序列的建立	54
2.1.1 岩芯S0508-1 的年代序列.....	54
2.1.2 岩芯S0703-2 的年代序列.....	56
2.1.3 岩芯S0801-1 的年代序列.....	57
2.1.4 岩芯S1004-1 的年代序列.....	58
2.2 东海岩芯的年代序列的分析和讨论.....	59
3 结语	60
第四章 东海沉积物中生物硅含量水平及其地层学比较	61
1 沉积物岩芯中生物硅的含量水平.....	61
1.1 岩芯中生物硅的分布	61
1.2 岩芯之间生物硅含量水平比较	63
1.3 东海生物硅含量与其它海区的比较	65
2 沉积物中的烧失量	67
2.1 不同岩芯中烧失量的比较	67
2.2 生物硅与烧失量的关系.....	67

3 沉积物岩芯的地层学比较	69
3.1 岩芯中含水量、烧失量和生物硅的地层学比较	69
3.1.1 S0508-1 岩芯的地层学比较	69
3.1.2 S0703-2 岩芯的地层学比较	71
3.1.3 S0801-1 岩芯的地层学比较	75
3.1.4 S1004-1 岩芯的地层学比较	78
3.2 不同岩芯的生物硅和烧失量的地层学比较	80
3 结语	83
第五章 结语	84
1 放射性核素的水平和沉积物岩芯年代序列	84
2 沉积物中生物硅含量及其水平分布	84
3 沉积物的烧失量水平和分布	85
4 沉积物的含水量、烧失量和生物硅分布的地层学比较及其海洋学意义	85
参考文献	87
附 录	97
附录 1 岩芯S0508-1 的基本信息统计表	97
附录 2 岩芯S0703-2 的基本信息统计表	103
附录 3 岩芯S0801-1 的基本信息统计表	111
附录 4 岩芯S1004-1 的基本信息统计表	121
致 谢	128

Contents

Absract in Chinese.....	I
Absract in English.....	III
Chapter 1 Introduction	1
1 International significance of biogeochemistry of biogenic silica and silica in marine	1
2 Study progress on determination of biogenic silica in marine sediment	3
2.1 Wet chemical extraction technique	3
2.2 The factors affecting Wet-chemical digestion techniques	5
2.2.1 Alkaline concentration	5
2.2.2 Temperature	8
2.2.3 Time of extraction.....	8
2.2.4 Solid solution ratio	8
2.2.5 Abiogenic silica correction.....	9
2.2.6 Other factors.....	12
3 Study on nature radionuclides and their applications.....	12
3.1 Study on nature radionuclides and their measurements.....	12
3.2 Dating of radionuclides in sedimemnts	14
4 Objectives, significances and contents in this study	15
4.1 Objectives and significances	15
4.2 Study contents	15
Chapter 2 Study area and methods	16
1 Study area	16
2 Sample collection and pre-treatment	16
2.1 Sample collection	16
2.2 Sample pre-treatment	19
3 γ spectra analysis of radionuclides in marine sediments	19
3.1 Instrument	20
3.2 Measurement of radionuclides and calculation of active	20
3.3 Calculation of sedimentary rate and establishment of chronology	21

3.3.1 Sedimentary rate calculated by $^{210}\text{Pb}_{\text{ex}}$	21
3.3.2 Sedimentary rate calculated by ^{137}Cs	22
4 Measurement of biogenic silica in marine sediments	23
4.1 Instruments and reagents	23
4.1.1 Instruments	23
4.1.2 Reagents and preparation	23
4.2 Extraction and analysis of silica	24
4.2.1 Measurement of dissolved silica and establishment of standard work curve ...	25
4.2.2 Determination of biogenic silica content	25
4.3 Conditional experiments	27
4.3.1 Concentration alkaline of digestion solution	29
4.3.2 Temperature and time of extraction	38
4.3.3 Solid solution ratio	38
4.3.4 Non-BSi correction	39
4.3.5 Other factors	40
4.4 Choice of measuring methods of BSi in marine sediments	41
Chapter 3 Contents of radionuclide in marine sediment cores and establishment of chronology from East China Sea	43
1 Contents and distributions of radionuclide in marine sediment cores from East China Sea.....	43
1.1 Profiles and distributions of radionuclides in sediment cores	43
1.2 Comparisons of radionuclides contents contents in sediments cores.....	49
1.3 Comparisons of radionuclides contents in sediments cores from East China Sea and sediments in other areas	52
2 Establishment of Sediment chronology	54
2.1 Sedimentary rate calculated by $^{210}\text{Pb}_{\text{ex}}$ and establishment of chronology of sediment cores	56
2.1.1 Chronology of sediment core S0508-1.....	56
2.1.2 Chronology of sediment core S0703-2.....	57
2.1.3 Chronology of sediment core S0801-1.....	58
2.1.4 Chronology of sediment core S1004-1.....	58
2.2 Discussion of chronological results on marine sedimentary cores from East China Sea	59

3 Brief summaries	60
Chapter 4 Contents of biogenic silica in marine sediment cores and stratigraphical comparisons from East China Sea	61
1 Content and distribution of biogenic silica in sediment cores	61
1.1 Profiles of biogenic silica in sediment cores	63
1.2 Comparisons of BSi contents within sediments from East China Sea and other areas	63
1.3 Comparisons of BSi in sediments from East China Sea and other areas	65
2 Ignition loss of sediment cores from East China Sea	67
2.1 Comparisons of ignition loss of four sediment cores	67
2.2 Relationship between BSi contents and ignition loss of sediment cores	67
3 Stratigraphical comparisons in marine sediment from East China Sea	69
3.1 Stratigraphical comparisons of water contents, ignition loss and BSi contents in marine sediment cores	69
3.1.1 Stratigraphical comparisons in Core S0508-1	69
3.1.2 Stratigraphical comparisons in Core S0703-2	70
3.1.3 Stratigraphical comparisons in Core S0801-1	74
3.1.4 Stratigraphical comparisons in Core S1004-1	78
3.2 Stratigraphical comparisons of BSi contents and ignition loss in different cores	80
4 Brief summaries	83
Chapter 5 Conclusions	84
1 Contents of radionuclides and chronology of marine sediment cores	84
2 BSi contents and their horizontal distribution in marine sediments from East China Sea	84
3 Ignition loss and their horizontal distribution in marine sediments from East China Sea.....	85
4 Stratigraphical comparisons of water contents, ignition loss and BSi contents in marine sediment cores and their implications	85
References	87
Appendix	97

Appendix 1 The information and data about Core S0508-1.....	97
Appendix 2 The information and data about Core S0703-2.....	103
Appendix 3 The information and data about Core S0801-1.....	111
Appendix 4 The information and data about Core S1004-1	121
Acknowledgments	128

厦门大学博硕士论文摘要库

表目录

- 表1-1 生物硅的连续法提取的试剂、浓度、温度和时间
- 表1-2 生物硅的单点法提取的试剂、浓度、温度和时间
- 表1-3 沉积物中不同的生物硅组分在不同的碱度溶液中溶解状况
- 表1-4 化学提取法测定沉积物中生物硅的固液比
- 表2-1 采样站位及样品描述
- 表2-2 非完全密封时碱性提取溶液在85℃条件下8h内蒸发损失的体积
- 表2-3 连续提取法中溶解硅DSi的蒸发和取样损失的体积校正公式
- 表2-4 连续提取法 (2.0mol/L Na₂CO₃, 85℃) 测定南沙表层沉积物样品中生物硅含量的体积校正和未校正的结果比较
- 表2-5 室温下不同浓度Na₂CO₃溶液和NaOH溶液的pH值
- 表2-6 不同浓度Na₂CO₃溶液条件下S0508-1的不同层位样品的生物硅估算结果的比较
- 表2-7 不同浓度Na₂CO₃溶液条件下S0703-2 的不同层位样品的生物硅估算结果的比较
- 表2-8 不同浓度Na₂CO₃溶液条件下S0801-1 的不同层位样品的生物硅估算结果的比较
- 表2-9 实验室中不同水样中溶解硅的含量
- 表3-1 S0508-1岩芯中放射性核素的γ能谱法的测量结果
- 表3-2 S0703-2 岩芯中放射性核素的γ能谱法的测量结果
- 表3-3 S0801-1岩芯中放射性核素的γ能谱法的测量结果
- 表3-4 S1004-1岩芯中放射性核素的γ能谱法的测量结果
- 表3-5 中国一些海湾和海区沉积物的的放射性核素含量水平
- 表3-6 长江口以及东海陆架的岩芯的沉积速率
- 表3-7 东海的四个沉积物岩芯的沉积速率及其涵盖年代
- 表4-1 中国一些海湾和海区沉积物中生物硅含量
- 表4-2 长江口以南到27°N以北之间海域1950~2000年间发生厄尔尼诺事件的年代

CONTENTS OF TABLES

- Tab.1-1 Digestion solution, temperature and time of BSi extraction by the sequential alkaline extraction method
- Tab.1-2 Digestion solution, temperature and time of BSi extraction by the single time point alkaline extraction method
- Tab.1-3 Time of extractable silica from various components of BSi in different alkaline solutions
- Tab.1-4 Solid solution ratio of BSi extraction by wet chemical extraction technique
- Tab.2-1 Sampling station and sample description
- Tab.2-2 Alkaline solution volume loss due to evaporation at 85°C for 8 hours
- Tab.2-3 DSi concentrations corrected volume loss due to evaporation and sampling by the sequential alkaline extraction method
- Tab.2-4 Comparison results of BSi content in surface sediment from the southern South China Sea corrected and uncorrected volume loss
- Tab.2-5 pH of Na₂CO₃ or NaOH solutions of different concentrations at room temperature
- Tab.2-6 Comparison of BSi contents of the samples in different depth of Core S0508-1 extracted by Na₂CO₃ solutions of different concentrations
- Tab.2-7 Comparison of BSi contents of the samples in different depth of Core S0703-2 extracted by Na₂CO₃ solutions of different concentrations
- Tab.2-8 Comparison of BSi contents of the samples in different depth of Core S0801-1 extracted by Na₂CO₃ solutions of different concentrations
- Tab.2-9 DSi contents of different water samples in laboratory
- Tab.3-1 Radionuclides contents in sediments of Core S0508-1 with γ spectrometry
- Tab.3-2 Radionuclides contents in sediments of Core S0703-2 with γ spectrometry
- Tab.3-3 Radionuclides contents in sediments of Core S0801-1 with γ spectrometry
- Tab.3-4 Radionuclides contents in sediments of Core S1004-1 with γ spectrometry
- Tab.3-5 The active of radionuclides in sediments in some bays and areas of China
- Tab.3-6 Sedimentary rates of some sediment cores in Yangzi River estuary and continental shelf of East China Sea
- Tab.3-7 Sedimentary rates and chronological times of four sediment cores from East China Sea

Tab.4-1 BSi contents in sediments from some bays and areas of China

Tab.4-2 El Nino event happened during 1950~2000 in the area from Yangzi Rive estuary to 27°N

厦门大学博士学位论文摘要库

图目录

- 图1-1 不同粘土矿物在不同碱性提取液中的硅随时间的溶解状况
- 图1-2 碱性提取液从粘土矿物析出的 $\text{Al}_2\text{O}_3-\text{SiO}_2$ 的关系
- 图1-3 Al校正外推法测定沉积物中生物硅的原理
- 图2-1 采样站位
- 图2-2 沉积物中生物硅的提取和测量流程
- 图2-3 酸性硅钼蓝分光光度法标准工作曲线
- 图2-4 连续法测定南沙表层63#沉积物样品中生物硅的体积校正和未校正的结果比较
- 图2-5 不同浓度 Na_2CO_3 溶液条件下岩芯S0508-1的不同层位样品中硅随时间的析出状况
- 图2-6 不同浓度 Na_2CO_3 溶液条件下S0508-1不同层位的样品的生物硅的估算结果的比较
- 图2-7 不同浓度 Na_2CO_3 溶液条件下岩芯 S0703-2 的不同层位样品中硅随时间的析出状况
- 图2-8 不同浓度 Na_2CO_3 溶液条件下S0703-2不同层位的样品的生物硅的估算结果的比较
- 图2-9 不同浓度 Na_2CO_3 溶液条件下岩芯S0801-1的不同层位样品中硅随时间的析出状况
- 图2-10 不同浓度 Na_2CO_3 溶液条件下S0801-1不同层位的样品中生物硅的估算结果比较
- 图2-11 固体液比对不同沉积物中析出溶解硅的百分含量($\text{SiO}_2\%$)的影响 (2.0 mol/l Na_2CO_3 溶液)
- 图2-12 南海东北部的84#样品的固液比 $R_{(S/L)}$ 对BS1提取的结果影响 (1.0 mol/l Na_2CO_3 溶液)
- 图2-13 岩芯S0508-1采用的单点和连续提取法 (85°C的1.0mol/L Na_2CO_3 提取液) 两种估算不同深度的生物硅含量的结果比较
- 图3-1 S0508-1岩芯中放射性核素的分布
- 图3-2 S0703-2岩芯中放射性核素的分布
- 图3-3 S0801-1岩芯中放射性核素的分布
- 图3-4 S1004-1岩芯中放射性核素的分布
- 图3-5 东海沉积物岩芯的放射性核素 ^{238}U 、 ^{226}Ra 和 ^{210}Pb 含量的水平分布
- 图3-6 东海沉积物岩芯的放射性核素 ^{228}Ra 和 ^{228}Th 含量的水平分布
- 图3-7 东海沉积物岩芯的放射性核素 ^{40}K 含量的水平分布
- 图3-8 S0508-1岩芯中 $^{210}\text{Pb}_{\text{ex}}$ 的分布和质量累积速率的确定
- 图3-9 S0703-2岩芯中 $^{210}\text{Pb}_{\text{ex}}$ 和 ^{137}Cs 的分布和质量累积速率的确定
- 图3-10 S0801-1岩芯中 $^{210}\text{Pb}_{\text{ex}}$ 的分布和质量累积速率的确定
- 图3-11 S1004-1岩芯中 $^{210}\text{Pb}_{\text{ex}}$ 的分布和质量累积速率的确定

- 图4-1 东海沉积物岩芯中生物硅的垂直分布
- 图4-2 东海沉积物岩芯及其表层的生物硅含量的水平分布
- 图4-3 东海沉积物岩芯及其表层的烧失量含量的水平分布
- 图4-4 东海沉积物岩芯的生物硅含量 ($\text{SiO}_2\%$) 和烧失量 (%) 的关系
- 图4-5 S0508-1岩芯中含水量、烧失量和生物硅的地层学比较
- 图4-6 S0703-2岩芯中含水量、烧失量和生物硅的地层学比较
- 图4-7 1950~2000年间发生厄尔尼诺发生次年份与S0703-2岩芯生物硅 (a) 和烧失量 (b) 的对比图
- 图4-8 S0801-1芯中含水量、烧失量和生物硅的地层学比较
- 图4-9 浙江东南部沿海(温州)1950~1995年间发生台风或风暴潮的年代与S0801-1岩芯生物硅 (a) 和烧失量 (b) 的对比图
- 图4-10 S1004-1岩芯中含水量、烧失量和生物硅的地层学比较
- 图4-11 东海不同沉积物岩芯中生物硅的地层学比较
- 图4-12 东海不同沉积物岩芯中烧失量的地层学比较

CONTENTS OF FIGURES

- Fig.1-1 Time course of extractable silica from various clay minerals in different alkaline solutions
- Fig.1-2 Extracted SiO_2 plotted against extracted Al_2O_3 from clay minerals during alkaline digestion
- Fig.1-3 The principle of determining BSi content in sediments by t Al extrapolation—correction method
- Fig.2-1 Sampling station
- Fig.2-2 The flow chart of the extraction and measurement of BSi in sediment
- Fig.2-3 The standard work curve for determining silicon by acidic silicomolybdenum blue spectrophotometry
- Fig.2-4 Comparison of BSi content in surface sediment sample 63# from the southern South China Sea corrected and uncorrected volume loss
- Fig.2-5 Time course of silica extracted from the different-depth samples of Core S0508-1 in various Na_2CO_3 solutions
- Fig.2-6 Comparison of BSi contents of the samples in different depth of Core S0508-1 extracted by Na_2CO_3 solutions of different concentrations
- Fig.2-7 Time course of silica extracted from the different-depth samples of Core S0703-2 in various Na_2CO_3 solutions
- Fig.2-8 Comparison of BSi contents of the samples in different depth of Core S0703-2 extracted by Na_2CO_3 solutions of different concentrations
- Fig.2-9 Time course of silica extracted from the different-depth samples of Core S0801-1 in various Na_2CO_3 solutions
- Fig.2-10 Comparison of BSi contents of the samples in different depth of Core S0801-1 extracted by Na_2CO_3 solutions of different concentrations
- Fig.2-11 The different s/l ratios affecting on SiO_2 exaction of different sediments by 2.0 mol/l Na_2CO_3 solution
- Fig.2-12 The different s/l ratios affecting on BSi content of the sample 84 # by 1.0 mol/l Na_2CO_3 solution
- Fig.2-13 Comparison of BSi contents of Core S0508-1 by the single time point and the sequential alkaline extraction methods (1.0 mol/L Na_2CO_3 solution at 85°C)
- Fig.3-1 Profiles of radionuclides in Core S0508-1
- Fig.3-2 Profiles of radionuclides in Core S0703-2

Degree papers are in the "[Xiamen University Electronic Theses and Dissertations Database](#)". Full texts are available in the following ways:

1. If your library is a CALIS member libraries, please log on <http://etd.calis.edu.cn/> and submit requests online, or consult the interlibrary loan department in your library.
2. For users of non-CALIS member libraries, please mail to etd@xmu.edu.cn for delivery details.

厦门大学博硕士论文摘要库