

学校编码: 10384
学号: B200434017

分类号 _____ 密级 _____
UDC _____

厦 门 大 学

博 士 学 位 论 文

豆粕的萌前除草活性及其对土壤微生物的生态效应

Preemergence Herbicidal Activity of Soybean Meal and Its Ecological
Effects on Soil Microbes

杨剑

指导教师姓名: 卢昌义 教授

专业名称: 环境工程

论文提交日期: 2008 年 5 月

论文答辩时间: 2008 年 8 月

学位授予日期: 2008 年 月

答辩委员会主席: 黄维南 教授 博导

评 阅 人: 涂炳坤 教授 博导

栾天罡 教授 博导

章家恩 教授 博导

2008 年 5 月

厦门大学学位论文原创性声明

本人呈交的学位论文是本人在导师指导下,独立完成的研究成果。本人在论文写作中参考其他个人或集体已经发表的研究成果,均在文中以适当方式明确标明,并符合法律规范和《厦门大学研究生学术活动规范(试行)》。

另外,该学位论文为(厦门大学环境科学研究中心生态)课题(组)的研究成果,在(厦大学生态及深圳职业技术学院分子生物学)实验室完成。

声明人(签名):

年 月 日

厦门大学学位论文著作权使用声明

本人同意厦门大学根据《中华人民共和国学位条例暂行实施办法》等规定保留和使用此学位论文，并向主管部门或其指定机构送交学位论文（包括纸质版和电子版），允许学位论文进入厦门大学图书馆及其数据库被查阅、借阅。本人同意厦门大学将学位论文加入全国博士、硕士学位论文共建单位数据库进行检索，将学位论文的标题和摘要汇编出版，采用影印、缩印或者其它方式合理复制学位论文。

本学位论文属于：

1. 经厦门大学保密委员会审查核定的保密学位论文，
于 年 月 日解密，解密后适用上述授权。

2. 不保密，适用上述授权。

（请在以上相应括号内打“√”或填上相应内容。保密学位论文应是已经厦门大学保密委员会审定过的学位论文，未经厦门大学保密委员会审定的学位论文均为公开学位论文。此声明栏不填写的，默认为公开学位论文，均适用上述授权。）

声明人（签名）：

年 月 日

目 录

表索引	I
Table Index.....	III
图索引.....	VI
Figure Index.....	VII
常用缩略语.....	IX
摘 要.....	XI
Abstract	XIV
第1章 前言.....	1
1.1 天然除草活性产物的研究进展.....	1
1.1.1 杂草的危害现状、天然产物控制杂草的内涵及意义.....	1
1.1.2 抑制杂草生长的生物体及其残体.....	2
1.1.3 植物粗提物对杂草的控制.....	12
1.1.4 纯化合物的除草活性.....	14
1.1.5 天然除草活性化合物的发现途径与分离.....	20
1.2 土壤微生物多样性研究进展.....	21
1.2.1 土壤管理方式对土壤微生物的影响.....	21
1.2.2 土壤微生物多样性研究方法.....	23
1.3 论文思路、研究意义及主要研究内容和技术路线.....	26
1.3.1 论文思路与研究意义.....	26
1.3.2 研究内容与技术路线.....	27
第2章 材料与方法.....	31
2.1 实验材料	31
2.1.1 供试植物	31
2.1.2 制备除草活性物质的原料.....	31
2.2 仪器和试剂	32
2.2.1 实验仪器	32
2.2.2 实验试剂	33
2.3 豆粕、玉米蛋白粉营养成分与矿质元素测定.....	34
2.3.1 营养成分的测定.....	34
2.3.2 矿质元素的测定.....	34
2.4 豆粕及玉米蛋白粉水解物的制备.....	35
2.4.1 酶解反应	35
2.4.2 浓缩干燥	36
2.4.3 超滤法制备不同相对分子质量范围的水解肽组分	36
2.5 培养箱内除草活性实验.....	37
2.5.1 豆粕及玉米蛋白粉除草活性实验.....	37
2.5.2 豆粕及玉米蛋白粉水解物的除草活性实验.....	37
2.5.3 无菌条件下除草活性实验.....	37
2.5.4 不同相对分子质量的豆粕水解肽、玉米蛋白粉水解肽的除草活性实验	38
2.6 温室盆栽除草活性实验.....	39
2.6.1 豆粕除草活性实验.....	39

2.6.2	豆粕水解物的除草活性实验.....	39
2.7	除草活性培养基质的 pH 及无机氮测定.....	39
2.8	豆粕水解肽的分离纯化.....	41
2.8.1	离子交换层析分离.....	41
2.8.2	凝胶层析分离.....	42
2.8.3	RP-HPLC 分离.....	42
2.8.4	组分蛋白含量的测定.....	42
2.8.5	组分生根抑制活性的测定.....	42
2.8.6	多肽单体相对分子质量测定及序列分析.....	42
2.9	豆粕对多年生黑麦草种子萌发及幼苗早期生长发育的生理生化特性影响.....	43
2.9.1	实验处理.....	43
2.9.2	测定指标及方法.....	43
2.10	豆粕对细叶结缕草草坪质量影响的研究.....	49
2.10.1	试验区自然概况.....	49
2.10.2	供试草坪及处理方法.....	49
2.10.3	测试项目与方法.....	49
2.11	豆粕对草坪土壤微生物多样性影响的研究.....	51
2.11.1	试验处理.....	51
2.11.2	土壤酶活性的测定.....	52
2.11.3	土壤微生物类群数量测定.....	54
2.11.4	土壤微生物 DGGE 检测.....	54
2.11.5	土壤微生物 RAPD 检测.....	56
2.12	数据处理.....	56
第 3 章	豆粕的萌前除草活性分析.....	57
3.1	豆粕营养成分与矿质元素.....	57
3.2	豆粕培养箱内除草活性.....	57
3.3	温室内豆粕萌前除草活性.....	61
3.4	豆粕培养液除草活性实验前后 pH 及无机氮的变化.....	65
3.5	无菌培养条件下豆粕粉的除草活性.....	66
3.6	本章小结.....	68
第 4 章	豆粕水解物的萌前除草活性分析.....	69
4.1	豆粕水解物及不同相对分子量水解肽物理性质及蛋白质含量.....	69
4.2	培养箱内豆粕水解物萌前除草活性.....	70
4.3	豆粕水解物温室盆栽萌前除草活性.....	73
4.4	豆粕水解物无菌条件下除草活性.....	75
4.5	不同相对分子量豆粕水解肽对多年生黑麦草种子萌发生根的抑制作用.....	77
4.6	本章小结.....	78
第 5 章	豆粕水解肽的分离纯化及除草活性分析.....	80
5.1	离子交换层析对豆粕水解肽的分离.....	80
5.2	凝胶过滤层析对 IEC-A8 组分的分离.....	85
5.3	制备型 C18-RP-HPLC 对 GFC-A2 组分的分离.....	88
5.4	分析型 RP-HPLC 对 P-H-3 组分的分离.....	89
5.5	HPLC-1 和 HPLC-2 峰纯度检验.....	93
5.6	HPLC-1 峰组分中肽的分子量确定.....	94

5.7	多肽单体的氨基酸序列测定.....	95
5.8	多肽单体的根抑制活性.....	96
5.9	本章小结.....	96
第 6 章	玉米蛋白粉及其水解物萌前除草活性分析.....	97
6.1	玉米蛋白粉营养成分与矿质元素.....	97
6.2	培养箱内玉米蛋白粉萌前除草活性.....	98
6.3	玉米蛋白粉培养液除草活性实验前后 pH 及无机氮的变化.....	101
6.4	无菌条件下玉米蛋白粉的萌前除草活性.....	102
6.5	玉米蛋白粉水解物萌前除草活性.....	104
6.6	玉米蛋白粉水解物无菌条件下萌前除草活性.....	107
6.7	不同相对分子质量玉米蛋白粉水解肽对多年生黑麦草的萌前除草活性.....	109
6.8	本章小结.....	110
第 7 章	豆粕对多年生黑麦草种子萌发及幼苗生长过程生理生化特性影响.....	112
7.1	豆粕对抗氧化系统酶的影响.....	112
7.1.1	豆粕对 SOD 活性影响.....	112
7.1.2	豆粕对 POD 活性的影响.....	114
7.1.3	豆粕对 CAT 活性的影响.....	115
7.1.4	豆粕对 MDA 含量的影响.....	116
7.1.5	豆粕对抗氧化系统酶影响的探讨.....	117
7.2	豆粕对可溶性糖含量的影响.....	117
7.3	豆粕对可溶性蛋白含量的影响.....	118
7.4	本章小节.....	119
第 8 章	豆粕对细叶结缕草草坪质量的影响.....	120
8.1	豆粕对草坪草颜色的影响.....	121
8.2	豆粕对草坪草均一度的影响.....	121
8.3	豆粕对草坪草叶绿素含量的影响.....	122
8.4	豆粕对草坪草组织全氮含量的影响.....	123
8.5	豆粕对草坪草硝酸还原酶活性的影响.....	123
8.6	豆粕对草坪草生物量的影响.....	124
8.7	豆粕对草坪草光合作用的影响.....	125
8.8	豆粕对细叶结缕草草坪冬季“保绿”作用的探讨.....	126
8.9	本章小结.....	127
第 9 章	豆粕对细叶结缕草草坪土壤微生物的生态效应.....	128
9.1	豆粕对土壤酶活性影响.....	128
9.1.1	豆粕对过氧化氢酶活性的影响.....	128
9.1.2	豆粕对脲酶活性的影响.....	129
9.1.3	豆粕对磷酸酶活性的影响.....	130
9.1.4	豆粕对蛋白酶活性的影响.....	131
9.2	豆粕对细叶结缕草草坪土壤微生物类群数量影响.....	131
9.2.1	豆粕对土壤细菌数量的影响.....	131
9.2.2	豆粕对土壤真菌数量的影响.....	132
9.2.3	豆粕对土壤放线菌数量的影响.....	133
9.3	豆粕对结缕草草坪土壤微生物影响的 DGGE 分析.....	133
9.3.1	土壤微生物总 DNA.....	133

9.3.2	16SrDNA V3 区 PCR 的 PCR 扩增产物.....	134
9.3.3	土壤细菌 DGGE 图谱	135
9.3.4	土壤细菌丰富度的 DGGE 分析.....	136
9.3.5	土壤细菌多样性指数的 DGGE 分析.....	138
9.3.6	土壤细菌均匀度指数的 DGGE 分析.....	139
9.4	豆粕对结缕草草坪土壤微生物影响的 RAPD 分析	140
9.4.1	多态位点比率.....	140
9.4.2	Shannon 指数估计的处理内多样性.....	141
9.4.3	Shannon 指数估计的处理间多样性.....	142
9.4.4	随处理时间变化的多态位点条带数.....	143
9.5	本章小结	144
第 10 章	总结.....	146
10.1	主要结论	146
10.2	主要创新点	147
10.3	研究的不足与展望.....	148
参考文献	150
主持和参与的科研项目及科研成果	161
致 谢	163
附 图	164

Table of Contents

Table Index (In Chinese).....	I
Table Index (In English)	III
Figure Index (In Chinese)	VI
Figure Index (In English).....	VII
Abbreviations.....	IX
Abstract (In Chinese).....	XI
Abstract (In English).....	XIV
Chapter 1 Literature Review	1
1.1 Advances in Herbicidal Activity of Natural Products.....	1
1.1.1 Harmful Status of Weeds, the Concept and Significance of Weed Control by Natural Products.....	1
1.1.2 Organisms and Their Residues for Weed Control.....	2
1.1.3 Plant Crude Extracts for Weed Control.....	12
1.1.4 Pure Compounds for Weed Control	14
1.1.5 Discovery Strategies and Isolation of Natural Herbicidal Compounds.....	20
1.2 Advances in Study on Soil Microbial Diversity.....	21
1.2.1 Soil Microbial Diversity and Its Ecological Significance.....	21
1.2.2 Methods for Studying Soil Microbial Diversity.....	23
1.3 Aim, Interest, Main Content and Method of Present Study	26
1.3.1 Aim and Interest.....	26
1.3.2 Research Content and Designment	27
Chapter 2 Materials and Methods	31
2.1 Materials	31
2.1.1 Tested Plants	31
2.1.2 Materials for Herbicidal Activity	31
2.2 Instruments and Reagents	32
2.2.1 Instruments.....	32
2.2.2 Reagents.....	33
2.3 Analysis of Nutrient Composition and Elements in SBM and CGM.....	34
2.3.1 Nutrient Composition Test	34
2.3.2 Element Test.....	34
2.4 Preparation for SBH and CGH.....	35
2.4.1 Zymolytic Reaction.....	35
2.4.2 Concentration and Drying.....	36
2.4.3 Preparation for Peptides with Different MW by Ultrafiltration	36
2.5 Herbicidal Experiments in Growth Chamber.....	37
2.5.1 Herbicidal Experiments for SBM and CGM.....	37
2.5.2 Herbicidal Experiments for SBH and CGH	37
2.5.3 Herbicidal Experiments in Aseptic Condition.....	37
2.5.4 Herbicidal Experiments for Peptides with Different WM.....	38
2.6 Herbicidal Experiments in Greenhouse	39

Table of Contents

2.6.1	Herbicidal Experiments for SBM	39
2.6.2	Herbicidal Experiments for SBH	39
2.7	Effect of pH and Inorganic N Analysis of Culture Media on Herbicidal Activity	39
2.8	Separation and Purification of SBM Hydrolyzed Peptides	41
2.8.1	Separation of Ion Exchange Chromatography	41
2.8.2	Separation of Gel Filtration Chromatography.....	42
2.8.3	Separation of RP-HPLC.....	42
2.8.4	Determination of Protein Content	42
2.8.5	Bioassay of Root-Inhibiting Activity	42
2.8.6	Determination of MW and Sequence of Purified Peptide.....	42
2.9	The Study of SBM on Seed Germination and Seedling Early Growth of Perennial Ryegrass.....	43
2.9.1	Treatments.....	43
2.9.2	The Tested Parameters and Methods	43
2.10	The Study of SBM on <i>Zoysia tenuifolia</i> Turf Quality.....	49
2.10.1	The Outlook of Experiment Plot.....	49
2.10.2	The Turf for Experiment and Treatments.....	49
2.10.3	The Tested Contents and Methods	49
2.11	The Study of SBM on Turf Soil Microbial Diversity.....	51
2.11.1	Treatments.....	51
2.11.2	Determinations of Soil Enzymes Activity.....	52
2.11.3	Number of Different Soil Microbial Population	54
2.11.4	DGGE Assay of Soil Microbes	54
2.11.5	RAPD Assay of Soil Microbes.....	56
2.12	Data Analysis	56
Chapter 3	Evaluation on Preemergence Herbicidal Activity of SBM.....	57
3.1	Nutrient Composition and Element Analysis.....	57
3.2	Preemergence Herbicidal Activity of SBM in Growth Chamber.....	57
3.3	Preemergence Herbicidal Activity of SBM in Greenhouse.....	61
3.4	Variation of pH and Inorganic N in SBM Before and After Herbicidal Experiment	65
3.5	Preemergence Herbicidal Activity of SBM in Aseptic Condition.....	66
3.6	Conclusion	68
Chapter 4	Evaluation on Preemergence Herbicidal Activity of SBH.....	69
4.1	Physical Characteristics and Protein Contents of SBH and Peptides with Different WM	69
4.2	Preemergence Herbicidal Activity of SBH in Growth Chamber.....	70
4.3	Preemergence Herbicidal Activity of SBH in Greenhouse	73
4.4	Preemergence Herbicidal Activity of SBH in Growth Chamber under Aseptic Condition.....	75
4.5	Effect of SBM Hydrolyzed Peptides with different WM on Root Inhibition of Perennial Ryegrass.....	77
4.6	Conclusion	78
Chapter 5	Separation and Purification of SBM Hydrolyzed and Herbicidal Bioassay	80
5.1	Separation of SBM Hydrolyzed Peptides by Ion Exchange Chromatography.....	80

Table of Contents

5.2	Separation of IEC-A8 Fraction by Gel Filtration Chromatography.....	85
5.3	Separation of GFC-A2 by Preparation RP-HPLC	88
5.4	Separation of P-H-3 by RP-HPLC	89
5.5	Peak Purity Test of HPLC-1 and HPLC-2	93
5.6	Molecular Weight Determination of Peptide in HPLC-1	94
5.7	Amino Acid Sequencing of the Purified Peptide	95
5.8	Root Inhibitory Activity of the Purified Peptide	96
5.9	Conclusion	96
Chapter 6	Evaluation on Preemergence Herbicidal Activity of CGM and CGH	97
6.1	Nutrient Composition and Element Analysis of CGM.....	97
6.2	Preemergence Herbicidal Activity of CGM in Growth Chamber	98
6.3	Variation of pH and Inorganic N in CGM Before and After Herbicidal Experiment... 101	
6.4	Preemergence Herbicidal Activity of CGM in Aseptic Condition	102
6.5	Preemergence Herbicidal Activity of CGH.....	104
6.6	Preemergence Herbicidal Activity of CGH in Aseptic Condition.....	107
6.7	Effects of SBM Hydrolyzed Peptides with Different WM on Root Preemergence Herbicidal of Perennial Ryegrass	109
6.8	Conclusion	110
Chapter 7	Effects of SBM on Seed Germination and Seedling Early Growth of Perennial Ryegrass	112
7.1	Effects of SBM on Antioxidant Enzymes Activity	112
7.1.1	Effect of SBM on Activity of SOD	112
7.1.2	Effect of SBM on Activity of POD	114
7.1.3	Effect of SBM on Activity of CAT	115
7.1.4	Effect of SBM on Content of MDA	116
7.1.5	Discussion of SBM on Antioxidant Enzymes Activity	117
7.2	Effect of SBM on Soluble Sugar Content	117
7.3	Effect of SBM on Soluble Protein Content.....	118
7.4	Conclusion	119
Chapter 8	Effects of SBM on <i>Zoysia tenuifolia</i> Turf Quality	120
8.1	Effect of SBM on Turf Coloration	121
8.2	Effect of SBM on Turf Equitability	121
8.3	Effect of SBM on Chlorophyll II Content of Turf Grass	122
8.4	Effect of SBM on Total Nitrogen Content of Turf Grass	123
8.5	Effect of SBM on Nitrate Reductase Activity of Turf Grass	123
8.6	Effect of SBM on Biomass of Turf Grass	124
8.7	Effect of SBM on Photosynthesis of Turf Grass	125
8.8	Discussion of SBM on Green Effect of <i>Zoysia tenuifolia</i> Turf in Winter	126
8.9	Conclusion	127
Chapter 9	Ecological Effects of SBM on Soil Microbes of Perennial Ryegrass Turf.....	128
9.1	Effects of Soybean on Soil Enzymes Activity	128
9.1.1	Effect of Soybean on Activity of Catalase	128
9.1.2	Effect of Soybean on Activity of Urease.....	129
9.1.3	Effect of Soybean on Activity of Phosphorylase	130

Table of Contents

9.1.4	Effect of Soybean on Activity of Proteinase	131
9.2	Effect of SBM on Number of Soil Microbes in <i>Zoysia tenuifolia</i> Turf	131
9.2.1	Effect of SBM on Number of Bacteria in <i>Zoysia tenuifolia</i> Turf Soil	131
9.2.2	Effect of SBM on Number of Fungus in <i>Zoysia tenuifolia</i> Turf Soil.....	132
9.2.3	Effect of SBM on Number of Actinomycete in <i>Zoysia tenuifolia</i> Turf Soil	133
9.3	Effect of SBM on Soil Microbes in <i>Zoysia tenuifolia</i> Turf Analyzed by DGGE.....	133
9.3.1	Total DNA of Soil Microbes	133
9.3.2	PCR Product of 16SrDNA V3 Area	134
9.3.3	DGGE Patterns of Soil Bacteria.....	135
9.3.4	Abundance of Soil Bacteria by DGGE Patterns Analysis.....	136
9.3.5	Diversity Index of Soil Bacteria by DGGE Patterns Analysis	138
9.3.6	Equitability Index of Soil Bacteria by DGGE Patterns Analysis	139
9.4	Effect of SBM on Soil Microbes in <i>Zoysia tenuifolia</i> Turf Analyzed by RAPD	140
9.4.1	Percentage of Polymorphic Loci.....	140
9.4.2	Diversity within Treatment Estimated by Shannon Index	141
9.4.3	Diversity among Treatments Estimated by Shannon Index	142
9.4.4	Number of Belts of Polymorphic Loci Among Different Sampling Date...	143
9.5	Conclusion	144
Chapter 10	Summaries and Conclusions.....	146
10.1	Conclusions.....	146
10.2	Innovations.....	147
10.3	Drawbacks and Perspectives	148
References	150
Publications	161
Acknowledgement	163
Photograph	164

表索引

表 1-1	典型栽培植物的化感作用	4
表 1-2	微生物源天然毒素及其作用靶点	15
表 1-3	已商品化或具有开发前景的植物源天然除草活性物质	19
表 2-1	供试植物种子播种量及萌发时间	32
表 2-2	主要的实验仪器	32
表 2-3	主要实验试剂	33
表 2-4	样品矿质元素的检测方法	34
表 2-5	火焰法仪器条件	35
表 2-6	石墨炉法仪器条件	35
表 2-7	SOD 显色反应试剂配置表	44
表 2-8	紫外吸收反应溶液配置表	45
表 2-9	可溶性糖标准曲线试剂量	47
表 2-10	用于 RAPD 分析的 15 个随机引物	56
表 3-1	豆粕营养成分及矿质元素分析	57
表 3-2	豆粕对植物种子相对发芽率, 根及芽长抑制率方差分析总表	58
表 3-3	培养箱实验条件下豆粕对 8 种植物的根长抑制率	59
表 3-4	培养箱实验条件下豆粕对 8 种植物芽长的抑制率	60
表 3-5	培养箱实验条件下豆粕对 8 种植物种子相对发芽率的影响	61
表 3-6	豆粕对 8 种植物种子相对发芽率、幼苗根长及芽长抑制率的方差分析	62
表 3-7	温室盆栽条件下豆粕表施和混施对 8 种植物的根长抑制率	63
表 3-8	温室盆栽条件下豆粕表施和混施对 8 种植物芽长抑制率	64
表 3-9	温室盆栽条件下不同施用量的豆粕表施与混施对 8 种植物种子相对发芽率的影响	65
表 3-10	豆粕液培养 7 d 后 pH 及氮素变化	66
表 3-11	豆粕在无菌与非无菌培养条件下对多年生黑麦草及红三叶的根长抑制率、芽长抑制率及相对发芽率的影响	67
表 4-1	豆粕水解物及不同相对分子质量水解肽组分的蛋白质及氮含量	69
表 4-2	豆粕水解物对植物种子相对发芽率, 幼根及幼芽抑制率方差分析总表	70
表 4-3	4 种浓度的豆粕水解物在培养相实验条件下对 9 种植物的根长抑制率	71
表 4-4	培养箱实验条件下豆粕水解物对 9 种植物芽长抑制率	72
表 4-5	培养箱实验条件下豆粕水解物对 9 种植物种子相对发芽率的影响	73
表 4-6	豆粕水解物对多年生黑麦草的种子的相对发芽率、根长抑制率及芽长抑制率的影响	75
表 4-7	豆粕水解物在无菌及非无菌条件下对多年生黑麦草的种子萌发的影响	76
表 4-8	豆粕水解物无菌和非无菌培养后 pH 及氮素变化	76
表 4-9	不同相对分子质量的豆粕水解肽对多年生黑麦草根、芽及相对发芽率的影响	78
表 5-1	离子交换层析洗脱条件正交设计	81
表 5-2	离子交换层析最佳分离条件	83
表 5-3	离子交换层析分离的 6 组分蛋白含量	85
表 5-4	离子交换层析分离的 6 组分对多年生黑麦草种子萌发的根长抑制率	85
表 5-5	9 个组分蛋白含量	87

表 5-6	凝胶过滤层析分离的 6 组分对多年生黑麦草种子萌发的根长抑制率	87
表 5-7	6 组分蛋白含量	89
表 5-8	制备型液相分离的 6 组分对多年生黑麦草种子萌发的根长抑制率	89
表 5-9	4 组不同洗脱条件及对照	90
表 5-10	Tyr-Ser-Tyr-Pro-Pro-Arg 对多年生黑麦草的根长抑制率	96
表 6-1	玉米蛋白粉营养成分及矿质元素分析	97
表 6-2	玉米蛋白粉对植物种子相对发芽率, 幼根及幼芽抑制率方差分析总表	98
表 6-3	培养箱实验条件下玉米蛋白粉对 8 种植物幼根的根长抑制率	99
表 6-4	培养箱实验条件下玉米蛋白粉对 8 种植物芽长的抑制率	100
表 6-5	培养箱实验条件下玉米蛋白粉对 8 种植物种子相对发芽率的影响	101
表 6-6	玉米蛋白粉培养 7 天后 pH 及 N 素变化	102
表 6-7	玉米蛋白粉在无菌与无菌培养条件下对多年生黑麦草及红三叶的根长抑制率、芽长抑制率及相对发芽率的影响	103
表 6-8	玉米蛋白粉水解物对植物种子相对发芽率、根长及芽长抑制率方差分析总表	104
表 6-9	培养箱实验条件下玉米蛋白粉水解物对 9 种植物根长抑制率	105
表 6-10	培养箱实验条件下玉米蛋白粉水解物对 9 种植物芽长抑制率	106
表 6-11	玉米蛋白粉水解物对 9 种植物种子相对发芽率影响	107
表 6-12	玉米蛋白粉水解物在无菌及非无菌条件下对多年生黑麦草种子相对发芽率、幼根及幼芽抑制率的影响	108
表 6-13	玉米蛋白粉水解物无菌和非无菌培养 7 天后 pH 及氮素变化	108
表 6-14	不同相对分子质量玉米蛋白粉水解肽对多年生黑麦草根、芽及相对发芽率的影响	110
表 8-1	不同豆粕处理草坪颜色的影响	121
表 8-2	豆粕处理对草坪均一度的影响	122
表 8-3	豆粕处理草坪草的叶绿素含量	122
表 8-4	豆粕处理的草坪草组织全氮含量	123
表 8-5	豆粕对草坪硝酸还原酶活性的影响	124
表 8-6	豆粕对草坪生物量的影响	125
表 9-1	施用豆粕及丁草胺条件下结缕草草坪土壤细菌数量	132
表 9-2	豆粕及丁草胺对结缕草草坪土壤真菌数量的影响	132
表 9-3	豆粕及丁草胺对结缕草草坪土壤放线菌数量的影响	133
表 9-4	施用豆粕及丁草胺后不同采样期细叶结缕草草坪土壤细菌丰富度	137
表 9-5	施用豆粕及丁草胺后不同采样期细叶结缕草草坪土壤细菌多样性指数	138
表 9-6	施用豆粕及丁草胺后不同采样期结缕草草坪土壤细菌均匀度	139
表 9-7	不同引物序列及 RAPD 扩增结果	140
表 9-8	4 种处理的多态位点百分率	141
表 9-9	Shannon 指数估计的处理内多样性	141
表 9-10	Shannon 指数估计的处理间多样性	142
表 9-11	不同处理随时间变化的多态位点条带数	144

Table Index

Tab. 1-1	Allelopathic role of typical cultivated plants.....	4
Tab. 1-2	Natural toxins from microbes and their molecular target sites.....	15
Tab. 1-3	Commercialized or development potential herbicidal compounds from plants.....	19
Tab. 2-1	Number and germination duration of seeds for the species tested.....	31
Tab. 2-2	The main instruments used in the experiments.....	32
Tab. 2-3	The main reagents used in the experiments.....	33
Tab. 2-4	Reference documents for samples testing.....	34
Tab. 2-5	Conditions of flame method.....	35
Tab. 2-6	Conditions of graphite furnace.....	35
Tab. 2-7	Preparation of the color reaction reagent.....	44
Tab. 2-8	Preparation of ultraviolet absorption reaction solution.....	45
Tab. 2-9	Preparation of sugar standard solution.....	47
Tab. 2-10	Sequence of 15 arbitrary primers in RAPD analysis.....	56
Tab. 3-1	Nutrient composition and elements in soybean meal (SBM).....	57
Tab. 3-2	ANOVA for showing the significance of soybean meal effects on seed germination, shoot and root reduction in growth chamber.....	58
Tab. 3-3	Reduction in root development, relative to the control, of 8 plants treated with soybean meal in the growth chamber.....	59
Tab. 3-4	Reductions in shoot lengths, relative to the control, of 8 plants treated with soybean meal in the growth chamber.....	60
Tab. 3-5	Effect of soybean meal on the germination ratio, relative to the control, of 8 plants grown in the growth chamber.....	61
Tab. 3-6	ANOVA analyses for showing significance of soybean meal effects on germination ratio, reductions in shoot length and root length of 8 plant species.....	62
Tab. 3-7	Reductions in root development, relative to the control, of 8 plants treated with soil surface-applied and preplant incorporated soybean meal in pot soil in the greenhouse.....	63
Tab. 3-8	Reductions in shoot length, relative to the control, of 8 plants treated with four quantities of soil surface-applied and preplant incorporated soybean meal in pot soil in the greenhouse.....	64
Tab. 3-9	Germination ratio, relative to the control, of 8 plants treated with soil surface-applied and preplant incorporated soybean meal in pot soil in the greenhouse.....	65
Tab. 3-10	Variation of pH and N in soybean meal media after 7 days culture.....	66
Tab. 3-11	Soybean meal effects on germination ratio, reductions in shoot length and root length, relative to the control, of <i>Lolium perenne</i> and <i>Trifolium pratense</i> under sterile and non-sterile culture condition.....	67
Tab. 4-1	Protein and N content of soybean meal and different hydrolyzed soybean peptides.....	69
Tab. 4-2	ANOVA for showing the significance of soybean meal hydrolyzate effects on seed germination, shoot and root reduction, relative to control.....	70
Tab. 4-3	Reduction in root lengths, relative to the control, of 9 plants treated with 4 concentrations of SBH in the growth chamber.....	71

Tab. 4-4	Reduction in shoot lengths, relative to the control, of 9 plant seeds treated with soybean meal hydrolysate in the growth chamber	72
Tab. 4-5	Effect of soybean meal hydrolysate on the germination ratio, relative to the control, of 9 plants grown in the growth chamber.....	73
Tab. 4-6	Effects of soybean meal hydrolyzate on germination ratio, reductions in shoot length and root length of <i>Lolium perenne</i>	75
Tab. 4-7	Effects of soybean meal hydrolyzate on germination ratio, reductions in shoot length and root length of <i>Lolium perenne</i> under sterile and non-sterile conditions.....	76
Tab. 4-8	Variation of pH and N in soybean meal hydrolysate after 7 days culture under sterile and non-sterile.....	76
Tab. 4-9	Reduction in root lengths, shoot length and germination, relative to the control, of <i>Lolium perenne</i> treated with four quantities of different molecular weight peptides from soybean meal hydrolyzate	78
Tab. 5-1	Orthogonal design of eluting conditions of ion exchange chromatography	81
Tab. 5-2	The optimized separation conditions of ion exchange chromatography.....	83
Tab. 5-3	The protein content of the 6 fractions separated by ion exchange chromatography from hydrolyzed soybean meal peptides.....	85
Tab. 5-4	Reduction in root length, relative to the control, of <i>Lolium perenne</i> treated with six fractions separated by ion exchange chromatography from soybean meal hydrolyzate	85
Tab. 5-5	The protein content of 9 fractions.....	87
Tab. 5-6	Reduction in root length, relative to the control, of <i>Lolium perenne</i> treated with six fractions separated by gel filtration column from IEC-A8.....	87
Tab. 5-7	The protein content of 6 fractions.....	89
Tab. 5-8	Reduction in root length, relative to the control, of <i>Lolium perenne</i> treated with 6 fractions separated by preparation RP-HPLC	89
Tab. 5-9	4 different eluting conditions and control.....	90
Tab. 5-10	Reduction in root length, relative to the control, of <i>Lolium perenne</i> treated with Tyr-Ser-Tyr-Pro-Pro-Arg	96
Tab. 6-1	Nutrient composition and elements in corn gluten meal (CGM).....	97
Tab. 6-2	ANOVA for showing the significance of corn gluten meal effects on seed germination, shoot and root reduction in growth chamber.....	98
Tab. 6-3	Reduction in root development, relative to the control of 8 plants treated with corn gluten meal in the growth chamber	99
Tab. 6-4	Reductions in shoot lengths, relative to the control, of 8 plants treated with corn gluten meal in the growth chamber	100
Tab. 6-5	Effect of Corn Gluten Meal on the germination ratio, relative to the control, of 8 plants grown in the growth chamber	101
Tab. 6-6	Variation of pH and N in corn gluten meal media after 7 days culture.....	102
Tab. 6-7	Corn gluten meal (CGM) effects on germination ratio, reductions in shoot length and root length of <i>Lolium perenne</i> and <i>Trifolium pratens</i> under sterile and non-sterile culture	103
Tab. 6-8	ANOVA for showing the significance of corn gluten meal hydrolyzate effects on seed germination, shoot and root reduction in growth chamber.....	104

Tab. 6-9	Reduction in root lengths, relative to the control, of 9 plant seeds treated with corn gluten hydrolyzate in the growth chamber	105
Tab. 6-10	Reduction in shoot lengths, relative to the control, of 9 plant seeds treated with four corn gluten hydrolyzate in the growth chamber	106
Tab. 6-11	Effect of corn gluten hydrolyzate on the germination ratio, relative to the control, of 9 plants seeds treated with corn gluten meal hydrolyzate in the growth chamber	107
Tab. 6-12	Corn gluten hydrolyzate effects on germination ratio, reductions in shoot length and root length of <i>Lolium perenne</i> under septic culture and aseptic culture	108
Tab.6-13	pH and N variation of corn gluten hydrolyzate after 7 days culture under sterile and non-sterile conditions	108
Tab. 6-14	Reduction in root lengths, shoot length and germination, relative to the control, of <i>Lolium perenne</i> treated hydrolyzed corn gluten peptides with different molecular weight.....	110
Tab. 8-1	Effect of SBM on turf coloration.....	121
Tab. 8-2	Effect of SBM on turf equitability	122
Tab. 8-3	Effect of SBM on the chlorophyll content of turf grass.....	122
Tab. 8-4	Effect of SBM on turf total nitrogen.....	123
Tab. 8-5	Effect of SBM on nitrate reeducates activity.....	124
Tab. 8-6	Effect of SBM on the turf biomass (g/m ²)	125
Tab. 9-1	Number of bacteria in <i>Zoysia tenuifolia</i> turf soil under SBM and Butachlo treatment	132
Tab. 9-2	Number of fungus in <i>Zoysia tenuifolia</i> turf soil under SBM and Butachlo treatment	132
Tab. 9-3	Number of actinomycete in <i>Zoysia tenuifolia</i> turf soil under SBM and Butachlo treatment.....	133
Tab. 9-4	Abundance of <i>Zoysia tenuifolia</i> turf soil bacteria in different sampling date under soybean meal and Buttachlo treatment.....	137
Tab. 9-5	Shannon-Weaver Diversity Index of <i>Zoysia tenuifolia</i> turf soil bacteria in different sampling date under soybean meal and Buttachlo treatment	138
Tab. 9-6	Equitability Index of <i>Zoysia tenuifolia</i> turf soil bacteria in different sampling date under soybean meal and Buttachlo treatment.....	139
Tab. 9-7	Sequence of arbitrary primers and the amplified results obtained from different primers	140
Tab. 9-8	Percentage of polymorphic loci within 4 different treatments.....	141
Tab. 9-9	Diversity within four treatments estimated by Shannon index	141
Tab. 9-10	Diversity among four treatments estimated by Shannon index	142
Tab. 9-11	Number of belts of polymorphic loci in different sampling date among different treatments.....	144

Degree papers are in the "[Xiamen University Electronic Theses and Dissertations Database](#)". Full texts are available in the following ways:

1. If your library is a CALIS member libraries, please log on <http://etd.calis.edu.cn/> and submit requests online, or consult the interlibrary loan department in your library.
2. For users of non-CALIS member libraries, please mail to etd@xmu.edu.cn for delivery details.

厦门大学博硕士论文摘要库