

# Edith Cowan University Copyright Warning

You may print or download ONE copy of this document for the purpose of your own research or study.

The University does not authorise you to copy, communicate or otherwise make available electronically to any other person any copyright material contained on this site.

You are reminded of the following:

- Copyright owners are entitled to take legal action against persons who infringe their copyright.
- A reproduction of material that is protected by copyright may be a copyright infringement.
- A court may impose penalties and award damages in relation to offences and infringements relating to copyright material. Higher penalties may apply, and higher damages may be awarded, for offences and infringements involving the conversion of material into digital or electronic form.

**Spectromorphology and Spatiomorphology: Wave Terrain  
Synthesis as a framework for controlling Timbre  
Spatialisation in the Frequency Domain**

This thesis is presented for the degree of

**Doctor of Philosophy**

**Stuart George James**

Edith Cowan University

Faculty of Education and Arts

Western Australian Academy of Performing Arts

2015

## Contents

<b>Contents .....</b>	<b>3</b>
<b>List of Tables.....</b>	<b>6</b>
<b>List of Figures .....</b>	<b>7</b>
<b>Declaration of Originality .....</b>	<b>29</b>
<b>Acknowledgments .....</b>	<b>30</b>
<b>Abstract.....</b>	<b>31</b>
<b>List of Abbreviations .....</b>	<b>32</b>
<b>Chapter 1: Research Background .....</b>	<b>34</b>
1.1 Introduction .....	34
1.2 Project Materials .....	37
1.3 Research Aims .....	38
1.3.1 Research Questions .....	39
1.3.2 Software Requirements and Limitations .....	42
1.3.3 Research Methodology .....	45
1.3.4 Graphs and Scales .....	47
1.4 Spatialisation Practice in Music .....	52
1.4.1 The Medium .....	55
1.4.2 Types of Spatialisation .....	59
1.4.3 Contextualisation of <i>Timbre Spatialisation</i> .....	65
1.5 Chapter Overview .....	70
<b>Chapter 2: Timbre and Space.....</b>	<b>73</b>
2.1 Introduction .....	73
2.2 Defining <i>Timbre Spatialisation</i> .....	73
2.3 Spatial Attributes.....	77
2.3.1 Dimensional Attributes .....	80
2.3.2 Immersive Attributes.....	86
2.3.3 Psychoacoustics of <i>Timbre Spatialisation</i> .....	89
2.4 Timbre .....	94
2.4.1 <i>Timbre Perception</i> .....	96
2.4.2 Audio Analysis.....	99
2.4.3 DFT and FFT Computational Methods.....	102
2.5 Previous Implementations of <i>Timbre Spatialisation</i> .....	116
2.5.1 Time Domain Filtration .....	117
2.5.2 Frequency Domain Filtration .....	120
2.6 Chapter Summary.....	124
<b>Chapter 3: Mapping and Implementation .....</b>	<b>125</b>
3.1 Introduction .....	125
3.2 A Generalised Mapping Strategy .....	127
3.2.1 Previous Control Interfaces for Spatialising Spectra .....	129
3.2.2 WTS as a Control Framework .....	133
3.2.3 Synchronisation v. Control Signal Protocol .....	139
3.2.4 Real-time Control of Large Parameter Sets .....	142

3.3 Model A: Mapping Terrain Height to Azimuth .....	152
3.3.1 Basic Amplitude Panning.....	154
3.3.2 Supported Speaker Configurations .....	158
3.3.3 Calibration.....	160
3.4 Model B: Mapping Terrain Height to Spectral Bin .....	166
3.4.1 The First Implementation.....	170
3.4.2 Ambisonic and DBAP Spatialisation .....	176
3.4.3 Audio Rate Histograms in Gen~ .....	185
3.4.4 Supported Speaker Configurations .....	190
3.4.5 Calibration.....	191
3.5 Chapter Summary.....	194
<b>Chapter 4: Sound Shapes and Spatial Texture .....</b>	<b>196</b>
4.1 Introduction .....	196
4.2 Visualisation.....	198
4.2.1 Visualising the Terrain.....	199
4.2.2 Visualising the Trajectory .....	201
4.2.3 Multichannel Loudness Metering .....	203
4.2.4 Visualising the Frequency–Space Domain .....	204
4.2.5 Multichannel Spectrograms and Sonograms.....	207
4.3 The Generating of Sound Shapes .....	209
4.3.1 Generative Terrain Curves .....	210
4.3.2 Generative Trajectory Curves .....	211
4.3.3 Sound Shapes .....	220
4.4 The Morphology of Sound Shapes.....	255
4.4.1 Terrain Morphology .....	256
4.4.2 Trajectory Morphology .....	262
4.4.3 The Spatiomorphology of Sound Shapes.....	273
4.5 Chapter Summary.....	278
<b>Chapter 5: Compositions .....</b>	<b>280</b>
5.1 Introduction .....	280
5.2 Stuart James’ <i>Particle 1</i> (2011).....	285
5.2.1 Introduction .....	285
5.2.2 Overview .....	286
5.2.3 Technical Setup.....	286
5.2.4 Processing .....	289
5.2.5 Spatialisation.....	291
5.3 Stuart James’ <i>Veden Ja Tulen Elementit</i> (2012) .....	292
5.3.1 Introduction .....	293
5.3.2 Overview .....	293
5.3.3 Technical Setup.....	294
5.3.4 Processing .....	296
5.3.5 Spatialisation.....	298
5.4 Stuart James’ <i>N-Dimension</i> (2013) .....	304
5.4.1 Introduction.....	304
5.4.2 Overview .....	305
5.4.3 Technical Setup.....	305
5.4.4 Compositional Structure .....	311
5.4.5 Processing .....	315
5.4.6 Spatialisation.....	317
5.5 Stuart James’ <i>The Overview Effect</i> (2013-14) .....	318

5.5.1 Introduction .....	319
5.5.2 Overview .....	319
5.5.3 Technical Setup .....	320
5.5.4 Processing .....	321
5.5.5 Spatialisation .....	321
5.6 Chapter Summary .....	328
<b>Chapter 6: Conclusions .....</b>	<b>329</b>
6.1 Implications for Future Research .....	333
<b>Bibliography .....</b>	<b>339</b>
Catalogue of Literature .....	339
Catalogue of Musical Works exploring Timbre Spatialisation .....	362
Catalogue of Other Cited Musical Works .....	363
Software .....	364
<b>Glossary .....</b>	<b>370</b>
<b>Appendix A – Creative Folio .....</b>	<b>372</b>
Works .....	372
Performances using Tools Developed for this research .....	373
Music Scores .....	375
Released Recordings .....	388
Other Information .....	389
<b>Appendix B – Algorithms .....</b>	<b>393</b>
Spatial Panning Algorithms .....	393
Linear Panning .....	393
Equal-Power Panning .....	393
Ambisonic Equivalent Panning (AEP) .....	394
Distance-Based Amplitude Panning (DBAP) .....	395
Cartesian-Polar Coordinate Conversion .....	396
Signal Analysis Algorithms .....	397
Spatial Analysis .....	397
Spectral Flux .....	397
Spectral Centroid .....	397
Other Algorithms .....	398
Decibel-Amplitude Ratio Conversion .....	398
<b>Appendix C – Software Implementations .....</b>	<b>399</b>
<i>gen~</i> Software Implementations .....	399
Java Software Implementations .....	430
Javascript Software Implementations .....	457
<b>Appendix D – Sound Shape Case Studies .....</b>	<b>459</b>
<b>Appendix E – Supporting Materials .....</b>	<b>473</b>

## List of Tables

Table 1 <i>A Tabulated List of Some Speaker Configurations</i> .....	57
Table 2 <i>Spatial Attributes as Described by Rumsey (2002), Kendall and Cabrera (2011) and Sazdov et al. (2007)</i> .....	79
Table 3 <i>A Particular Case Scenario with a Sample Rate of 44.1 kHz an FFT Frame Size of 1024 Samples, and the Resulting Frequency of each Spectral Bin</i>	104
Table 4 <i>Windowing Functions</i> .....	108
Table 5 <i>A Summary of Different Implementations</i> .....	122
Table 6 <i>Speed and Bandwidth of Various Communication Protocols for Music Applications</i> .....	140
Table 7 <i>The Associated Number of Spectral Bands that Require Control According to Multichannel Loudspeaker Configuration and FFT Frame Size</i> .....	160
Table 8 <i>Benchmark Timings of Histogram Processes</i> .....	172
Table 9 <i>Number of Audio Samples Assigned to Each Speaker for Different FFT Frame Sizes</i> .....	174
Table 10 <i>Various Kinds of Trajectory Curves (James, 2005)</i> .....	213
Table 11 <i>Frequencies for Synchronous Trajectories for Different FFT Frame Sizes</i> ..	216
Table 12 <i>Low-frequency Asynchronous Trajectories and High-frequency Asynchronous Trajectories</i> .....	217
Table 13 <i>Model A Sound Shapes</i> .....	236
Table 14 <i>Model B Sound Shapes</i> .....	254
Table 15 <i>Transformations Informed by Wishart</i> .....	275
Table 16 <i>Audio Stems for Stuart James' Veden Ja Tulen Elementit (2012) and their Designated Speaker Channels</i> .....	295
Table 17 <i>Spatial Motion used in Veden Ja Tulen Elementit</i> .....	302
Table 18 <i>Timed Messaging Cues Sent to the Samplers for Recording</i> .....	316
Table 19 <i>Messaging Determining DBAP Speaker Positions</i> .....	326

## List of Figures

<i>Figure 1a.</i> A Chandra X-ray image (in blue) superimposed over a Hubble space telescope visible light photograph of the Cat's Eye Nebula, or NGC6543. Source: NASA, 2001. ....	35
<i>Figure 1b.</i> An OpenGL 3D render of Figure 1a showing the topographical features described by differences in RGB intensity.....	35
<i>Figure 2a.</i> A bird's eye view of spectra spatialised across a listener space. Spectra of different frequency are differentiated by colour. The listener position is at the centre.....	37
<i>Figure 2b.</i> A bird's eye view of the spatialised spectra in Figure 2a after they have been subjected to geometric manipulation resulting in a spatiomorphology. The listener position is at the centre.....	37
<i>Figure 3a.</i> A spectral analysis of eight-channel audio showing a <i>spatiomorphology</i> controlled by successive video frames (these are managed with <i>MaxMSP</i> 's messaging scheduler).....	45
<i>Figure 3b.</i> A spectral analysis of eight-channel audio showing the same <i>spatiomorphology</i> as in Figure 3a, but controlled using an audio signal.....	45
<i>Figure 4a.</i> A spectral filter showing amplitude level scaled linearly for frequencies in the audible spectrum. ....	48
<i>Figure 4b.</i> The spectral filter in Figure 4a plotted in dB rather than amplitude ratio.....	48
<i>Figure 5a.</i> A spectral filter showing amplitude levels for four different speakers (colour coded) for all spectral bins of a 2048-sample FFT. ....	48
<i>Figure 6a.</i> A colour wheel continuous scale for azimuth showing what colours are mapped to centre front, centre rear, left and right speakers. ....	49
<i>Figure 6b.</i> The colour wheel continuous scale showing azimuth angles superimposed over the eight-channel speaker distribution used for <i>timbre spatialisation</i> in the exegesis. ....	49
<i>Figure 7a.</i> A contour plot of a terrain where the topography of the image is encoded with a continuous colour scale, as would be done if the topography is mapping to azimuth.....	50

<i>Figure 7b.</i> A 3D plot of Figure 7a with the same colour encoding. By referring to Figure 6 one can colour match to quickly identify which regions will be centre front, centre rear, left or right. ....	50
<i>Figure 8.</i> A colour scale used to define the audible frequency range, and relate specific frequency ranges to spectral FFT bins. ....	50
<i>Figure 9a.</i> A continuous circular (periodic) trajectory where the 2D path is synchronous with subsequent frames of the FFT. The diagram shows low-frequency bins (in red) through to high-frequency bins in a clockwise direction (in blue). ....	51
<i>Figure 9c.</i> A discontinuous random trajectory where the 2D path is completely asynchronous with subsequent frames of the FFT. ....	51
<i>Figure 10a.</i> A frequency–space distribution over an eight-channel equidistant speaker configuration that only involves differences in azimuth. Lower frequencies (red) are displaced differently to the upper (blue) frequency bands in order to make the distribution of spectra as clear as possible. ....	52
<i>Figure 11.</i> The spatial arrays at Sonic Arts Research Centre (SARC), Belfast (left) and The Dome at Université de Montréal (right). ....	59
<i>Figure 12.</i> Acoustic sampling of the plenacoustic function taken with a 5.0 microphone. Source: Trinnov, 2004. ....	64
<i>Figure 13.</i> A basic block diagram showing primary processes involved in the model. The greyed-out areas indicate where the WTS section begins and ends, and respectively for the <i>timbre spatialiser</i> component. The model clearly shows that the user does not directly access the <i>timbre spatialiser</i> ; rather all of their interaction is with WTS and the sound source used. ....	72
<i>Figure 14.</i> The latest ISO 226 standard for equal-loudness level contours, published in 2003. ....	76
<i>Figure 15a.</i> A Venn diagram showing a source sound with some of its associated momentary audible features. ....	76
<i>Figure 15b.</i> A snapshot of a frequency–amplitude plot of a sound showing its harmonic spectrum (that is, its timbre). ....	76
<i>Figure 17a.</i> A Venn diagram showing three spatial cues responsible for directional hearing. The interactions are not mutually exclusive: for example, although the horizontal plane is largely influenced by the interaction of	



interaural intensity differences and interaural time differences, spectral cues do also contribute to spatial awareness along this plane.....	81
<i>Figure 17b.</i> A diagram showing the three planes of orientation around the human body: the horizontal, frontal and median planes. Source: <a href="http://www.music.miami.edu/programs/mue/Research/jwest/Chap_2/Chap_2_Spatial_Hearing.html">http://www.music.miami.edu/programs/mue/Research/jwest/Chap_2/Chap_2_Spatial_Hearing.html</a> .....	81
<i>Figure 18.</i> The variety of sound shapes created through <i>timbre spatialisation</i> has some relationship with decorrelation processes. The independent spatialisation of frequency bands generates multiple auditory streams. Beyond a threshold, the brain begins to fuse these separate streams into a single, yet spatially wide, sound scene.....	91
<i>Figure 19.</i> 3D distribution using hierarchical clustering analysis performed by Grey (1975). .....	97
<i>Figure 20.</i> A wivigram analysis of a segment of <i>Concrète PH</i> (1958) by Iannis Xenakis. Source: Sturm et al., 2008.....	100
<i>Figure 21.</i> A spectral analysis frame shown in the scope window showing spectral bin symmetry.....	105
<i>Figure 22.</i> The application of overlapping triangular windowing functions to a time domain signal. Source: Cycling '74 (n.d.) .....	106
<i>Figure 23.</i> Overlapping triangular windows for overlapping FFTs, phase offset 0.5 = 180° out of phase from the <i>cycle~</i> on the left. The offset of an FFT can be given as a (third) typed-in argument to <i>fft~</i> , as is done for the <i>fft~</i> object on the right. For better results we generally want to use a Hanning window, but the triangle works adequately for this example. (Note that this part of the patch will only work if your current <i>MaxMSP</i> signal vector size is 256 or less, as <i>fft~</i> can only be offset by a multiple of the vector size.) .....	106
<i>Figure 24.</i> FFT v. wavelet windowing. Source: Wakefield, 2004.....	109
<i>Figure 25a.</i> Implementation of an analysis window performed with <i>fft~</i> in <i>MaxMSP</i> .	111
<i>Figure 25b.</i> Implementation of an analysis window performed with <i>pfft~</i> in <i>MaxMSP</i> . .....	111
<i>Figure 26.</i> Spectral analysis and resynthesis. ....	112
<i>Figure 27.</i> Spectral resynthesis. ....	112

<i>Figure 28a.</i> The main patcher of the inverse fast Fourier transform (IFFT) additive synthesis patcher. ....	113
<i>Figure 28b.</i> The inside of the <i>pfft~</i> sub-patcher showing a fairly crude implementation of an IFFT additive synthesis instrument.....	113
<i>Figure 29.</i> Spectral analysis, modification, and resynthesis.....	113
<i>Figure 30b.</i> Spectral filter.....	115
<i>Figure 30d.</i> Spectral bin rotation (in the complex plane).....	115
<i>Figure 30e.</i> Amplitude-only convolution synthesis.....	116
<i>Figure 30f.</i> Spectral bin randomiser.....	116
<i>Figure 31.</i> The Waves <i>PS22</i> mono-to-stereo plugin.....	117
<i>Figure 32.</i> A typical <i>amplitude response (magnitude frequency response)</i> curve for a low-pass <i>infinite impulse response</i> (IIR) filter. A stable amplitude response is dependent on the filter being <i>linear time-invariant</i> .....	118
<i>Figure 33.</i> A <i>Logic Pro X</i> session managing <i>timbre spatialisation</i> using time domain filters. These are a series of multi-band effects used to solo or bypass specific bands on four separate auxiliary returns. Each of these auxiliary return channels has a surround panner for independently spatialising the different frequency bands.....	119
<i>Figure 34.</i> The <i>MaxMSP</i> interface developed and used by Topper, Burtner and Serafin (2002).....	120
<i>Figure 35.</i> A brickwall low-pass filter implemented using frequency domain filtration. This function is commonly referred to as the <i>spectral processing function</i> (SPF).....	121
<i>Figure 36.</i> Christopher Keyes' (2004) <i>MaxMSP</i> patch. ....	123
<i>Figure 37.</i> David Kim-Boyle's (2008) patch—mapping particle coordinates to a quadraphonic spatial location.....	123
<i>Figure 38a.</i> A block diagram showing the generalised mapping strategy used in <i>Model A</i> . ....	128
<i>Figure 38b.</i> A block diagram showing the generalised mapping strategy used in <i>Model B</i> . ....	128
<i>Figure 39a.</i> The <i>multislider</i> object used for stereo diffusion of spectral material.....	129
<i>Figure 39b.</i> A spectral spatialiser controller using separate <i>multislider</i> objects for left–right and front–back localisation. The <i>lcd</i> display indicates the location of FFT energy bins in two-dimensional space. ....	129

<i>Figure 40.</i> Christopher Keyes' (2004) GUI and control interface.....	130
<i>Figure 41.</i> Kim-Boyles (2008) implementation where values of the Boids algorithm are mapped to frequency bins.....	132
<i>Figure 42a.</i> A terrain surface describing a ring modulation synthesis parameter space. Source: James, 2005.....	135
<i>Figure 42b.</i> A terrain surface describing a frequency modulation synthesis parameter space. Source: James, 2005.....	135
<i>Figure 43.</i> The <i>timbre spatialisation</i> interface for <i>Max4Live</i> using a WTS frontend, designed in 2012. The tool was used in a performance of <i>Goldstream Variations</i> (2012) by American composer Scott Deal at the <i>International Computer Music Conference</i> in 2013 (see Chapter 5).....	137
<i>Figure 44.</i> The rotation of a scene as described pictorially in Wishart's <i>On Sonic Art</i> (1996). .....	138
<i>Figure 45.</i> A block diagram showing how WTS is synchronised to the FFT frame. ...	141
<i>Figure 46a.</i> A standard surround panner window used for ITU 5.1 standard. ....	143
<i>Figure 46b.</i> A more sophisticated panner interface used in <i>Flux IRCAM Spat</i> , which is more adaptable to various loudspeaker configurations.....	143
<i>Figure 47a.</i> An Ambisonic panner interface by the Institut for Computer Music and Sound Technology for <i>MaxMSP</i> that illustrates three input sources panned with different azimuth, elevation and distance cues. ....	145
<i>Figure 47b.</i> A distance-based amplitude panning interface in <i>MaxMSP</i> as part of the Jamoma library. This tool allows adaptable configuration for the number of inputs, outputs and the speaker configuration used. ....	145
<i>Figure 48a.</i> The <i>HoloEdit</i> multi-trajectory design software.....	146
<i>Figure 48b.</i> <i>OMPrisma</i> software that includes functions for generating and transforming spatialisation trajectories. ....	146
<i>Figure 49a.</i> Demultiplexing a single time domain audio signal (serial) into four independent audio signals (parallel). The patch is by the author. These parallel streams would constitute a 'vector' of samples. In practice these would normally correspond to the parameters assigned to individual spectral bins.....	150
<i>Figure 49b.</i> The demultiplexing process as shown in Figure 49a illustrating the internal processing inside the <i>gen~</i> object. This patch uses a series of gates and the latch object. The <i>gen~</i> patch is by the author.....	150

<i>Figure 50a.</i> In an FFT synchronous approach to WTS, the process of lookup will derive vectors of values according to the size of the FFT frame. This means WTS is computed as a frequency domain signal. ....	151
<i>Figure 50b.</i> In an FFT asynchronous approach to WTS, the process of lookup will derive values that do not align with the FFT frame. This means WTS is computed as a time domain signal that is arbitrarily mapped to a frequency domain process. ....	151
<i>Figure 51.</i> A block diagram of the mapping strategy for <i>Model A</i> . ....	153
<i>Figure 52.</i> A Venn diagram showing the flexibility of <i>Model A</i> for <i>spectromorphology</i> and <i>spatiomorphology</i> . ....	154
<i>Figure 53a.</i> A localised spectral distribution. ....	154
<i>Figure 53b.</i> A wide spectral distribution with high correlation. ....	154
<i>Figure 53c.</i> A wide spectral distribution with low correlation. ....	154
<i>Figure 54a.</i> A standard window function used for basic amplitude panning over a quadraphonic speaker configuration. ....	155
<i>Figure 54b.</i> A phase shift of the standard window function at 0, 0.25, 0.5 and 0.75 phase. ....	155
<i>Figure 55.</i> Inside the <i>pfft~</i> patcher showing the spectral process applied. ....	156
<i>Figure 56.</i> An adaptation of Figure 60 that utilises [ <i>fft~ 1 nofft</i> ] objects instead of [ <i>send~</i> ] and [ <i>receive~</i> ] as well as the use of [ <i>delay~</i> ] instead of [ <i>+~</i> ]. ....	157
<i>Figure 57a.</i> An equidistant quadraphonic speaker configuration. ....	158
<i>Figure 57b.</i> An equidistant octophonic speaker configuration. ....	158
<i>Figure 57c.</i> A Dolby 7.1 speaker configuration. ....	159
<i>Figure 57d.</i> A matrix mixer approach to spatialisation showing an idealised formation of four equidistant sources in a quadraphonic configuration. ...	159
<i>Figure 58a.</i> An ideal terrain surface for spatialisation using <i>Model A</i> mapping where differences in colour conform to differences in angle of azimuth. ....	162
<i>Figure 58b.</i> The corresponding hues in Figure 58a shown against the speaker placements allowing for an intuitive relationship of colour to angle of azimuth. ....	162
<i>Figure 59a.</i> Speaker 1 blue (left), Speaker 2 red (right), Speaker 3 yellow (rear right), Speaker 4 green (rear left). ....	162
<i>Figure 59b.</i> Assignment to a four-speaker configuration. ....	162
<i>Figure 60a.</i> Colour coding as per Figure 59a showing that Speaker 2 is assigned 0.5. ....	163

<i>Figure 60b.</i> This diagram shows that Speaker 2 is positioned at the centre. ....	163
<i>Figure 61a.</i> A window function normally used for 2 channels (stereo). ....	164
<i>Figure 61b.</i> A window function normally used for 4 channels. ....	164
<i>Figure 61c.</i> A window function normally used for 16 channels. ....	164
<i>Figure 62a.</i> Window overlap of a quadraphonic window function used over 8 speakers. ....	165
<i>Figure 62b.</i> Window overlap of a quadraphonic window function used over 16 speakers. ....	165
<i>Figure 63.</i> A block diagram of <i>Model B</i> . ....	168
<i>Figure 64a.</i> A greyscale contour plot of a non-linear terrain surface. Differences in colour correspond with frequency. ....	169
<i>Figure 64b.</i> A visualisation of a <i>sound shape</i> generated over 1 second (44100 audio rate lookups) using an asynchronous random trajectory reading points off the terrain pictured in Figure 64a. ....	169
<i>Figure 64c.</i> A visualisation of a <i>sound shape</i> generated over 1 second (44100 audio rate lookups) using a synchronous and periodic trajectory reading points off the terrain pictured in Figure 64a. ....	169
<i>Figure 64d.</i> A visualisation of the <i>sound shape</i> in Figure 64b with a listener and loudspeakers superimposed to show an ideal visual representation of the perceived <i>sound shape</i> . ....	169
<i>Figure 65.</i> A Venn diagram showing the adaptability of <i>Model B</i> to <i>spectromorphology</i> and <i>spatiomorphology</i> over various speaker configurations. ....	170
<i>Figure 66a.</i> A contour. ....	173
<i>Figure 66b.</i> The curve in Figure 66a computed using a histogram. ....	173
<i>Figure 67.</i> The sub-patcher responsible for ‘splitting’ the trajectory into segments. ...	174
<i>Figure 68.</i> The process of signal segmentation, histogram computation and smoothing explored in the early implementation of <i>Model B</i> . ....	175
<i>Figure 69.</i> Visual representation of the Ambisonic <i>B-format</i> components up to third order. Dark portions represent regions where the polarity is inverted. Note how the first two rows correspond to omnidirectional and figure- of-eight microphone polar patterns. Source: Wikipedia, 2015. ....	180
<i>Figure 70.</i> Two-level functions for a speaker at position (sound at = 0, order $m = 3$ ), the first without correction (basic decoding) <code>fbas()</code> and the second for	

so-called in-phase decoding $\text{finph}()$ . The bars indicate the levels of 13 symmetrically positioned speakers. Source: Neukom and Schacher, 2008.....	181
<i>Figure 71a.</i> Ambisonic equivalent panning (AEP) Order 1.....	182
<i>Figure 71b.</i> AEP Order 4.....	182
<i>Figure 71c.</i> AEP Order 16.....	182
<i>Figure 72a.</i> A 2D implementation of Ambisonic equivalent panning.....	183
<i>Figure 72b.</i> A 3D implementation of Ambisonic equivalent panning.....	183
<i>Figure 73a.</i> A 2D implementation of distance-based amplitude panning.....	185
<i>Figure 73b.</i> A 3D implementation of distance-based amplitude panning.....	185
<i>Figure 74a.</i> An SPF (spectral processing function) with a smoothing algorithm applied across three samples.....	186
<i>Figure 74b.</i> The same SPF with a smoothing algorithm applied across 10 samples....	186
<i>Figure 74c.</i> The same SPF with a smoothing algorithm applied across 30 samples....	186
<i>Figure 74d.</i> The same SPF with a smoothing algorithm applied across 80 samples....	186
<i>Figure 75.</i> Catmull–Rom spline interpolation through a series of points (audio rate break-point function generation).....	188
<i>Figure 76a.</i> A histogram plot of a single sine tone frequency.....	188
<i>Figure 76b.</i> The same sine tone frequency shown in Figure 76a with a widened spectral centroid.....	188
<i>Figure 77a.</i> A histogram plot without spectral foldover.....	188
<i>Figure 77b.</i> A histogram plot with spectral foldover.....	188
<i>Figure 78a.</i> A histogram plot of white noise.....	189
<i>Figure 78b.</i> A histogram plot of white noise with centroid widening.....	189
<i>Figure 79a.</i> A histogram plot of white noise with Catmull–Rom spline interpolation.....	189
<i>Figure 79b.</i> A histogram plot of white noise with distorted Catmull–Rom spline interpolation.....	189
<i>Figure 80a.</i> A speaker configuration at the Digital Media and Arts Research Centre.....	192
<i>Figure 80b.</i> The displacement of the upper speaker group as opposed to the lower group.....	192
<i>Figure 81.</i> A block diagram of <i>Model B</i> outlining the processes that relate to WTS and those that relate to <i>timbre spatialisation</i> . The user interaction above clearly shows that the performer is only responsible for controlling the WTS section of the instrument.....	196

<i>Figure 82a.</i> A density plot of a terrain surface showing the height map with hue colour coding.....	199
<i>Figure 82b.</i> A non-real-time 3D rendering of the terrain in Figure 82a plotted in <i>Mathematica</i> with the same hue colour coding.....	199
<i>Figure 83a.</i> A greyscale density plot of a terrain surface.....	200
<i>Figure 83b.</i> A real-time 3D rendering of the terrain in Figure 83a using <i>jit.gl.mesh</i> in <i>MaxMSP</i> .....	200
<i>Figure 83c.</i> A real-time 3D rendering of the terrain in Figure 83a using <i>jit.gl.render</i> in <i>MaxMSP</i> allowing for more customisable colour renderings. ....	200
<i>Figure 84a.</i> A 2D rendering of modulated random walks using <i>jit.poke~</i> , <i>jit.matrix</i> , and <i>jit.glop</i> .....	201
<i>Figure 84b.</i> A 3D rendering of modulated random walks using <i>jit.gl.render</i> and <i>jit.gl.mesh</i> . ....	201
<i>Figure 85a.</i> A colour rendering of a trajectory showing the synchronous alignment of spectral bins in the FFT frame against the temporal unfolding of the trajectory: red (low frequency) through blue (high frequency).....	203
<i>Figure 85b.</i> A colour rendering of a trajectory showing an asynchronous alignment of spectral bins in the FFT frame against the temporal unfolding of the trajectory: red (low frequency) through blue (high frequency).....	203
<i>Figure 86.</i> The <i>live.gain~</i> object in <i>MaxMSP</i> .....	204
<i>Figure 87.</i> Several time-displaced frames of frequency–space distribution as shown in the work of David Kim-Boyle (2006, 2008).....	204
<i>Figure 88.</i> Two time-displaced frames of frequency–space distribution plotted using <i>Flux Pure Analyzer Essential</i> software using the multichannel option. These are two sound shapes from my work <i>Veden Ja Tulen Elementit</i> (2013). ....	206
<i>Figure 89.</i> Various frequency–space plots specific to <i>Model B</i> showing a variety of sound shapes and their respective geometries.....	207
<i>Figure 90a.</i> An eight-channel spectral analysis showing the creation of <i>spatial texture</i> . This is generated on <i>Model A</i> using a chaotic trajectory that is geometrically modulated over a linear terrain function. ....	208
<i>Figure 90b.</i> An eight-channel spectral analysis showing the creation of <i>spatial texture</i> as well as more distinct and directional spatial movement across the system. This is generated on <i>Model A</i> .....	208

<i>Figure 91a.</i> A distinct sound shape evolving over time where there appears to be two different processes running concurrently. ....	209
<i>Figure 91b.</i> A distinct sound shape evolving over time. ....	209
<i>Figure 92a.</i> Ramp functions. ....	212
<i>Figure 92b.</i> Curved functions. ....	212
<i>Figure 92c.</i> Polar/spiral functions. ....	212
<i>Figure 92d.</i> Modulo functions. ....	212
<i>Figure 92e.</i> Complex-domain curves. ....	212
<i>Figure 92f.</i> Voronoi diagrams. ....	212
<i>Figure 92g.</i> Fractal turbulence. ....	212
<i>Figure 92h.</i> Noisy functions. ....	212
<i>Figure 92i.</i> Real-world functions. ....	212
<i>Figure 93a.</i> A low-frequency asynchronous trajectory (the Rössler curve) that is continuous in the time domain and discontinuous in the frequency domain. Colour coding shows the asynchronous nature of how spectral bins align to the trajectory geometry, although the path of the orbit shows continuity in the time domain. ....	218
<i>Figure 93b.</i> A high-frequency asynchronous trajectory (2D parametric white noise) that is discontinuous in the time domain and frequency domain. Colour coding indicates both the asynchronous nature of spectral bins and the discontinuous nature of the distribution in the time domain. ....	218
<i>Figure 94a.</i> A 3D plot of a polar curve with colour coding representing the height of the terrain, which is subsequently mapped to azimuth. ....	221
<i>Figure 94b.</i> A density plot of the polar curve where colour represents the height of the terrain; curve-specific colour degrees are associated with specific points of azimuth. ....	221
<i>Figure 95a.</i> A trajectory at a constant position of (0.4, 0.4) superimposed over a density plot of the terrain curve showing the point of lookup. ....	222
<i>Figure 95b.</i> The resulting sound shape from Figure 95a is a point source spatialisation—an unchanging trajectory path indicating a fixed point of azimuth for all spectral bins. ....	222
<i>Figure 95c.</i> Here is shown the energy distribution for four speakers. As the trajectory point is directly in line with Channel 4, all of the spectral energy is reproduced in the fourth loudspeaker channel. ....	222



<i>Figure 95d.</i> A trajectory at a constant position of (0.6, 0.8) superimposed over a density plot of the terrain curve showing the point of lookup. ....	222
<i>Figure 95e.</i> The resulting sound shape from Figure 95c is a point source spatialisation—an unchanging trajectory path indicating a fixed point of azimuth for all spectral bins. ....	222
<i>Figure 95f.</i> Unlike in Figure 95c, here we have a balance of energy between the first and second loudspeaker channels as the lookup value of the terrain is a point of azimuth between these two loudspeaker channels.....	222
<i>Figure 96a.</i> A linear unidirectional FFT synchronous trajectory superimposed over a density plot of a polar terrain curve.....	223
<i>Figure 96b.</i> The sound shape created by linear trajectory in Figure 96a reading a series of azimuth values from the terrain. This creates a spread of frequency bands across the listener space. ....	223
<i>Figure 96c.</i> The sound shape in Figure 96b describes lower frequency nearest Speaker 2 (coloured in red above), followed by mid-range frequencies peaking in Speaker 1 (in blue) and high frequencies emerging from Speaker 1 into Speaker 4 (coloured in green). ....	223
<i>Figure 97a.</i> The same trajectory as in Figure 96a except that it is traversed bidirectionally and is still FFT synchronous. ....	224
<i>Figure 97b.</i> The sound shape created by the linear trajectory in Figure 97a reading a series of azimuth values from the terrain. This creates a spread of frequency bands across the listener space with a fold.....	224
<i>Figure 97c.</i> The sound shape shown as frequency–amplitude curves for each speaker is the same as Figure 96c except that the foldover here creates symmetry across the frequency–amplitude curves.....	224
<i>Figure 98a.</i> A circular trajectory superimposed over a density plot of a polar terrain curve. ....	225
<i>Figure 98b.</i> The circular trajectory colour coded to show the alignment of spectral bins. Low frequency (in red) begins at the bottom traversing clockwise up to high frequency (in blue). ....	225
<i>Figure 98c.</i> The sound shape created by the circular trajectory in Figure 98a reading a series of azimuth values from the terrain according to the spectral bins shown in Figure 98b. ....	225

<i>Figure 98d.</i> The sound shape in Figure 98c shown as frequency–amplitude curves for each speaker. This shows a linear spread of frequency across the listener space. ....	225
<i>Figure 99a.</i> A linear trajectory superimposed over a density plot of a ramp terrain curve. ....	226
<i>Figure 99b.</i> The linear trajectory colour coded to show the alignment of spectral bins. ....	226
<i>Figure 99c.</i> The sound shape created by the terrain and trajectory in Figure 99a. ....	226
<i>Figure 99d.</i> The sound shape shown as frequency–amplitude curves for each speaker. This is the same as Figure 98d. ....	226
<i>Figure 100a.</i> A linear trajectory superimposed over a density plot of a distorted terrain curve. ....	227
<i>Figure 100b.</i> The linear trajectory colour coded to show the alignment of spectral bins. ....	227
<i>Figure 100c.</i> The sound shape created by the terrain and trajectory in Figure 100a shows the slight skew of frequencies across space compared to the sound shape in Figure 99c. ....	227
<i>Figure 100d.</i> The sound shape in Figure 100c shown as frequency–amplitude curves for each speaker. The skew is visually evident. Part of the spectrum is stretched in Speaker 4 (in green) whereas other regions of the spectrum are narrower. ....	227
<i>Figure 101a.</i> A circular trajectory superimposed over a density plot of a more complex terrain curve. ....	228
<i>Figure 101b.</i> The circular trajectory colour coded to show the alignment of spectral bins. ....	228
<i>Figure 101c.</i> The sound shape created by the circular trajectory in Figure 101a reading a series of azimuth values from the terrain. This generates a series of folds in the spectrum. ....	228
<i>Figure 101d.</i> The sound shape in Figure 101c shown as frequency–amplitude curves for each speaker. This shows a series of symmetrical folds throughout the frequency spectrum. ....	228
<i>Figure 102a.</i> A circular trajectory superimposed over a density plot of a terrain with increasingly more undulations. ....	229

<i>Figure 102b.</i> The circular trajectory colour coded to show the alignment of spectral bins. ....	229
<i>Figure 102c.</i> The sound shape created by the circular trajectory in Figure 102a reading a series of azimuth values from the terrain pictured. This generates increasingly more folds in the spectrum than compared to Figure 101c.....	229
<i>Figure 102d.</i> The sound shape in Figure 102c shown as frequency–amplitude curves for each speaker. This shows an increasingly larger number of symmetrical folds throughout the frequency spectrum compared to Figure 101d. ....	229
<i>Figure 103.</i> The sound shape in Figure 102c but showing the individual separated bins. ....	230
<i>Figure 104a.</i> A circular trajectory superimposed over a density plot of a photograph exhibiting noisy components.....	231
<i>Figure 104b.</i> The circular trajectory colour coded to show the alignment of spectral bins. ....	231
<i>Figure 104c.</i> This sound shape exhibits a more clumpy distribution of frequency with zones that are more correlated than others.....	231
<i>Figure 104d.</i> The sound shape in Figure 104c shown as frequency–amplitude curves for each speaker: an extremely complex and discontinuous distribution of frequency.....	231
<i>Figure 105a.</i> A circular trajectory superimposed over a density plot of a discontinuous terrain. ....	232
<i>Figure 105b.</i> The circular trajectory colour coded to show the alignment of spectral bins. ....	232
<i>Figure 105c.</i> The sound shape created by the circular trajectory in Figure 105a reading a series of azimuth values from the terrain pictured. The sound shape exhibits a more non-contiguous sound shape.....	232
<i>Figure 105d.</i> The sound shape in Figure 105c shown as frequency–amplitude curves for each speaker. This shows the step-wise nature of the terrain curve determines a more isolated series of points rather than a smooth and even spread of frequency across the speakers. ....	232
<i>Figure 106a.</i> The sound shape resulting from a low-frequency trajectory (random walk shown in Figure 106d) after two consecutive frames of the FFT.....	234

<i>Figure 106b.</i> The sound shape resulting from a low-frequency trajectory (random walk shown in Figure 106e) over 43 frames of the FFT (1-second duration).	234
<i>Figure 106c.</i> The sound shape resulting from a low-frequency trajectory (random walk shown in Figure 106f) over 430 frames of the FFT (10-seconds duration).	234
<i>Figure 106d.</i> A random walk traversing a terrain over two frames of the FFT.	234
<i>Figure 106e.</i> A random walk traversing a terrain over 43 frames of the FFT, or after 1 second.	234
<i>Figure 106f.</i> A random walk traversing a terrain over 430 frames of the FFT, or after 10 seconds.	234
<i>Figure 107a.</i> A single frame of white noise over an undulating surface.	235
<i>Figure 107b.</i> A single FFT frame of the sound shape produced by the terrain and trajectory pictured in Figure 107a.	235
<i>Figure 107c.</i> 10 consecutive FFT frames of the sound shape produced by the terrain and trajectory pictured in Figure 107a.	235
<i>Figure 108a.</i> A single frame of white noise over a discontinuous terrain surface.	235
<i>Figure 108b.</i> A single FFT frame of the sound shape produced by the terrain and trajectory pictured in Figure 108a.	235
<i>Figure 108c.</i> 10 consecutive FFT frames of the sound shape produced by the terrain and trajectory pictured in Figure 108a.	235
<i>Figure 109a.</i> Any of the frequency–amplitude distributions presented above in Figures 95–108 when summed together will derive unity gain for all frequencies across the audible spectrum. In this way <i>Model A</i> only performs a spatiomorphology.	239
<i>Figure 109b.</i> A special case arises when using an alternative or non-linear window function for performing basic amplitude panning. A summing of all frequency–amplitude distributions show non-linear distributions of frequency across the audible spectrum. In this way <i>Model A</i> can be used to derive spectromorphology and spatiomorphology.	239
<i>Figure 110a.</i> A trajectory of pink noise reading values off the terrain in Figure 64a.	240
<i>Figure 110b.</i> An Archimedes spiral trajectory reading values off the terrain in Figure 64a.	240

<i>Figure 111a.</i> A trajectory of white noise reading values off the terrain in Figure 64a after 50 milliseconds. ....	241
<i>Figure 111b.</i> A trajectory of white noise reading values off the terrain in Figure 64a after 1 second. ....	241
<i>Figure 111c.</i> A trajectory of white noise reading values off the terrain in Figure 64a after 10 seconds. ....	241
<i>Figure 112a.</i> The spectrum of a sound shape derived by the rose curve used as a trajectory over a linear ramp function. The rose curve features three stationary points. ....	242
<i>Figure 112b.</i> The spectrum of a sound shape derived by the Archimedes spiral used as a trajectory over a linear ramp function. The Archimedes spiral features one stationary point. ....	242
<i>Figure 113a.</i> A distance curve determined by centre size 0.05, centre attenuation 3 dB and distance attenuation 0 dB. ....	242
<i>Figure 113b.</i> A distance curve determined by centre size 0.05, centre attenuation 3 dB and distance attenuation 0.5 dB. ....	242
<i>Figure 114a.</i> The <i>sound shape</i> created from passing a white noise trajectory over a linear ramp terrain function. ....	243
<i>Figure 114b.</i> This image provides a little more perspective by explicitly pointing out that the more distant frequencies in relation to the listener position need to be rolled off in loudness. ....	243
<i>Figure 115a.</i> A frequency–amplitude plot over 10 FFT frames using <i>Model B</i> with Ambisonic equivalent panning (AEP) centre size 0.05, centre attenuation 0 dB and distance attenuation 0.2 dB (spectral centroid width set to 0.9). ....	244
<i>Figure 115b.</i> A frequency–amplitude plot over 10 FFT frames using <i>Model B</i> with AEP centre size 0.05, centre attenuation 0 dB and distance attenuation 3 dB (spectral centroid width set to 0.9). ....	244
<i>Figure 115c.</i> A frequency–amplitude plot over 10 FFT frames using <i>Model B</i> with AEP centre size 0.05, centre attenuation 0 dB and distance attenuation 6 dB (spectral centroid width set to 0.9). ....	244
<i>Figure 115d.</i> The frequency–amplitude plot in Figure 115a with a linear-phase spectral low-pass filter applied. ....	244

<i>Figure 115e.</i> The frequency–amplitude plot in Figure 115b with a linear-phase spectral low-pass filter applied.....	244
<i>Figure 115f.</i> The frequency–amplitude plot in Figure 115c with a linear-phase spectral low-pass filter applied.....	244
<i>Figure 116a.</i> A trajectory at a constant position of (0.35, 0.35).....	245
<i>Figure 116b.</i> The resulting frequency–amplitude for four speakers that accumulate over one frequency band. ....	245
<i>Figure 117a.</i> A circular trajectory passing over a terrain where frequencies (shown in colour) are distributed spatially.....	246
<i>Figure 117b.</i> A circular trajectory passing over a terrain that consists of only one frequency (in yellow). ....	246
<i>Figure 118a.</i> The spectral processing functions (SPFs) for four speakers after computing the histogram for the terrain and trajectory in Figure 117a. ....	247
<i>Figure 118b.</i> The SPFs in Figure 118a after spectral centroid smoothing and linear-phase filtration have been applied. This distribution shows similarities to Figure 98d. ....	247
<i>Figure 118c.</i> The frequency–amplitude plots in Figure 118b summed together showing an amplitude ratio of four or an increase of 12 dB. ....	248
<i>Figure 119a.</i> A vertically symmetrical terrain curve, with a vertically and horizontally symmetrical trajectory, and a vertically and horizontally symmetrical speaker configuration. ....	248
<i>Figure 119b.</i> Sonograms of the terrain and trajectory in Figure 119a through <i>Model B</i> showing a steady-state and unchanging sound shape over four speaker channels. The frequency spectrum is duplicated in adjacent speakers. ....	248
<i>Figure 119c.</i> The frequency–amplitude curves for all four speakers after spectral centroid smoothing and linear-phase filtration have been applied.....	248
<i>Figure 119d.</i> The sum of all frequency–amplitude curves in Figure 119c showing the intensity of various bands of frequency. ....	248
<i>Figure 120a.</i> A vertically symmetrical terrain curve, and vertically and horizontally symmetrical trajectory.....	249
<i>Figure 120b.</i> Sonograms of the terrain and trajectory in Figure 120a through <i>Model B</i> showing spectral symmetry. ....	249
<i>Figure 120c.</i> The frequency–amplitude curves for all four speakers after spectral centroid smoothing and linear-phase filtration have been applied.....	249

<i>Figure 120d.</i> The sum of all frequency–amplitude curves in Figure 120c showing the intensity of various bands of frequency. ....	249
<i>Figure 121a.</i> A vertically symmetrical terrain curve, with a vertically and horizontally asymmetrical trajectory, and a vertically and horizontally symmetrical speaker configuration. ....	250
<i>Figure 121b.</i> Sonograms of the terrain and trajectory in Figure 121a through <i>Model B</i> showing a different spectrum in all four speakers. ....	250
<i>Figure 121c.</i> The frequency–amplitude curves for all four speakers after spectral centroid smoothing and linear-phase filtration have been applied. ....	250
<i>Figure 121d.</i> The sum of all frequency–amplitude curves in Figure 121c showing the intensity of various bands of frequency. ....	250
<i>Figure 122a.</i> An asymmetrical and non-linear terrain curve, with a vertically and horizontally asymmetrical trajectory, and a vertically and horizontally symmetrical speaker configuration. ....	251
<i>Figure 122b.</i> The frequency–amplitude curves of the terrain and trajectory in Figure 122a through <i>Model B</i> showing a different spectrum in all four speakers. These spectral processing functions have had spectral centroid smoothing and linear-phase filtration applied. ....	251
<i>Figure 122c.</i> The sum of all frequency–amplitude curves in Figure 122b showing the relative intensity of various bands of frequency. ....	251
<i>Figure 123a.</i> A noisy high-frequency asynchronous trajectory passed over a non-linear terrain curve. ....	252
<i>Figure 123b.</i> The frequency–amplitude curves of the terrain and trajectory in Figure 123a through <i>Model B</i> showing a different spectrum in all four speakers. These spectral processing functions have had spectral centroid smoothing and linear-phase filtration applied. ....	252
<i>Figure 123c.</i> The sum of all frequency–amplitude curves in Figure 123b showing the relative intensity of various bands of frequency. ....	252
<i>Figure 125a.</i> A frequency–amplitude curve applied to one loudspeaker. ....	253
<i>Figure 125b.</i> A frequency–amplitude curve applied to two loudspeakers. ....	253
<i>Figure 125c.</i> A frequency–amplitude curve applied to eight loudspeakers. ....	253
<i>Figure 125d.</i> A frequency–amplitude curve applied to 32 loudspeakers. ....	253
<i>Figure 126.</i> The use of <i>jit.xfade</i> to morph between two terrain structures used during a 2012 performance at the Make It Up Club in Melbourne. ....	257

<i>Figure 127a.</i> A circular video buffer consisting of two 3D matrices $300 \times 300 \times 8$ ....	259
<i>Figure 127b.</i> The circular trajectory orbit that also slowly passes through the eight frames in Figure 127a.....	259
<i>Figure 128.</i> The video circular buffer patch implemented in <i>MaxMSP</i> . ....	260
<i>Figure 129a.</i> A spatially normalised image. Source: James and Hope, 2012. ....	261
<i>Figure 129b.</i> A spatially contorted version of Figure 129a. Source: James and Hope, 2012.....	261
<i>Figure 130a.</i> A circular trajectory with the FFT bins colour coded from low frequency (in red) to high frequency (in blue). ....	263
<i>Figure 130b.</i> A linearly interpolated trajectory showing the state in between Figure 130a and 130c.....	263
<i>Figure 130c.</i> A square trajectory with the FFT bins colour coded from low frequency (in red) to high frequency (in blue). ....	263
<i>Figure 131.</i> Additive trajectories presented by Trevor Wishart in his book <i>On Sonic Art</i> (1996). ....	264
<i>Figure 132a.</i> The 2D panner interface allowing the performer to shift between periodic and quasi-periodic (synchronous) states, to chaotic and random (asynchronous) states. ....	264
<i>Figure 132b.</i> The trajectory state space, illustrating a smooth transition from a periodic (synchronous) motion, to quasi-periodic, chaotic (asynchronous), and random motions (asynchronous).....	264
<i>Figure 133a.</i> The <i>nodes</i> object in <i>MaxMSP</i> allowing for interpolating across nine nodes positioned across a 2D plane.....	265
<i>Figure 133b.</i> The flexibility of the nodes 2D interface and DBAP interpolation is that such an approach is not limited to a fixed number of nodes. ....	265
<i>Figure 134a.</i> Interpolation between a circle, square, hypotrochoid, and the Rössler chaotic attractor. ....	266
<i>Figure 134b.</i> The same trajectory combinations as Figure 134a but shifting towards the circle. ....	266
<i>Figure 134c.</i> Interpolation between the Archimedes spiral, a circle, random walk and the Rössler chaotic attractor. ....	266
<i>Figure 134d.</i> The same trajectory combinations as Figure 134c but with one of the nodes shifted creating a non-linear distortion of interpolation applied.....	266



<i>Figure 135a.</i> A square trajectory with no time domain transformation applied. FFT spectral bins are colour coded. ....	268
<i>Figure 135b.</i> The trajectory in Figure 135a transformed by affine transformation showing changes in its scale and rotation. ....	268
<i>Figure 135c.</i> The trajectory in Figure 135a transformed by its scale, rotation, time domain feedback and crosstalk. ....	268
<i>Figure 135d.</i> A 2D white noise trajectory transformed by its scale, rotation, time domain feedback and crosstalk. ....	268
<i>Figure 135e.</i> A random walk trajectory transformed by its scale, rotation, time domain feedback and crosstalk. ....	268
<i>Figure 135f.</i> An interpolated additive trajectory of 2D sawtooth, Lissajous, Hénon chaotic attractor, and random walks transformed by time domain feedback, crosstalk, low-pass filtration and bit reduction. ....	268
<i>Figure 135g.</i> A steady-state sound shape over a 16-channel sonogram using the trajectory in Figure 135a. ....	268
<i>Figure 135h.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 135b. ....	268
<i>Figure 135i.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 135c. ....	269
<i>Figure 135j.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 135d. ....	269
<i>Figure 135k.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 135e. ....	269
<i>Figure 135l.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 135f. ....	269
<i>Figure 136a.</i> A single FFT frame of a vector-based trajectory superimposed over a terrain. ....	270
<i>Figure 136b.</i> 1 FFT frame of the sound shape created by Figure 136a. ....	270
<i>Figure 136c.</i> 43 FFT frames of the sound shape created by Figure 136a. ....	270
<i>Figure 137a.</i> A static line trajectory that has been transformed by a vector-based process that independently shifts all points with circular trajectories (each spectral bin is giving a separate trajectory). ....	271
<i>Figure 137b.</i> A circular trajectory with all points transformed independently in circular trajectories. ....	271

<i>Figure 137c.</i> The Archimedes spiral with all points transformed independently in random walk trajectories. ....	271
<i>Figure 137d.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 137a. ....	271
<i>Figure 137e.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 137b. ....	271
<i>Figure 137f.</i> A dynamic sound shape generated over a 16-channel sonogram using the trajectory in Figure 137c. ....	271
<i>Figure 138a.</i> A <i>sound shape</i> created with <i>Model B</i> using a 2D white noise trajectory.....	274
<i>Figure 138b.</i> The geometric transformation of the <i>sound shape</i> in Figure 138a.....	274
<i>Figure 138c.</i> A <i>sound shape</i> created with <i>Model B</i> using the Archimedes spiral as a trajectory.....	274
<i>Figure 138d.</i> The geometric transformation of the <i>sound shape</i> in Figure 137c.....	274
<i>Figure 139.</i> <i>Model A</i> interface view with colour coding in the <i>terrain</i> , <i>trajectory</i> and frequency–space plot.....	282
<i>Figure 140.</i> <i>Model B</i> interface view utilising Ambisonic equivalent panning. ....	283
<i>Figure 141.</i> <i>Model B</i> interface view utilising distance-based amplitude panning. ....	284
<i>Figure 142.</i> Me performing <i>Particle 1</i> during a Decibel ensemble concert at the Perth Institute of Contemporary Arts in May 2011.....	287
<i>Figure 143.</i> The wiring diagram showing the input/output configuration used in performance.....	287
<i>Figure 144a.</i> The Earthworks TC25 condenser microphone.....	288
<i>Figure 144b.</i> The frequency response of the Earthworks TC25. Source: Earthworks, n.d.....	288
<i>Figure 145.</i> A block diagram showing the sound synthesis and sound diffusion stages of the processing.....	290
<i>Figure 146a.</i> The stochastically generated terrain curve.....	292
<i>Figure 146b.</i> The linear trajectory sweeping in one direction and back again at 0.02 Hz. ....	292
<i>Figure 146c.</i> The linear trajectory oscillating >10 Hz.....	292
<i>Figure 147a.</i> The speaker layout at SpADE.....	295
<i>Figure 147b.</i> The SpADE facility at DMARC, University of Limerick. ....	295
<i>Figure 148.</i> The 16-channel wiring diagram for <i>Veden Ja Tulen Elementit</i> (2012)....	296

<i>Figure 149.</i> The 8-channel wiring diagram for <i>Veden Ja Tulen Elementit</i> (2012).....	296
<i>Figure 146.</i> The 2D interface of <i>CataRT</i> .....	297
<i>Figure 147.</i> The corpus of sounds arranged in the <i>Logic Pro</i> arrange window.....	298
<i>Figure 148.</i> The 16-channel 3D <i>timbre spatialiser</i> instrument designed in this study. The two examples display different states of terrain and trajectory motion.....	301
<i>Figure 149.</i> A frequency–space analysis towards the end of <i>Veden Ja Tulen Elementit</i> (2012).....	303
<i>Figure 150.</i> The recital performance of <i>N-Dimension</i> (2013) showing musicians, microphones and headphones.....	306
<i>Figure 151.</i> The wiring diagram showing the input/output configuration used during the performance.....	311
<i>Figure 152.</i> A screenshot of the video by Karl Ockelford for <i>N-Dimension</i> (2013)....	312
<i>Figure 153a.</i> The Lindenmayer system MIDI instrument built in <i>Max4Live</i> .....	312
<i>Figure 153b.</i> A rhythmic and melodic passage generated by a Lindenmayer system fractal.....	313
<i>Figure 154.</i> A fragment of the cello part in Section B featuring the tempo canon.....	315
<i>Figure 155a.</i> The multi-tap delay where the matrix in the lower left corner determines the criss-crossing of delay taps to different speakers. ....	318
<i>Figure 155b.</i> The Voronoi surfaces used in <i>N-Dimension</i> to create shifting and evolving spectromorphologies and spatiomorphologies.....	318
<i>Figure 156.</i> The 28-channel wiring diagram for <i>The Overview Effect</i> (2013–14) in the Pakenham Street Art Space.....	320
<i>Figure 157.</i> Two of the noise generators included in <i>The Overview Effect</i> (2013– 14).....	321
<i>Figure 158a.</i> The scale of the trajectory passes beyond the bounds of the terrain and is folded over.....	322
<i>Figure 158b.</i> By increasing the scale of the trajectory, this foldover process continues producing more and more spectral folds as can be seen in the resulting multichannel sonogram.....	322
<i>Figure 158c.</i> The foldover process continues until the spectral folds become more and more detailed.....	323
<i>Figure 159a.</i> The audio rate DBAP spatialiser using Lissajous figures to control the position of the sound source.....	324

<i>Figure 159b.</i> The Ambisonic equivalent panning version of <i>Model B</i> used to perform <i>timbre spatialisation</i> of sound sources in space.....	324
<i>Figure 160.</i> The speaker configuration used in the Pakenham Street Art Space (courtesy of Steve Paraskos). .....	325

## **COPYRIGHT AND ACCESS DECLARATION**

I certify that this thesis does not, to the best of my knowledge and belief:

- (i) incorporate without acknowledgement any material previously submitted for a degree or diploma in any institution of higher education;
- (ii) contain any material previously published or written by another person except where due reference is made in the text; or
- (iii) contain any defamatory material.

Signed (signature not included in this version of the thesis)

Date.....

## Acknowledgments

Thanks to my principal supervisors Dr Cat Hope and Dr Lindsay Vickery for their ongoing support and constructive feedback, and to Edith Cowan University staff Dr Maggi Phillips and Dr Lyndall Adams for their critical input in the early stages of conceptual development. Thanks also to Dr Helen Rusack who provided critical feedback at the final stages of the write up, and to Dr Renée Newman-Storen who assisted in some important logistical matters with regard to my performance recital. Special thanks also to Dr Kerry Hagan, Dr Robert Sazdov and Darragh Pigott at DMARC, University of Limerick, for allowing me access to the Spatialization and Auditory Display Environment (SpADE), a 32.2-multi-channel sound system, and for sharing both their time and expertise. Thanks also to visual artist Erin Coates for collaborating with me on some interesting and inspirational audio-visual projects. Thanks to Dr Alan Lamb for imparting his wisdom in discussions on sound. Thanks to Kynan Tan for our discussions on multi-dimensionality. Thanks to Steve Paraskos for the curation and organisation of the Successor States spatial music concert in the Pakenham Street Art Space, featuring a 20.4-multi-channel sound system. Thanks also to Karl Ockelford who made a video for my composition *N-Dimension* (2013) that was screened at its performance on 19 Jan 2015. Many thanks to ensemble Decibel director Cat Hope and other members Lindsay Vickery, Aaron Wyatt, Tristen Parr, Louise Devenish and Paul Tanner for opportunities that have proven invaluable for this performative research project.

Special thanks also to my parents, Margaret and Peter James, for their ongoing support, and to my partner Marjorie Angco. Thanks also to my work colleagues Cliff Blackburn and Matt McLean at The Soundfield Studio for their encouragement and support. Thanks also to Wheldon Thornley for loaning the active sub-woofer.