



- [Published: 24 August 2018](#)

# Exergy analysis of vapor compression refrigeration system using R450A as a replacement of R134a

- [Jatinder Gill](#),
- [Jagdev Singh](#),
- [Olayinka S. Ohunakin](#) &
- [Damola S. Adelekan](#)

*Journal of Thermal Analysis and Calorimetry* volume 136, pages857–872(2019)[Cite this article](#)

## Abstract

This paper experimentally investigated exergetic performance analysis of vapor compression refrigeration system using R450a as a replacement for R134a at different evaporator and condenser temperatures within controlled environmental conditions. The exergetic performance analysis of the vapor compression refrigeration system with test parameters including efficiency defects in the components, total irreversibility, and exergy efficiency of the refrigeration system was performed. Findings showed that the total irreversibility and exergy efficiency of the vapor compression refrigeration system using R450A refrigerant were lower and higher than R134a by about 15.25–27.32% and 10.07–130.93%, respectively. However, the efficiency defect in the condenser, compressor, and evaporator of the R450A refrigeration system was lower than R134a by about 16.99–26.08%, 5.03–20.11%, and 1.85–15.85%, respectively. Conversely, efficiency defect in the capillary tube of the R450A refrigeration system was higher than R134a by about 14.66–78.97% under similar operating conditions. Overall, it was found that the most efficient component was the evaporator, and the least efficient component was the compressor for both refrigerants.

This is a preview of subscription content, [access via your institution](#).

34,95 €

## References

---

1. 1.

---

Buzelin LOS, Amico SC, Vargas JVC, Parise JAR. Experimental development of an intelligent refrigeration system. *Int J Refrig*. 2005;28:165–75.

[Article Google Scholar](#)

---

2. 2.

---

Harby K. Hydrocarbons and their mixtures as alternatives to environmental unfriendly halogenated refrigerants: an updated overview. *Renew Sustain Energy Rev*. 2017;73:1247–64.

[Article CAS Google Scholar](#)

---

3. 3.

---

Harby K, Gebaly DR, Koura NS, Hassan M. Performance improvement of vapor compression cooling systems using evaporative condenser: an overview. *Renew Sustain Energy Rev*. 2016;58:347–60.

[Article Google Scholar](#)

---

4. 4.

---

Gill J, Singh J. Energetic and exergetic performance analysis of the vapor compression refrigeration system using adaptive neuro-fuzzy inference system approach. *Exp Thermal Fluid Sci.* 2017;88:246–60.

[Article](#) [Google Scholar](#)

---

5. 5.

---

Hepbasli A. Thermoeconomic analysis of household refrigerators. *Int J Energy Res.* 2007;31:947–59.

[Article](#) [Google Scholar](#)

---

6. 6.

---

Kabul A, Kizilkan O, Yakut AK. Performance and energetic analysis of vapor compression refrigeration system with an internal heat exchanger using a hydrocarbon, isobutane (R600a). *Int J Energy Res.* 2008;32:824–36.

[Article](#) [CAS](#) [Google Scholar](#)

---

7. 7.

---

Ahamed JU, Saidur R, Masjuki HH. Thermodynamic performance analysis of R-600 and R-600a as a refrigerant. *En. E-Trans.* 2010;5:11–8.

[Google Scholar](#)

---

8. 8.

---

Bolaji BO. Experimental study of R152a and R32 to replace R134a in a domestic refrigerator. *Energy.* 2010;35:3793–8.

[Article](#) [CAS](#) [Google Scholar](#)

---

9. 9.

---

Ozgur AE, Kabul A, Kizilkan O. Exergy analysis of refrigeration systems using an alternative refrigerant (hfo-1234yf) to R-134a. Int J Low-Carbon Technol. 2014;9:56–62.

[Article](#) [CAS](#) [Google Scholar](#)

---

10.10.

---

Saravanakumar R, Selladurai V. Exergy analysis of a domestic refrigerator using eco-friendly R290/R600a refrigerant mixture as an alternative to R134a. J Therm Anal Calorim. 2014;115(1):933–40.

[Article](#) [CAS](#) [Google Scholar](#)

---

11.11.

---

El-Morsi Mohamed. Energy and exergy analysis of LPG (liquefied petroleum gas) as a drop in replacement for R134a in domestic refrigerators. Energy. 2015;86:344–53.

[Article](#) [CAS](#) [Google Scholar](#)

---

12.12.

---

Golzari S, Kasaeian A, Daviran S, Mahian O, Wongwises S, Sahin AZ. Second law analysis of an automotive air conditioning system using HFO-1234yf, an environmentally friendly refrigerant. Int J Refrig. 2017;73:134–43.

[Article](#) [CAS](#) [Google Scholar](#)

---

13.13.

---

Dowlati M, Aghbashlo M, Soufiyan MM. Exergetic performance analysis of an ice-cream manufacturing plant: a comprehensive survey. Energy. 2017;123(2017):445–59.

[Article](#) [Google Scholar](#)

---

14.14.

---

Raveendran PS, Sekhar SJ. Exergy analysis of a domestic refrigerator with brazed plate heat exchanger as a condenser. J Therm Anal Calorim. 2017;127:1–8.

[Article](#) [CAS](#) [Google Scholar](#)

---

15.15.

---

Yataganbaba A, Kilicarslan A, Kurtbas I. Exergy analysis of R1234yf and R1234ze as R134a replacements in a two evaporator vapour compression refrigeration systems. Int J Refrig. 2015;60:26–37.

[Article](#) [CAS](#) [Google Scholar](#)

---

16.16.

---

Cho H, Park C. Experimental investigation of performance and exergy analysis of automotive air conditioning systems using refrigerant R1234yf at various compressor speeds. Appl Therm Eng. 2016;101:30–7.

[Article](#) [CAS](#) [Google Scholar](#)

---

17.17.

---

Minor BH, Herrmann D, Gravell R. Flammability characteristics of HFO-1234yf. AIChE Process Saf Prog. 2010;29:150–4.

---

[Article](#) [CAS](#) [Google Scholar](#)

---

18.18.

---

Qi Z. Performance improvement potentials of R1234yf mobile air conditioning system. *Int J Refrig.* 2015;58:35–40.

[Article](#) [CAS](#) [Google Scholar](#)

---

19.19.

---

Ortega Sotomayor P, Reis Parise JA. Characterization and simulation of an open piston compressor for application on automotive air-conditioning systems operating with R134a, R1234yf and R290. *Int J Refrig.* 2016;61:100–16.

[Article](#) [CAS](#) [Google Scholar](#)

---

20.20.

---

Raabe G. Molecular simulation studies in hydrofluoroolefine (HFO) working fluids and their blends. *Sci Technol Built Environ.* 2016;22:1–13.

[Article](#) [Google Scholar](#)

---

21.21.

---

Mohanraj M, Jayaraj S, Muraleedharan C. Environment friendly alternatives to halogenated refrigerants—a review. *Int J Greenhouse Gas Control.* 2009;3(1):108–19.

[Article](#) [CAS](#) [Google Scholar](#)

---

22.22.

---

Mohanraj M, Muraleedharan C, Jayaraj S. A review on recent developments in new refrigerant mixtures for vapour compression-based refrigeration, air-conditioning and heat pump units. *Int J Energy Res.* 2011;35(8):647–69.

[Article](#) [CAS](#) [Google Scholar](#)

---

23.23.

Mota-Babiloni A, Navarro-Esbrí J, Barragán-Cervera Á, Molés F, Peris B. Experimental study of an R1234ze(E)/R134a mixture (R450A) as R134a replacement. *Int J Refrig.* 2015;51:52–8.

[Article](#) [CAS](#) [Google Scholar](#)

---

24.24.

Kontomaris K, Kulankara S, Kauffman JP. A reduced global warming potential replacement for HFC-134a in centrifugal chillers: XP10 measured performance and projected climate impact. *HVAC&R Res.* 2013;19(2013):857–64.

[Article](#) [CAS](#) [Google Scholar](#)

---

25.25.

Mota-Babiloni A, Makhnatch P, Khodabandeh R, Navarro-Esbrí J. Experimental assessment of R134a and its lower GWP alternative R513A. *Int J Refrig.* 2017;74:682–8.

[Article](#) [CAS](#) [Google Scholar](#)

---

26.26.

---

Makhnatch Pavel, Mota-Babiloni Adrián, Khodabandeh Rahmatollah. Experimental study of R450A drop-in performance in an R134a small capacity refrigeration unit. Int J Refrig. 2017;84:26–35.

[Article](#) [CAS](#) [Google Scholar](#)

---

27.27.

---

Adelekan DS, Ohunakin OS, Babarinde TO, Odunfa MK, Leramo RO, Oyedepo SO, Badejo DC. Experimental performance of LPG refrigerant charges with varied concentration of TiO<sub>2</sub> nano-lubricants in a domestic refrigerator. Case Stud Therm Eng. 2017;9:55–61.

[Article](#) [Google Scholar](#)

---

28.28.

---

Gill J, Singh J. Performance analysis of vapor compression refrigeration system using an adaptive neuro-fuzzy inference system. Int J Refrig. 2017;82:436–46.

[Article](#) [CAS](#) [Google Scholar](#)

---

29.29.

---

Gill J, Singh J. Energy analysis of vapor compression refrigeration system using mixture of R134a and LPG as refrigerant. Int J Refrig. 2017;84:287–99.

[Article](#) [CAS](#) [Google Scholar](#)

---

30.30.

---



Gill J, Singh J. An applicability of ANFIS approach for depicting energetic performance of VCERS using mixture of R134a and LPG as refrigerant. Int J Refrig. 2018;85:353–75.

[Article](#) [CAS](#) [Google Scholar](#)

---

31.31.

---

ISO, International Standard Organization, International Standard-8187, Household refrigerating appliances (refrigerators/freezers) characteristics and test methods, International Organization for Standardization, Switzerland, 1991.

---

32.32.

---

Gill J, Singh J. Component-wise exergy and energy analysis of vapor compression refrigeration system using mixture of R134a and LPG as refrigerant. Heat Mass Transf. 2017. <https://doi.org/10.1007/s00231-017-2242-x>.

[Article](#) [Google Scholar](#)

---

33.33.

---

Padmanabhan VMV, Palanisamy S. The use of TiO<sub>2</sub> nanoparticles to reduce refrigerator IR-reversibility. Energy Convers Manag. 2012;59:122–32.

[Article](#) [CAS](#) [Google Scholar](#)

---

34.34.

---

Moffat RJ. Describing the uncertainties in experimental results. Exp Thermal Fluid Sci. 1988;1:3–17.

---

[Article Google Scholar](#)

---

35.35.

---

Padmanabhan VMV, Palanisamy SK. Exergy analysis of hydrocarbons mixture refrigerants R436A and R436B as a drop in replacement for R134a with TiO<sub>2</sub> nanoparticles. Int J Exergy. 2013;12(3):405–22.

[Article CAS](#) [Google Scholar](#)

---

36.36.

---

Gill J, Singh J. Energetic and exergetic performance analysis of the vapor compression refrigeration system using adaptive neuro-fuzzy inference system approach. Exp Thermal Fluid Sci. 2017;88:246–60.

[Article Google Scholar](#)

---

[Download references](#)

## Author information

---

### Affiliations

- 1. Department of Mechanical Engineering, IKGPTU, Kapurthala, Punjab, India**  
Jatinder Gill
- 2. Faculty of Mechanical Engineering Department, BCET Gurdaspur, Gurdaspur, Punjab, India**  
Jagdev Singh
- 3. The Energy and Environment Research Group (TEERG), Mechanical Engineering Department, Covenant University, Ota, Ogun State, Nigeria**  
Olayinka S. Ohunakin & Damola S. Adelekan

Corresponding author

Correspondence to [Jatinder Gill](#).

## Rights and permissions

---

[Reprints and Permissions](#)

### About this article

---

Cite this article

Gill, J., Singh, J., Ohunakin, O.S. *et al.* Exergy analysis of vapor compression refrigeration system using R450A as a replacement of R134a. *J Therm Anal Calorim* **136**, 857–872 (2019). <https://doi.org/10.1007/s10973-018-7675-z>

[Download citation](#)

- Received 28 January 2018
- Accepted 17 August 2018
- Published 24 August 2018
- Issue Date 30 April 2019
- DOI <https://doi.org/10.1007/s10973-018-7675-z>

Keywords

- **R134a**
- **R450A**
- **Efficiency defect**
- **Second-law efficiency**
- **Vapor compression refrigeration system**

Over 10 million scientific documents at your fingertips

Switch Edition

[Springer Nature](#)

© 2021 Springer Nature Switzerland AG. Part of [Springer Nature](#).